	umbia DRATORIES entamus Company	12423 NE Whitaker Way Portland, OR 97230 503-254-1794	Report Number: Report Date: ORELAP#: Purchase Order: Received:	23-001534/D002.R000 02/13/2023 OR100028 02/06/23 10:25
Customer: Product identity: Client/Metrc ID: Laboratory ID:	IHC LLC D8-020123 23-001534-0004			
		Summary		
Less than LOQ for all	l analytes.			

## **Microbiology:**

Less than LOQ for all analytes.

Page 1 of 6 Test results relate only to the parameters tested and to the samples as received by the laboratory. Test results meet all requirements of NELAP and the Columbia Laboratories quality assurance plan unless otherwise noted. This report shall not be reproduced, except in full, without the written consent of this laboratory. Samples will be retained for a maximum of 30 days from the receipt date unless prior arrangements have been made. Testing in accordance with: OAR 333-007-0390



IHC LLC

D8-020123

.

No

11.9 UPS

825 NW 16th Ave Portland Oregon 97209

23-001534-0004

United States of America (USA)

**Customer:** 

**Product identity:** 

Client/Metrc ID:

Sample Date:

Laboratory ID:

Temp:

Evidence of Cooling:

Relinquished by:

12423 NE Whitaker Way Portland, OR 97230 503-254-1794



Report Number:	23-001534/D002.R000
Report Date:	02/13/2023
ORELAP#:	OR100028
Purchase Order:	
Received:	02/06/23 10:25



## **Sample Results**

Microbiology									
Analyte	Result	Limits	Units	LOQ	Batch	Analyzed Method		Status	Notes
Mold (RAPID Petrifilm)	< LOQ		cfu/g	10	2301145	02/10/23 AOAC 20	014.05 (RAPID) <sup></sup>		
Yeast (RAPID Petrifilm)	< LOQ		_cfu/g	10	2301145	02/10/23 AOAC 2	( )		
Metals									
Analyte	Result	Limits	Units	LOQ	Batch	Analyzed Method		Status	Notes
Arsenic	< LOQ	0.200	mg/kg	0.0178	2301312	02/10/23 AOAC 2	013.06 (mod.) <sup>þ</sup>	pass	
Cadmium	< LOQ	0.200	mg/kg	0.0178	2301312	02/10/23 AOAC 2	013.06 (mod.) <sup>p</sup>	pass	
Lead	< LOQ	0.500	mg/kg	0.0178	2301312	02/10/23 AOAC 2	013.06 (mod.) <sup>p</sup>	pass	
Mercury	< LOQ	0.100	mg/kg	0.00892	2 2301312	02/10/23 AOAC 2	013.06 (mod.) <sup>p</sup>	pass	
Mycotoxins									
Analyte	Result	Limits	Units	LOQ	Batch	Analyzed Method		Status	Notes
Aflatoxin B2 <sup>¥</sup>	< LOQ		µg/kg	5.00	2301199	02/08/23 AOAC 2	007.01 & EN 15662 (mod) <sup>b</sup>		
Aflatoxin B1 <sup>¥</sup>	< LOQ		µg/kg	5.00	2301199	02/08/23 AOAC 2	007.01 & EN 15662 (mod) <sup>b</sup>		
Aflatoxin G1 <sup>¥</sup>	< LOQ		µg/kg	5.00	2301199	02/08/23 AOAC 2	007.01 & EN 15662 (mod) <sup>b</sup>		
Aflatoxin G2 <sup>¥</sup>	< LOQ		µg/kg	5.00	2301199	02/08/23 AOAC 2	007.01 & EN 15662 (mod) <sup>b</sup>		
Ochratoxin A <sup>¥</sup>	< LOQ	20.0	µg/kg	5.00	2301199	02/08/23 AOAC 2	007.01 & EN 15662 (mod) <sup>b</sup>	pass	
Total Aflatoxins <sup>¥</sup>	0.000	20.0	µg/kg	20.0		02/13/23 AOAC 20	007.01 & EN 15662 (mod) <sup>b</sup>	pass	

www.columbialaboratories.com

Test results relate only to the parameters tested and to the samples as received by the laboratory. Test results meet all requirements of NELAP and the Columbia Laboratories quality assurance plan unless otherwise noted. This report shall not be reproduced, except in full, without the written consent of this laboratory. Samples will be retained for a maximum of 30 days from the receipt date unless prior arrangements have been made.





 Report Number:
 23-001534/D002.R000

 Report Date:
 02/13/2023

 ORELAP#:
 OR100028

 Purchase Order:
 Received:

 02/06/23 10:25
 02/06/23 10:25

### Abbreviations

Limits: Action Levels per OAR-333-007-0400, OAR-333-007-0210, OAR-333-007-0220, CCR title 16-division 42. BCC-section 5723

Limit(s) of Quantitation (LOQ): The minimum levels, concentrations, or quantities of a target variable (e.g., target analyte) that can be reported with a specified degree of confidence.

<sup>b</sup> = ISO/IEC 17025:2017 accredited method.

\* = TNI accredited analyte.

#### Units of Measure

cfu/g = Colony forming units per gram μg/kg = Micrograms per kilogram = parts per billion (ppb) mg/kg = Milligram per kilogram = parts per million (ppm) % wt = μg/g divided by 10,000

Approved Signatory

Derrick Tanner General Manager

www.columbialaboratories.com

Page 3 of 6

Test results relate only to the parameters tested and to the samples as received by the laboratory. Test results meet all requirements of NELAP and the Columbia Laboratories quality assurance plan unless otherwise noted. This report shall not be reproduced, except in full, without the written consent of this laboratory. Samples will be retained for a maximum of 30 days from the receipt date unless prior arrangements have been made.

Columbia LABORATORIES & A Tentamus Company Herry			ip &	Cannal	Po bis:	Usa	nd, 3-25	OR 4-17	972 794 trac	t / F	inisi		Prc	 ( 	Repoi OREL Purch Recei	rt Dat AP#: ase (		23-001534/D002.R00 02/13/2023 OR100028 02/06/23 10:25														
Com	pany. The Herno Collect		_					Ans	alysis	Requ	ested		11/2	180	MARCH.	ŧн	1111111															
Contact: Sale Faritok Address: 431 NW Florders St. City: Portland Static: 08 Zip Code: 97209			209		ę					1.10			HCU	ĩ.	Batch ampled Raporti	by																
El Encil Results: Google Drive Ph: (600) - 5000043 Stilley Context & Alferenti Nerre: Encil: josi@htehempcollect.com Address: City: State: Zip:		deling Centres of Affrees it		alley Contact & Allerent Emot: josi@theberrocollect.com		mail: josi@thehempcollect.com														Perfection Multi-Read tore - 379 computers		Acidual Solverts	Maintura & Water Activity		VECCO: YEEKS and Model	Mum: E.Coli and Total Coliform	4		Report	ting Type t to: D - D - Tu	e: D. Compla METRC   D. Other:	na produst   D - Res. Cannabis ince   D - RED DOA   D - USDA   //A// - Business Days): - 380* 1 D - 280*
1941	)	2000 - D2		_	Petrodes OR 55 compounds	cides A	4	uni So	lure &	-	C Years	100	Hearty Metals	Mycotokins			"Checky	tor average likely														
ab ID	Client Sample Identifica	tion		Sample date	Please	1	Potenty	Pierie	Mau	Terpenes	Muo	Nur	Hear	N/vo	Mutertal Type T	Weight (Unital)		Comments/Metrc ID														
	08-5-020123 08-P-000123			02/01/23	<u>.                                    </u>			-	-				- 22		1 1		diam'r a barris	RL copies of all camples with TribeTokes														
1	084.6M-080125		02/01/21	02/01																	- 0		-Hease duplicate the 02 copy of D8-Lem w/ sample ID: d8-L2M-020123									
	C8-020123 02/01/2		a2/01/23							~		~	*	- 🖸	8.5																	
																	-															
	licentrics Automatical He	Bate		Tene			ru-Rea				u ta		Dru		-	-	[ab]	the Only:														
Lauren Plevis 02/01/25 33:00 AM			400	U	-	*	21		L	1:2		Evide Sompl Payme	e in good	soling: [] Yes ] d condition ([] ash ] [] Check	ar D Chert grop at																	

\* - Material Type Gales: Plant Material (P) ; Solder () ; Gancentrale/Oritout (C) ; Tectore/Tequal (C); Edite (); ; Beverage (0); ; Vapor Product (v)

Sergific constants in Character Laboratory and Going representation on approximate for previous for previous of the <u>previous of services</u> constants with the <u>COC</u> By agoing "Pullogic back to "pre-services and the <u>previous of services</u> constants with the <u>previous constants</u> const in the tree

Page\_\_\_\_\_ef

Page 4 of 6 Test results relate only to the parameters tested and to the samples as received by the laboratory. Test results meet all requirements of NELAP and the Columbia Laboratories quality assurance plan unless otherwise noted. This report shall not be reproduced, except in full, without the written consent of this laboratory. Samples will be retained for a maximum of 30 days from the receipt date unless prior arrangements have been made. Testing in accordance with: OAR 333-007-0390





Report Number:	23-001534/D002.R000
Report Date:	02/13/2023
ORELAP#:	OR100028
Purchase Order:	
Received:	02/06/23 10:25



Page 5 of 6 Test results relate only to the parameters tested and to the samples as received by the laboratory. Test results meet all requirements of NELAP and the Columbia Laboratories quality assurance plan unless otherwise noted. This report shall not be reproduced, except in full, without the written consent of this laboratory. Samples will be retained for a maximum of 30 days from the receipt date unless prior arrangements have been made. Testing in accordance with: OAR 333-007-0390





**Report Number:** 23-001534/D002.R000 **Report Date:** 02/13/2023 **ORELAP#:** OR100028 **Purchase Order: Received:** 02/06/23 10:25

Explanation of QC Flag Comments:

Code	Explanation
Q	Matrix interferences affecting spike or surrogate recoveries.
Q1	Quality control result biased high. Only non-detect samples reported.
Q2	Quality control outside QC limits. Data considered estimate.
Q3	Sample concentration greater than four times the amount spiked.
Q4	Non-homogenous sample matrix, affecting RPD result and/or % recoveries.
Q5	Spike results above calibration curve.
Q6	Quality control outside QC limits. Data acceptable based on remaining QC.
R	Relative percent difference (RPD) outside control limit.
R1	RPD non-calculable, as sample or duplicate results are less than five times the LOQ.
R2	Sample replicates RPD non-calculable, as only one replicate is within the analytical range.
LOQ1	Quantitation level raised due to low sample volume and/or dilution.
LOQ2	Quantitaion level raised due to matrix interference.
В	Analyte detected in method blank, but not in associated samples.
B1	The sample concentration is greater than 5 times the blank concentration.
B2	The sample concentration is less than 5 times the blank concentration.

 www.columbialaboratories.com
 Page 6 of 6

 Test results relate only to the parameters tested and to the samples as received by the laboratory. Test results meet all requirements of NELAP and the Columbia Laboratories quality assurance plan unless otherwise noted. This report shall not be reproduced, except in full, without the written consent of this laboratory. Samples will be retained for a maximum of 30 days from the receipt date unless prior arrangements have been made.

 Testing in accordance with: OAR 333-007-0390





Report Number:	23-000691/D005.R000
Report Date:	01/24/2023
ORELAP#:	OR100028
Purchase Order:	
Received:	01/17/23 14:16

Customer:	IHC LLC
Product identity:	01LIR209_SG
Client/Metrc ID:	
Laboratory ID:	23-000691-0008

Summary
---------

Potency:			
Potency: Analyte CBD-A CBC-A CBG-A THC-A CBD CBDV-A Δ9-THC	Result (%)         58.2         3.16         3.13         2.61         1.35         1.04         0.380	• CBD-A • CBC-A • CBG-A • CBG-A • CBG-A • THC-A • CBD • CBDV-A • CBDV-A • CBDV-A • CBDV-A • CBDV-A • CBDV-A • CBD-A	
CBG	0.252	• CBC	
CBC	0.170		

## **Residual Solvents:**

All analytes passing and less than LOQ.

\_ \_ \_ \_ \_ \_ \_ \_ \_ \_ \_ \_

### **Pesticides:**

Result (mg/kg)	Limits (mg/kg)	Status
< LOQ for all analytes		
S.		
S.		
	(mg/kg) < LOQ for all analytes	(mg/kg) (mg/kg) < LOQ for all analytes

 Www.columbialaboratories.com
 Page 1 of 12

 Test results relate only to the parameters tested and to the samples as received by the laboratory. Test results meet all requirements of NELAP and the Columbia Laboratories quality assurance plan unless otherwise noted. This report shall not be reproduced, except in full, without the written consent of this laboratory. Samples will be retained for a maximum of 30 days from the receipt date unless prior arrangements have been made.

 Testing in accordance with:
 OAR 333-007-0430



IHC LLC

.

No

20 °C

ramos

825 NW 16th Ave Portland Oregon 97209

01LIR209\_SG

23-000691-0008

United States of America (USA)

**Customer:** 

**Product identity:** 

Client/Metrc ID:

Sample Date:

Laboratory ID:

Temp:

Evidence of Cooling:

Relinquished by:

12423 NE Whitaker Way Portland, OR 97230 503-254-1794



Depart Number	22 000601/D005 D000
Report Number:	23-000691/D005.R000
Report Date:	01/24/2023
ORELAP#:	OR100028
Purchase Order:	
Received:	01/17/23 14:16

Page 2 of 12



# **Sample Results**

Potency	Method: J AOAC 201	5 V98-6 (mod) <sup>þ</sup>	Units %	Batch: 2300680	Analyze: 1/21/23 5:07:00 AM
Analyte	As Dry		otes		
	Received weigh				CBD-A
CBC	0.170	0.0715			• CBC-A
CBC-A	3.16	0.0715			• CBG-A
CBC-Total	2.94	0.134			• THC-A
CBD	1.35	0.0715			• CBD
CBD-A	58.2	0.715			• CBDV-A
CBD-Total	52.4	0.699			Δ9-THC
CBDV	< LOQ	0.0715			• CBG • CBC
CBDV-A	1.04	0.0715			
CBDV-Total	0.901	0.133			
CBE	< LOQ	0.0715			
CBG	0.252	0.0715			
CBG-A	3.13	0.0715			
CBG-Total	3.00	0.133			
CBL	< LOQ	0.0715			
CBL-A	< LOQ	0.0715			
CBL-Total	< LOQ	0.134			
CBN	< LOQ	0.0715			
CBT	< LOQ	0.0715			
$\Delta 10$ -THC-9R	< LOQ	0.0715			
∆8-THC	< LOQ	0.0715			
∆8-THCV	< LOQ	0.0715			
∆9-THC	0.380	0.0715			
exo-THC	< LOQ	0.0715			
THC-A	2.61	0.0715			
THC-Total	2.67	0.134			
THCV	< LOQ	0.0715			
THCV-A	< LOQ	0.0715			
THCV-Total	< LOQ	0.133			
Total Cannabinoids	70.3				

www.columbialaboratories.com Test results relate only to the parameters tested and to the samples as received by the laboratory. Test results meet all requirements of NELAP and the Columbia Laboratories quality assurance plan unless otherwise noted. This report shall not be reproduced, except in full, without the written consent of this laboratory. Samples will be retained for a maximum of 30 days from the receipt date unless prior arrangements have been made.



. . . . .

12423 NE Whitaker Way Portland, OR 97230 503-254-1794



Report Number:	23-000691/D005.R000
Report Date:	01/24/2023
ORELAP#:	OR100028
Purchase Order:	
Received:	01/17/23 14:16

Microbiology						
Analyte	Result	Limits Units	LOQ	Batch	Analyzed Method	Status Notes
Mold (RAPID Petrifilm)	< LOQ	cfu/g	10	2300531	01/21/23 AOAC 2014.05 (RAPID) <sup>b</sup>	
Yeast (RAPID Petrifilm)	< LOQ	cfu/g	10	2300531	01/21/23 AOAC 2014.05 (RAPID) <sup>b</sup>	

Solvents	Method:	Residua	I Solve	ents by	GC/MS♭	Units µg/g Batch 23	300722	Analyz	<b>e</b> 01/24/23 1	2:13 PM
Analyte	Result	Limits	LOQ	Status	Notes	Analyte	Result	Limits	LOQ Status	Notes
1,4-Dioxane	< LOQ	380	100	pass		2-Butanol	< LOQ	5000	200 pass	
2-Ethoxyethanol	< LOQ	160	30.0	pass		2-Methylbutane (Isopentane)	< LOQ		200	
2-Methylpentane	< LOQ		30.0			2-Propanol (IPA)	< LOQ	5000	200 pass	
2,2-Dimethylbutane	< LOQ		30.0			2,2-Dimethylpropane (neo-pentane)	< LOQ		200	
2,3-Dimethylbutane	< LOQ		30.0			3-Methylpentane	< LOQ		30.0	
Acetone	< LOQ	5000	200	pass		Acetonitrile	< LOQ	410	100 pass	
Benzene	< LOQ	2.00	1.00	pass		Butanes (sum)	< LOQ	5000	400 pass	
Cyclohexane	< LOQ	3880	200	pass		Ethyl acetate	< LOQ	5000	200 pass	
Ethyl benzene	< LOQ		200			Ethyl ether	< LOQ	5000	200 pass	
Ethylene glycol	< LOQ	620	200	pass		Ethylene oxide	< LOQ	50.0	20.0 pass	
Hexanes (sum)	< LOQ	290	150	pass		Isopropyl acetate	< LOQ	5000	200 pass	
Isopropylbenzene (Cumene)	< LOQ	70.0	30.0	pass		m,p-Xylene	< LOQ		200	
Methanol	< LOQ	3000	200	pass		Methylene chloride	< LOQ	600	60.0 pass	
Methylpropane (Isobutane)	< LOQ		200			n-Butane	< LOQ		200	
n-Heptane	< LOQ	5000	200	pass		n-Hexane	< LOQ		30.0	
n-Pentane	< LOQ		200			o-Xylene	< LOQ		200	
Pentanes (sum)	< LOQ	5000	600	pass		Propane	< LOQ	5000	200 pass	
Tetrahydrofuran	< LOQ	720	100	pass		Toluene	< LOQ	890	100 pass	
Total Xylenes	< LOQ		400			Total Xylenes and Ethyl benzene	< LOQ	2170	600 pass	

Pesticides	Method: AOAC	2007.01 & EN	15662 (mod) <sup>p</sup>	Units mg/kg	Batch 2300713	Analyze 01/24/23 10:07 AM
Analyte		Result		Limits	Status	Notes
Multi-Residue Pesticide	Profile	< LOQ for all an	nalytes			

Metals							
Analyte	Result	Limits	Units	LOQ	Batch	Analyzed Method	Status Notes
Arsenic	< LOQ	0.200	mg/kg	0.0775	2300594	01/18/23 AOAC 2013.06 (mod.) <sup>p</sup>	pass
Cadmium	< LOQ	0.200	mg/kg	0.0775	2300594	01/18/23 AOAC 2013.06 (mod.) <sup>b</sup>	pass
Lead	< LOQ	0.500	mg/kg	0.0775	2300594	01/18/23 AOAC 2013.06 (mod.) <sup>b</sup>	pass
Mercury	< LOQ	0.100	mg/kg	0.0388	2300594	01/18/23 AOAC 2013.06 (mod.) <sup>b</sup>	pass

 Www.columbialaboratories.com
 Page 3 of 12

 Test results relate only to the parameters tested and to the samples as received by the laboratory. Test results meet all requirements of NELAP and the Columbia Laboratories quality assurance plan unless otherwise noted. This report shall not be reproduced, except in full, without the written consent of this laboratory. Samples will be retained for a maximum of 30 days from the receipt date unless prior arrangements have been made.

 Testing in accordance with: OAR 333-007-0390 OAR 333-007-0400 OAR 333-007-0410 OAR 333-007-0430





Report Number:	23-000691/D005.R000
Report Date:	01/24/2023
ORELAP#:	OR100028
Purchase Order:	
Received:	01/17/23 14:16

Mycotoxins							
Analyte	Result	Limits	Units	LOQ	Batch	Analyzed Method	Status Notes
Aflatoxin B2 <sup>¥</sup>	< LOQ		µg/kg	5.00	2300576	01/19/23 AOAC 2007.01 & EN 15662 (mod) <sup>p</sup>	
Aflatoxin B1 <sup>*</sup>	< LOQ		µg/kg	5.00	2300576	01/19/23 AOAC 2007.01 & EN 15662 (mod) <sup>b</sup>	
Aflatoxin G1 <sup>*</sup>	< LOQ		µg/kg	5.00	2300576	01/19/23 AOAC 2007.01 & EN 15662 (mod) <sup>b</sup>	
Aflatoxin G2 <sup>*</sup>	< LOQ		µg/kg	5.00	2300576	01/19/23 AOAC 2007.01 & EN 15662 (mod) <sup>b</sup>	
Ochratoxin A <sup>*</sup>	< LOQ	20.0	µg/kg	5.00	2300576	01/19/23 AOAC 2007.01 & EN 15662 (mod) <sup>b</sup>	pass
Total Aflatoxins <sup>¥</sup>	0.000	20.0	µg/kg	20.0		01/24/23 AOAC 2007.01 & EN 15662 (mod) <sup>b</sup>	pass

Page 4 of 12

 Www.columbialaboratories.com
 Page 4 of 12

 Test results relate only to the parameters tested and to the samples as received by the laboratory. Test results meet all requirements of NELAP and the Columbia Laboratories quality assurance plan unless otherwise noted. This report shall not be reproduced, except in full, without the written consent of this laboratory. Samples will be retained for a maximum of 30 days from the receipt date unless prior arrangements have been made.

 Testing in accordance with: OAR 333-007-0390 OAR 333-007-0400 OAR 333-007-0410 OAR 333-007-0430





 Report Number:
 23-000691/D005.R000

 Report Date:
 01/24/2023

 ORELAP#:
 OR100028

 Purchase Order:
 Received:

 01/17/23 14:16
 01/17/23 14:16

### Abbreviations

Limits: Action Levels per OAR-333-007-0400, OAR-333-007-0210, OAR-333-007-0220, CCR title 16-division 42. BCC-section 5723

Limit(s) of Quantitation (LOQ): The minimum levels, concentrations, or quantities of a target variable (e.g., target analyte) that can be reported with a specified degree of confidence.

<sup>b</sup> = ISO/IEC 17025:2017 accredited method.

\* = TNI accredited analyte.

### Units of Measure

cfu/g = Colony forming units per gram µg/g = Microgram per gram µg/kg = Micrograms per kilogram = parts per billion (ppb) mg/kg = Milligram per kilogram = parts per million (ppm) % = Percentage of sample % wt = µg/g divided by 10,000

Approved Signatory

Derrick Tanner General Manager

www.columbialaboratories.com

Page 5 of 12

Test results relate only to the parameters tested and to the samples as received by the laboratory. Test results meet all requirements of NELAP and the Columbia Laboratories quality assurance plan unless otherwise noted. This report shall not be reproduced, except in full, without the written consent of this laboratory. Samples will be retained for a maximum of 30 days from the receipt date unless prior arrangements have been made.





Report Number:	23-000691/D005.R000
Report Date:	01/24/2023
ORELAP#:	OR100028
Purchase Order:	
Received:	01/17/23 14:16

olumbia A Terrary Compose

# Hemp / Cannabis Usable / Extract / Finished Products

**Chain of Custody Record** 

Revision: 4.00 Controll: CP029 Rev 02/34/2021 Eff: 03/04/2021 CRELAP C: CREL00008

45534553445457							naliys	is Req	ueste	¢.			_	P	0 Number:		
Contact: kyle@thehempco Street: 431 NW Handers st Ony: Portland State: @ Email Results: dropbox (IH fm; [51] 508164 [] Fx Results	Company: The Hemp Collect Contact: Kyle @thehempcollect.com Street: 431 NW Henders st. Chy: Portland Street: UP 2p 5 Portland Street: dropbox (IHC) Phy: (b1 608164 C Fx Results () street (# efference): 0el@thehempcollect		97209	strates - OR59 compareds	Multi-Residue - 179 compounds		ntibal Solemts	Sisture & Water Activity		Root Yeat and Mold	fiques ExClair and Total Celfform	ada.	su		Pro Caston P Report to	leporting: State - 11 ME sol Score 12 Sco 13 Score 12 Sco 13 Score 12 Score 13 S	Thit or
Lab Client Sample Identification 1 01LIRVAP200 SP	Date	Tree	Pestidie	Perindo	Potenty	heribasi	Molichure	Terpones	Micros %	MIGNOLE.	Peary Metals.	Mycotooins	Diffect	Sample Type *	Weight (Units)	Comments/Metrc 10	
2 01LIRVAP200_SP	-		-	-	1x	-	-	-	-	-	-	-	-	č			
	_	-	-	-	x	-	-	_	-	-	-	-		~			
3 0107LIRVAP200_Uama					-	-		_			_			2			
4 0107LIRVAP200_OGK					x									C			
5 01020506LIRVAP200_	10.00				x									C			
6 01020506LIRVAP200_	FV			1	x				1					C			
7 01LIR209_GJ				x	х	х			X		x	x		C			
8 01LIR209_SG				x	x	x			х		х	х		C			
9 01LIR209_Llama				x	×	x			х		х	х		C			
10 01LIR209_TG				x	x	x					x			C	1		
Heinquished Dy:	Date	Time		1	3	location:	Nr.	-	-	0	dai	TR	18			Lab Use Onlyc	
Kyle Farook	1/17	11:00 A		é	E	5	-	1		1-in	13	114	0			es   Cl Ro - Temp (PC): 20, es	
- Ba-	1.17	/338		ę.	35					olt	10	ાવણ	<b>b</b>	Simple in [] Cech ]	good condition	t: C) Yes  D Mo	

1 - Sample Type Ender: Vagetation (V) ; Isolates (S) ; Estract/Cencentrate (C) ; Texture/Tepical (T) ; Edible (E) ; Reverage (U) Receptor as inclusion in Collardia Education with training requirements contained on opercontains with the exercist town of annex constant of with the COC. In Agoing "Arlingethed by " you are approag to determine

(he service was

12423 NE Whiteler Way Portland, OR 87288

P: (503) 254-1794 ( Part (503) 254-2492 (mission) and a second se

Page\_\_\_\_\_ef\_\_\_\_

www.columbialaboratories.com

Page 6 of 12

Test results relate only to the parameters tested and to the samples as received by the laboratory. Test results meet all requirements of NELAP and the Columbia Laboratories quality assurance plan unless otherwise noted. This report shall not be reproduced, except in full, without the written consent of this laboratory. Samples will be retained for a maximum of 30 days from the receipt date unless prior arrangements have been made.





Report Number:	23-000691/D005.R000
Report Date:	01/24/2023
ORELAP#:	OR100028
Purchase Order:	
Received:	01/17/23 14:16

Revision: 1 Document ID: 7148 Legacy ID: Worksheet Validated 04/20/2021

J AOAC 2015 V98					y Quality Co B	atch ID: 23			
aboratory Conti	ol Sample								
Analyte	LCS	Result	Spike	Units	% Rec	Lin	nits	Evaluation	Notes
BDVA	2	0.104	0.100	%	104	80.0	- 120	Acceptable	
BDV	2	0.110	0.106	%	104	80.0	- 120	Acceptable	
BE	2	0.108	0.105	%	103	80.0	- 120	Acceptable	
BDA	1	0.0968	0.096	%	101	90.0	- 110	Acceptable	
BGA	1	0.0973	0.096	%	101	80.0	- 120	Acceptable	
BG	1	0.100	0.099	%	102	80.0	- 120	Acceptable	
:BD	1	0.0969	0.097	%	99.6	90.0	- 110	Acceptable	
HCV	2	0.109	0.106	%	102	80.0	- 120	Acceptable	
8THCV	2	0.108	0.103	%	105	80.0	- 120	Acceptable	
HCVA	2	0.102	0.099	%	103	80.0	- 120	Acceptable	
BN	1	0.104	0.102	%	102	80.0	- 120	Acceptable	
xo-THC	2	0.101	0.097	%	104	80.0	- 120	Acceptable	
19THC	1	0.112	0.105	%	107		- 110	Acceptable	
8THC	1	0.0971	0.100	%	96.7		- 110	Acceptable	
BL	2	0.108	0.104	%	104		- 120	Acceptable	
S-HHC	3	0.0995	0.100	%	99.5		- 120	Acceptable	
10THC	1	0.0471	0.047	%	99.8		- 120	Acceptable	
BC	2	0.107	0.104	%	103		- 120	Acceptable	
R-HHC	3	0.0889	0.100	%	88.9		- 120	Acceptable	
HCA	1	0.0964	0.095	%	101		- 120	Acceptable	
BCA	2	0.106	0.103	%	101		- 120	Acceptable	
BLA	2	0.108	0.105	%	103		- 120	Acceptable	
8THCO	3	0.108	0.100	%	104	80.0	- 120	Acceptable	
BT	2	0.104	0.105	%	104			Acceptable	
9THCO	3	0.109	0.100	%	104	80.0 80.0		Acceptable	
Aethod Blank	3	0.110	0.100	70	110	80.0	- 120	Acceptable	
nalyte	R	esult	LOQ		Units	Lin	nits	Evaluation	Notes
BDVA		LOQ	0.0077	1	%	< 0.0		Acceptable	Notes
BDV		LOQ	0.0077		%	< 0.0		Acceptable	
BE		LOQ	0.0077		%	< 0.0		Acceptable	
BDA		LOQ	0.0077		%	< 0.0		Acceptable	
BGA		LOQ	0.0077		%	< 0.0		Acceptable	
BGA		100	0.0077		%	< 0.0		Acceptable	
BD		LOQ	0.0077		%	< 0.0		Acceptable	
HCV		100	0.0077	+	%	< 0.0		Acceptable	
ISTHCV		LOQ LOQ	0.0077		%	< 0.0		Acceptable	
HCVA		LOQ LOQ	0.0077	ļ	%	< 0.0			
BN		LOQ LOQ	0.0077	ļ	%	< 0.0		Acceptable Acceptable	
.BN		LOQ LOQ	0.0077	ļ	%	< 0.0		Acceptable	
				ļ					
9THC		LOQ	0.0077		%	< 0.0		Acceptable	
8THC		LOQ	0.0077		%	< 0.0		Acceptable	
BL		LOQ	0.0077			< 0.0		Acceptable	
S-HHC		LOQ	0.0077		%	< 0.0		Acceptable	
10THC		LOQ	0.0077	1	%	< 0.0		Acceptable	
BC		LOQ	0.0077	ļ	%		0077	Acceptable	
R-HHC		LOQ	0.0077	%		< 0.0		Acceptable	
HCA		LOQ	0.0077		%	< 0.0		Acceptable	
BCA		LOQ	0.0077		%	< 0.0		Acceptable	
BLA		LOQ	0.0077		%	< 0.0		Acceptable	
		LOQ	0.0077	1 -	%		0077	Acceptable	
18THCO									
ISTHCO CBT ISTHCO	<		0.0077		%	< 0.0		Acceptable Acceptable	

ND - None Detected at or above MRL RPD - Relative Percent Difference

LOQ - Limit of Quantitation

Units of Measure: % - Percent

Page 7 of 12 www.columbialaboratories.com Page 7 of 12 Test results relate only to the parameters tested and to the samples as received by the laboratory. Test results meet all requirements of NELAP and the Columbia Laboratories quality assurance plan unless otherwise noted. This report shall not be reproduced, except in full, without the written consent of this laboratory. Samples will be retained for a maximum of 30 days from the receipt date unless prior arrangements have been made.





Report Number:	23-000691/D005.R000
Report Date:	01/24/2023
ORELAP#:	OR100028
Purchase Order:	
Received:	01/17/23 14:16

Revision: 1 Document ID: 7148 Legacy ID: Worksheet Validated 04/20/2021

J AOAC 2015 V98-6					Bat	tch ID: 2300680					
Sample Duplicate	Sample ID: 23-000673-0001										
Analyte	Result	Org. Result	LOQ	Units	RPD	Limits	Evaluation	Notes			
CBDVA	0.0236	0.0235	0.077	%	0.271	< 20	Acceptable				
CBDV	<loq< td=""><td><loq< td=""><td>0.077</td><td>%</td><td>NA</td><td>&lt; 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.077</td><td>%</td><td>NA</td><td>&lt; 20</td><td>Acceptable</td><td></td></loq<>	0.077	%	NA	< 20	Acceptable				
CBE	<loq< td=""><td><loq< td=""><td>0.077</td><td>%</td><td>NA</td><td>&lt; 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.077</td><td>%</td><td>NA</td><td>&lt; 20</td><td>Acceptable</td><td></td></loq<>	0.077	%	NA	< 20	Acceptable				
CBDA	<loq< td=""><td><loq< td=""><td>0.077</td><td>%</td><td>NA</td><td>&lt; 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.077</td><td>%</td><td>NA</td><td>&lt; 20</td><td>Acceptable</td><td></td></loq<>	0.077	%	NA	< 20	Acceptable				
CBGA	<loq< td=""><td><loq< td=""><td>0.077</td><td>%</td><td>NA</td><td>&lt; 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.077</td><td>%</td><td>NA</td><td>&lt; 20</td><td>Acceptable</td><td></td></loq<>	0.077	%	NA	< 20	Acceptable				
CBG	<loq< td=""><td><loq< td=""><td>0.077</td><td>%</td><td>NA</td><td>&lt; 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.077</td><td>%</td><td>NA</td><td>&lt; 20</td><td>Acceptable</td><td></td></loq<>	0.077	%	NA	< 20	Acceptable				
CBD	<loq< td=""><td><loq< td=""><td>0.077</td><td>%</td><td>NA</td><td>&lt; 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.077</td><td>%</td><td>NA</td><td>&lt; 20</td><td>Acceptable</td><td></td></loq<>	0.077	%	NA	< 20	Acceptable				
THCV	<loq< td=""><td><loq< td=""><td>0.077</td><td>%</td><td>NA</td><td>&lt; 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.077</td><td>%</td><td>NA</td><td>&lt; 20</td><td>Acceptable</td><td></td></loq<>	0.077	%	NA	< 20	Acceptable				
d8THCV	<loq< td=""><td><loq< td=""><td>0.077</td><td>%</td><td>NA</td><td>&lt; 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.077</td><td>%</td><td>NA</td><td>&lt; 20</td><td>Acceptable</td><td></td></loq<>	0.077	%	NA	< 20	Acceptable				
THCVA	<loq< td=""><td><loq< td=""><td>0.077</td><td>%</td><td>NA</td><td>&lt; 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.077</td><td>%</td><td>NA</td><td>&lt; 20</td><td>Acceptable</td><td></td></loq<>	0.077	%	NA	< 20	Acceptable				
CBN	0.0340	0.0342	0.077	%	0.526	< 20	Acceptable				
exo-THC	<loq< td=""><td><loq< td=""><td>0.077</td><td>%</td><td>NA</td><td>&lt; 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.077</td><td>%</td><td>NA</td><td>&lt; 20</td><td>Acceptable</td><td></td></loq<>	0.077	%	NA	< 20	Acceptable				
d9THC	<loq< td=""><td><loq< td=""><td>0.077</td><td>%</td><td>NA</td><td>&lt; 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.077</td><td>%</td><td>NA</td><td>&lt; 20</td><td>Acceptable</td><td></td></loq<>	0.077	%	NA	< 20	Acceptable				
d8THC	0.189	0.172	0.077	%	9.34	< 20	Acceptable				
CBL	<loq< td=""><td><loq< td=""><td>0.077</td><td>%</td><td>NA</td><td>&lt; 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.077</td><td>%</td><td>NA</td><td>&lt; 20</td><td>Acceptable</td><td></td></loq<>	0.077	%	NA	< 20	Acceptable				
9S-HHC	39.6	38.5	0.077	%	2.70	< 20	Acceptable				
d10THC	<loq< td=""><td><loq< td=""><td>0.077</td><td>%</td><td>NA</td><td>&lt; 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.077</td><td>%</td><td>NA</td><td>&lt; 20</td><td>Acceptable</td><td></td></loq<>	0.077	%	NA	< 20	Acceptable				
CBC	<loq< td=""><td><loq< td=""><td>0.077</td><td>%</td><td>NA</td><td>&lt; 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.077</td><td>%</td><td>NA</td><td>&lt; 20</td><td>Acceptable</td><td></td></loq<>	0.077	%	NA	< 20	Acceptable				
9R-HHC	36.9	35.2	0.077	%	4.96	< 20	Acceptable				
THCA	<loq< td=""><td><loq< td=""><td>0.077</td><td>%</td><td>NA</td><td>&lt; 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.077</td><td>%</td><td>NA</td><td>&lt; 20</td><td>Acceptable</td><td></td></loq<>	0.077	%	NA	< 20	Acceptable				
CBCA	<loq< td=""><td><loq< td=""><td>0.077</td><td>%</td><td>NA</td><td>&lt; 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.077</td><td>%</td><td>NA</td><td>&lt; 20</td><td>Acceptable</td><td></td></loq<>	0.077	%	NA	< 20	Acceptable				
CBLA	<loq< td=""><td><loq< td=""><td>0.077</td><td>%</td><td>NA</td><td>&lt; 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.077</td><td>%</td><td>NA</td><td>&lt; 20</td><td>Acceptable</td><td></td></loq<>	0.077	%	NA	< 20	Acceptable				
d8THCO	<loq< td=""><td><loq< td=""><td>0.077</td><td>%</td><td>NA</td><td>&lt; 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.077</td><td>%</td><td>NA</td><td>&lt; 20</td><td>Acceptable</td><td></td></loq<>	0.077	%	NA	< 20	Acceptable				
CBT	<loq< td=""><td><loq< td=""><td>0.077</td><td>%</td><td>NA</td><td>&lt; 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.077</td><td>%</td><td>NA</td><td>&lt; 20</td><td>Acceptable</td><td></td></loq<>	0.077	%	NA	< 20	Acceptable				
d9THCO	<loq< td=""><td><loq< td=""><td>0.077</td><td>%</td><td>NA</td><td>&lt; 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.077</td><td>%</td><td>NA</td><td>&lt; 20</td><td>Acceptable</td><td></td></loq<>	0.077	%	NA	< 20	Acceptable				

ND - None Detected at or above MRL RPD - Relative Percent Difference

LOQ - Limit of Quantitation

R2 - Sample replicates RPD non-calculable, as only one replicate is within analytical range.

Units of Measure:

Page 8 of 12
<u>www.columbialaboratories.com</u>
Page 8 of 12
Test results relate only to the parameters tested and to the samples as received by the laboratory. Test results meet all requirements of NELAP and the Columbia Laboratories quality assurance plan
unless otherwise noted. This report shall not be reproduced, except in full, without the written consent of this laboratory. Samples will be retained for a maximum of 30 days from the receipt date unless
prior arrangements have been made.
Test results retained for a maximum of 30 days from the receipt date unless
prior arrangements have been made.





Report Number:	23-000691/D005.R000
Report Date:	01/24/2023
ORELAP#:	OR100028
Purchase Order:	
Received:	01/17/23 14:16

Revision: 2 Document ID: 7087 Legacy ID: CFL-E33Effective:

	Lab	orator	v Oual	ity Contro	ol Results			Leyacy	ID.	OFL	-E33Effective:
Residual Solvents		orator	, quai	,	J. Hesuits	Bat	ch ID:	230072	22		
Method Blank					Laborato	ry Control Sa	amnla				
Analyte	Result		LOQ	Notes	Result	Spike	Units	% Rec		imits.	Notes
Propane	ND	<	200	Hotes	480	572	μg/g	83.9		- 12	
Isobutane	ND	<	200		623	731	не/с нд/д	85.2	60	- 12	
Butane	ND	<	200		592	731	μg/g	81.0		- 12	
2,2-Dimethylpropane	ND	<	200		812	936	не/с нд/д	86.8			20
Methanol	ND	ż	200		1410	1620	нв/в µg/g	87.0			20
Ethylene Oxide	ND	<	30		49	56.2	μg/g	87.2	60		20
2-Methylbutane	ND	<	200		1330	1610	μg/g	82.6		- 12	
Pentane	ND	<	200		1330	1600	μg/g	83.1	60	- 13	
Ethanol	ND	<	200		1400	1610	μg/g	87.0		- 13	
thyl Ether	ND	<	200		1340	1630	μg/g	82.2	60	- 12	
2,2-Dimethylbutane	ND	<	30		138	171	μg/g	80.7	60	- 12	20
Acetone	ND	<	200		1340	1630	μg/g	82.2	60	- 12	
2-Propanol	ND	<	200		1440	1620	μg/g	88.9	60		20
Ethyl Formate	ND	<	500		1380	1670	μg/g	82.6		- 13	
Acetonitrile	ND	<	100		409	498	μg/g	82.1		- 12	
Methyl Acetate	ND	<	500		1460	1730	μg/g	84.4		- 13	
2,3-Dimethylbutane	ND	<	30		135	171	μg/g	78.9	60	- 12	20
Dichloromethane	ND	<	60		406	483	μg/g	84.1	60	- 12	
2-Methylpentane	ND	<	30		146	168	μg/g	86.9	60	- 12	
MTBE	ND	<	500		1520	1650	μg/g	92.1	70	- 13	
3-Methylpentane	ND	<	30		125	167	μg/g	74.9	60	- 12	20
Hexane	ND	<	30		178	182	µg/g	97.8	60	- 12	20
1-Propanol	ND	<	500		1420	1620	µg/g	87.7	70	- 13	30
Vethylethylketone	ND	<	500		1330	1620	µg/g	82.1	70	- 13	30
Ethyl acetate	ND	<	200		1360	1610	µg/g	84.5	60	- 12	20
2-Butanol	ND	<	200		1430	1600	µg/g	89.4	60	- 12	20
Tetrahydrofuran	ND	<	100		397	483	µg/g	82.2	60	- 12	20
Cyclohexane	ND	<	200		1300	1610	µg/g	80.7	60	- 12	20
2-methyl-1-propanol	ND	<	500		1360	1620	µg/g	84.0	70	- 13	30
Benzene	ND	<	1		4.42	5.02	µg/g	88.0	60	- 12	20
sopropyl Acetate	ND	<	200		1450	1620	µg/g	89.5	60	- 12	20
Heptane	ND	<	200		1280	1610	µg/g	79.5	60	- 12	20
1-Butanol	ND	<	500		1450	1630	µg/g	89.0	70	- 13	30
Propyl Acetate	ND	<	500		1310	1610	μg/g	81.4	70	- 13	30
1,4-Dioxane	ND	<	100		390	491	μg/g	79.4	60	- 12	20
2-Ethoxyethanol	ND	<	30		296	181	μg/g	163.5	60	- 12	20 Q1
Methylisobutylketone	ND	<	500		1260	1620	µg/g	77.8	70	- 13	
3-Methyl-1-butanol	ND	<	500		1380	1630	µg/g	84.7	70	- 13	
Ethylene Glycol	ND	<	200		652	484	µg/g	134.7	60		20 Q1
Toluene	ND	<	100		373	485	µg/g	76.9	60	- 12	
sobutyl Acetate	ND	<	500		1320	1630	µg/g	81.0	70		30
L-Pentanol	ND	<	500		1330	1620	µg/g	82.1	70	- 13	
Butyl Acetate	ND	<	500		1280	1620	µg/g	79.0		- 13	
Ethylbenzene	ND	<	200		712	969	µg/g	73.5	60	- 12	
n,p-Xylene	ND	<	200		720	994	µg/g	72.4	60	- 12	
o-Xylene	ND	<	200		694	967	µg/g	71.8	60		20
Cumene	ND	<	30		126	171	µg/g	73.7	60		20
Anisole	ND	<	500		1120	1630	µg/g	68.7	70		30 Q6
DMSO	ND	<	500		2220	1680	µg/g	132.1			30 Q1
.,2-dimethoxyethane	ND		50 500		147 1340	169	µg/g	87.0		- 13	
riethylamine	ND	<				1630	µg/g	82.2	70		
N,N-dimethylformamide	ND	<	150		573	482	µg/g	118.9		- 13	
N,N-dimethylacetamide	ND	<	150		533	510	µg/g	104.5	70		30
Pyridine	ND		50 50		194 198	203	µg/g	95.6 115.1	70		30
Sulfolane	ND	<				172	µg/g		70		30
1,2-Dichloroethane	ND	<	1		0.857	1	µg/g	85.7	70	- 13	
Chloroform	ND ND	<	1		0.892	1	µg/g	89.2 93.0	70 70	- 13	
Frichloroethylene			1			-	µg/g				
1,1-Dichloroethane	ND	<	1		0.899	1	µg/g	89.9	70	- 13	50

Page 9 of 12

 Www.columbialaboratories.com
 Page 9 of 12

 Test results relate only to the parameters tested and to the samples as received by the laboratory. Test results meet all requirements of NELAP and the Columbia Laboratories quality assurance plan unless otherwise noted. This report shall not be reproduced, except in full, without the written consent of this laboratory. Samples will be retained for a maximum of 30 days from the receipt date unless prior arrangements have been made.

 Testing in accordance with: OAR 333-007-0390 OAR 333-007-0400 OAR 333-007-0410 OAR 333-007-0430





Revision: 2 Document ID: 7087

Report Number:	23-000691/D005.R000
Report Date:	01/24/2023
ORELAP#:	OR100028
Purchase Order:	
Received:	01/17/23 14:16

Analyte         Neuth Org. Result         LOQ         Units         PD         Units         Acceptable           bobutane         ND         ND         200         ufgr         0.0         < 20         Acceptable           bobutane         ND         ND         200         ufgr         0.0         < 20         Acceptable           2.2.0methylorgane         ND         ND         200         Upgr         0.0         < 20         Acceptable           2.2.0methylorgane         ND         ND         230         Upgr         0.0         < 20         Acceptable           Verthylorgane         ND         ND         230         Upgr         0.0         < 20         Acceptable           Verthylorgane         ND         ND         230         Upgr         0.0         < 20         Acceptable           Verthylordane         ND         ND         230         Upgr         0.0         < 20         Acceptable           Verthylordane         ND         ND         230         Upgr         0.0         < 20         Acceptable           Verthylordane         ND         ND         230         Upgr         0.0         < 20         Acceptable	QC - Sample Duplicate						Sample ID	Legacy : 23-000158-0002	ID: CFL-E33Effective:
Propane         ND         200         µµµ (x)         0.0         < 2.0		Result	Org. Result	100	Units	RPD			Notes
Sobutane         ND         ND         200         lig/g         0.0         < 2.0         Acceptable           2.2.0methylpropane         ND         ND         200         lig/g         0.0         < 2.0									Hotes
Butane         ND         ND         200         µµµ         0.0         < 200         µµµ         0.0         200         µµ         0.		ND							
2,2.0methylpropane         ND         ND         200         µJ/2         0.0         < 30         Acceptable           Ethylene Oxide         ND         ND         30         µJ/2         0.0         < 30									
Wethan         ND         ND         ND         ND         ND         ND         ND           2-Methylburane         ND									
Ethylenc Oxide         ND         ND         ND         ND         ND         ND           Ventaria         ND         ND         ND         200         µµµ         0.0         < 20									
Print         ND         ND         ND         ND         ND         ND           Ethanol         ND         ND         ND         200         µµµµ         0.0         < 20									
Pertane         ND         ND <t< td=""><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></t<>									
Ethanol         ND         ND <t< td=""><td></td><td>ND</td><td>ND</td><td></td><td></td><td>0.0</td><td></td><td></td><td></td></t<>		ND	ND			0.0			
Ethyl Ether         ND									
2.2-Dimethylbutane         ND		ND	ND						
Accesse         ND         ND         ND         200         µg/g         0.0         < 20         Acceptable           Ethy Formate         ND         ND         ND         100         4/g         0.0         < 20									
2-Proganol         ND         ND         ND         S200         µg/g         0.0         < 20         Acceptable           Accetontrile         ND         ND         ND         100         µg/g         0.0         < 20									
Ethyl Formate         ND									
Acctonicile         ND         ND         100 $\mu d/g$ 0.0         < 20         Acceptable           23-Dimethylbutane         ND         ND         130 $\mu d/g$ 0.0         < 20									
Methyl Acetate         ND         ND         SOO         #2/g         0.0         < 20         Acceptable           2-Dinethylbure         ND         ND         ND         ND         SO         #2/g         0.0         < 20									
32-Dimethylbutane         ND         ND         ND         ND         Kole           23-Dimethylbutane         ND         ND         ND         Kole         Acceptable           2-Methylpentane         ND         ND         S0         µµ/g         0.0         < 20									1
Dichformethane         ND         ND         Kol         Hy/s         0.0         < 20         Acceptable           Avdettylpentane         ND         ND         ND         MS         0.0         < 20									1
PAthethylpentane         ND         ND         30         jug/g         0.0         < 20         Acceptable           3-Methylpentane         ND         ND         30         jug/g         0.0         < 20									1
WTBE         ND         ND         S00         µµ/k         0.0         < 20         Acceptable           3-Methylpentane         ND         ND         ND         Methylpentane         ND         ND         ND         S0         µµ/k         0.0         < 20									1
3-Methylpentane         ND         ND         30         µg/g         0.0         < 20         Acceptable           Hexane         ND         ND         ND         30         µg/g         0.0         < 20									1
Hexan         ND         ND         30         µg/g         0.0         < 20         Acceptable           Jeropanol         ND         ND         500         µg/g         0.0         < 20									1
i-Propanol         ND         ND         SO0         µg/g         0.0         < 20         Acceptable           Methylethylketone         ND         ND         SO0         µg/g         0.0         < 20									
Methylketone         ND         ND         SO0         µg/g         0.0         < 20         Acceptable           2-Butanol         ND         ND         200         µg/g         0.0         < 20									
Ethyl actate         ND         ND         200 $\mu_g/R$ 0.0         < 200         Acceptable           2-Butanol         ND         ND         ND         200 $\mu_g/R$ 0.0         < 20									
2-Butanol         ND         ND         200         μg/g         0.0         < 20         Acceptable           fetrahydrofuran         ND         ND         100         μg/g         0.0         < 20									
Terrahydrfuran         ND         ND         100         µg/g         0.0         < 200         Acceptable           Cyclohexane         ND         ND         200         µg/g         0.0         < 20									
Cyclohexane         ND         ND         200 $\mu g/g$ 0.0         < 20         Acceptable           2-methyl-1-propanol         ND         ND         ND         500 $\mu g/g$ 0.0         < 20									
Prethyl-I-propanol         ND         ND         SOD         µg/g         0.0         < 20         Acceptable           Benzene         ND         ND         1         µg/g         0.0         < 20									
Benzen         ND         ND         1 $\mu_g/r_g$ 0.0         < 20         Acceptable           sopropyl Acetate         ND         ND         200 $\mu_g/r_g$ 0.0         < 20									
$\begin{tabular}{ c c c c c c c c c c c c c c c c c c c$				300					-
Heptane         ND         ND         ND         200 $\mu_g/r_g$ 0.0         < 20         Acceptable           1-Butanol         ND         ND         500 $\mu_g/r_g$ 0.0         < 20				200					
$ \begin{array}{c c c c c c c c c c c c c c c c c c c $									
Propyl Actate         ND         ND         SOI $\mu g/g$ 0.0         < 20         Acceptable           1,4-Dioxane         ND         ND         100 $\mu g/g$ 0.0         < 20									
I.4.Discane         ND         ND         IO $\mu_g^2/g$ 0.0         < 20         Acceptable           2-Ethoxyethanol         ND         ND         30 $\mu_g^2/g$ 0.0         < 20									-
2-Ethoxyethanol         ND         ND         30 $\mu g/g$ 0.0         < 20         Acceptable           Methyliobutylketone         ND         ND         500 $\mu g/g$ 0.0         < 20									
Methyliceboutylketone         ND         ND         SOI $\mu_g/g$ 0.0         < 20         Acceptable           3-Methyl-1-butanol         ND         ND         SOI $\mu_g/g$ 0.0         < 20									
$\begin{array}{c c c c c c c c c c c c c c c c c c c $									
Ethylene Glycol         ND         ND         200 $\mu_g/g$ 0.0         < 20         Acceptable           Ioluene         ND         ND         100 $\mu_g/g$ 0.0         < 20									
$\begin{array}{c c c c c c c c c c c c c c c c c c c $									
Butyl Acetate         ND         ND         SOO $\mu g/g$ 0.0         < 20         Acceptable           Ethylbenzene         ND         ND         200 $\mu g/g$ 0.0         < 20									
$\begin{array}{c c c c c c c c c c c c c c c c c c c $									
m,p-Sylene         ND         ND         200 $\mu g/g$ 0.0         < 20         Acceptable           o-Xylene         ND         ND         200 $\mu g/g$ 0.0         < 20									
$\begin{array}{c c c c c c c c c c c c c c c c c c c $									
$ \begin{array}{c c c c c c c c c c c c c c c c c c c $									
$ \begin{array}{c c c c c c c c c c c c c c c c c c c $									
$ \begin{array}{c c c c c c c c c c c c c c c c c c c $									
$ \begin{array}{c c c c c c c c c c c c c c c c c c c $									
$ \begin{array}{c c c c c c c c c c c c c c c c c c c $									
$ \begin{array}{c c c c c c c c c c c c c c c c c c c $									
$ \begin{array}{c c c c c c c c c c c c c c c c c c c $									
$ \begin{array}{c c c c c c c c c c c c c c c c c c c $									
Sulfolane         ND         ND         S0         μg/g         0.0         < 20         Acceptable           1,2-Dichloroethane         ND         ND         1         μg/g         0.0         < 20									
$ \begin{array}{c c c c c c c c c c c c c c c c c c c $									
Chloroform         ND         ND         1         µg/g         0.0         < 20         Acceptable           Trichloroethylene         ND         ND         1         µg/g         0.0         < 20									
Trichloroethylene         ND         1         μg/g         0.0         < 20         Acceptable				1					
				1					
1,1-Dichioroethane ND ND 1 μg/g 0.0 < 20 Acceptable									
	1,1-Dichloroethane	ND	ND	1	µg/g	0.0	< 20	Acceptable	

#### Abbreviations

ND - None Detected at or above MRL

#### Units of Measure: µg/g- Microgram per gram or ppm

RPD - Relative Percent Difference LOQ - Limit of Quantitation

Q1 - Quality control result biased high. Only non-detect samples reported. Q6 - Quality control outside QC limits. Data acceptable based on remaining QC.

Page 10 of 12 www.columbialaboratories.com Page 10 of 12 Test results relate only to the parameters tested and to the samples as received by the laboratory. Test results meet all requirements of NELAP and the Columbia Laboratories quality assurance plan unless otherwise noted. This report shall not be reproduced, except in full, without the written consent of this laboratory. Samples will be retained for a maximum of 30 days from the receipt date unless prior arrangements have been made.





Report Number:	23-000691/D005.R000
Report Date:	01/24/2023
ORELAP#:	OR100028
Purchase Order:	
Received:	01/17/23 14:16



Page 11 of 12

 Www.columbialaboratories.com
 Page 11 of 12

 Test results relate only to the parameters tested and to the samples as received by the laboratory. Test results meet all requirements of NELAP and the Columbia Laboratories quality assurance plan unless otherwise noted. This report shall not be reproduced, except in full, without the written consent of this laboratory. Samples will be retained for a maximum of 30 days from the receipt date unless prior arrangements have been made.

 Testing in accordance with: OAR 333-007-0390 OAR 333-007-0400 OAR 333-007-0410 OAR 333-007-0430





**Report Number:** 23-000691/D005.R000 **Report Date:** 01/24/2023 **ORELAP#:** OR100028 **Purchase Order:** 01/17/23 14:16 **Received:** 

#### Explanation of QC Flag Comments:

Code	Explanation
Q	Matrix interferences affecting spike or surrogate recoveries.
Q1	Quality control result biased high. Only non-detect samples reported.
Q2	Quality control outside QC limits. Data considered estimate.
Q3	Sample concentration greater than four times the amount spiked.
Q4	Non-homogenous sample matrix, affecting RPD result and/or % recoveries.
Q5	Spike results above calibration curve.
Q6	Quality control outside QC limits. Data acceptable based on remaining QC.
R	Relative percent difference (RPD) outside control limit.
R1	RPD non-calculable, as sample or duplicate results are less than five times the LOQ.
R2	Sample replicates RPD non-calculable, as only one replicate is within the analytical range.
LOQ1	Quantitation level raised due to low sample volume and/or dilution.
LOQ2	Quantitaion level raised due to matrix interference.
В	Analyte detected in method blank, but not in associated samples.
B1	The sample concentration is greater than 5 times the blank concentration.
B2	The sample concentration is less than 5 times the blank concentration.

www.columbialaboratories.com

Page 12 of 12

Test results relate only to the parameters tested and to the samples as received by the laboratory. Test results meet all requirements of NELAP and the Columbia Laboratories quality assurance plan unless otherwise noted. This report shall not be reproduced, except in full, without the written consent of this laboratory. Samples will be retained for a maximum of 30 days from the receipt date unless prior arrangements have been made. Testing in accordance with: OAR 333-007-0390 OAR 333-007-0400 OAR 333-007-0410 OAR 333-007-0430