## PharmLabs San Diego Certificate of Analysis

3421 Hancock St, Second Floor, San Diego, CA 92110 | License: C8-0000098-LIC ISO/IEC 17025:2017 Certification L17-427-1 | Accreditation #85368





Sample ID SD230329-008 (71349)		Matrix Concentrate (Inhalable Cannabis Good)
Tested for The Hemp Collect		
Sampled -	Received Mar 28, 2023	Reported Apr 05, 2023
Analyses executed CAN+ RES MIR	RIG MTO DES HME EVI	

Laboratory note: The estimated concentration of the unknown peak in the sample is 6.60% | Currently PharmLabs laboratory can not confirm an unidentified peak in your chromatogram due to interference (only with highly concentrated D8 products) from which we believe to be either (+)d8-THC or 49-THC. At this time there are no reference standards available for (+)d8-THC is o different compound from the main (-)d8-THC cannobinoid and, therefore, these two compounds may have different efficacies. Using the most advanced instruments and techniques available, the separation of (+)d8-THC and d9-THC is problematic for the scientific community as a whole. PharmLabs believes the unidentified peak to be a combination of (+)d8-THC with the majority, if not all, of the concentration being (+)d8-THC. Total (+/-) D8 Concentration is estimated to be 94.56%.

#### CAN+ - Cannabinoids Analysis

Analyzed Apr 04, 2023 | Instrument HPLC-VWD | Method SOP-001

The expanded Uncertainty of the Cannabinoid analysis is approximately #3.806% at the 95% Confidence Level

Analyte	LOD mg/g	LOQ mg/g	Result	Result mg/g
Cannabidivarin (CBDV)	0.039	0.16	ND	ND ND
Cannabidiolic Acid (CBDA)	0.001	0.16	ND	ND
Cannabigerol Acid (CBGA)	0.001	0.16	ND	ND
Cannabigerol (CBG)	0.001	0.16	ND	ND
Cannabidiol (CBD)	0.001	0.16	ND	ND
Tetrahydrocannabivarin (THCV)	0.001	0.16	ND	ND
Cannabinol (CBN)	0.001	0.16	ND	ND
Tetrahydrocannabinol (Δ9-THC)	0.003	0.16	UI	UI
$\Delta$ 8-tetrahydrocannabinol ( $\Delta$ 8-THC)	0.004	0.16	94.56	945.60
Cannabicyclol (CBL)	0.002	0.16	ND	ND
Cannabichromene (CBC)	0.002	0.16	ND	ND
Tetrahydrocannabinolic Acid (THCA)	0.001	0.16	ND	ND
Total THC ( THCa * 0.877 + Δ9THC )			ND	ND
Total THC + Δ8THC ( THCa * 0.877 + Δ9THC + Δ8THC )			94.56	945.60
Total CBD (CBDa * 0.877 + CBD )			ND	ND
Total CBG ( CBGa * 0.877 + CBG )			ND	ND
Total Cannabinoids			94.56	945.60

## **HME - Heavy Metals Detection Analysis**

Analyzed Apr 04, 2023 | Instrument ICP/MSMS | Method SOP-005

Analyte	LOD ug/g	LOQ ug/g	Result ug/g	Limit ug/g	Analyte	LOD ug/g	LOQ ug/g	Result ug/g	Limit ug/g
Arsenic (As)	0.0002	0.0005	ND	0.2	Cadmium (Cd)	3.0e-05	0.0005	ND	0.2
Mercury (Hg)	1.0e-05	0.0001	ND	0.1	Lead (Pb)	1.0e-05	0.00125	ND	0.5

# MIBIG - Microbial Testing Analysis

Analyzed Mar 31, 2023 | Instrument qPCR and/or Plating | Method SOP-007

Analyzed rial bi, 2025   motionient quarteria, or rialing	11100100001				
Analyte	Result CFU/g	Limit	Analyte	Result CFU/g	Limit
Shiga toxin-producing Escherichia Coli	ND	ND per 1 gram	Salmonella spp.	ND	ND per 1 gram
Aspergillus fumigatus	ND	ND per 1 gram	Aspergillus flavus	ND	ND per 1 gram
Acporaillus pigor	ND	ND por 1 gram	Asparaillus torrous	ND	ND por 1 gram

#### MTO - Mycotoxin Testing Analysis

Analyzed Apr 04, 2023 | Instrument LC/MSMS | Method SOP-004

Analyte	LOD ug/kg	LOQ ug/kg	Result ug/kg (ppb)	Limit ug/kg	Analyte	LOD ug/kg	LOQ ug/kg	Result ug/kg (ppb)	Limit ug/kg
Ochratoxin A	5.0	20.0	ND	20	Aflatoxin B1	2.5	5.0	ND	-
Aflatoxin B2	2.5	5.0	ND	-	Aflatoxin G1	2.5	5.0	ND	-
Aflatoxin G2	2.5	5.0	ND	-	Total Aflatoxins	10.0	20.0	ND	20

UI Not Identified
ND Not Detected
N/A Not Applicable
NT Not Reported
LOD Limit of Detection
LOQ Limit of Quantification
<LOQ Detected
JULOL Above upper limit of linearity
CFU/g Colonyl Forming Units per 1 gram
TNTC Too Numerous to Count







Authorized Signature

Brandon Starr

Brandon Starr, Lab Manager Wed, 05 Apr 2023 10:13:00 -0700



# PES - Pesticides Screening Analysis

Analyzed Apr 04, 2023 | Instrument LC/MSMS GC/MSMS | Method SOP-003

Analyte	LOD ug/g	LOQ ug/g	Result ug/g	Limit ug/g	Analyte	LOD ug/g	LOQ ug/g	Result ug/g	Limit ug/g
Aldicarb	0.0078	0.02	ND	0.0078	Carbofuran	0.01	0.02	ND	0.01
Dimethoate	0.01	0.02	ND	0.01	Etofenprox	0.02	0.1	ND	0.02
Fenoxycarb	0.01	0.02	ND	0.01	Thiachloprid	0.01	0.02	ND	0.01
Daminozide	0.01	0.03	ND	0.01	Dichlorvos	0.02	0.07	ND	0.02
Imazalil	0.02	0.07	ND	0.02	Methiocarb	0.01	0.02	ND	0.01
Spiroxamine	0.01	0.02	ND	0.01	Coumaphos	0.01	0.02	ND	0.01
Fipronil	0.01	0.1	ND	0.01	Paclobutrazol	0.01	0.03	ND	0.01
Chlorpyrifos	0.01	0.04	ND	0.01	Ethoprophos (Prophos)	0.01	0.02	ND	0.01
Baygon (Propoxur)	0.01	0.02	ND	0.01	Chlordane	0.04	0.1	ND	0.04
Chlorfenapyr	0.03	0.1	ND	0.03	Methyl Parathion	0.02	0.1	ND	0.02
Mevinphos	0.03	0.08	ND	0.03	Abamectin	0.03	0.08	ND	0.1
Acephate	0.02	0.05	ND	0.1	Acetamiprid	0.01	0.05	ND	0.1
Azoxystrobin	0.01	0.02	ND	0.1	Bifenazate	0.01	0.05	ND	0.1
Bifenthrin	0.02	0.35	ND	3	Boscalid	0.01	0.03	ND	0.1
Carbaryl	0.01	0.02	ND	0.5	Chlorantraniliprole	0.01	0.04	ND	10
Clofentezine	0.01	0.03	ND	0.1	Diazinon	0.01	0.02	ND	0.1
Dimethomorph	0.02	0.06	ND	2	Etoxazole	0.01	0.05	ND	0.1
Fenpyroximate	0.02	0.1	ND	0.1	Flonicamid	0.01	0.02	ND	0.1
Fludioxonil	0.01	0.05	ND	0.1	Hexythiazox	0.01	0.03	ND	0.1
Imidacloprid	0.01	0.05	ND	5	Kresoxim-methyl	0.01	0.03	ND	0.1
Malathion	0.01	0.05	ND	0.5	Metalaxyl	0.01	0.02	ND	2
Methomyl	0.02	0.05	ND	1	Myclobutanil	0.02	0.07	ND	0.1
Naled	0.01	0.02	ND	0.1	Oxamyl	0.01	0.02	ND	0.5
Permethrin	0.01	0.02	ND	0.5	Phosmet	0.01	0.02	ND	0.1
Piperonyl Butoxide	0.02	0.06	ND	3	Propiconazole	0.03	0.08	ND	0.1
Prallethrin	0.02	0.05	ND	0.1	Pyrethrin	0.05	0.41	ND	0.5
Pyridaben	0.02	0.07	ND	0.1	Spinosad A	0.01	0.05	ND	0.1
Spinosad D	0.01	0.05	ND	0.1	Spiromesifen	0.02	0.06	ND	0.1
Spirotetramat	0.01	0.02	ND	0.1	Tebuconazole	0.01	0.02	ND	0.1
Thiamethoxam	0.01	0.02	ND	5	Trifloxystrobin	0.01	0.02	ND	0.1
Acequinocyl	0.02	0.09	ND	0.1	Captan	0.01	0.02	ND	0.7
Cypermethrin	0.02	0.1	ND	1	Cyfluthrin	0.04	0.1	ND	2
Fenhexamid	0.02	0.07	ND	0.1	Spinetoram J,L	0.02	0.07	ND	0.1
Pentachloronitrobenzene	0.01	0.1	ND	0.1					

# **RES - Residual Solvents Testing Analysis**

Analyzed Apr 04, 2023 | Instrument GC/FID with Headspace Analyzer | Method SOP-006

Analyte	LOD ug/g	LOQ ug/g	Result ug/g	Limit ug/g	Analyte	LOD ug/g	LOQ ug/g	Result ug/g	Limit ug/g
Propane (Prop)	0.4	40.0	ND	5000.0	Butane (But)	0.4	40.0	ND	5000.0
Methanol (Metha)	0.4	40.0	ND	3000.0	Ethylene Oxide (EthOx)	0.4	0.8	ND	1.0
Pentane (Pen)	0.4	40.0	ND	5000.0	Ethanol (Ethan)	0.4	40.0	ND	5000.0
Ethyl Ether (EthEt)	0.4	40.0	ND	5000.0	Acetone (Acet)	0.4	40.0	ND	5000.0
Isopropanol (2-Pro)	0.4	40.0	ND	5000.0	Acetonitrile (Acetonit)	0.4	40.0	ND	410.0
Methylene Chloride (MetCh)	0.4	0.8	1.0	1.0	Hexane (Hex)	0.4	40.0	ND	290.0
Ethyl Acetate (EthAc)	0.4	40.0	ND	5000.0	Chloroform (Clo)	0.4	0.8	ND	1.0
Benzene (Ben)	0.4	0.8	ND	1.0	1-2-Dichloroethane (12-Dich)	0.4	0.8	ND	1.0
Heptane (Hep)	0.4	40.0	ND	5000.0	Trichloroethylene (TriClEth)	0.4	0.8	ND	1.0
Toluene (Toluene)	0.4	40.0	ND	890.0	Xulenes (Xul)	0.4	40.0	ND	2170.0

# FVI - Filth & Foreign Material Inspection Analysis

Analyzed Mar 30, 2023 | Instrument Microscope | Method SOP-010

Analyte / Limit	Result	Analyte / Limit	Result
> 1/4 of the total sample area covered by sand, soil, cinders, or dirt	ND	> 1/4 of the total sample area covered by mold	ND
> 1 insect fragment, 1 hair, or 1 count mammalian excreta per 3q	ND	> 1/4 of the total sample area covered by an imbedded foreign material	ND

UI Not Identified
ND Not Detected
NA Not Applicable
NT Not Reported
LOD Limit of Detection
LOQ Limit of Quantification
«LOQ Detected
»ULOL Above upper limit of linearity
CFU/g Colony Forming Units per 1 gram
TNTC Too Numerous to Count







Authorized Signature

Brandon Stark









**Report Number:** 23-005280/D004.R000

**Report Date:** 05/08/2023 ORELAP#: OR100028

**Purchase Order:** 

Received: 05/02/23 14:54

**Customer:** The Hemp Collect

Product identity: Live D8 Knockout Badder - Blue Orchid

Client/Metrc ID: 201123122306 Laboratory ID: 23-005280-0001

# Summary

Analyte	Result (%)			
CBN	41.9		CBD-Total	19.5%
∆8-THC	26.8	• CBN		
CBD	17.3	<ul> <li>Δ8-THC</li> </ul>	THC-Total	0.141%
CBD-A	2.55	• CBD		
THC-A	0.161	<ul><li>CBD-A</li></ul>	(Reported in pe	rcent of total sample
CBG-A	0.0896	<ul><li>THC-A</li></ul>		
		<ul><li>CBG-A</li></ul>		





**Report Number:** 23-005280/D004.R000

**Report Date:** 05/08/2023 **ORELAP#:** OR100028

**Purchase Order:** 

**Received:** 05/02/23 14:54



Customer: The Hemp Collect

825 NW 16th Ave Portland Oregon 97209

United States of America (USA)

Product identity: Live D8 Knockout Badder - Blue Orchid

**Client/Metrc ID:** 201123122306

Sample Date:

**Laboratory ID:** 23-005280-0001

Evidence of Cooling: No
Temp: 16.8
Relinquished by: ramos

# **Sample Results**

Potency	Method: J AOAC 2015	V98-6 (mod) <sup>þ</sup>	Units %	Batch: 2307048	<b>Analyze:</b> 5/4/23 8:03:00 PM
Analyte	As Dry Received weight		Notes		
CBC	< LOQ	0.0722			
CBC-A	< LOQ	0.0722			• CBN
CBC-Total	< LOQ	0.136			<ul><li>Δ8-THC</li></ul>
CBD	17.3	0.0722			● CBD ○ CBD-A
CBD-A	2.55	0.0722			• THC-A
CBD-Total	19.5	0.136			O CBG-A
CBDV	< LOQ	0.0722			
CBDV-A	< LOQ	0.0722			
CBDV-Total	< LOQ	0.135			
CBE	< LOQ	0.0722			
CBG	< LOQ	0.0722			
CBG-A	0.0896	0.0722			
CBG-Total	< LOQ	0.135			
CBL	< LOQ	0.0722			
CBL-A	< LOQ	0.0722			
CBL-Total	< LOQ	0.136			
CBN	41.9	0.722			
CBT	< LOQ	0.0722			
Δ10-THC-9R	< LOQ	0.0722			
Δ10-THC-9S	< LOQ	0.0722			
Δ10-THC-Total	< LOQ	0.144			
Δ8-THC	26.8	0.722			
Δ8-THCV	< LOQ	0.0722			
Δ9-THC	< LOQ	0.0722			
exo-THC	< LOQ	0.0722			
THC-A	0.161	0.0722			
THC-Total	0.141	0.136			
THCV	< LOQ	0.0722			
THCV-A	< LOQ	0.0722			
THCV-Total	< LOQ	0.135			
Total Cannabinoids	88.8				

www.columbialaboratories.com

Page 2 of 9





23-005280/D004.R000 **Report Number:** 

\_\_\_\_\_\_

**Report Date:** 05/08/2023 ORELAP#: OR100028

**Purchase Order:** 

Received: 05/02/23 14:54





**Report Number:** 23-005280/D004.R000

**Report Date:** 05/08/2023 **ORELAP#:** OR100028

**Purchase Order:** 

**Received:** 05/02/23 14:54

#### Abbreviations

Limits: Action Levels per OAR-333-007-0400, OAR-333-007-0210, OAR-333-007-0220, CCR title 16-division 42. BCC-section 5723

**Limit(s) of Quantitation (LOQ):** The minimum levels, concentrations, or quantities of a target variable (e.g., target analyte) that can be reported with a specified degree of confidence.

p = ISO/IEC 17025:2017 accredited method.

#### Units of Measure

% = Percentage of sample % wt =  $\mu$ g/g divided by 10,000

Approved Signatory

Derrick Tanner General Manager





**Report Number:** 23-005280/D004.R000

**Report Date:** 05/08/2023 ORELAP#: OR100028

**Purchase Order:** 

Received: 05/02/23 14:54



#### Herry & Cannabic Unable / Entract / Finished Product

The Hamp-Collect-1603052273

Chain of Custody, Record

ORELAP ID: EXTENSION ATTENDED

Carabini I flavorida Carabini I flavorida Carabini I flavorida City Tarabini I flavorida Email: a carabini I flavorida Email: a carabini I flavorida		Type:	N/A N/∆ Time: Type:		Triesty Considered Resil v 820 x Ballwood Pullin	Privates Corsality and Davis + 400 Physilian	Name y Service Head Task in Establish Politics
# Banagilla Hamas	Matríx	METRC ID	Amount Provided	Reporting			
1 Hart III front and Baltery Bar Could	Ridge ( / Consentrate	E112/14/18	6 g	Ni Dita mana/mana			~
2 Han 74 Deports Rarger - Garage Jam	Baltica / Concentrate	200/2011/01	10 g	NO Dismons/mons			~
3 Hot DE Garris Super : Preservic form	Bitract / Carcontrells	2000001111100	10 g	NO DES HOME PRIMES		<u> </u>	✓
4 Day HHC Dayley Retries Charle Jam	Bibliot / Concertrate	90 No. 2 Li 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	10 g	N. Dis news/mens	~	<u> </u>	
5 Like 146 Street and State of Like of Code	Minch (Scrowless	97112752	1C g	N. Dis manufactures		~	

			•						
- ]	Rel insulated the	Date	Time		Received By	Date	Time	Received Target T	Incolumns of Coulding!
Ī	En Pada	6/2/2020	mm	Temport	ER	6/2/2002	(0.20		do
1	BP.	8/2/2020	13/24	15.8	AM	5/2/2023	10.07		No

ed to C oborator equin evic coldono <u>current terms of services</u> associat y' you are agn o these terms.

C aboratories aker Way Par

KORGON STREET, CONTROL PROPERTY.

Page 1 cf 1





23-005280/D004.R000 **Report Number:** 

**Report Date:** 05/08/2023 ORELAP#: OR100028

**Purchase Order:** 

Received: 05/02/23 14:54

Revision: 1 Document ID: 7148 Legacy ID: Worksheet Validated 04/20/2021

JAOAC2015 V98	6				/ Quality Co B	atch ID: 23			
Laboratory Contro	Sample								
Analyte	LCS	Result	Spike	Units	%Rec	Lin	nits	Evaluation	Notes
CBDVA	2	0.0937	0.091	%	102	80.0	- 120	Acceptable	
CBDV	2	0.0926	0.089	%	104	80.0	- 120	Acceptable	
CEE	2	0.103	0.102	%	102	80.0	- 120	Acceptable	
CBDA	1	0.100	0.096	%	104	90.0	- 110	Acceptable	
CBGA	1	0.0844	0.080	%	105	80.0	- 120	Acceptable	
CBG	1	0.102	0.098	%	105	80.0	- 120	Acceptable	
CBD	1	0.0897	0.086	%	104	90.0	- 110	Acceptable	
THCV	2	0.0672	0.068	%	98.9	80.0	- 120	Acceptable	
d8THCV	2	0.0807	0.080	%	101	80.0	- 120	Acceptable	
THCVA	2	0.0976	0.094	%	104	80.0	- 120	Acceptable	
CBN	1	0.0875	0.086	%	102	80.0	- 120	Acceptable	
exo-THC	2	0.0911	0.092	%	98.9	80.0	- 120	Acceptable	
d9THC	1	0.0975	0.103	%	94.8	90.0	- 110	Acceptable	
38THC	1	0.100	0.098	%	102	90.0	- 110	Acceptable	
9Sd10THC	1	0.0979	0.101	%	97.4	80.0	- 120	Acceptable	
CBL	2	0.0960	0.097	%	99.2		- 120	Acceptable	
9SHHC	3	0.0878	0.092	%	95.3		- 120	Acceptable	
PRd10THC	1	0.0955	0.095	%	101		- 120	Acceptable	
CBC	2	0.0889	0.091	%	98.3		- 120	Acceptable	
9RHHC	3	0.0794	0.083	%	95.9		- 120	Acceptable	
THCA	1	0.111	0.112	%	99.8		- 110	Acceptable	
CBCA	2	0.0997	0.097	%	103	80.0	- 120	Acceptable	
CB.A	2	0.0992	0.096	%	103		- 120	Acceptable	
9THCP	2	0.0908	0.095	%	96.0		- 120	Acceptable	
BTHCO	3	0.0917	0.100	%	91.4		- 120	Acceptable	
CBI	2	0.0902	0.099	%	90.8		- 120	Acceptable	
d9THCO	3	0.0971	0.104	%	93.7		- 120	Acceptable	
Method Blank		0.007			00.7	00.0			Į.
Analyte	R	esult	LOQ		Units	Lin	nits	Evaluation	Notes
CBDVA	1 <	LOQ	0.0077		%	< 0.0	0077	Acceptable	
CBDV	<	LOQ	0.0077		%	< 0.0	0077	Acceptable	
CEE	<	LOQ	0.0077		%	< 0.0	0077	Acceptable	
CBDA	<	LOQ	0.0077		%	< 0.0	0077	Acceptable	
CBGA		LOQ	0.0077		%	< 0.0		Acceptable	
CBG	<	LOQ	0.0077		%	< 0.0	0077	Acceptable	
CBD		LOQ	0.0077	1	%	< 0.0		Acceptable	
THCV		LOQ	0.0077	<b>-</b>	%	< 0.0		Acceptable	
d8THCV		LOQ	0.0077	<b>-</b>	%	< 0.0		Acceptable	
THCVA		LOQ	0.0077	1	%	< 0.0		Acceptable	
CBN		LOQ	0.0077		%	< 0.0		Acceptable	
exo-THC		LOQ	0.0077	<b>-</b>	%	< 0.0		Acceptable	
9THC		LOQ	0.0077	<b>-</b>	%	< 0.0		Acceptable	
d8THC		LOQ	0.0077	<b>-</b>	%	< 0.0		Acceptable	
Sd10THC		LOQ	0.0077	1	%	< 0.0		Acceptable	
CBL		LOQ	0.0077	<b>-</b>	%	< 0.0		Acceptable	
SHHC		LOQ	0.0077	<b>-</b>	%	< 0.0		Acceptable	
PRd10THC		LOQ	0.0077	<b>-</b>	%	< 0.0		Acceptable	
CRC		LOQ	0.0077	1	%	< 0.0		Acceptable	
ORHHC		LOQ	0.0077	1	%	< 0.0		Acceptable	
THCA		LOQ	0.0077	1	%	< 0.0		Acceptable	
		LOQ	0.0077	-	%	< 0.0		Acceptable	<b> </b>
CRCA		4							
		00	0.0077		0/0	/ 1/	1077		
CB.A		LOQ	0.0077		%	< 0.0		Acceptable Acceptable	
CBLA 19THCP	<	LOQ	0.0077		%	< 0.0	0077	Acceptable	
CBCA CBLA d9THCP d8THCO CBT	< <						0077 0077		

d9THCO Abbreviations

ND - None Detected at or above MRL RPD - Relative Percent Difference LOQ- Limit of Quantitation

Units of Measure:

%- Percent





23-005280/D004.R000 **Report Number:** 

**Report Date:** 05/08/2023 ORELAP#: OR100028

**Purchase Order:** 

Received: 05/02/23 14:54

Revision: 1 Document ID: 7148 Legacy ID: Worksheet Validated 04/20/2021

#### Laboratory Quality Control Results

JAOAC2015 V986	Batch ID: 2307048									
Sample Duplicate			Sample ID: 23-0052800001							
Analyte	Result	Org. R <b>e</b> ult	LOQ	Units	RPD	Limits	Evaluation	Notes		
CBDVA	<loq< td=""><td><loq< td=""><td>0.077</td><td>%</td><td>NA</td><td>&lt; 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.077</td><td>%</td><td>NA</td><td>&lt; 20</td><td>Acceptable</td><td></td></loq<>	0.077	%	NA	< 20	Acceptable			
CBDV	<loq< td=""><td><loq< td=""><td>0.077</td><td>%</td><td>NA</td><td>&lt; 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.077</td><td>%</td><td>NA</td><td>&lt; 20</td><td>Acceptable</td><td></td></loq<>	0.077	%	NA	< 20	Acceptable			
CEE	<loq< td=""><td><loq< td=""><td>0.077</td><td>%</td><td>NA</td><td>&lt; 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.077</td><td>%</td><td>NA</td><td>&lt; 20</td><td>Acceptable</td><td></td></loq<>	0.077	%	NA	< 20	Acceptable			
CBDA	2.33	2.55	0.077	%	9.23	< 20	Acceptable			
CBGA	0.0839	0.0896	0.077	%	6.61	< 20	Acceptable			
CBG	<loq< td=""><td><loq< td=""><td>0.077</td><td>%</td><td>NA</td><td>&lt; 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.077</td><td>%</td><td>NA</td><td>&lt; 20</td><td>Acceptable</td><td></td></loq<>	0.077	%	NA	< 20	Acceptable			
CBD	16.3	17.3	0.077	%	6.01	< 20	Acceptable			
THCV	<loq< td=""><td><loq< td=""><td>0.077</td><td>%</td><td>NA</td><td>&lt; 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.077</td><td>%</td><td>NA</td><td>&lt; 20</td><td>Acceptable</td><td></td></loq<>	0.077	%	NA	< 20	Acceptable			
d8THCV	<loq< td=""><td><loq< td=""><td>0.077</td><td>%</td><td>NA</td><td>&lt; 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.077</td><td>%</td><td>NA</td><td>&lt; 20</td><td>Acceptable</td><td></td></loq<>	0.077	%	NA	< 20	Acceptable			
THCVA	<loq< td=""><td><loq< td=""><td>0.077</td><td>%</td><td>NA</td><td>&lt; 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.077</td><td>%</td><td>NA</td><td>&lt; 20</td><td>Acceptable</td><td></td></loq<>	0.077	%	NA	< 20	Acceptable			
CBN	39.9	41.9	0.077	%	5.06	< 20	Acceptable			
exo-THC	<loq< td=""><td><loq< td=""><td>0.077</td><td>%</td><td>NA</td><td>&lt; 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.077</td><td>%</td><td>NA</td><td>&lt; 20</td><td>Acceptable</td><td></td></loq<>	0.077	%	NA	< 20	Acceptable			
d9THC	<loq< td=""><td><loq< td=""><td>0.077</td><td>%</td><td>NA</td><td>&lt; 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.077</td><td>%</td><td>NA</td><td>&lt; 20</td><td>Acceptable</td><td></td></loq<>	0.077	%	NA	< 20	Acceptable			
d8THC	26.9	26.8	0.077	%	0.429	< 20	Acceptable			
9Sd10THC	<loq< td=""><td><loq< td=""><td>0.077</td><td>%</td><td>NA</td><td>&lt; 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.077</td><td>%</td><td>NA</td><td>&lt; 20</td><td>Acceptable</td><td></td></loq<>	0.077	%	NA	< 20	Acceptable			
CB.	<loq< td=""><td><loq< td=""><td>0.077</td><td>%</td><td>NA</td><td>&lt; 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.077</td><td>%</td><td>NA</td><td>&lt; 20</td><td>Acceptable</td><td></td></loq<>	0.077	%	NA	< 20	Acceptable			
9SHHC	<loq< td=""><td><loq< td=""><td>0.077</td><td>%</td><td>NA</td><td>&lt; 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.077</td><td>%</td><td>NA</td><td>&lt; 20</td><td>Acceptable</td><td></td></loq<>	0.077	%	NA	< 20	Acceptable			
9Rd10THC	<loq< td=""><td><loq< td=""><td>0.077</td><td>%</td><td>NA</td><td>&lt; 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.077</td><td>%</td><td>NA</td><td>&lt; 20</td><td>Acceptable</td><td></td></loq<>	0.077	%	NA	< 20	Acceptable			
CBC	<loq< td=""><td><loq< td=""><td>0.077</td><td>%</td><td>NA</td><td>&lt; 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.077</td><td>%</td><td>NA</td><td>&lt; 20</td><td>Acceptable</td><td></td></loq<>	0.077	%	NA	< 20	Acceptable			
9RHHC	<loq< td=""><td><loq< td=""><td>0.077</td><td>%</td><td>NA</td><td>&lt; 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.077</td><td>%</td><td>NA</td><td>&lt; 20</td><td>Acceptable</td><td></td></loq<>	0.077	%	NA	< 20	Acceptable			
THCA	0.151	0.161	0.077	%	6.30	< 20	Acceptable			
CBCA	<loq< td=""><td><loq< td=""><td>0.077</td><td>%</td><td>NA</td><td>&lt; 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.077</td><td>%</td><td>NA</td><td>&lt; 20</td><td>Acceptable</td><td></td></loq<>	0.077	%	NA	< 20	Acceptable			
CB.A	<loq< td=""><td><loq< td=""><td>0.077</td><td>%</td><td>NA</td><td>&lt; 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.077</td><td>%</td><td>NA</td><td>&lt; 20</td><td>Acceptable</td><td></td></loq<>	0.077	%	NA	< 20	Acceptable			
d9THCP	<loq< td=""><td><loq< td=""><td>0.077</td><td>%</td><td>NA</td><td>&lt; 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.077</td><td>%</td><td>NA</td><td>&lt; 20</td><td>Acceptable</td><td></td></loq<>	0.077	%	NA	< 20	Acceptable			
d8THCO	<loq< td=""><td><loq< td=""><td>0.077</td><td>%</td><td>NA</td><td>&lt; 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.077</td><td>%</td><td>NA</td><td>&lt; 20</td><td>Acceptable</td><td></td></loq<>	0.077	%	NA	< 20	Acceptable			
CBI	<loq< td=""><td><loq< td=""><td>0.077</td><td>%</td><td>NA</td><td>&lt; 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.077</td><td>%</td><td>NA</td><td>&lt; 20</td><td>Acceptable</td><td></td></loq<>	0.077	%	NA	< 20	Acceptable			
d9THCO	<loq< td=""><td><loq< td=""><td>0.077</td><td>%</td><td>NA</td><td>&lt; 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.077</td><td>%</td><td>NA</td><td>&lt; 20</td><td>Acceptable</td><td></td></loq<>	0.077	%	NA	< 20	Acceptable			

Abbreviations

ND - None Detected at or above MRL RPD - Relative Percent Difference LOQ- Limit of Quartitation

Units of Measure:

%- Percent





**Report Number:** 23-005280/D004.R000

**Report Date:** 05/08/2023 ORELAP#: OR100028

**Purchase Order:** 

Received: 05/02/23 14:54







23-005280/D004.R000 **Report Number:** 

**Report Date:** 05/08/2023 ORELAP#: OR100028

**Purchase Order:** 

05/02/23 14:54 Received:

# Explanation of QC Flag Comments:

Code	Explanation
Q	Matrix interferences affecting spike or surrogate recoveries.
Q1	Quality control result biased high. Only non-detect samples reported.
Q2	Quality control outside QC limits. Data considered estimate.
Q3	Sample concentration greater than four times the amount spiked.
Q4	Non-homogenous sample matrix, affecting RPD result and/or % recoveries.
Q5	Spike results above calibration curve.
Q6	Quality control outside QC limits. Data acceptable based on remaining QC.
R	Relative percent difference (RPD) outside control limit.
R1	RPD non-calculable, as sample or duplicate results are less than five times the LOQ.
R2	Sample replicates RPD non-calculable, as only one replicate is within the analytical range.
LOQ1	Quantitation level raised due to low sample volume and/or dilution.
LOQ2	Quantitaion level raised due to matrix interference.
В	Analyte detected in method blank, but not in associated samples.
B1	The sample concentration is greater than 5 times the blank concentration.
B2	The sample concentration is less than 5 times the blank concentration.





**Report Number:** 23-000690/D015.R000

**Report Date:** 01/24/2023 **ORELAP#:** OR100028

**Purchase Order:** 

**Received:** 01/17/23 14:16

Customer: IHC LLC
Product identity: 01LIR209\_BO

Client/Metrc ID:

**Laboratory ID:** 23-000690-0006

# Summary

Potency:

i otericy.				
Analyte	Result (%)	- ODD 4	ODD Total	
CBD-A	62.5	<ul><li>CBD-A</li><li>CBC-A</li></ul>	CBD-Total	55.9%
CBC-A	3.46	• THC-A		
THC-A	2.87	• CBG-A	THC-Total	2.81%
CBG-A	2.02	<ul><li>CBDV-A</li></ul>		
CBDV-A	1.23	<ul><li>CBD</li></ul>	(Reported in pe	ercent of total sample)
CBD	1.10	<ul><li>THCV-A</li></ul>		
THCV-A	0.404	<ul> <li>Δ9-THC</li> </ul>		
Δ9-THC	0.289	• CBG		
CBG	0.189	• CBC		
CBC	0.107			

# **Residual Solvents:**

All analytes passing and less than LOQ.

# Pesticides:

Analyte	Result (mg/kg)	Limits (mg/kg)	Status
Multi-Residue Pesticide Profile	< LOQ for all analytes		

#### Metals:

Less than LOQ for all analytes.





**Report Number:** 23-000690/D015.R000

**Report Date:** 01/24/2023 **ORELAP#:** OR100028

**Purchase Order:** 

**Received:** 01/17/23 14:16



Customer: IHC LLC

825 NW 16th Ave Portland Oregon 97209 United States of America (USA)

Product identity: 01LIR209\_BO

Client/Metrc ID:

Sample Date:

**Laboratory ID:** 23-000690-0006

Evidence of Cooling: No
Temp: 20 °C
Relinquished by: ramos

# **Sample Results**

Potency	Method: J AOAC 20	)15 V98-6 (mod)	b Units %	Batch: 2300599	<b>Analyze:</b> 1/19/23	7:04:00 AM
Analyte	As Dry		Notes			
	Received wei	-				CBD-A
CBC	0.107	0.0677				CBC-A
CBC-A	3.46	0.0677				<ul><li>THC-A</li><li>CBG-A</li></ul>
CBC-Total	3.14	0.127				CBDV-A
CBD	1.10	0.0677				O CBD
CBD-A	62.5	0.677				THCV-A
CBD-Total	55.9	0.661				<ul> <li>Δ9-THC</li> </ul>
CBDV	< LOQ	0.0677				<ul><li>CBG</li></ul>
CBDV-A	1.23	0.0677				<ul><li>CBC</li></ul>
CBDV-Total	1.07	0.126				
CBE	< LOQ	0.0677				
CBG	0.189	0.0677				
CBG-A	2.02	0.0677				
CBG-Total	1.96	0.126				
CBL	< LOQ	0.0677				
CBL-A	< LOQ	0.0677				
CBL-Total	< LOQ	0.127				
CBN	< LOQ	0.0677				
CBT	< LOQ	0.0677				
Δ10-THC-9R	< LOQ	0.0677				
Δ8-THC	< LOQ	0.0677				
Δ8-THCV	< LOQ	0.0677				
Δ9-THC	0.289	0.0677				
exo-THC	< LOQ	0.0677				
THC-A	2.87	0.0677				
THC-Total	2.81	0.127				
THCV	< LOQ	0.0677				
THCV-A	0.404	0.0677				
THCV-Total	0.355	0.126				
Total Cannabinoids	74.2					





**Report Number:** 23-000690/D015.R000

**Report Date:** 01/24/2023 **ORELAP#:** OR100028

**Purchase Order:** 

**Received:** 01/17/23 14:16

Solvents	Method:	Residua	l Solve	ents by	GC/MS <sup>þ</sup>	Units μg/g Batch	2300691	Analyz	<b>ze</b> 01/2	23/23 03:03 PM
Analyte	Result	Limits	LOQ	Status	Notes	Analyte	Result	Limits	LOQ	Status Notes
1,4-Dioxane	< LOQ	380	100	pass		2-Butanol	< LOQ	5000	200	pass
2-Ethoxyethanol	< LOQ	160	30.0	pass		2-Methylbutane (Isopentane)	< LOQ		200	
2-Methylpentane	< LOQ		30.0			2-Propanol (IPA)	< LOQ	5000	200	pass
2,2-Dimethylbutane	< LOQ		30.0			2,2-Dimethylpropane (neo-pentane)	< LOQ		200	
2,3-Dimethylbutane	< LOQ		30.0			3-Methylpentane	< LOQ		30.0	
Acetone	< LOQ	5000	200	pass		Acetonitrile	< LOQ	410	100	pass
Benzene	< LOQ	2.00	1.00	pass		Butanes (sum)	< LOQ	5000	400	pass
Cyclohexane	< LOQ	3880	200	pass		Ethyl acetate	< LOQ	5000	200	pass
Ethyl benzene	< LOQ		200			Ethyl ether	< LOQ	5000	200	pass
Ethylene glycol	< LOQ	620	200	pass		Ethylene oxide	< LOQ	50.0	20.0	pass
Hexanes (sum)	< LOQ	290	150	pass		Isopropyl acetate	< LOQ	5000	200	pass
Isopropylbenzene (Cumene)	< LOQ	70.0	30.0	pass		m,p-Xylene	< LOQ		200	
Methanol	< LOQ	3000	200	pass		Methylene chloride	< LOQ	600	60.0	pass
Methylpropane (Isobutane)	< LOQ		200			n-Butane	< LOQ		200	
n-Heptane	< LOQ	5000	200	pass		n-Hexane	< LOQ		30.0	
n-Pentane	< LOQ		200			o-Xylene	< LOQ		200	
Pentanes (sum)	< LOQ	5000	600	pass		Propane	< LOQ	5000	200	pass
Tetrahydrofuran	< LOQ	720	100	pass		Toluene	< LOQ	890	100	pass
Total Xylenes	< LOQ		400			Total Xylenes and Eth benzene	yl < LOQ	2170	600	pass

Pesticides	Method: AOAC 2007.01 & EN 15662 (mod	d)Þ <b>Units</b> mg/kg	Batch 2300687	Analyze 01/23/23 01:15 PM
Analyte	Result	Limits	Status	Notes

Multi-Residue Pesticide Profile < LOQ for all analytes

Metals							
Analyte	Result	Limits	Units	LOQ	Batch	Analyzed Method	Status Notes
Arsenic	< LOQ	0.200	mg/kg	0.0743	2300594	01/18/23 AOAC 2013.06 (mod.) <sup>b</sup>	pass
Cadmium	< LOQ	0.200	mg/kg	0.0743	2300594	01/18/23 AOAC 2013.06 (mod.) <sup>p</sup>	pass
Lead	< LOQ	0.500	mg/kg	0.0743	2300594	01/18/23 AOAC 2013.06 (mod.) <sup>p</sup>	pass
Mercury	< LOQ	0.100	mg/kg	0.0371	2300594	01/18/23 AOAC 2013.06 (mod.) <sup>b</sup>	pass





**Report Number:** 23-000690/D015.R000

**Report Date:** 01/24/2023 **ORELAP#:** OR100028

**Purchase Order:** 

**Received:** 01/17/23 14:16

#### Abbreviations

Limits: Action Levels per OAR-333-007-0400, OAR-333-007-0210, OAR-333-007-0220, CCR title 16-division 42. BCC-section 5723

**Limit(s) of Quantitation (LOQ):** The minimum levels, concentrations, or quantities of a target variable (e.g., target analyte) that can be reported with a specified degree of confidence.

p = ISO/IEC 17025:2017 accredited method.

#### Units of Measure

 $\mu g/g$  = Microgram per gram mg/kg = Milligram per kilogram = parts per million (ppm) % = Percentage of sample % wt =  $\mu g/g$  divided by 10,000

Approved Signatory

Derrick Tanner General Manager





23-000690/D015.R000 **Report Number:** 

**Report Date:** 01/24/2023 ORELAP#: OR100028

**Purchase Order:** 

01/17/23 14:16 Received:



# P2320 Multi-Residue Pesticide Profile Cannabis

Analyte	LOQ (mg/kg)
2,4-D	0.1
Abamectin	0.1
Acephate	0.2
Acequinocyl	0.2
Acetamiprid	0.1
Acetochlor	0.2
Acrinathrin	0.1
Alachlor	0.1
Aldicarb	0.1
Aldoxycarb	0.1
Aldrin	0.1
Ametoctradin	0.1
Ametryn	0.1
Anilazine	0.1
Aspon	0.1
Asulam	0.1
Atrazine	0.1
Atrazine-desethyl	0.1
Azinphos-ethyl	0.1
Azinphos-methyl	0.1
Azoxystrobin	0.1
Benalaxyl	0.1
Bendiocarb	0.1
Benoxacor	0.1
Bensulide	0.1
Bentazon	0.1
Bifenazate	0.1
Bifenox	0.1
Bifenthrin	0.1
Binapacryl	0.1
Boscalid	0.1
Bromacil	0.1
Bromophos-ethyl	0.1
Bromopropylate	0.1
Bromoxynil	0.1
Bupirimate	0.1
Buprofezin	0.1
Butachlor	0.1
Butylate	0.1
Cadusafos	0.1
Captan	0.2
Carbaryl	0.1
Carbendazim	0.1
Carbofuran	0.1
Carbofuran 3-hydroxy	0.1
Carbophenothion	0.1
Carbophenothion-methyl	0.1
Carboxin	0.1

Analyte	LOQ (mg/kg)
Chlorantraniliprol	0.1
Chlordane, cis-	0.1
Chlordane, trans-	0.1
Chlorfenapyr	0.1
Chlorfenvinphos	0.1
Chlorobenzilate	0.1
Chlorpyrifos-ethyl	0.1
Chlorpyrifos-methyl	0.1
Chlorthal-dimethyl (Dacthal)	0.1
Clethodim	0.1
Clethodim sulfone	0.1
Clethodim sulfoxide	0.1
Clofentezine	0.1
Clomazone	0.1
Clopyralid	0.1
Clothianidin	0.1
Coumaphos	0.1
Crotoxyphos	0.1
Cyanofenphos	0.1
Cyanophos	0.1
Cyantraniliprole	0.1
Cyazofamid	0.1
Cyfluthrin	0.1
Cyhalothrin, lambda	0.1
Cymoxanil	0.1
Cypermethrin	0.1
Cyprodinil	0.1
DDD, o,p'-	0.1
DDD, p,p'-	0.1
DDE, o,p'-	0.1
DDE, p,p'-	0.1
DDT, o,p'-	0.1
DDT, p,p'-	0.1
DEET	0.1
Deltamethrin	0.1
Demeton-S	0.1
Demeton-s-methyl	0.1
Demeton-S-methyl-sulfone	0.1
Desmedipham	0.1
Diazinon	0.1
Dicamba	0.1
Dichlofenthion	0.1
Dichlofluanid	0.1
Dichlorbenzamid	0.1
Dichlorvos	0.1
Diclofop	0.1
Diclofop-methyl	0.1
Dicrotophos	0.1

Analyte	LOQ (mg/kg)
Dieldrin	0.1
Diethofencarb	0.1
Difenoconazol	0.1
Diflubenzuron	0.1
Diflufenzopyr	0.1
Dimethenamid	0.1
Dimethoat	0.1
Dimethomorph	0.1
Dinoseb	0.1
Dinotefuran	0.1
Dioxathion	0.1
Diphenamid	0.1
Diphenylamine (DPA)	0.1
Disulfoton	0.1
Disulfoton-sulfone	0.1
Disulfoton-Sulfoxide	0.1
Diuron	0.1
DNOC	1
	0.1
Edifenphos	0.1
Endosulfan (alpha isomer)	0.1
Endosulfan (beta isomer)	0.1
Endosulfan-sulfate	0.1
Endrin	0.1
EPN	0.1
EPTC	0.1
Esfenvalerate/Fenvalerate	0.1
Ethiofencarb	0.1
Ethion	0.1
Ethofumesate	0.1
Ethoprophos	0.1
Etofenprox	0.1
Etoxazole	0.1
Etrimfos	0.1
Famoxadone	0.1
Famphur	0.1
Fenamiphos	0.1
Fenamiphos-Sulfone	0.1
Fenamiphos-Sulfoxide	0.1
Fenazaquin	0.1
Fenbuconazole	0.1
Fenhexamid	0.1
Fenobucarb	0.1
Fenoxycarb	0.1
Fenpropathrin	0.1
Fensulfothion	0.1
Fenthion	0.1
Fenuron	0.1
Fipronil	0.1

LOQ= Limit of Quantitation mg/kg= milligram per kilogram (ppm)

Page 1 of 3

Updated: 09.12.2022





**Report Number:** 23-000690/D015.R000

**Report Date:** 01/24/2023 ORELAP#: OR100028

**Purchase Order:** 

01/17/23 14:16 Received:



## P2320 Multi-Residue Pesticide Profile Cannabis

Analyte	LOQ (mg/kg)
Flonicamid	0.1
Fluazifop	0.1
Fluazinam	0.1
Flucythrinate	0.1
Fludioxonil	0.1
Flufenacet	0.1
Flumioxazin	0.1
Fluopicolide	0.1
Fluopyram	0.1
Fluoxastrobin	0.1
Flupyradifurone	0.1
Fluridone	0.1
Fluroxypyr	0.1
Fluthiacet-methyl	0.1
Flutolanil	0.1
Flutriafol	0.1
Fluvalinate	0.1
Fluxapyroxad	0.1
Fomesafen	0.1
Formetanate	0.1
Furathiocarb	0.1
Haloxyfop	0.1
Heptachlor	0.1
Heptachlor epoxide	0.1
Hexaconazole	0.1
Hexazinone	0.1
Hexythiazox	0.1
Hydropene	0.1
Imazalil	0.1
Imazethapyr	0.1
Imidacloprid	0.1
Indaziflam	0.1
Indoxacarb	0.1
Iprobenfos	0.1
Iprodion	0.1
Isobenzan	0.1
Isofenphos	0.1
Isofenphos-methyl	0.1
Isofenphos-oxon	0.1
Isoprocarb	0.1
Isoprothiolane	0.1
Isoproturon	0.1
Isoxaben	0.1
Kresoxim-methyl	0.1
Lindane	0.1
Linuron	0.1
Malaoxon	0.1
Malathion	0.1

Analyte	LOQ (mg/kg)
Mandipropamid	0.1
MCPA	0.1
MCPB	0.1
MCPP	0.1
Mecabarm	0.1
Mepanipyrim	0.1
Mesotrione	0.1
Metalaxyl	0.1
Methamidophos	0.1
Methiocarb	0.1
Methiocarb sulfone	0.1
Methiocarb sulfoxide	0.1
Methomyl	0.1
Methoxyfenozide	0.1
Metolachlor	0.1
Metolcarb	0.1
Metrafenone	0.1
Mevinphos	0.1
MGK 264	0.1
Molinat	0.1
Monocrotophos	0.1
Monolinuron	0.1
Myclobutanil	0.1
Naled	0.1
Napropamide	0.1
Neburon	0.1
Norflurazon	0.1
Novaluron	0.1
Omethoat	0.1
Oryzalin	0.1
Oxadiazon	0.1
Oxadixyl	0.1
Oxamyl	0.1
Oxamyl-oxime	0.1
Oxychlordane	0.1
Oxydemeton-Methyl	0.1
Oxyfluorfen	0.1
Paclobutrazol	_
Paraoxon-ethyl	0.1
Paraoxon-ethyl	_
•	0.1
Parathion-methyl	0.1
Penconazole  Randimathalia	0.1
Pendimethalin Pentluten	0.1
Penflufen Penthiopyrad	0.1
Permethrin	0.1
Perthane	0.1
Phenmedipham	0.1

Analyte	LOQ (mg/kg)
Phenothrin	0.1
Phenthoate	0.1
Phorate	0.1
Phorate-Sulfone	0.1
Phorate-Sulfoxide	0.1
Phosalone	0.1
Phosmet	0.1
Phosphamidon	0.1
Phoxim	0.1
Pinoxaden	0.1
Piperonyl Butoxide	0.1
Pirimicarb	0.1
Pirimiphos-ethyl	0.1
Pirimiphos-methyl	0.1
Prallethrin	0.1
Prochloraz	0.1
Procymidone	0.1
Profenofos	0.1
Promecarb	0.1
Prometon	0.1
Prometryn	0.1
Propachlor	0.1
Propamocarb	0.1
Propanil	0.1
Propazine	0.1
Propetamophos	0.1
Propham	0.1
Propiconazole	0.1
Propoxur	0.1
Propyzamide	0.1
Prothiofos	0.1
Pyraclostrobin	0.1
Pyraflufen Ethyl	0.1
Pyrazophos	0.1
Pyrethrin	0.1
Pyridaben	0.1
Pyrimethanil	0.1
Pyriproxifen	0.1
Pyroxasulfone	0.1
Pyroxsulam	0.1
Quinalphos	0.1
Quinclorac	0.1
Quinoxyfen	0.1
Quintozene(PCNB)	0.2
Quizalofop	0.1
Resmethrin	0.1
Rotenone	0.1
Saflufenacil	0.1

LOQ= Limit of Quantitation mg/kg= milligram per kilogram (ppm)

Page 2 of 3

Updated: 09.12.2022





**Report Number:** 23-000690/D015.R000

**Report Date:** 01/24/2023 ORELAP#: OR100028

**Purchase Order:** 

01/17/23 14:16 Received:



## P2320 Multi-Residue Pesticide Profile Cannabis

Analyte	LOQ (mg/kg)
Sebuthylazin	0.1
Sethoxydim	0.1
Simazine	0.1
Simetryn	0.1
Spinetoram J/L	0.1
Spinosyn A/D	0.1
Spirodiclofen	0.1
Spiromesifen	0.1
Spirotetramat	0.1
Spiroxamine	0.1
Sulfentrazone	0.1
Sulfotep	0.1
Sulfoxaflor	0.1
Sulprofos	0.1
Tebuconazole	0.1
Tebufenozide	0.1
Terbufos	0.1
Terbuthylazine	0.1
Terbutryn	0.1
Tetrachlorvinphos	0.1
Tetraconazole	0.1
Tetramethrin	0.1
Thiabendazol	0.1
Thiabendazol-5-hydroxy	0.1
Thiacloprid	0.1
Thiamethoxam	0.1
Thiobencarb	0.1
Thiodicarb	0.1
Thiometon	0.1
Thiophanate-methyl	0.2
Tolfenpyrad	0.1
Tolylfluanid	0.1
Triadimefon	0.1
Triadimenol	0.1
Triazophos	0.1
Trifloxystrobin	0.1
Triflumizole	0.1
Triticonazole	0.1
Zoxamid	0.1

LOQ= Limit of Quantitation mg/kg= milligram per kilogram (ppm)

Page 3 of 3

Updated: 09.12.2022





**Report Number:** 23-000690/D015.R000

**Report Date:** 01/24/2023 **ORELAP#:** OR100028

**Purchase Order:** 

**Received:** 01/17/23 14:16



# Hemp / Cannabis Usable / Extract / Finished Products Chain of Custody Record

Revision: 4.00 Controls: CF023 Rev 00/24/2021 Eff: 03/04/2021 ORELAP D- ORE00008

						. 1	malys	ts Hesp	uette	d	. =				O Number:	
Contests: Hole Hemp Collect Contests: Hyle (with ehemp collect.com Street: 431 NW Handers st. City: Portland House UP Jay: 97209  Se Email Results: dropbox (IHU)  Ph: (61) 608164 Fr Results: 1  Billing If different:   Joel (with ehemp collect.com			- ORS9 compounds	Exicide Multi-headue - 379 compounds		sádual Solvents	Setters & Valenc Activity		icro. Youst and Meld	C.Coli and Total Coliforns	rats	E .		Project Pro Custom I Report to	ot Number:	TREC or CT Others Eucliness Day Standard Turnaround Eucliness Day Rosh Turnaround* Sesimas Day Rosh Turnaround* Check for modification
tab  D Client Sample Identification  1 01LIR209 LB	Oute	Time	Periodes	Pestode	Patency	Residual	Metrum	Interes	Micro Ye	Micros C.	Heavy Metals	Myculosina	Ditter	Sample Type I	Weight (Units)	Consumit/Metrs to
2 01LIR209_LB	-		H	×	×	X	_			_	×	_	-	C	-	
3 01LIR209_FV	-			-	X	X					×		-	C		
4 01LIR209_WW	-	-		×	×	×				_	×		_	0		
The state of the s	-			×							-			C		
5 01LIR209_SB			_	×	X	×					X		_	72		
6 01LIR209_BO				×	X	X					X			C		
7 01LIR209_LT				×	X	X					×			C		
8 01LIR209_RC				×	X	x					×			C		
9 01LIR209_PJ				×	X	×					×			C		
10 01LIR209_CJ				X.	×	x	-				х			C	1	
Refrequenced by:	Date	Time	3	1	3 8	poered	Be			D.	06	TP	ne-			Lab Ura Only:
Kyle Farook	1/17 11:00 A 1/2   1-17.15   1   0   Delegated Wis or Different drop															
732	1.17	/337			(2)	35				807	123	191	6	fuldence of cooling: D Yes   D Ro - Temp (PC: 2 + + 3 - Sample in good condition: D Yes  D No - D Cash   D Cook   D CC   D Net - Frelog storage:		

+ - Sample Type Codes: Vegetation (V) ; isolates (S) ; Extract/Concentrate (C) ; Texture/Topical (T) ; tidble (II) ; Severage (II)

Supply private the Colonia Laboratory with long regions on contain an agreement in a contain to a contain the colonial and the Colonia Colonia





**Report Number:** 23-000690/D015.R000

**Report Date:** 01/24/2023 **ORELAP#:** OR100028

**Purchase Order:** 

**Received:** 01/17/23 14:16



# Hemp / Cannabis Usable / Extract / Finished Products Chain of Custody Record

Revision: 4,00 Controlls: CF025 New 02/24/2021 Eff: 05/04/2021 CRELAP ID: OR100028

	32333333456363	655				,	A	naiys	s Req	ueste	ď					0 Number:			
0 6 2	Hortland South OF Results: ( )		where the entropolect comes with the entropolect			- Oll 50 compareds	sofe Multi-Residue - 379 compounds		idazi Solvetta	Nostave & Water Activity		Acros Years and Mode	Nous Ecolonii Total Celforn	rish.			Project Proj Custom F Report to	T Number:	
Leb ID	Client Sample Identification	Date	Tirel	Periodes	2	Polancy	1.2	Moisture	Terparms	Mono: Ye	Moo: £	Heavy Metals	Mycotonins	Other	Semple Type it	Weight (LEVIS)	Coroments/Wetrc ID		
	01LIR209_OGK	_		ш	×	12.1	×				_	73			0				
	01LIR209_Shaolin	_			X	×	×					X			(3)				
0.76	01LIR209_Japhy				×	×	×					×			C				
4	01LIR209_PP				X	×	X				1	X			C				
5	01LIR209_MT	1100			×	×	×					×			C				
6	01LIR209_PK				x	×	×					х			C				
7	01LIR209_SP	_			×	×	×					x	_		C				
8	01LIR209_Sour G	_			x	×	×	7				x			C				
	01LIR209 FG	_		Н	×	×	×				-	×			C		i e		
10	01LIR209_RGSP			$\vdash$	×	×	×					x			C				
	Reliegabled by:	Date	Time		-	- 5	gelect	ev.			0	tir	Te	100			Lab Use Cely:		
Ky	Kyle Farook 1/17 11:00 A				1	3	-				1+1	1.15	11	Ď.			er D Climedrop		
	132	10.7	1335		P	35	8				oil	1/1.3	141	4	Serople is good condition:   Get   Glock   Glo				

+ - Sample Type Codes: Vegetation (V) ; Includes (S) ; Extract/Concentrate (C) ; Tincture/Topical (T) ; Edible (C) ; Severage (A)

Lample administration Columbia (Administration of the extra propriation of the extra property of the extra pro





**Report Number:** 23-000690/D015.R000

**Report Date:** 01/24/2023 **ORELAP#:** OR100028

**Purchase Order:** 

**Received:** 01/17/23 14:16



# Hemp / Cannabis Usable / Extract / Finished Products Chain of Custody Record

Revision: 4.00 Control®: CF02S Rev 02/24/2021 Eff: 03/04/2021 ORLAPID: ORD0028

1.20.090V-051ACW	855						cratys	n Req	uette	d					D Number:	
The Hemp Collect  Contact: kyles/thehempcollect.com  Innet: 431 NW Flanders at.  Portland  State: OF 78, 97209  Brusil Results: dropbox (IHC)  In (61) busil64 Fc Results: (		Final Results: droptics (IHC)				sidual Soberes	Stare & Water Activity		fixers: Yeast and Mobil	ons: E.Deli and Tetal Coliform	ony Metalia	849		Projec Projec Custom P Report to	i Marcher:	THE or Other
tab ID Client Sample Identification 1 01LIR209_TK	Date	Time	Pattroles	Restricte Mutti-Residue	February	Resident	Moeture	li de	More y	Micros C	M Harry Id	Mycotasias	ŧ,	Semple Type II	(Units)	Corements/Webre (0
2 01LIR209 STs			Н	×	×	×	-	-		-	X			C		
3 01LIR209 CS	-	-		X	×	×	-	$\vdash$	-	-	X	-	-	c		
4 01LIR209 PB				×	×	×				-	X			C		
5   6   7																
9	-		Н	-		$\vdash$		-								
10				$\vdash$												
Helinquished By:	Dete	Time		1	2	besived	By:			0	900	Ti	me.			Lab Line Coly:
(yle Farook	1/17	11:00 /		2	2	5-					13		_	Evidence of cooking: [] Yes   [] No - Temp (*C):		es   DNo-Temp(*C); Z/
232	117	/336			U.S	5_				0.	1/25	141	6	Sample in good conditions (2) Net; (2) No. (2) Cash (1) Chesk (1) (2) (2) Net; (3) Net; (4) Net; (5) Net; (6) Net; (7) N		

1 - Samule Type Codes: Vegetation (V) | Inclutes (S) | Extract/Concentrate (C) ; Tincture/Topical (T) ; Dakkio (E) ; Deverage (S)

Emplicational Colonia Library on the proposal country or growing in their trees.

12425 M. Martin Way

P. Unit 254-254 | Fac. (Ed.) 254-1452

Reputation of the CCC. By upper Tuberphild by "year or growing in their trees.

12425 M. Martin Way

Proposal on 87241

Inches Colonia C





**Report Number:** 23-000690/D015.R000

Report Date: 01/24/2023 ORELAP#: OR100028

**Purchase Order:** 

Received: 01/17/23 14:16

Revision: 1 Document ID: 7148 Legacy ID: Worksheet Validated 04/20/2021

#### **Laboratory Quality Control Results** Batch ID: 2300599 LCS Result Units Evaluation Analyte CBDVA 0.100 0.106 % % Acceptable Acceptable 104 104 103 80.0 120 120 120 0.104 CBDV 0.110 80.0 80.0 Acceptable Acceptable 0.0963 90.0 80.0 CRGA 0.096 % Accentable. 120 100 CBG 0.099 Acceptable 0.100 % 80.0 CBD 0.097 Acceptable Acceptable 0.108 102 80.0 d8THCV 0.109 Acceptable Acceptable 0.103 106 104 THCVA 0.099 80.0 CBN exo-THC 0.102 0.097 % 80.0 120 120 Acceptable Acceptable 0.103 101 0.101 104 0.112 90.0 110 110 0.105 Acceptable 0.100 CBL d10THC CBC Acceptable 0.109 0.0474 105 100 120 120 80.0 0.047 % Acceptable 80.0 Acceptable THCA CBCA CBLA 0.095 % 90.0 Acceptable 0.103 Acceptable Acceptable 120 120 0.105 % 102 80.0

2 0.110	0.103	/6 104	80.0 - 120	Acceptable	
Result	LOQ	Units		Evaluation	Notes
<loq< td=""><td>0.077</td><td>%</td><td>&lt; 0.077</td><td>Acceptable</td><td></td></loq<>	0.077	%	< 0.077	Acceptable	
<loq< td=""><td>0.077</td><td>%</td><td>&lt; 0.077</td><td>Acceptable</td><td></td></loq<>	0.077	%	< 0.077	Acceptable	
<loq< td=""><td>0.077</td><td>%</td><td>&lt; 0.077</td><td>Acceptable</td><td></td></loq<>	0.077	%	< 0.077	Acceptable	
<loq< td=""><td>0.077</td><td>%</td><td>&lt; 0.077</td><td>Acceptable</td><td></td></loq<>	0.077	%	< 0.077	Acceptable	
<loq< td=""><td>0.077</td><td>%</td><td>&lt; 0.077</td><td>Acceptable</td><td></td></loq<>	0.077	%	< 0.077	Acceptable	
<loq< td=""><td>0.077</td><td>%</td><td>&lt; 0.077</td><td>Acceptable</td><td></td></loq<>	0.077	%	< 0.077	Acceptable	
<loq< td=""><td>0.077</td><td>%</td><td>&lt; 0.077</td><td>Acceptable</td><td></td></loq<>	0.077	%	< 0.077	Acceptable	
<loq< td=""><td>0.077</td><td>%</td><td>&lt; 0.077</td><td>Acceptable</td><td></td></loq<>	0.077	%	< 0.077	Acceptable	
<loq< td=""><td>0.077</td><td>%</td><td>&lt; 0.077</td><td>Acceptable</td><td></td></loq<>	0.077	%	< 0.077	Acceptable	
<loq< td=""><td>0.077</td><td>%</td><td>&lt; 0.077</td><td>Acceptable</td><td></td></loq<>	0.077	%	< 0.077	Acceptable	
<loq< td=""><td>0.077</td><td>%</td><td>&lt; 0.077</td><td>Acceptable</td><td></td></loq<>	0.077	%	< 0.077	Acceptable	
<loq< td=""><td>0.077</td><td>%</td><td>&lt; 0.077</td><td>Acceptable</td><td></td></loq<>	0.077	%	< 0.077	Acceptable	
<loq< td=""><td>0.077</td><td>%</td><td>&lt; 0.077</td><td>Acceptable</td><td></td></loq<>	0.077	%	< 0.077	Acceptable	
<loq< td=""><td>0.077</td><td>%</td><td>&lt; 0.077</td><td>Acceptable</td><td></td></loq<>	0.077	%	< 0.077	Acceptable	
<loq< td=""><td>0.077</td><td>%</td><td>&lt; 0.077</td><td></td><td></td></loq<>	0.077	%	< 0.077		
<loq< td=""><td>0.077</td><td>%</td><td>&lt; 0.077</td><td></td><td></td></loq<>	0.077	%	< 0.077		
<loq< td=""><td>0.077</td><td>%</td><td>&lt; 0.077</td><td></td><td></td></loq<>	0.077	%	< 0.077		
<loq< td=""><td>0.077</td><td>%</td><td>&lt; 0.077</td><td>Acceptable</td><td></td></loq<>	0.077	%	< 0.077	Acceptable	
<loq< td=""><td>0.077</td><td>%</td><td>&lt; 0.077</td><td>Acceptable</td><td></td></loq<>	0.077	%	< 0.077	Acceptable	
<loq< td=""><td>0.077</td><td>%</td><td>&lt; 0.077</td><td>Acceptable</td><td></td></loq<>	0.077	%	< 0.077	Acceptable	
	Result	Result	Result	Result	Result   LOQ   Units   Limits   Evaluation

ND - None Detected at or above MRL

RPD - Relative Percent Difference LOQ - Limit of Quantitation

Units of Measure: % - Percent





23-000690/D015.R000 **Report Number:** 

**Report Date:** 01/24/2023 ORELAP#: OR100028

**Purchase Order:** 

01/17/23 14:16 Received:

Revision: 1 Document ID: 7148 Legacy ID: Worksheet Validated 04/20/2021

#### **Laboratory Quality Control Results**

J AOAC 2015 V98-6						ch ID: 2300599		l e e				
Sample Duplicate			Sample ID: <b>23-000690-0001</b>									
Analyte	Result	Org. Result	LOQ	Units	RPD	Limits	Evaluation	Notes				
CBDVA	0.234	0.234	0.077	%	0.0872	< 20	Acceptable					
CBDV	<loq< td=""><td><loq< td=""><td>0.077</td><td>%</td><td>NA</td><td>&lt; 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.077</td><td>%</td><td>NA</td><td>&lt; 20</td><td>Acceptable</td><td></td></loq<>	0.077	%	NA	< 20	Acceptable					
CBE	<loq< td=""><td><loq< td=""><td>0.077</td><td>%</td><td>NA</td><td>&lt; 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.077</td><td>%</td><td>NA</td><td>&lt; 20</td><td>Acceptable</td><td></td></loq<>	0.077	%	NA	< 20	Acceptable					
CBDA	54.6	54.7	0.077	%	0.322	< 20	Acceptable					
CBGA	1.61	1.61	0.077	%	0.0614	< 20	Acceptable					
CBG	0.100	0.102	0.077	%	1.57	< 20	Acceptable					
CBD	0.888	0.922	0.077	%	3.66	< 20	Acceptable					
THCV	<loq< td=""><td><loq< td=""><td>0.077</td><td>%</td><td>NA</td><td>&lt; 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.077</td><td>%</td><td>NA</td><td>&lt; 20</td><td>Acceptable</td><td></td></loq<>	0.077	%	NA	< 20	Acceptable					
d8THCV	<loq< td=""><td><loq< td=""><td>0.077</td><td>%</td><td>NA</td><td>&lt; 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.077</td><td>%</td><td>NA</td><td>&lt; 20</td><td>Acceptable</td><td></td></loq<>	0.077	%	NA	< 20	Acceptable					
THCVA	<loq< td=""><td><loq< td=""><td>0.077</td><td>%</td><td>NA</td><td>&lt; 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.077</td><td>%</td><td>NA</td><td>&lt; 20</td><td>Acceptable</td><td></td></loq<>	0.077	%	NA	< 20	Acceptable					
CBN	<loq< td=""><td><loq< td=""><td>0.077</td><td>%</td><td>NA</td><td>&lt; 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.077</td><td>%</td><td>NA</td><td>&lt; 20</td><td>Acceptable</td><td></td></loq<>	0.077	%	NA	< 20	Acceptable					
exo-THC	<loq< td=""><td><loq< td=""><td>0.077</td><td>%</td><td>NA</td><td>&lt; 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.077</td><td>%</td><td>NA</td><td>&lt; 20</td><td>Acceptable</td><td></td></loq<>	0.077	%	NA	< 20	Acceptable					
d9THC	0.263	0.260	0.077	%	1.28	< 20	Acceptable					
d8THC	<loq< td=""><td><loq< td=""><td>0.077</td><td>%</td><td>NA</td><td>&lt; 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.077</td><td>%</td><td>NA</td><td>&lt; 20</td><td>Acceptable</td><td></td></loq<>	0.077	%	NA	< 20	Acceptable					
CBL	<loq< td=""><td><loq< td=""><td>0.077</td><td>%</td><td>NA</td><td>&lt; 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.077</td><td>%</td><td>NA</td><td>&lt; 20</td><td>Acceptable</td><td></td></loq<>	0.077	%	NA	< 20	Acceptable					
d10THC	<loq< td=""><td><loq< td=""><td>0.077</td><td>%</td><td>NA</td><td>&lt; 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.077</td><td>%</td><td>NA</td><td>&lt; 20</td><td>Acceptable</td><td></td></loq<>	0.077	%	NA	< 20	Acceptable					
CBC	<loq< td=""><td><loq< td=""><td>0.077</td><td>%</td><td>NA</td><td>&lt; 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.077</td><td>%</td><td>NA</td><td>&lt; 20</td><td>Acceptable</td><td></td></loq<>	0.077	%	NA	< 20	Acceptable					
THCA	3.97	3.97	0.077	%	0.128	< 20	Acceptable					
CBCA	2.66	2.63	0.077	%	1.28	< 20	Acceptable					
CBLA	<loq< td=""><td><loq< td=""><td>0.077</td><td>%</td><td>NA</td><td>&lt; 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.077</td><td>%</td><td>NA</td><td>&lt; 20</td><td>Acceptable</td><td></td></loq<>	0.077	%	NA	< 20	Acceptable					
CBT	<loq< td=""><td><loq< td=""><td>0.077</td><td>%</td><td>NA</td><td>&lt; 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.077</td><td>%</td><td>NA</td><td>&lt; 20</td><td>Acceptable</td><td></td></loq<>	0.077	%	NA	< 20	Acceptable					

ND - None Detected at or above MRL RPD - Relative Percent Difference

LOQ - Limit of Quantitation

Units of Measure:





23-000690/D015.R000 **Report Number:** 

**Report Date:** 01/24/2023 ORELAP#: OR100028

**Purchase Order:** 

Received: 01/17/23 14:16

Revision: 2 Document ID: 7087 Legacy ID: CFL-E33Effective:

Laboratory Quality Control Results											
Residual Solvents						Bat	ch ID:	230069	1		
Method Blank					Laborator	y Control Sa	mple				
Analyte	Result		LOQ	Notes	Result	Spike	Units	% Rec	L	imits	Notes
Propane	ND	<	200		547	572	μg/g	95.6	60	- 12	.0
Isobutane	ND	<	200		701	731	μg/g	95.9	60	- 12	.0
Butane	ND	<	200		678	731	μg/g	92.7	60	- 12	.0
2,2-Dimethylpropane	ND	<	200		893	936	μg/g	95.4	60	- 12	.0
Methanol	ND	<	200		1580	1620	μg/g	97.5	60	- 12	.0
Ethylene Oxide	ND	<	30		55	56.2	μg/g	97.9	60	- 12	.0
2-Methylbutane	ND	<	200		1520	1610	μg/g	94.4	60	- 12	.0
Pentane	ND	<	200		1520	1600	μg/g	95.0	60	- 12	.0
Ethanol	ND	<	200		1610	1610	μg/g	100.0	70	- 13	10
Ethyl Ether	ND	<	200		1560	1630	μg/g	95.7	60	- 12	.0
2,2-Dimethylbutane	ND	<	30		164	171	μg/g	95.9	60	- 12	
Acetone	ND	<	200		1560	1630	μg/g	95.7	60	- 12	.0
2-Propanol	ND	<	200		1670	1620	μg/g	103.1	60	- 12	.0
Acetonitrile	ND	<	100		475	498	μg/g	95.4	60	- 12	.0
2,3-Dimethylbutane	ND	<	30		160	171	μg/g	93.6	60	- 12	.0
Dichloromethane	ND	<	60		476	483	μg/g	98.6	60	- 12	.0
2-Methylpentane	ND	<	30		161	168	μg/g	95.8	60	- 12	.0
3-Methylpentane	ND	<	30		146	167	μg/g	87.4	60	- 12	.0
Hexane	ND	<	30		208	182	μg/g	114.3	60	- 12	.0
Ethyl acetate	ND	<	200		1570	1610	μg/g	97.5	60	- 12	.0
2-Butanol	ND	<	200		1660	1600	μg/g	103.8	60	- 12	.0
Tetrahydrofuran	ND	<	100		474	483	μg/g	98.1	60	- 12	
Cyclohexane	ND	<	200		1540	1610	μg/g	95.7	60	- 12	.0
Benzene	ND	<	1		5.3	5.02	μg/g	105.6	60	- 12	20
Isopropyl Acetate	ND	<	200		1670	1620	μg/g	103.1	60	- 12	.0
Heptane	ND	<	200		1500	1610	μg/g	93.2	60	- 12	.0
1,4-Dioxane	ND	<	100		475	491	μg/g	96.7	60	- 12	.0
2-Ethoxyethanol	ND	<	30		316	181	μg/g	174.6	60	- 12	
Ethylene Glycol	ND	<	200		698	484	μg/g	144.2	60	- 12	.0 Q1
Toluene	ND	<	100		465	485	μg/g	95.9	60	- 12	.0
Ethylbenzene	ND	<	200		911	969	μg/g	94.0	60	- 12	.0
m,p-Xylene	ND	<	200		915	994	μg/g	92.1	60	- 12	.0
o-Xylene	ND	<	200		901	967	μg/g	93.2	60	- 12	.0
Cumene	ND	<	30		161	171	μg/g	94.2	60	- 12	.0





23-000690/D015.R000 **Report Number:** 

**Report Date:** 01/24/2023 ORELAP#: OR100028

**Purchase Order:** 

Received: 01/17/23 14:16

Revision: 2 Document ID: 7087 Legacy ID: CFL-E33Effective:

QC - Sample Duplicate			Sample ID: 23-000690-0005							
Analyte	Result	Org. Result	LOQ Units	RPD	Limits	Accept/Fail	Notes			
Propane	ND	ND	200 μg/g	0.0	< 20	Acceptable				
Isobutane	ND	ND	200 μg/g	0.0	< 20	Acceptable				
Butane	1250	1160	200 μg/g	7.5	< 20	Acceptable				
2,2-Dimethylpropane	ND	ND	200 μg/g	0.0	< 20	Acceptable				
Methanol	ND	ND	200 μg/g	0.0	< 20	Acceptable				
Ethylene Oxide	ND	ND	30 μg/g	0.0	< 20	Acceptable				
2-Methylbutane	ND	ND	200 μg/g	0.0	< 20	Acceptable				
Pentane	ND	ND	200 μg/g	0.0	< 20	Acceptable				
Ethanol	ND	ND	200 μg/g	0.0	< 20	Acceptable				
Ethyl Ether	ND	ND	200 μg/g	0.0	< 20	Acceptable				
2,2-Dimethylbutane	ND	ND	30 μg/g	0.0	< 20	Acceptable				
Acetone	ND	ND	200 μg/g	0.0	< 20	Acceptable				
2-Propanol	ND	ND	200 μg/g	0.0	< 20	Acceptable				
Acetonitrile	ND	ND	100 μg/g	0.0	< 20	Acceptable				
2,3-Dimethylbutane	ND	ND	30 μg/g	0.0	< 20	Acceptable				
Dichloromethane	ND	ND	60 μg/g	0.0	< 20	Acceptable				
2-Methylpentane	ND	ND	30 μg/g	0.0	< 20	Acceptable				
3-Methylpentane	ND	ND	30 μg/g	0.0	< 20	Acceptable				
Hexane	ND	ND	30 μg/g	0.0	< 20	Acceptable				
Ethyl acetate	ND	ND	200 μg/g	0.0	< 20	Acceptable				
2-Butanol	ND	ND	200 μg/g	0.0	< 20	Acceptable				
Tetrahydrofuran	ND	ND	100 μg/g	0.0	< 20	Acceptable				
Cyclohexane	ND	ND	200 μg/g	0.0	< 20	Acceptable				
Benzene	ND	ND	1 μg/g	0.0	< 20	Acceptable				
Isopropyl Acetate	ND	ND	200 μg/g	0.0	< 20	Acceptable				
Heptane	ND	ND	200 μg/g	0.0	< 20	Acceptable				
1,4-Dioxane	ND	ND	100 μg/g	0.0	< 20	Acceptable				
2-Ethoxyethanol	ND	ND	30 μg/g	0.0	< 20	Acceptable				
Ethylene Glycol	ND	ND	200 μg/g	0.0	< 20	Acceptable				
Toluene	ND	ND	100 μg/g	0.0	< 20	Acceptable				
Ethylbenzene	ND	ND	200 μg/g	0.0	< 20	Acceptable				
m,p-Xylene	ND	ND	200 μg/g	0.0	< 20	Acceptable				
o-Xylene	ND	ND	200 μg/g	0.0	< 20	Acceptable				
Cumene	ND	ND	30 μg/g	0.0	< 20	Acceptable				

#### Abbreviations

Units of Measure:

ND - None Detected at or above MRL RPD - Relative Percent Difference

μg/g- Microgram per gram or ppm

LOQ - Limit of Quantitation

Q1 - Quality control result biased high. Only non-detect samples reported.





**Report Number:** 23-000690/D015.R000

**Report Date:** 01/24/2023 ORELAP#: OR100028

**Purchase Order:** 

Received: 01/17/23 14:16







23-000690/D015.R000 **Report Number:** 

**Report Date:** 01/24/2023 ORELAP#: OR100028

**Purchase Order:** 

01/17/23 14:16 Received:

# Explanation of QC Flag Comments:

Code	Explanation
Q	Matrix interferences affecting spike or surrogate recoveries.
Q1	Quality control result biased high. Only non-detect samples reported.
Q2	Quality control outside QC limits. Data considered estimate.
Q3	Sample concentration greater than four times the amount spiked.
Q4	Non-homogenous sample matrix, affecting RPD result and/or % recoveries.
Q5	Spike results above calibration curve.
Q6	Quality control outside QC limits. Data acceptable based on remaining QC.
R	Relative percent difference (RPD) outside control limit.
R1	RPD non-calculable, as sample or duplicate results are less than five times the LOQ.
R2	Sample replicates RPD non-calculable, as only one replicate is within the analytical range.
LOQ1	Quantitation level raised due to low sample volume and/or dilution.
LOQ2	Quantitaion level raised due to matrix interference.
В	Analyte detected in method blank, but not in associated samples.
B1	The sample concentration is greater than 5 times the blank concentration.
B2	The sample concentration is less than 5 times the blank concentration.