



12423 NE Whitaker Way
 Portland, OR 97230
 503-254-1794



Report Number: 23-005280/D002.R000
Report Date: 05/08/2023
ORELAP#: OR100028
Purchase Order:
Received: 05/02/23 14:54

Customer: The Hemp Collect
Product identity: Live D8 Daytrip Sugar - Guava Jam
Client/Metric ID: 200723121305
Laboratory ID: 23-005280-0002

Summary

Potency:

Analyte	Result (%)			
CBD	46.1			
Δ8-THC	23.5			
Δ8-THCV	3.90			
CBD-A	3.16			
CBG	2.40			
CBDV-A	1.62			
CBDV	0.168			
THC-A	0.158			
CBN	0.139			
CBT	0.122			
CBC	0.114			
				CBD-Total 48.9%
				THC-Total 0.139%
				(Reported in percent of total sample)



12423 NE Whitaker Way
Portland, OR 97230
503-254-1794



Report Number: 23-005280/D002.R000
Report Date: 05/08/2023
ORELAP#: OR100028
Purchase Order:
Received: 05/02/23 14:54

Customer: The Hemp Collect
825 NW 16th Ave
Portland Oregon 97209
United States of America (USA)

Product identity: Live D8 Daytrip Sugar - Guava Jam
Client/Metric ID: 200723121305
Sample Date:
Laboratory ID: 23-005280-0002
Evidence of Cooling: No
Temp: 16.8
Relinquished by: ramos



Sample Results

Potency	Method: J AOAC 2015 V98-6 (mod) ^p			Units %	Batch: 2307048	Analyze: 5/4/23 8:18:00 PM
Analyte	As Received	Dry weight	LOQ	Notes		
CBC	0.114		0.0710			
CBC-A	< LOQ		0.0710			
CBC-Total	< LOQ		0.133			
CBD	46.1		0.710			
CBD-A	3.16		0.0710			
CBD-Total	48.9		0.773			
CBDV	0.168		0.0710			
CBDV-A	1.62		0.0710			
CBDV-Total	1.57		0.133			
CBE	< LOQ		0.0710			
CBG	2.40		0.0710			
CBG-A	< LOQ		0.0710			
CBG-Total	2.40		0.133			
CBL	< LOQ		0.0710			
CBL-A	< LOQ		0.0710			
CBL-Total	< LOQ		0.133			
CBN	0.139		0.0710			
CBT	0.122		0.0710			
Δ10-THC-9R	< LOQ		0.0710			
Δ10-THC-9S	< LOQ		0.0710			
Δ10-THC-Total	< LOQ		0.142			
Δ8-THC	23.5		0.710			
Δ8-THCV	3.90		0.0710			
Δ9-THC	< LOQ		0.0710			
exo-THC	< LOQ		0.0710			
THC-A	0.158		0.0710			
THC-Total	0.139		0.133			
THCV	< LOQ		0.0710			
THCV-A	< LOQ		0.0710			
THCV-Total	< LOQ		0.133			
Total Cannabinoids	81.4					



12423 NE Whitaker Way
Portland, OR 97230
503-254-1794



Report Number: 23-005280/D002.R000
Report Date: 05/08/2023
ORELAP#: OR100028
Purchase Order:
Received: 05/02/23 14:54



12423 NE Whitaker Way
Portland, OR 97230
503-254-1794



Report Number: 23-005280/D002.R000
Report Date: 05/08/2023
ORELAP#: OR100028
Purchase Order:
Received: 05/02/23 14:54

Abbreviations

Limits: Action Levels per OAR-333-007-0400, OAR-333-007-0210, OAR-333-007-0220, CCR title 16-division 42. BCC-section 5723

Limit(s) of Quantitation (LOQ): The minimum levels, concentrations, or quantities of a target variable (e.g., target analyte) that can be reported with a specified degree of confidence.

^p = ISO/IEC 17025:2017 accredited method.

Units of Measure

% = Percentage of sample

% wt = $\mu\text{g/g}$ divided by 10,000

Approved Signatory

Derrick Tanner
General Manager



12423 NE Whitaker Way
Portland, OR 97230
503-254-1794

Report Number: 23-005280/D002.R000
Report Date: 05/08/2023
ORELAP#: OR100028
Purchase Order:
Received: 05/02/23 14:54



Henry de Casanville, Usable / Extract / Finished Product

File Name: Col loc-1603063273

Chain of Custody, Record

ORELAP ID: OR100028 MAIL BOX 1700111 ATT000

Client Information Company: <u>Clatsop County</u> Contact: <u>Joe Pickett</u> Street Address: <u>401 NW Henderson</u> City, State, Zip: <u>Portland, Oregon 97208</u> Email: <u>joepickett@clatsopcountyoa.com</u> Contact Phone: <u>5032541794</u> Billing Information Billing Email: <u>accounts@columbialabs.com</u> , <u>isa@columbialabs.com</u>		Project Information Project Name: <u>N/A</u> PO Number: <u>N/A</u> Test Protocol: <u>2,3,4,5,6,7,8,9,10,11,12,13,14,15,16,17,18,19,20,21,22,23,24,25,26,27,28,29,30,31,32,33,34,35,36,37,38,39,40,41,42,43,44,45,46,47,48,49,50,51,52,53,54,55,56,57,58,59,60,61,62,63,64,65,66,67,68,69,70,71,72,73,74,75,76,77,78,79,80,81,82,83,84,85,86,87,88,89,90,91,92,93,94,95,96,97,98,99,100</u> Reference: <u>Clatsop County, Oregon, 2023, 2024, 2025</u> Certificate Type: <u>Initial</u> Ship to Location Street Address: <u>401 NW Henderson</u> City, State, Zip: <u>Portland, Oregon 97208</u>		Testing Henry de Casanville Usable / Extract / Finished Product Henry de Casanville Usable / Extract / Finished Product Henry de Casanville Usable / Extract / Finished Product	
---	--	---	--	---	--

#	Sample Name	Matrix	METRC ID	Amount Provided	Remaining Unit	Testing
1	Use 100 Usable / Usable - Blue Crystal	Polystyrene Concentrate	20110111000	6 g	No (no remaining)	✓
2	Use 200 Usable / Usable - Blue Crystal	Polystyrene Concentrate	20020111000	10 g	No (no remaining)	✓
3	Use 200 Usable / Usable - Blue Crystal	Polystyrene Concentrate	20040111000	10 g	No (no remaining)	✓
4	Use 100 Usable / Usable - Blue Crystal	Polystyrene Concentrate	10030111000	10 g	No (no remaining)	✓
5	Use 100 Usable / Usable - Blue Crystal	Polystyrene Concentrate	10011011000	10 g	No (no remaining)	✓

Received By	Date	Time	Temp, °C	Received By	Date	Time	Received Temp, °C	Isolation of Cooling
Joe Pickett	5/2/2023	17:17	Temp, °C	Joe Pickett	5/2/2023	15:47		No
Joe Pickett	5/2/2023	17:17	16.8	Joe Pickett	5/2/2023	15:47		No

Samples submitted to Columbia Laboratories with the following requirements available upon agreement for services in accordance with the [current terms of services](#) associated with this ORELAP. By signing "I have received" you are agreeing to these terms.

Columbia Laboratories
12423 NE Whitaker Way
Portland, OR 97230

P: (503) 254-1794 | Fax: (503) 254-1452
info@columbialaboratories.com

Page 1 of 1
www.columbialaboratories.com



12423 NE Whitaker Way
Portland, OR 97230
503-254-1794



Report Number: 23-005280/D002.R000
Report Date: 05/08/2023
ORELAP#: OR100028
Purchase Order:
Received: 05/02/23 14:54

Revision: 1 Document ID: 7148
Legacy ID: Worksheet Validated 04/20/2021

Laboratory Quality Control Results

J AOAC 2015 V98-6 Batch ID: 2307048

Laboratory Control Sample									
Analyte	LCS	Result	Spike	Units	% Rec	Limits		Evaluation	Notes
CBDVA	2	0.0937	0.091	%	102	80.0	- 120	Acceptable	
CBDV	2	0.0926	0.089	%	104	80.0	- 120	Acceptable	
CBE	2	0.103	0.102	%	102	80.0	- 120	Acceptable	
CBDA	1	0.100	0.096	%	104	90.0	- 110	Acceptable	
CBGA	1	0.0844	0.080	%	105	80.0	- 120	Acceptable	
CBG	1	0.102	0.098	%	105	80.0	- 120	Acceptable	
CBD	1	0.0897	0.086	%	104	90.0	- 110	Acceptable	
THCV	2	0.0672	0.068	%	98.9	80.0	- 120	Acceptable	
d8THCV	2	0.0807	0.080	%	101	80.0	- 120	Acceptable	
THCVA	2	0.0976	0.094	%	104	80.0	- 120	Acceptable	
CBN	1	0.0875	0.086	%	102	80.0	- 120	Acceptable	
exo-THC	2	0.0911	0.092	%	98.9	80.0	- 120	Acceptable	
d9THC	1	0.0975	0.103	%	94.8	90.0	- 110	Acceptable	
d8THC	1	0.100	0.098	%	102	90.0	- 110	Acceptable	
9S-d10THC	1	0.0979	0.101	%	97.4	80.0	- 120	Acceptable	
CBL	2	0.0960	0.097	%	99.2	80.0	- 120	Acceptable	
9S-HHC	3	0.0878	0.092	%	95.3	80.0	- 120	Acceptable	
9R-d10THC	1	0.0955	0.095	%	101	80.0	- 120	Acceptable	
CBC	2	0.0889	0.091	%	98.3	80.0	- 120	Acceptable	
9R-HHC	3	0.0794	0.083	%	95.9	80.0	- 120	Acceptable	
THCA	1	0.111	0.112	%	99.8	90.0	- 110	Acceptable	
CBCA	2	0.0997	0.097	%	103	80.0	- 120	Acceptable	
CBLA	2	0.0992	0.096	%	103	80.0	- 120	Acceptable	
d9THCP	2	0.0908	0.095	%	96.0	80.0	- 120	Acceptable	
d8THCO	3	0.0917	0.100	%	91.4	80.0	- 120	Acceptable	
CBT	2	0.0902	0.099	%	90.8	80.0	- 120	Acceptable	
d9THCO	3	0.0971	0.104	%	93.7	80.0	- 120	Acceptable	

Method Blank

Analyte	Result	LOQ	Units	Limits	Evaluation	Notes
CBDVA	<LOQ	0.0077	%	< 0.0077	Acceptable	
CBDV	<LOQ	0.0077	%	< 0.0077	Acceptable	
CBE	<LOQ	0.0077	%	< 0.0077	Acceptable	
CBDA	<LOQ	0.0077	%	< 0.0077	Acceptable	
CBGA	<LOQ	0.0077	%	< 0.0077	Acceptable	
CBG	<LOQ	0.0077	%	< 0.0077	Acceptable	
CBD	<LOQ	0.0077	%	< 0.0077	Acceptable	
THCV	<LOQ	0.0077	%	< 0.0077	Acceptable	
d8THCV	<LOQ	0.0077	%	< 0.0077	Acceptable	
THCVA	<LOQ	0.0077	%	< 0.0077	Acceptable	
CBN	<LOQ	0.0077	%	< 0.0077	Acceptable	
exo-THC	<LOQ	0.0077	%	< 0.0077	Acceptable	
d9THC	<LOQ	0.0077	%	< 0.0077	Acceptable	
d8THC	<LOQ	0.0077	%	< 0.0077	Acceptable	
9S-d10THC	<LOQ	0.0077	%	< 0.0077	Acceptable	
CBL	<LOQ	0.0077	%	< 0.0077	Acceptable	
9S-HHC	<LOQ	0.0077	%	< 0.0077	Acceptable	
9R-d10THC	<LOQ	0.0077	%	< 0.0077	Acceptable	
CBC	<LOQ	0.0077	%	< 0.0077	Acceptable	
9R-HHC	<LOQ	0.0077	%	< 0.0077	Acceptable	
THCA	<LOQ	0.0077	%	< 0.0077	Acceptable	
CBCA	<LOQ	0.0077	%	< 0.0077	Acceptable	
CBLA	<LOQ	0.0077	%	< 0.0077	Acceptable	
d9THCP	<LOQ	0.0077	%	< 0.0077	Acceptable	
d8THCO	<LOQ	0.0077	%	< 0.0077	Acceptable	
CBT	<LOQ	0.0077	%	< 0.0077	Acceptable	
d9THCO	<LOQ	0.0077	%	< 0.0077	Acceptable	

Abbreviations

ND - None Detected at or above MRL
RPD - Relative Percent Difference
LOQ - Limit of Quantitation

Units of Measure:

% - Percent



12423 NE Whitaker Way
 Portland, OR 97230
 503-254-1794



Report Number: 23-005280/D002.R000
Report Date: 05/08/2023
ORELAP#: OR100028
Purchase Order:
Received: 05/02/23 14:54

Revision: 1 Document ID: 7148
 Legacy ID: Worksheet Validated 04/20/2021

Laboratory Quality Control Results

J AOAC 2015 V98-6		Batch ID: 2307048						
Sample Duplicate		Sample ID: 23-005280-0001						
Analyte	Result	Org. Result	LOQ	Units	RPD	Limits	Evaluation	Notes
CBDVA	<LOQ	<LOQ	0.077	%	NA	< 20	Acceptable	
CBDV	<LOQ	<LOQ	0.077	%	NA	< 20	Acceptable	
CBE	<LOQ	<LOQ	0.077	%	NA	< 20	Acceptable	
CBDA	2.33	2.55	0.077	%	9.23	< 20	Acceptable	
CBGA	0.0839	0.0896	0.077	%	6.61	< 20	Acceptable	
CBG	<LOQ	<LOQ	0.077	%	NA	< 20	Acceptable	
CBD	16.3	17.3	0.077	%	6.01	< 20	Acceptable	
THCV	<LOQ	<LOQ	0.077	%	NA	< 20	Acceptable	
d8THCV	<LOQ	<LOQ	0.077	%	NA	< 20	Acceptable	
THCVA	<LOQ	<LOQ	0.077	%	NA	< 20	Acceptable	
CBN	39.9	41.9	0.077	%	5.06	< 20	Acceptable	
exo-THC	<LOQ	<LOQ	0.077	%	NA	< 20	Acceptable	
d9THC	<LOQ	<LOQ	0.077	%	NA	< 20	Acceptable	
d8THC	26.9	26.8	0.077	%	0.429	< 20	Acceptable	
9S-d10THC	<LOQ	<LOQ	0.077	%	NA	< 20	Acceptable	
CBL	<LOQ	<LOQ	0.077	%	NA	< 20	Acceptable	
9S-HHC	<LOQ	<LOQ	0.077	%	NA	< 20	Acceptable	
9R-d10THC	<LOQ	<LOQ	0.077	%	NA	< 20	Acceptable	
CBG	<LOQ	<LOQ	0.077	%	NA	< 20	Acceptable	
9R-HHC	<LOQ	<LOQ	0.077	%	NA	< 20	Acceptable	
THCA	0.151	0.161	0.077	%	6.30	< 20	Acceptable	
CBGA	<LOQ	<LOQ	0.077	%	NA	< 20	Acceptable	
CBLA	<LOQ	<LOQ	0.077	%	NA	< 20	Acceptable	
d9THCP	<LOQ	<LOQ	0.077	%	NA	< 20	Acceptable	
d8THCO	<LOQ	<LOQ	0.077	%	NA	< 20	Acceptable	
CBT	<LOQ	<LOQ	0.077	%	NA	< 20	Acceptable	
d9THCO	<LOQ	<LOQ	0.077	%	NA	< 20	Acceptable	

Abbreviations

ND - None Detected at or above MRL
 RPD - Relative Percent Difference
 LOQ - Limit of Quantitation

Units of Measure:

% - Percent



12423 NE Whitaker Way
Portland, OR 97230
503-254-1794



Report Number: 23-005280/D002.R000
Report Date: 05/08/2023
ORELAP#: OR100028
Purchase Order:
Received: 05/02/23 14:54





12423 NE Whitaker Way
 Portland, OR 97230
 503-254-1794



Report Number: 23-005280/D002.R000
Report Date: 05/08/2023
ORELAP#: OR100028
Purchase Order:
Received: 05/02/23 14:54

Explanation of QC Flag Comments:

Code	Explanation
Q	Matrix interferences affecting spike or surrogate recoveries.
Q1	Quality control result biased high. Only non-detect samples reported.
Q2	Quality control outside QC limits. Data considered estimate.
Q3	Sample concentration greater than four times the amount spiked.
Q4	Non-homogenous sample matrix, affecting RPD result and/or % recoveries.
Q5	Spike results above calibration curve.
Q6	Quality control outside QC limits. Data acceptable based on remaining QC.
R	Relative percent difference (RPD) outside control limit.
R1	RPD non-calculable, as sample or duplicate results are less than five times the LOQ.
R2	Sample replicates RPD non-calculable, as only one replicate is within the analytical range.
LOQ1	Quantitation level raised due to low sample volume and/or dilution.
LOQ2	Quantitation level raised due to matrix interference.
B	Analyte detected in method blank, but not in associated samples.
B1	The sample concentration is greater than 5 times the blank concentration.
B2	The sample concentration is less than 5 times the blank concentration.