



Report Number:	22-011501/D003.R000
Report Date:	09/28/2022
ORELAP#:	OR100028
Purchase Order:	
Received:	09/23/22 12:10

Customer:	IHC LLC
Product identity:	0102030506LIRSUG200_GJ
Client/Metrc ID:	
Laboratory ID:	22-011501-0001

Summary

Analyte	Result (%)	• CBD	CBN		
CBD	34.3	 Δ8-THC 	THC-A	CBD-Total	38.9%
∆8-THC	30.5	CBG	THCV-A		
CBG	5.50	• CBD-A	CBG-A	THC-Total	0.168%
CBD-A	5.20	CBDVCBDV-A			
CBDV	3.37			(Reported in pe	rcent of total sample)
CBDV-A	3.00	• CBT			
THCV	1.84	• CBC-A			
CBT	0.487	 Δ8-THCV 			
CBC-A	0.405	CBC			
∆8-THCV	0.284				
CBC	0.284				
CBN	0.218				
THC-A	0.192				
THCV-A	0.121				
CBG-A	0.0785				

Page 1 of 8 Test results relate only to the parameters tested and to the samples as received by the laboratory. Test results meet all requirements of NELAP and the Columbia Laboratories quality assurance plan unless otherwise noted. This report shall not be reproduced, except in full, without the written consent of this laboratory. Samples will be retained for a maximum of 30 days from the receipt date unless prior arrangements have been made. Testing in accordance with: OAR 333-007-0430





Report Number:	22-011501/D003.R000
Report Date:	09/28/2022
ORELAP#:	OR100028
Purchase Order:	
Received:	09/23/22 12:10

Customer:	IHC LLC 825 NW 16th Ave Portland Oregon 97209 United States of America (USA)
Product identity:	0102030506LIRSUG200_GJ
Client/Metrc ID:	
Sample Date:	
Laboratory ID:	22-011501-0001
Evidence of Cooling:	No
Temp:	23 °C



Sample Results

Potency	Method: J AOAC 2015	5 V98-6 (mod) ^b Units	% Batch: 2208188 Analyze: 9/28/22 9:37:00 AM
Analyte	As Dry	LOQ Notes	
	Received weigh		CBD CBC
CBC	0.284	0.0689	
CBC-A	0.405	0.0689	CBG THC-A CBD-A THCV-A
CBC-Total	0.639	0.129	CBD X CBG-A
CBD	34.3	0.689	CBDV-A
CBD-A	5.20	0.0689	• THCV
CBD-Total	38.9	0.750	• CBT
CBDV	3.37	0.0689	• CBC-A
CBDV-A	3.00	0.0689	Δ8-THCV
CBDV-Total	5.97	0.129	
CBE	< LOQ	0.0689	
CBG	5.50	0.0689	
CBG-A	0.0785	0.0689	
CBG-Total	5.57	0.129	
CBL	< LOQ	0.0689	
CBL-A	< LOQ	0.0689	
CBL-Total	< LOQ	0.129	
CBN	0.218	0.0689	
CBT	0.487	0.0689	
$\Delta 10$ -THC	< LOQ	0.0689	
∆8-THC	30.5	0.689	
∆8-THCV	0.284	0.0689	
∆9-THC	< LOQ	0.0689	
exo-THC	< LOQ	0.0689	
THC-A	0.192	0.0689	
THC-Total	0.168	0.129	
THCV	1.84	0.0689	
THCV-A	0.121	0.0689	
THCV-Total	1.95	0.129	
Total Cannabinoids	85.8		

Page 2 of 8 Test results relate only to the parameters tested and to the samples as received by the laboratory. Test results meet all requirements of NELAP and the Columbia Laboratories quality assurance plan unless otherwise noted. This report shall not be reproduced, except in full, without the written consent of this laboratory. Samples will be retained for a maximum of 30 days from the receipt date unless prior arrangements have been made. Testing in accordance with: OAR 333-007-0430





 Report Number:
 22-011501/D003.R000

 Report Date:
 09/28/2022

 ORELAP#:
 OR100028

 Purchase Order:
 Received:

 09/23/22 12:10

Abbreviations

Limits: Action Levels per OAR-333-007-0400, OAR-333-007-0210, OAR-333-007-0220, CCR title 16-division 42. BCC-section 5723

Limit(s) of Quantitation (LOQ): The minimum levels, concentrations, or quantities of a target variable (e.g., target analyte) that can be reported with a specified degree of confidence.

^b = ISO/IEC 17025:2017 accredited method.

Units of Measure

% = Percentage of sample % wt = $\mu g/g$ divided by 10,000

Approved Signatory

Derrick Tanner General Manager

www.columbialaboratories.com

Page 3 of 8

Test results relate only to the parameters tested and to the samples as received by the laboratory. Test results meet all requirements of NELAP and the Columbia Laboratories quality assurance plan unless otherwise noted. This report shall not be reproduced, except in full, without the written consent of this laboratory. Samples will be retained for a maximum of 30 days from the receipt date unless prior arrangements have been made.





Report Number: 22-011501/D003.R000 **Report Date:** 09/28/2022 **ORELAP#:** OR100028 **Purchase Order: Received:** 09/23/22 12:10

					_	-	A	rialysi	s Req	umphe	d .					0 Mamber:	
Contant: Kylo Itreet: 431 NI city: Portland G8 Email Reads Pb: (01): 008	431 NW Flanders st. ortland trate OF top: 97209 il Results: dropbox (IHC) 1 008164 C Ps Results: (1		431 NW Flanders st.		- OR 59 comparator	ste Mathilesdue - 529 compounds		minul Selvertite	6 Water Achiety		Scrut Yeast and Mold	Mcros. 2. Ook and Tech Od Noon	6.0x8 and Total Galfboon Metab		-	Project Number: Project Number: Custom Reporting: Report to StateNictuic orOther: Turnersonal time: Basiances Day Number Turnersond* 2 Business Day Rish Ternersond* Sampled by:	
	k Identification 06LIRSUG200	Outo O GJ	Dese	Perioden	Pessote	K Protoncy	formul:	Moisture	ferperus	Micra: Va	Micro. 2.	PERSON SA	Mycuttains	Other:	Sample Type 7 C	Weight (Units)	Converts/Metre 10
1	06LIRVAP20	1000		-		x						-			c		
3 4 5				_													
8 7 8									_								
9 fö							-					_					
Minar					Received By:				Oute Time				tab Use Only:				

7 - Sample Type Codes: Vegetation (V) ; holates (I) ; Extract/Concentrate (C); Tincture/Topical (T); Edible (C); Beverage (N)

must benefit and second with the COC. By starting "Authorshield by Junior agreeing in these prime e pulsation to Colonia Laborateria and loang repr man's respective of opai Jaria leave with the

13423 NE Whiteker Way Participal OF \$72.50

P. (508) 254-2794 (Apr. (303) 354-1483 integration transfer that the

Page 4 of 8

Test results relate only to the parameters tested and to the samples as received by the laboratory. Test results meet all requirements of NELAP and the Columbia Laboratories quality assurance plan unless otherwise noted. This report shall not be reproduced, except in full, without the written consent of this laboratory. Samples will be retained for a maximum of 30 days from the receipt date unless prior arrangements have been made.





Report Number:	22-011501/D003.R000
Report Date:	09/28/2022
ORELAP#:	OR100028
Purchase Order:	
Received:	09/23/22 12:10

Revision: 1 Document ID: 7148 Legacy ID: Worksheet Validated 04/20/2021

J AOAC 2015 V98	-6				В	atch ID: 22	08188				
Laboratory Contr	ol Sample										
Analyte	LCS	Result	Spike	Units	% Rec	Lii	mits	Evaluation	Notes		
CBDVA	2	0.101	0.103	%	98.1	80.0	- 120	Acceptable			
CBDV	2	0.109	0.110	%	99.3	80.0	- 120	Acceptable			
CBE	2	0.0992	0.105	%	94.9	80.0	- 120	Acceptable			
CBDA	1	0.0974	0.100	%	97.0	90.0	- 110	Acceptable			
CBGA	1	0.0971	0.101	%	96.5	80.0	- 120	Acceptable			
CBG	1	0.101	0.103	%	98.0	80.0	- 120	Acceptable			
CBD	1	0.0996	0.103	%	97.0	90.0	- 110	Acceptable			
THCV	2	0.107	0.113	%	95.2	80.0	- 120	Acceptable			
d8THCV	2	0.102	0.110	%	92.5	80.0	- 120	Acceptable			
THCVA	2	0.107	0.101	%	106	80.0	- 120	Acceptable			
CBN	1	0.0942	0.101	%	93.2	90.0	- 110	Acceptable			
exo-THC	2	0.0946	0.103	%	92.2	80.0	- 120	Acceptable			
19THC	1	0.0938	0.104	%	90.6	90.0	- 110	Acceptable			
18THC	1	0.0937	0.100	%	93.3	80.0	- 120	Acceptable			
CBL	2	0.0913	0.099	%	92.7	80.0	- 120	Acceptable			
10THC	1	0.0869	0.096	%	90.9	80.0	- 120	Acceptable			
CBC	2	0.100	0.108	%	92.4	80.0	- 120	Acceptable			
THCA	1	0.0898	0.099	%	90.3	90.0	- 110	Acceptable			
CBCA	2	0.104	0.105	%	99.0	80.0	- 120	Acceptable			
CBLA	2	0.0545	0.056	%	97.2	80.0	- 120	Acceptable			
СВТ	2	0.102	0.112	%	91.7	80.0	- 120	Acceptable			
Method Blank											
Analyte		esult	LOQ		Units		mits	Evaluation	Notes		
CBDVA		LOQ	0.0077		%				0077	Acceptable	
CBDV		LOQ	0.0077		%		0077	Acceptable			
CBE		LOQ	0.0077		%	< 0.0077		Acceptable			
CBDA		LOQ	0.0077		%	< 0.0077		Acceptable			
CBGA		LOQ	0.0077		%	< 0.0077		Acceptable			
CBG		LOQ	0.0077		%	< 0.0077		Acceptable			
					%			Acceptable			
		LOQ	0.0077			< 0.					
THCV	<	LOQ	0.0077		%	< 0.	0077	Acceptable			
THCV B8THCV	<	LOQ	0.0077		%	< 0. < 0.	0077 0077	Acceptable Acceptable			
THCV J8THCV THCVA	<		0.0077 0.0077 0.0077		% % %	< 0. < 0. < 0.	0077 0077 0077	Acceptable Acceptable Acceptable			
THCV 18THCV THCVA CBN	<pre></pre>		0.0077 0.0077 0.0077 0.0077		% % %	< 0. < 0. < 0. < 0.	0077 0077 0077 0077	Acceptable Acceptable Acceptable Acceptable			
THCV d8THCV THCVA CBN exo-THC	<pre> <</pre>	LOQ LOQ LOQ LOQ LOQ	0.0077 0.0077 0.0077 0.0077 0.0077		% % % %	< 0. < 0. < 0. < 0. < 0. < 0.	0077 0077 0077 0077 0077	Acceptable Acceptable Acceptable Acceptable Acceptable Acceptable			
THCV 18THCV THCVA CBN exo-THC 19THC		LOQ LOQ LOQ LOQ LOQ LOQ	0.0077 0.0077 0.0077 0.0077 0.0077 0.0077		% % % %	< 0. < 0. < 0. < 0. < 0. < 0. < 0.	0077 0077 0077 0077 0077 0077	Acceptable Acceptable Acceptable Acceptable Acceptable Acceptable			
THCV J8THCV THCVA CBN exo-THC J9THC J8THC		LOQ LOQ LOQ LOQ LOQ LOQ LOQ	0.0077 0.0077 0.0077 0.0077 0.0077 0.0077 0.0077		% % % % %	< 0. < 0. < 0. < 0. < 0. < 0. < 0. < 0.	0077 0077 0077 0077 0077 0077 0077	Acceptable Acceptable Acceptable Acceptable Acceptable Acceptable Acceptable			
THEV JATHEV THEVA CBN exo-THE JOTHE HATHE CBL		LOQ LOQ LOQ LOQ LOQ LOQ LOQ LOQ LOQ	0.0077 0.0077 0.0077 0.0077 0.0077 0.0077 0.0077 0.0077		% % % % % %	< 0. < 0. < 0. < 0. < 0. < 0. < 0. < 0.	0077 0077 0077 0077 0077 0077 0077 007	Acceptable Acceptable Acceptable Acceptable Acceptable Acceptable Acceptable Acceptable			
THCV d8THCV THCVA EBN exo-THC d9THC d8THC EBL d10THC		LOQ LOQ LOQ LOQ LOQ LOQ LOQ	0.0077 0.0077 0.0077 0.0077 0.0077 0.0077 0.0077 0.0077 0.0077		% % % % % % %	< 0. < 0. < 0. < 0. < 0. < 0. < 0. < 0.	0077 0077 0077 0077 0077 0077 0077 007	Acceptable Acceptable Acceptable Acceptable Acceptable Acceptable Acceptable			
THCV 18THCV THCVA EBN 19X0-THC 19THC 18THC EBL 110THC CBC		LOQ LOQ LOQ LOQ LOQ LOQ LOQ LOQ LOQ LOQ	0.0077 0.0077 0.0077 0.0077 0.0077 0.0077 0.0077 0.0077 0.0077		% % % % % % % %	< 0. < 0. < 0. < 0. < 0. < 0. < 0. < 0.	0077 0077 0077 0077 0077 0077 0077 007	Acceptable Acceptable Acceptable Acceptable Acceptable Acceptable Acceptable Acceptable			
THCV 18THCV 18THCV CBN 28xo-THC 19THC 18THC CBL 10THC CBC THCA		LOQ LOQ LOQ LOQ LOQ LOQ LOQ LOQ LOQ LOQ	0.0077 0.0077 0.0077 0.0077 0.0077 0.0077 0.0077 0.0077 0.0077		% % % % % % % % %	< 0. < 0. < 0. < 0. < 0. < 0. < 0. < 0.	0077 0077 0077 0077 0077 0077 0077 007	Acceptable Acceptable Acceptable Acceptable Acceptable Acceptable Acceptable Acceptable Acceptable Acceptable			
THCV d8THCV THCVA CBN Exe-THC d9THC d8THC CBL d10THC CBC CBC THCA	<pre></pre>	LOQ LOQ LOQ LOQ LOQ LOQ LOQ LOQ LOQ LOQ	0.0077 0.0077 0.0077 0.0077 0.0077 0.0077 0.0077 0.0077 0.0077		% % % % % % % %	 < 0. 	0077 0077 0077 0077 0077 0077 0077 007	Acceptable Acceptable Acceptable Acceptable Acceptable Acceptable Acceptable Acceptable Acceptable Acceptable Acceptable			
CBD THCV SIBTHCV SIBTHCV CBN CBN CBN SR0-THC SIBTHC SIBTHC CBL d10THC CBC THCA CBCA CBLA CBLA CBLA CBLA CBLA CBLA CB	<pre></pre>	LOQ LOQ LOQ LOQ LOQ LOQ LOQ LOQ LOQ LOQ	0.0077 0.0077 0.0077 0.0077 0.0077 0.0077 0.0077 0.0077 0.0077 0.0077		% % % % % % % % %	 < 0. 	0077 0077 0077 0077 0077 0077 0077 007	Acceptable Acceptable Acceptable Acceptable Acceptable Acceptable Acceptable Acceptable Acceptable Acceptable Acceptable Acceptable			

ND - None Detected at or above MRL

RPD - Relative Percent Difference LOQ - Limit of Quantitation

Units of Measure: % - Percent

Page 5 of 8 Test results relate only to the parameters tested and to the samples as received by the laboratory. Test results meet all requirements of NELAP and the Columbia Laboratories quality assurance plan unless otherwise noted. This report shall not be reproduced, except in full, without the written consent of this laboratory. Samples will be retained for a maximum of 30 days from the receipt date unless prior arrangements have been made. Testing in accordance with: OAR 333-007-0430





Report Number:	22-011501/D003.R000
Report Date:	09/28/2022
ORELAP#:	OR100028
Purchase Order:	
Received:	09/23/22 12:10

Revision: 1 Document ID: 7148 Legacy ID: Worksheet Validated 04/20/2021

J AOAC 2015 V98-6					Bat	ch ID: 2208188								
Sample Duplicate	Sample ID: 22-011471-0001													
Analyte	Result	Org. Result	LOQ	Units	RPD	Limits	Evaluation	Notes						
CBDVA	<loq< td=""><td><loq< td=""><td>0.077</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.077</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.077	%	NA	< 20	Acceptable							
CBDV	0.201	0.201	0.077	%	0.0290	< 20	Acceptable							
CBE	<loq< td=""><td><loq< td=""><td>0.077</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.077</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.077	%	NA	< 20	Acceptable							
CBDA	<loq< td=""><td><loq< td=""><td>0.077</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.077</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.077	%	NA	< 20	Acceptable							
CBGA	<loq< td=""><td><loq< td=""><td>0.077</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.077</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.077	%	NA	< 20	Acceptable							
CBG	2.03	2.50	0.077	%	20.9	< 20	Outlier	R						
CBD	90.1	91.4	0.077	%	1.51	< 20	Acceptable							
THCV	<loq< td=""><td><loq< td=""><td>0.077</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.077</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.077	%	NA	< 20	Acceptable							
d8THCV	<loq< td=""><td><loq< td=""><td>0.077</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.077</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.077	%	NA	< 20	Acceptable							
THCVA	<loq< td=""><td><loq< td=""><td>0.077</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.077</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.077	%	NA	< 20	Acceptable							
CBN	0.0289	0.0336	0.077	%	15.0	< 20	Acceptable							
exo-THC	<loq< td=""><td><loq< td=""><td>0.077</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.077</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.077	%	NA	< 20	Acceptable							
d9THC	<loq< td=""><td><loq< td=""><td>0.077</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.077</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.077	%	NA	< 20	Acceptable							
d8THC	<loq< td=""><td><loq< td=""><td>0.077</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.077</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.077	%	NA	< 20	Acceptable							
CBL	<loq< td=""><td><loq< td=""><td>0.077</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.077</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.077	%	NA	< 20	Acceptable							
d10THC	<loq< td=""><td><loq< td=""><td>0.077</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.077</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.077	%	NA	< 20	Acceptable							
CBC	0.0162	0.0184	0.077	%	13.2	< 20	Acceptable							
THCA	<loq< td=""><td><loq< td=""><td>0.077</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.077</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.077	%	NA	< 20	Acceptable							
CBCA	<loq< td=""><td><loq< td=""><td>0.077</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.077</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.077	%	NA	< 20	Acceptable							
CBLA	<loq< td=""><td><loq< td=""><td>0.077</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.077</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.077	%	NA	< 20	Acceptable							
CBT	<loq< td=""><td><loq< td=""><td>0.077</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.077</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.077	%	NA	< 20	Acceptable							

ND - None Detected at or above MRL RPD - Relative Percent Difference LOQ - Limit of Quantitation

Units of Measure:

Page 6 of 8 Test results relate only to the parameters tested and to the samples as received by the laboratory. Test results meet all requirements of NELAP and the Columbia Laboratories quality assurance plan unless otherwise noted. This report shall not be reproduced, except in full, without the written consent of this laboratory. Samples will be retained for a maximum of 30 days from the receipt date unless prior arrangements have been made. Testing in accordance with: OAR 333-007-0430





Report Number:	22-011501/D003.R000
Report Date:	09/28/2022
ORELAP#:	OR100028
Purchase Order:	
Received:	09/23/22 12:10



Page 7 of 8 Test results relate only to the parameters tested and to the samples as received by the laboratory. Test results meet all requirements of NELAP and the Columbia Laboratories quality assurance plan unless otherwise noted. This report shall not be reproduced, except in full, without the written consent of this laboratory. Samples will be retained for a maximum of 30 days from the receipt date unless prior arrangements have been made. Testing in accordance with: OAR 333-007-0430





22-011501/D003.R000 **Report Number: Report Date:** 09/28/2022 **ORELAP#:** OR100028 **Purchase Order: Received:** 09/23/22 12:10

Explanation of QC Flag Comments:

Code	Explanation
Q	Matrix interferences affecting spike or surrogate recoveries.
Q1	Quality control result biased high. Only non-detect samples reported.
Q2	Quality control outside QC limits. Data considered estimate.
Q3	Sample concentration greater than four times the amount spiked.
Q4	Non-homogenous sample matrix, affecting RPD result and/or % recoveries.
Q5	Spike results above calibration curve.
Q6	Quality control outside QC limits. Data acceptable based on remaining QC.
R	Relative percent difference (RPD) outside control limit.
R1	RPD non-calculable, as sample or duplicate results are less than five times the LOQ.
R2	Sample replicates RPD non-calculable, as only one replicate is within the analytical range.
LOQ1	Quantitation level raised due to low sample volume and/or dilution.
LOQ2	Quantitaion level raised due to matrix interference.
В	Analyte detected in method blank, but not in associated samples.
B1	The sample concentration is greater than 5 times the blank concentration.
B2	The sample concentration is less than 5 times the blank concentration.

Page 8 of 8 Test results relate only to the parameters tested and to the samples as received by the laboratory. Test results meet all requirements of NELAP and the Columbia Laboratories quality assurance plan unless otherwise noted. This report shall not be reproduced, except in full, without the written consent of this laboratory. Samples will be retained for a maximum of 30 days from the receipt date unless prior arrangements have been made. Testing in accordance with: OAR 333-007-0430

SD230329-008 page 1 of 2

PharmLabs San Diego Certificate of Analysis

3421 Hancock St, Second Floor, San Diego, CA 92110 | License: C8-0000098-LIC ISO/IEC 17025:2017 Certification L17-427-1 | Accreditation #85368

sample 03DTST224_AMBER_D8 Distillate

DPharmLabs

Sample ID SD230329-008 (71349) Matrix Concentrate (Inhalable Cannabis Good)

Tested for The Hemp Collect Sampled -Received Mar 28, 2023 Analyses executed CAN+, RES, MIBIG, MTO, PES, HME, FVI

Reported Apr 05, 2023

Laboratory note: The estimated concentration of the unknown peak in the sample is 660% | Currently PharmLabs laboratory can not confirm an unidentified peak in your chromatogram due to interference (only with highly concentrated D8 products) from which we believe to be either (+)d8-THC or d9-THC. At this time there are no reference standards available for (+)d8-THC, (+)d8-THC is a different compound from the main (-)d8-THC cannobinoid and, therefore, these two compounds may have different efficacies. Using the most advanced instruments and techniques available, the separation of (+)d8-THC and d9-THC and d9-THC is problematic for the scientific community as a whole. PhormLabs believes the unidentified peak to be a combination of (+)d8-THC with the majority, if not all, of the concentration being (+)d8-THC. Total (+/-) D8 Concentration is estimated to be 94.56%.

CAN+ - Cannabinoids Analysis

Analyzed Apr 04, 2023 | Instrument HPLC-VWD | Method SOP-001 The expanded Uncertainty of the Cannabinoid analysis is approximately **#.806%** at the 95% Confidence Level

Indy of many of the mark of the	The expanded offeer taining of the cannobiola analysis is approximately 2.000% at the 75% connactice zever				
Cannabidolic Acid (CBDA) 0.001 0.16 ND ND Cannabigerol Acid (CBGA) 0.001 0.16 ND ND Cannabigerol (CBG) 0.001 0.16 ND ND Cannabigerol (CBG) 0.001 0.16 ND ND Cannabidol (CBD) 0.001 0.16 ND ND Cannabidol (CBN) 0.001 0.16 ND ND Cannabigoral (AS-THC) 0.002 0.16 ND ND Cannabigoral (AS-THC) 0.002 0.16 ND ND Cannabigoral (AS-THC) 0.002 0.16 ND ND Cannabigoral (CBC) 0.001 0.16 ND ND Cannabigoral (CBC) 0.002 0.16 ND ND Cannabigoral (CBC) 0.001	Analyte				
Cannabigerol Acid (CBGA) 0.001 0.16 ND ND Cannabigerol (CBG) 0.001 0.16 ND ND Cannabigerol (CBG) 0.001 0.16 ND ND Cannabigorol (CBG) 0.001 0.16 ND ND Cannabigorol (CBO) 0.001 0.16 ND ND Cannabinol (CBN) 0.001 0.16 ND ND Cannabinol (A9-THC) 0.003 0.16 UI UI AB-tetrahydrocannabinol (A9-THC) 0.002 0.16 ND ND Cannabicyclo (CBL) 0.002 0.16 ND ND Cannabinol (A9-THC) 0.002 0.16 ND ND Cannabinol (CBL) 0.002 0.16 ND ND Cannabinolic Acid (THCA) 0.001 0.16 ND ND Cannabinolic Acid (THCA) 0.001 0.16 ND ND Total THC (THCa* 0.877 + A9THC) ND ND ND Total CBC (EBGa* 0.877 + CBB) <t< td=""><td>Cannabidivarin (CBDV)</td><td>0.039</td><td>0.16</td><td>ND</td><td>ND</td></t<>	Cannabidivarin (CBDV)	0.039	0.16	ND	ND
Cannabigerol (CBG) 0.001 0.16 ND ND Cannabigerol (CBG) 0.001 0.16 ND ND Tetrahydrocannabivorin (THCV) 0.001 0.16 ND ND Cannabilo (CBN) 0.001 0.16 ND ND Tetrahydrocannabinol (Δ9-THC) 0.003 0.16 UI UI Δ8-tetrahydrocannabinol (Δ9-THC) 0.002 0.16 ND ND Cannabilo (CBL) 0.002 0.16 ND ND Cannabilo (THCA) 0.001 0.16 ND ND Cannabilo (THCA) 0.001 0.16 ND ND Tetrahydrocannabinol (AS-TT+ASTHC) ND ND ND Total THC (THCa*0.877 + Δ8THC) ND ND ND Total CBG (EBGa*0.877 + CB) ND ND<	Cannabidiolic Acid (CBDA)	0.001	0.16	ND	ND
Cannabidi (CBD) 0.001 0.16 ND ND Tetrahydrocannabivarin (THCV) 0.001 0.16 ND ND Cannabidiol (CBN) 0.001 0.16 ND ND Tetrahydrocannabinol (Δ9-THC) 0.003 0.16 UI UI Δ8-tetrahydrocannabinol (Δ8-THC) 0.004 0.16 94.56 945.60 Cannabidiol (CBL) 0.002 0.16 ND ND Cannabidoniol (Δ8-THC) 0.002 0.16 ND ND Cannabidol (CBL) 0.001 0.16 ND ND Cannabidol (CBL) 0.001 0.16 ND ND Total THC (THCa * 0.877 + Δ9THC + Δ	Cannabigerol Acid (CBGA)	0.001	0.16	ND	ND
Tetrahydrocannabivarin (THCV) 0.001 0.16 ND ND Cannabinol (CBN) 0.001 0.16 ND ND Tetrahydrocannabinol (Δ9-THC) 0.003 0.16 UI UI Δ8-tetrahydrocannabinol (Δ8-THC) 0.004 0.16 94.56 945.60 Cannabicyclol (CBL) 0.002 0.16 ND ND Cannabicyclol (CBL) 0.001 0.16 ND ND Cannabicyclol (CBC) 0.001 0.16 ND ND Total THC (THca * 0.877 + Δ9THC + Δ8THC) ND ND ND Total CBC (CBBa* 0.877 + CBD) VD ND ND Total CBC (CBGa* 0.877 + CBG) ND ND ND	Cannabigerol (CBG)	0.001	0.16	ND	ND
Cannabinol (CBN) 0.001 0.16 ND ND Tetrahydrocannabinol (Δ9-THC) 0.003 0.16 U1 U1 Δ8-tetrahydrocannabinol (Δ9-THC) 0.004 0.16 94.56 945.60 Cannabinol (Δ9-THC) 0.002 0.16 ND ND Δ8-tetrahydrocannabinol (Δ9-THC) 0.002 0.16 ND ND Cannabichomene (CBL) 0.002 0.16 ND ND Cannabichomene (CBC) 0.001 0.16 ND ND Tetrahydrocannabinolic Acid (THCA) 0.001 0.16 ND ND Total THC (THCa*0.877 + Δ9THC) ND ND ND ND Total THC (THCa*0.877 + Δ9THC + Δ8THC) Y45.60 945.60 Y45.60 Y45.60 Total CBG (CBGa*0.877 + CB) ND ND ND ND ND Total CBG (CBGa*0.877 + CB) ND ND ND ND ND	Cannabidiol (CBD)	0.001	0.16	ND	ND
Tetrahydrocanabinol (Δ9-THC) 0.003 0.16 UI UI Δ8-tetrahydrocanabinol (Δ9-THC) 0.004 0.16 94.56 945.60 Canabicyclol (CBL) 0.002 0.16 ND ND Canabichromene (CBC) 0.002 0.16 ND ND Tetrahydrocanabinol (Ad-THCA) 0.001 0.16 ND ND Total THC (THCa ⁺ 0.877 + Δ9THC) ND ND ND Total THC (THCa ⁺ 0.877 + Δ9THC + Δ8THC) 94.56 945.60 ND Total CBD (CBDa ⁺ 0.877 + Δ9THC + Δ8THC) ND ND ND Total CBG (CBDa ⁺ 0.877 + CBG) ND ND ND	Tetrahydrocannabivarin (THCV)	0.001	0.16	ND	ND
Ab-tetra/glarcannabinol (Ab-THC) 0.004 0.16 94.56 945.60 Cannabicyclol (CBL) 0.002 0.16 ND ND Cannabicyclol (CBC) 0.002 0.16 ND ND Tetra/glarcannabinolic Acid (THCA) 0.001 0.16 ND ND Total THC (THCa * 0.877 + A9THC) ND ND ND Total CBD (CBDa* 0.877 + A9THC + A8THC) 94.56 94.56 Total CBD (CBDa* 0.877 + CBD) ND ND Total CBG (CBGa* 0.877 + CBG) ND ND	Cannabinol (CBN)	0.001	0.16	ND	ND
Cannabicyclol (CBL) 0.002 0.16 ND ND Tetrahydrocannabinolic Acid (THCA) 0.001 0.16 ND ND Total THC (THCa ° 0.877 + 49THC) ND ND ND Total THC + 48THC (THCa ° 0.877 + 49THC + 48THC + 48T	Tetrahydrocannabinol (Δ9-THC)	0.003	0.16	UI	UI
Cannabichromene (CBC) 0.002 0.16 ND ND Tetrahydrocannabinolic Acid (THCA) 0.001 0.16 ND ND Total THC (THCa ^{0.0877 +} A9THc) ND ND ND Total THC + A8THC (THCa ^{0.0877 +} A9THc + A8THc) 94.56 945.60 Total CBC (BBGa ^{0.0877 +} CBD) ND ND Total CBC (CBGa ^{0.0877 +} CBC) ND ND	Δ8-tetrahydrocannabinol (Δ8-THC)	0.004	0.16	94.56	945.60
Tetrahydrocannabinolic Acid (THCA) 0.001 0.16 ND ND Total THC (THCa * 0.877 + Δ9THc) ND ND ND Total THC + Δ8THC (THCa * 0.877 + Δ9THc + Δ8THc) 94.56 945.60 Total CBD (CBDa * 0.877 + CBD) ND ND Total CBG (CBGa * 0.877 + CBG) ND ND	Cannabicyclol (CBL)	0.002	0.16	ND	ND
Total THC (THCa * 0.877 + Δ9THc) ND ND Total THC + Δ8THC (THCa * 0.877 + Δ9THc + Δ8THc) 94.56 945.60 Total CBD (CBDa * 0.877 + CBD) ND ND Total CBG (CBGa * 0.877 + CBG) ND ND	Cannabichromene (CBC)	0.002	0.16	ND	ND
Total THC + A&THC (THCa * 0.877 + AØTHC + A&THC) 94.56 945.60 Total CBD (CBDa * 0.877 + CBD) ND ND Total CBG (CBGa * 0.877 + CBG) ND ND	Tetrahydrocannabinolic Acid (THCA)	0.001	0.16	ND	ND
Total CBD (CBDa * 0.877 + CBD) ND ND Total CBG (CBGa * 0.877 + CBG) ND ND	Total THC (THCa * 0.877 + Δ9THC)			ND	ND
Total CBG (CBGa * 0.877 + CBG) ND ND	Total THC + Δ 8THC (THCa * 0.877 + Δ 9THC + Δ 8THC)			94.56	945.60
	Total CBD (CBDa * 0.877 + CBD)			ND	ND
Total Cannabinoids 94.56 945.60	Total CBG (CBGa * 0.877 + CBG)			ND	ND
	Total Cannabinoids			94.56	945.60

HME - Heavy Metals Detection Analysis

Analyzed Apr 04, 2023 | Instrument ICP/MSMS | Method SOP-005

Analyte	LOD ug/g	LOQ ug/g	Result ug/g	Limit ug/g	Analyte	LOD ug/g	LOQ ug/g	Result ug/g	Limit ug/g
Arsenic (As)	0.0002	0.0005	ND	0.2	Cadmium (Cd)	3.0e-05	0.0005	ND	0.2
Mercury (Hg)	1.0e-05	0.0001	ND	0.1	Lead (Pb)	1.0e-05	0.00125	ND	0.5

MIBIG - Microbial Testing Analysis

Analyzed Mar 31, 2023 | Instrument qPCR and/or Plating | Method SOP-007

Analyte	Result CFU/g	Limit	Analyte	Result CFU/g	Limit
Shiga toxin-producing Escherichia Coli	ND	ND per 1 gram	Salmonella spp.	ND	ND per 1 gram
Aspergillus fumigatus	ND	ND per 1 gram	Aspergillus flavus	ND	ND per 1 gram
Aspergillus niger	ND	ND per 1 gram	Aspergillus terreus	ND	ND per 1 gram

MTO - Mycotoxin Testing Analysis

Analyzed Apr 04, 2023 | Instrument LC/MSMS | Method SOP-004

Analyte	LOD ug/kg	LOQ ug/kg	Result ug/kg (ppb)	Limit ug/kg	Analyte	LOD ug/kg	LOQ ug/kg	Result ug/kg (ppb)	Limit ug/kg
Ochratoxin A	5.0	20.0	ND	20	Aflatoxin B1	2.5	5.0	ND	-
Aflatoxin B2	2.5	5.0	ND	-	Aflatoxin G1	2.5	5.0	ND	-
Aflatoxin G2	2.5	5.0	ND	-	Total Aflatoxins	10.0	20.0	ND	20







Brandon Starr, Lab Manager Wed, 05 Apr 2023 10:13:00 -0700



PharmLabs San Diego | 3421 Hancock St, Second Floor, San Diego, CA 92110 | 619.356.0898 | ISO/IEC 17025:2017 Certification L17-427-1

Authorized Signature

Brandon Starr

SD230329-008 page 2 of 2

QA Testing

PES - Pesticides Screening Analysis

Analyzed Apr 04, 2023 | Instrument LC/MSMS GC/MSMS | Method SOP-003

Analyte	LOD ug/g	LOQ ug/g	Result ug/g	Limit ug/g	Analyte	LOD ug/g	LOQ ug/g	Result ug/g	Limit ug/g
Aldicarb	0.0078	0.02	ND	0.0078	Carbofuran	0.01	0.02	ND	0.01
Dimethoate	0.01	0.02	ND	0.01	Etofenprox	0.02	0.1	ND	0.02
Fenoxycarb	0.01	0.02	ND	0.01	Thiachloprid	0.01	0.02	ND	0.01
Daminozide	0.01	0.03	ND	0.01	Dichlorvos	0.02	0.07	ND	0.02
Imazalil	0.02	0.07	ND	0.02	Methiocarb	0.01	0.02	ND	0.01
Spiroxamine	0.01	0.02	ND	0.01	Coumaphos	0.01	0.02	ND	0.01
Fipronil	0.01	0.1	ND	0.01	Paclobutrazol	0.01	0.03	ND	0.01
Chlorpyrifos	0.01	0.04	ND	0.01	Ethoprophos (Prophos)	0.01	0.02	ND	0.01
Baygon (Propoxur)	0.01	0.02	ND	0.01	Chlordane	0.04	0.1	ND	0.04
Chlorfenapyr	0.03	0.1	ND	0.03	Methyl Parathion	0.02	0.1	ND	0.02
Mevinphos	0.03	0.08	ND	0.03	Abamectin	0.03	0.08	ND	0.1
Acephate	0.02	0.05	ND	0.1	Acetamiprid	0.01	0.05	ND	0.1
Azoxystrobin	0.01	0.02	ND	0.1	Bifenazate	0.01	0.05	ND	0.1
Bifenthrin	0.02	0.35	ND	3	Boscalid	0.01	0.03	ND	0.1
Carbaryl	0.01	0.02	ND	0.5	Chlorantraniliprole	0.01	0.04	ND	10
Clofentezine	0.01	0.03	ND	0.1	Diazinon	0.01	0.02	ND	0.1
Dimethomorph	0.02	0.06	ND	2	Etoxazole	0.01	0.05	ND	0.1
Fenpyroximate	0.02	0.1	ND	0.1	Flonicamid	0.01	0.02	ND	0.1
Fludioxonil	0.01	0.05	ND	0.1	Hexythiazox	0.01	0.03	ND	0.1
Imidacloprid	0.01	0.05	ND	5	Kresoxim-methyl	0.01	0.03	ND	0.1
Malathion	0.01	0.05	ND	0.5	Metalaxyl	0.01	0.02	ND	2
Methomyl	0.02	0.05	ND	1	Myclobutanil	0.02	0.07	ND	0.1
Naled	0.01	0.02	ND	0.1	Oxamyl	0.01	0.02	ND	0.5
Permethrin	0.01	0.02	ND	0.5	Phosmet	0.01	0.02	ND	0.1
Piperonyl Butoxide	0.02	0.06	ND	3	Propiconazole	0.03	0.08	ND	0.1
Prallethrin	0.02	0.05	ND	0.1	Pyrethrin	0.05	0.41	ND	0.5
Pyridaben	0.02	0.07	ND	0.1	Spinosad A	0.01	0.05	ND	0.1
Spinosad D	0.01	0.05	ND	0.1	Spiromesifen	0.02	0.06	ND	0.1
Spirotetramat	0.01	0.02	ND	0.1	Tebuconazole	0.01	0.02	ND	0.1
Thiamethoxam	0.01	0.02	ND	5	Trifloxystrobin	0.01	0.02	ND	0.1
Acequinocyl	0.02	0.09	ND	0.1	Captan	0.01	0.02	ND	0.7
Cypermethrin	0.02	0.1	ND	1	Cyfluthrin	0.04	0.1	ND	2
Fenhexamid	0.02	0.07	ND	0.1	Spinetoram J,L	0.02	0.07	ND	0.1
Pentachloronitrobenzene	0.01	0.1	ND	0.1					

RES - Residual Solvents Testing Analysis

Analyzed Apr 04, 2023 | Instrument GC/FID with Headspace Analyzer | Method SOP-006

Analyte	LOD ug/g	LOQ ug/g	Result ug/g	Limit ug/g	Analyte	LOD ug/g	LOQ ug/g	Result ug/g	Limit ug/g
Propane (Prop)	0.4	40.0	ND	5000.0	Butane (But)	0.4	40.0	ND	5000.0
Methanol (Metha)	0.4	40.0	ND	3000.0	Ethylene Oxide (EthOx)	0.4	0.8	ND	1.0
Pentane (Pen)	0.4	40.0	ND	5000.0	Ethanol (Ethan)	0.4	40.0	ND	5000.0
Ethyl Ether (EthEt)	0.4	40.0	ND	5000.0	Acetone (Acet)	0.4	40.0	ND	5000.0
Isopropanol (2-Pro)	0.4	40.0	ND	5000.0	Acetonitrile (Acetonit)	0.4	40.0	ND	410.0
Methylene Chloride (MetCh)	0.4	0.8	1.0	1.0	Hexane (Hex)	0.4	40.0	ND	290.0
Ethyl Acetate (EthAc)	0.4	40.0	ND	5000.0	Chloroform (Clo)	0.4	0.8	ND	1.0
Benzene (Ben)	0.4	0.8	ND	1.0	1-2-Dichloroethane (12-Dich)	0.4	0.8	ND	1.0
Heptane (Hep)	0.4	40.0	ND	5000.0	Trichloroethylene (TriClEth)	0.4	0.8	ND	1.0
Toluene (Toluene)	0.4	40.0	ND	890.0	Xylenes (Xyl)	0.4	40.0	ND	2170.0

FVI - Filth & Foreign Material Inspection Analysis

Analyzed Mar 30, 2023 | Instrument Microscope | Method SOP-010

Analyte / Limit	Result	Analyte / Limit	Result
>1/4 of the total sample area covered by sand, soil, cinders, or dirt	ND	> 1/4 of the total sample area covered by mold	ND
>1 insect fragment, 1 hair, or 1 count mammalian excreta per 3g	ND	> 1/4 of the total sample area covered by an imbedded foreign material	ND

UI Not Identified ND Not Detected NA Not Applicable NT Not Reported LOD Limit of Detection LOQ Limit of Quantification <LOQ Detected NUCU. Above upper limit of linearity >ULCU. Above upper limit of linearity CFU/Q colony forming Units per 1 gram TNTC Too Numerous to Count







Authorized Signature

Brandon Starr

Brandon Starr, Lab Manager Wed, 05 Apr 2023 10:13:00 -0700



PharmLabs San Diego | 3421 Hancock St, Second Floor, San Diego, CA 92110 | 619.356.0898 | ISO/IEC 17025:2017 Certification L17-427-1 This report shall not be reproduced except in full, without the written approval of the lab. This report is for informational purposes only and should not be used to diagnose, treat or prevent any disease. Results are only for samples and batches indicated. Results are reported on an "os received" basis, unless indicated otherwise. When a Pass/Fail status is reported, that status is intended to be in accordance with federal, state and local laws which are required for the customer to be in compliance. The measurement of uncertainty is not included in the Pass/Fail evolution unless explicitude, state or local laws which are required by the nor Pass/Fail status is reported, state and local laws which are required for the customer to be in compliance. The measurement of uncertainty is available uncertainty is ava