



Report Number: 22-008555/D003.R000

Report Date: 07/27/2022 ORELAP#: OR100028

Purchase Order:

07/20/22 13:39 Received:

IHC LLC **Customer:**

Product identity: Live CBD Sugar - LK

Client/Metrc ID:

Laboratory ID: 22-008555-0007

Summary

Potency:

Analyte CBD	Result (%) 69.6	• CBD	CBD-Total	72.9%
CBD-A	3.77	CBD-ACBC		
CBC	2.82	CBT	THC-Total	<loq< td=""></loq<>
CBT	2.34	CBN		
CBN	1.55	CBE	(Reported in pe	rcent of total sample)
CBE	1.52	• CBG		
CBG	0.673	CBDVCBL		
CBDV	0.659	Δ9-THC		
CBL	0.158	23 1110		
Δ9-THC	0.0978			





Report Number: 22-008555/D003.R000

Report Date: 07/27/2022 **ORELAP#:** OR100028

Purchase Order:

Received: 07/20/22 13:39



Customer: IHC LLC

825 NW 16th Ave Portland Oregon 97209 United States of America (USA)

Product identity: Live CBD Sugar - LK

Client/Metrc ID:

Sample Date:

Laboratory ID: 22-008555-0007

Evidence of Cooling: No
Temp: 31 °C
Relinquished by: Client

Sample Results

Potency	Method: J AOAC	2015 V98-6 (mod	d)Þ Units %	Batch: 2206283	Analyze: 7/22/22	10:57:00 PM
Analyte		Ory LOQ	Notes			
	Received v	•				CBD
CBC	2.82	0.0746				CBD-A
CBC-A	< LOQ	0.0746				• CBC
CBC-Total	2.82	0.140				CBTCBN
CBD	69.6	0.746				O CBE
CBD-A	3.77	0.0746				• CBG
CBD-Total	72.9	0.812				CBDV
CBDV	0.659	0.0746				CBL
CBDV-A	< LOQ	0.0746				 Δ9-THC
CBDV-Total	0.659	0.139				
CBE	1.52	0.0746				
CBG	0.673	0.0746				
CBG-A	< LOQ	0.0746				
CBG-Total	0.673	0.139				
CBL	0.158	0.0746				
CBL-A	< LOQ	0.0746				
CBL-Total	0.158	0.140				
CBN	1.55	0.0746				
CBT	2.34	0.0746				
Δ8-THC	< LOQ	0.0746				
Δ8-THCV	< LOQ	0.0746				
Δ9-THC	0.0978	0.0746				
exo-THC	< LOQ	0.0746				
THC-A	< LOQ	0.0746				
THC-Total	< LOQ	0.140				
THCV	< LOQ	0.0746				
THCV-A	< LOQ	0.0746				
THCV-Total	< LOQ	0.139				
Total Cannabinoids	83.2					





Report Number: 22-008555/D003.R000

Report Date: 07/27/2022 **ORELAP#:** OR100028

Purchase Order:

Received: 07/20/22 13:39

These test results are representative of the individual sample selected and submitted by the client.

Abbreviations

Limits: Action Levels per OAR-333-007-0400, OAR-333-007-0210, OAR-333-007-0220, CCR title 16-division 42. BCC-section 5723

Limit(s) of Quantitation (LOQ): The minimum levels, concentrations, or quantities of a target variable (e.g., target analyte) that can be reported with a specified degree of confidence.

p = ISO/IEC 17025:2017 accredited method.

Units of Measure

% = Percentage of sample % wt = μ g/g divided by 10,000

Approved Signatory

Derrick Tanner General Manager





Report Number:

22-008555/D003.R000

Report Date:

07/27/2022

ORELAP#:

OR100028

Purchase Order:

Received:

07/20/22 13:39



Hemp / Cannabis Usable / Extract / Finished Products Chain of Custody Record

Revision: 4,00 Controlli: CF023 Rev 02/24/2021 Eff: 03/04/2021 CRILAPID: CRILIDOM

	aw restaure-module							neivs	s Req	ùeste	d				P	O Marchert	
8 0 E	ine Hemp Collect Corriet, kyle withehempcol Descrit 431 NW Flanders St. by: Portland State: Email Tecub; droppox (IHK (b1) 508164 Fx Results: ling of different) Doel withehem	JF zp. 1	77209	Visiden - Off 59 composes/s	Melti-Taddas - 179 compounds		didust Solvents	& Water Activity		Screen Treatment Made	flora: £7,035 and Total Cultions	taks			Project Project Custom I Export to	d Number: ject Marric: teporting: n State - 11 red time: 12	METRC or [1] other: 5 Business Day Standard Tumorouset 3 Business Day Rush Tumorouset 2 Business Day Rush Tumorouset *Chris for modulativity
Let		Dete	Term	Perform	Netroda	Potenty	Maridael	Moleum	Jepons	Micros: 7s	Minn: EA	Heavy Metals	Mycanosins	Star	Sample Type f	Weight	Comments/Metric ID -Samples 1-3: Afternate Client
2					_	×					_						name: Mary Jae
100	D8 - Pine. Exp.					-	-										-Sample #4: Alternate Client
	D6 - Bubba Cookies	The second second		ш		×											name: Secret Nature CBD -Sample #7: Alternate Client
4	Live CBD Sugar - Pine	walker				×					1						name: Sauce Warehouse
5	Live D9 DST _ SG					X											
6	09DST210				X	X	х				4						
7	Live CBD Sugar - LK					X											
8	FLT_SourLitter_RSPD					×											
9	FLT_SuverHaze_RSPL					Х											
10	FLT_SpurHH			П		X											
	Adequated by:	Date	Time			-	exaltend	Dy:			De	tio.	Tie	ne.			Lab Use Only:
	7720 1:43		Ac					7-20 13:39		39	□ Shipped Visc or A there drop Svidence of cooling: □ Next Mr An - Temp You 3 . To Semple in good conditions Q-Yes; □ No □ Cosh □ Chock □ CC □ Met: Prolog storage:						

1 - Sample Type Codes: Vegetation (V); isofales (S); itstract/Concentrate (C); Tincture/Topical (T); Edible (E); Beverage (B)





Report Number: 22-008555/D003.R000

Report Date: 07/27/2022 **ORELAP#:** OR100028

Purchase Order:

Received: 07/20/22 13:39



Hemp / Cannabis Usable / Extract / Finished Products Chain of Custody Record

Revision: 4.00 Controlf: CF025 Rev 02/24/2021 Eff: 03/04/2021 OR0,APID: GR300008

	100000000000000000000000000000000000000						. /	malysi	s Req	ueste	d					Number:		
Cortests: kyle/s/thehempcollect.com timet: 431 NW Flanders st. Cky Portland 9000 (IHC) Bit Emil Results: dropbox (IHC) Hc (51) 508164() 5x Results: (1-OR SPORTprings	estable Malis Assidus - 379 compounds		initial Solvents	Nothern & Water Activity		Soci. Year, and Mole	Norte: 6:Call and Total Delibern	all and Tatal Coliform	p		Project Namber: Project Name Custom Reporting: Report to State -			
eb D	Client Sample Identification FLT_BK_Phil	Cuts	Times	Perform	Pessible	Protecty	Pesidad	Moisture	Terperus	More: Ye	Mone: 6.	Henry Metals	Mycetooire	Other	Sample Type 1	Weight (Units)	Consmetts/Metrc ID	
	1. The state of th																	
0																		
3																		
0				7														
	Sdrapfed by:	7/20	Time.				reved A	-			Da		The		Patricia		Lib the Only:	
		7720	1143				40	_			7	20.	13	39	□ Stripped Var			

+ - Sample Type Codes; Vegetation [V] ; Inclutes [S] ; Estruct/Concentrate [C] ; Tincture/Topical (T); Edible (E) ; Severage (R)

Assess an indication Colombia Colombia Colombia and a surgice processing or an indication of the contract of t





22-008555/D003.R000 **Report Number:**

Report Date: 07/27/2022 ORELAP#: OR100028

Purchase Order:

Received: 07/20/22 13:39

Revision: 1 Document ID: 7148 Legacy ID: Worksheet Validated 04/20/2021

Laboratory Quality	Control	Results
	Batch	ID: 2206

JAOAC2015 V986	Batch ID: 22062542206283													
Laboratory Control S	Sample													
Analyte	LCS	Result	Spike	Units	%Rec		Limits	;	Evaluation	Notes				
CBDVA	1	0.107	0.100	%	107	80.0	-	120	Acceptable					
CBDV	1	0.119	0.100	%	119	80.0	-	120	Acceptable					
CBE	1	0.106	0.100	%	106	80.0	-	120	Acceptable					
CBDA	1	0.0944	0.100	%	94.4	90.0	-	110	Acceptable					
CBGA	1	0.0930	0.100	%	93.0	80.0	-	120	Acceptable					
CBG	1	0.0978	0.100	%	97.8	80.0	-	120	Acceptable					
CBD	1	0.108	0.100	%	108	90.0	-	110	Acceptable					
THCV	1	0.108	0.100	%	108	80.0	-	120	Acceptable					
d8THCV	1	0.105	0.100	%	105	80.0	-	120	Acceptable					
THCVA	1	0.102	0.100	%	102	80.0	-	120	Acceptable					
CBN	1	0.103	0.100	%	103	90.0	-	110	Acceptable					
exo-THC	1	0.106	0.100	%	106	80.0	-	120	Acceptable					
d9THC	1	0.107	0.100	%	107	90.0	-	110	Acceptable					
d8THC	1	0.101	0.100	%	101	90.0	-	110	Acceptable					
CBL	1	0.0973	0.100	%	97.3	80.0	-	120	Acceptable					
CBC	1	0.118	0.100	%	118	80.0	-	120	Acceptable					
THCA	1	0.0901	0.100	%	90.1	90.0	-	110	Acceptable					
CBCA	1	0.108	0.100	%	108	80.0	-	120	Acceptable					
CBLA	1	0.104	0.100	%	104	80.0	-	120	Acceptable					
CBT	1	0.105	0.100	%	105	80.0	-	120	Acceptable					

Method Bb	nk
-----------	----

Analyte	Result	LOQ	Units	Limits	Evaluation	Notes
CBDVA	<loq< td=""><td>0.0077</td><td>%</td><td>< 0.0077</td><td>Acceptable</td><td></td></loq<>	0.0077	%	< 0.0077	Acceptable	
CBDV	<loq< td=""><td>0.0077</td><td>%</td><td>< 0.0077</td><td>Acceptable</td><td></td></loq<>	0.0077	%	< 0.0077	Acceptable	
CBE	<loq< td=""><td>0.0077</td><td>%</td><td>< 0.0077</td><td>Acceptable</td><td></td></loq<>	0.0077	%	< 0.0077	Acceptable	
CBDA	<loq< td=""><td>0.0077</td><td>%</td><td>< 0.0077</td><td>Acceptable</td><td></td></loq<>	0.0077	%	< 0.0077	Acceptable	
CBGA	<loq< td=""><td>0.0077</td><td>%</td><td>< 0.0077</td><td>Acceptable</td><td></td></loq<>	0.0077	%	< 0.0077	Acceptable	
CBG	<loq< td=""><td>0.0077</td><td>%</td><td>< 0.0077</td><td>Acceptable</td><td></td></loq<>	0.0077	%	< 0.0077	Acceptable	
CBD	<loq< td=""><td>0.0077</td><td>%</td><td>< 0.0077</td><td>Acceptable</td><td></td></loq<>	0.0077	%	< 0.0077	Acceptable	
THCV	<loq< td=""><td>0.0077</td><td>%</td><td>< 0.0077</td><td>Acceptable</td><td></td></loq<>	0.0077	%	< 0.0077	Acceptable	
d8THCV	<loq< td=""><td>0.0077</td><td>%</td><td>< 0.0077</td><td>Acceptable</td><td></td></loq<>	0.0077	%	< 0.0077	Acceptable	
THCVA	<loq< td=""><td>0.0077</td><td>%</td><td>< 0.0077</td><td>Acceptable</td><td></td></loq<>	0.0077	%	< 0.0077	Acceptable	
CBN	<loq< td=""><td>0.0077</td><td>%</td><td>< 0.0077</td><td>Acceptable</td><td></td></loq<>	0.0077	%	< 0.0077	Acceptable	
exo-THC	<loq< td=""><td>0.0077</td><td>%</td><td>< 0.0077</td><td>Acceptable</td><td></td></loq<>	0.0077	%	< 0.0077	Acceptable	
d9THC	<loq< td=""><td>0.0077</td><td>%</td><td>< 0.0077</td><td>Acceptable</td><td></td></loq<>	0.0077	%	< 0.0077	Acceptable	
d8THC	<loq< td=""><td>0.0077</td><td>%</td><td>< 0.0077</td><td>Acceptable</td><td></td></loq<>	0.0077	%	< 0.0077	Acceptable	
CBL	<loq< td=""><td>0.0077</td><td>%</td><td>< 0.0077</td><td>Acceptable</td><td></td></loq<>	0.0077	%	< 0.0077	Acceptable	
CBC	<loq< td=""><td>0.0077</td><td>%</td><td>< 0.0077</td><td>Acceptable</td><td></td></loq<>	0.0077	%	< 0.0077	Acceptable	
THCA	<loq< td=""><td>0.0077</td><td>%</td><td>< 0.0077</td><td>Acceptable</td><td></td></loq<>	0.0077	%	< 0.0077	Acceptable	
CBCA	<loq< td=""><td>0.0077</td><td>%</td><td>< 0.0077</td><td>Acceptable</td><td></td></loq<>	0.0077	%	< 0.0077	Acceptable	
CBLA	<loq< td=""><td>0.0077</td><td>%</td><td>< 0.0077</td><td>Acceptable</td><td></td></loq<>	0.0077	%	< 0.0077	Acceptable	
CBT	<loq< td=""><td>0.0077</td><td>%</td><td>< 0.0077</td><td>Acceptable</td><td></td></loq<>	0.0077	%	< 0.0077	Acceptable	

ND - None Detected at or above MRL RPD - Relative Percent Difference LOQ - Limit of Quantitation

Units of Measure: % - Percent





22-008555/D003.R000 **Report Number:**

Report Date: 07/27/2022 ORELAP#: OR100028

Purchase Order:

07/20/22 13:39 Received:

Revision: 1 Document ID: 7148 Legacy ID: Worksheet Validated 04/20/2021

Laboratory Quality Control Results

JAOAC2015 V986	Batch ID: 22062542206283												
Sample Duplicate					San	nple ID: 22-008527	0001						
Analyte	Result	Org. Reult	LOQ	Units	RPD	Limits	Evaluation	Notes					
CBDVA	<loq< td=""><td><loq< td=""><td>0.0077</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.0077</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.0077	%	NA	< 20	Acceptable						
CBDV	<loq< td=""><td><loq< td=""><td>0.0077</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.0077</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.0077	%	NA	< 20	Acceptable						
CBE	<loq< td=""><td><loq< td=""><td>0.0077</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.0077</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.0077	%	NA	< 20	Acceptable						
CBDA	<loq< td=""><td><loq< td=""><td>0.0077</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.0077</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.0077	%	NA	< 20	Acceptable						
CBGA	<loq< td=""><td><loq< td=""><td>0.0077</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.0077</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.0077	%	NA	< 20	Acceptable						
CBG	<loq< td=""><td><loq< td=""><td>0.0077</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.0077</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.0077	%	NA	< 20	Acceptable						
CBD	<loq< td=""><td><loq< td=""><td>0.0077</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.0077</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.0077	%	NA	< 20	Acceptable						
THCV	<loq< td=""><td><loq< td=""><td>0.0077</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.0077</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.0077	%	NA	< 20	Acceptable						
d8THCV	<loq< td=""><td><loq< td=""><td>0.0077</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.0077</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.0077	%	NA	< 20	Acceptable						
THCVA	<loq< td=""><td><loq< td=""><td>0.0077</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.0077</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.0077	%	NA	< 20	Acceptable						
CBN	93.7	92.6	0.0077	%	1.21	< 20	Acceptable						
exo-THC	<loq< td=""><td><loq< td=""><td>0.0077</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.0077</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.0077	%	NA	< 20	Acceptable						
d9THC	<loq< td=""><td><loq< td=""><td>0.0077</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.0077</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.0077	%	NA	< 20	Acceptable						
d8THC	<loq< td=""><td><loq< td=""><td>0.0077</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.0077</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.0077	%	NA	< 20	Acceptable						
CBL	<loq< td=""><td><loq< td=""><td>0.0077</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.0077</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.0077	%	NA	< 20	Acceptable						
CBC	<loq< td=""><td><loq< td=""><td>0.0077</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.0077</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.0077	%	NA	< 20	Acceptable						
THCA	<loq< td=""><td><loq< td=""><td>0.0077</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.0077</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.0077	%	NA	< 20	Acceptable						
CBCA	<loq< td=""><td><loq< td=""><td>0.0077</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.0077</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.0077	%	NA	< 20	Acceptable						
CBLA	<loq< td=""><td><loq< td=""><td>0.0077</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.0077</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.0077	%	NA	< 20	Acceptable						
CBT	<loq< td=""><td><loq< td=""><td>0.0077</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.0077</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.0077	%	NA	< 20	Acceptable						

Abbreviations

ND - None Detected at or above MRL RPD - Relative Percent Difference LOQ - Limit of Quantitation

% - Percent





Report Number: 22-008555/D003.R000

Report Date: 07/27/2022 ORELAP#: OR100028

Purchase Order:

Received: 07/20/22 13:39







22-008555/D003.R000 **Report Number:**

Report Date: 07/27/2022 ORELAP#: OR100028

Purchase Order:

Received: 07/20/22 13:39

Explanation of QC Flag Comments:

Code	Explanation
Q	Matrix interferences affecting spike or surrogate recoveries.
Q1	Quality control result biased high. Only non-detect samples reported.
Q2	Quality control outside QC limits. Data considered estimate.
Q3	Sample concentration greater than four times the amount spiked.
Q4	Non-homogenous sample matrix, affecting RPD result and/or % recoveries.
Q5	Spike results above calibration curve.
Q6	Quality control outside QC limits. Data acceptable based on remaining QC.
R	Relative percent difference (RPD) outside control limit.
R1	RPD non-calculable, as sample or duplicate results are less than five times the LOQ.
R2	Sample replicates RPD non-calculable, as only one replicate is within the analytical range.
LOQ1	Quantitation level raised due to low sample volume and/or dilution.
LOQ2	Quantitaion level raised due to matrix interference.
В	Analyte detected in method blank, but not in associated samples.
B1	The sample concentration is greater than 5 times the blank concentration.
B2	The sample concentration is less than 5 times the blank concentration.

PharmLabs San Diego Certificate of Analysis

3421 Hancock St, Second Floor, San Diego, CA 92110 | License: C8-0000098-LIC ISO/IEC 17025:2017 Certification L17-427-1 | Accreditation #85368





Sample ID SD230412-042 (720	70)	Matrix Concentrate (Inhalable Cannabis Good)						
Tested for The Hemp Collect								
Sampled -	Received Apr 12, 2023	Reported Apr 24, 2023						
Analyses executed CAN+, RES	i, MIBIG, MTO, PES, HME, FVI							

CAN+ - Cannabinoids Analysis

Analyzed Apr 24, 2023 | Instrument HPLC-VWD | Method SOP-001

The expanded Uncertainty of the Cannabinoid analysis is approximately 4.806% at the 95% Confidence Level

Analyte	LOD mg/g	LOQ mg/g	Result %	Result mg/g
Cannabidivarin (CBDV)	0.039	0.16	ND	ND
Cannabidiolic Acid (CBDA)	0.001	0.16	ND	ND
Cannabigerol Acid (CBGA)	0.001	0.16	ND	ND
Cannabigerol (CBG)	0.001	0.16	0.77	7.73
Cannabidiol (CBD)	0.001	0.16	49.16	491.56
Tetrahydrocannabivarin (THCV)	0.001	0.16	ND	ND
Cannabinol (CBN)	0.001	0.16	2.29	22.93
Tetrahydrocannabinol (Δ9-THC)	0.003	0.16	ND	ND
Δ8-tetrahydrocannabinol (Δ8-THC)	0.004	0.16	ND	ND
Cannabicyclol (CBL)	0.002	0.16	0.76	7.64
Cannabichromene (CBC)	0.002	0.16	5.71	57.09
Tetrahydrocannabinolic Acid (THCA)	0.001	0.16	ND	ND
Total THC (THCa * 0.877 + Δ9THC)			ND	ND
Total THC + Δ 8THC (THCa $^{\circ}$ 0.877 + Δ 9THC + Δ 8THC)			ND	ND
Total CBD (CBDa * 0.877 + CBD)			49.16	491.56
Total CBG (CBGa * 0.877 + CBG)			0.77	7.73
Total Cannabinoids			58.70	586.95

HME - Heavy Metals Detection Analysis

Analyzed Apr 14, 2023 | Instrument ICP/MSMS | Method SOP-005

Analyte	LOD ug/g	LOQ ug/g	Result ug/g	Limit ug/g	Analyte	LOD ug/g	LOQ ug/g	Result ug/g	Limit ug/g
Arsenic (As)	0.0002	0.0005	ND	0.2	Cadmium (Cd)	3.0e-05	0.0005	ND	0.2
Mercury (Hg)	1.0e-05	0.0001	ND	0.1	Lead (Pb)	1.0e-05	0.00125	ND	0.5

MIBIG - Microbial Testing Analysis

Analyzed Apr 17, 2023 | Instrument qPCR and/or Plating | Method SOP-007

Analyte	Result CFU/g	Limit	Analyte	Result CFU/g	Limit
Shiga toxin-producing Escherichia Coli	ND	ND per 1 gram	Salmonella spp.	ND	ND per 1 gram
Aspergillus fumigatus	ND	ND per 1 gram	Aspergillus flavus	ND	ND per 1 gram
Asperaillus niger	ND	ND per 1 gram	Asperaillus terreus	ND	ND per 1 gram

MTO - Mycotoxin Testing Analysis

Analyzed Apr 14, 2023 | Instrument LC/MSMS | Method SOP-004

Analyte	LOD ug/kg	LOQ ug/kg	Result ug/kg (ppb)	Limit ug/kg	Analyte	LOD ug/kg	LOQ ug/kg	Result ug/kg (ppb)	Limit ug/kg
Ochratoxin A	5.0	20.0	ND	20	Aflatoxin B1	2.5	5.0	ND	-
Aflatoxin B2	2.5	5.0	ND	-	Aflatoxin G1	2.5	5.0	ND	-
Aflatoxin G2	2.5	5.0	ND	-	Total Aflatoxins	10.0	20.0	ND	20

UI Not Identified
ND Not Detected
N/A Not Applicable
NT Not Reported
LOD Limit of Detection
LOQ Limit of Quantification
<LOQ Detected
JULQL Above upper limit of linearity
CFU/g Colonyl Forming Units per 1 gram
TNTC Too Numerous to Count







Authorized Signature

Brandon Starr

Brandon Starr, Lab Manager Mon, 24 Apr 2023 14:10:27 -0700



PES - Pesticides Screening Analysis

Analyzed Apr 14, 2023 | Instrument LC/MSMS GC/MSMS | Method SOP-003

Analyte	LOD ug/g	LOQ ug/g	Result ug/g	Limit ug/g	Analyte	LOD ug/g	LOQ ug/g	Result ug/g	Limit ug/g
Aldicarb	0.0078	0.02	ND	0.0078	Carbofuran	0.01	0.02	ND	0.01
Dimethoate	0.01	0.02	ND	0.01	Etofenprox	0.02	0.1	ND	0.02
Fenoxycarb	0.01	0.02	ND	0.01	Thiachloprid	0.01	0.02	ND	0.01
Daminozide	0.01	0.03	ND	0.01	Dichlorvos	0.02	0.07	ND	0.02
Imazalil	0.02	0.07	ND	0.02	Methiocarb	0.01	0.02	ND	0.01
Spiroxamine	0.01	0.02	ND	0.01	Coumaphos	0.01	0.02	ND	0.01
Fipronil	0.01	0.1	ND	0.01	Paclobutrazol	0.01	0.03	ND	0.01
Chlorpyrifos	0.01	0.04	ND	0.01	Ethoprophos (Prophos)	0.01	0.02	ND	0.01
Baygon (Propoxur)	0.01	0.02	ND	0.01	Chlordane	0.04	0.1	ND	0.04
Chlorfenapyr	0.03	0.1	ND	0.03	Methyl Parathion	0.02	0.1	ND	0.02
Mevinphos	0.03	0.08	ND	0.03	Abamectin	0.03	0.08	ND	0.1
Acephate	0.02	0.05	ND	0.1	Acetamiprid	0.01	0.05	ND	0.1
Azoxystrobin	0.01	0.02	ND	0.1	Bifenazate	0.01	0.05	ND	0.1
Bifenthrin	0.02	0.35	ND	3	Boscalid	0.01	0.03	ND	0.1
Carbaryl	0.01	0.02	ND	0.5	Chlorantraniliprole	0.01	0.04	ND	10
Clofentezine	0.01	0.03	ND	0.1	Diazinon	0.01	0.02	ND	0.1
Dimethomorph	0.02	0.06	ND	2	Etoxazole	0.01	0.05	ND	0.1
Fenpyroximate	0.02	0.1	ND	0.1	Flonicamid	0.01	0.02	ND	0.1
Fludioxonil	0.01	0.05	ND	0.1	Hexythiazox	0.01	0.03	ND	0.1
Imidacloprid	0.01	0.05	ND	5	Kresoxim-methyl	0.01	0.03	ND	0.1
Malathion	0.01	0.05	ND	0.5	Metalaxyl	0.01	0.02	ND	2
Methomyl	0.02	0.05	ND	1	Myclobutanil	0.02	0.07	ND	0.1
Naled	0.01	0.02	ND	0.1	Oxamyl	0.01	0.02	ND	0.5
Permethrin	0.01	0.02	ND	0.5	Phosmet	0.01	0.02	ND	0.1
Piperonyl Butoxide	0.02	0.06	ND	3	Propiconazole	0.03	0.08	ND	0.1
Prallethrin	0.02	0.05	ND	0.1	Pyrethrin	0.05	0.41	ND	0.5
Pyridaben	0.02	0.07	ND	0.1	Spinosad A	0.01	0.05	ND	0.1
Spinosad D	0.01	0.05	ND	0.1	Spiromesifen	0.02	0.06	ND	0.1
Spirotetramat	0.01	0.02	ND	0.1	Tebuconazole	0.01	0.02	ND	0.1
Thiamethoxam	0.01	0.02	ND	5	Trifloxystrobin	0.01	0.02	ND	0.1
Acequinocyl	0.02	0.09	ND	0.1	Captan	0.01	0.02	ND	0.7
Cypermethrin	0.02	0.1	ND	1	Cyfluthrin	0.04	0.1	ND	2
Fenhexamid	0.02	0.07	ND	0.1	Spinetoram J,L	0.02	0.07	ND	0.1
Pentachloronitrobenzene	0.01	0.1	ND	0.1					

RES - Residual Solvents Testing Analysis

Analyzed Apr 20, 2023 | Instrument GC/FID with Headspace Analyzer | Method SOP-006

Analyte	LOD ug/g		Result ug/g	Limit ug/g	Analyte	LOD ug/g	LOQ ug/g	Result ug/g	Limit ug/g
Propane (Prop)	0.4	40.0	ND		Butane (But)	0.4	40.0	ND	
Methanol (Metha)	0.4	40.0	ND		Ethylene Oxide (EthOx)	0.4	8.0	ND	
Pentane (Pen)	0.4	40.0	ND		Ethanol (Ethan)	0.4	40.0	ND	
Ethyl Ether (EthEt)	0.4	40.0	ND		Acetone (Acet)	0.4	40.0	<loq< td=""><td></td></loq<>	
Isopropanol (2-Pro)	0.4	40.0	ND		Acetonitrile (Acetonit)	0.4	40.0	ND	
Methylene Chloride (MetCh)	0.4	0.8	ND		Hexane (Hex)	0.4	40.0	ND	
Ethyl Acetate (EthAc)	0.4	40.0	ND		Chloroform (Clo)	0.4	0.8	ND	
Benzene (Ben)	0.4	0.8	ND		1-2-Dichloroethane (12-Dich)	0.4	0.8	ND	
Heptane (Hep)	0.4	40.0	ND		Trichloroethylene (TriClEth)	0.4	0.8	ND	
Toluene (Toluene)	0.4	40.0	ND		Xulenes (Xul)	0.4	40.0	ND	

FVI - Filth & Foreign Material Inspection Analysis

Analyzed Apr 13, 2023 | Instrument Microscope | Method SOP-010

Analyte / Limit	Result	Analyte / Limit	Result
> 1/4 of the total sample area covered by sand, soil, cinders, or dirt	ND	> 1/4 of the total sample area covered by mold	ND
> 1 insect fragment, 1 hair, or 1 count mammalian excreta per 3q	ND	> 1/4 of the total sample area covered by an imbedded foreign material	ND

UI Not Identified
ND Not Detected
NA Not Applicable
NT Not Reported
LOD Limit of Detection
LOQ Limit of Quantification
«LOQ Detected
»ULOL Above upper limit of linearity
CFU/g Colony Forming Units per 1 gram
TNTC Too Numerous to Count









Authorized Signature

Branden Starr

Brandon Starr, Lab Manager Mon, 24 Apr 2023 14:10:27 -0700

