



Report Number:	21-013634/D008.R000			
Report Date:	11/24/2021			
ORELAP#:	OR100028			
Purchase Order:				
Received:	11/18/21 00:00			

Customer:	IHC LLC
Product identity:	01LIR209_OGK
Client/Metrc ID:	
Laboratory ID:	21-013634-0007

Analyte	Result (%)			
CBD-A	72.4		CBD-Total	64.0%
CBC-A [†]	7.05	CBD-ACBC-A		
THC-A	2.68	• THC-A	THC-Total	2.35%
CBG-A [†]	2.38	• CBG-A		2.35%
CBD	0.472	• CBD	(Reported in pe	ercent of total sample)
CBDV-A [†]	0.306	CBDV-A		. ,
CBG [†]	0.246	CBG		
CBL-A [†]	0.133	CBL-A		

 Www.columbialaboratories.com
 Page 1 of 7

 Test results relate only to the parameters tested and to the samples as received by the laboratory. Test results meet all requirements of NELAP and the Columbia Laboratories quality assurance plan unless otherwise noted. This report shall not be reproduced, except in full, without the written consent of this laboratory. Samples will be retained for a maximum of 30 days from the receipt date unless prior arrangements have been made.

 Testing in accordance with:
 OAR 333-007-0430





Customer:	IHC LLC 825 NW 16th Ave Portland Oregon 97209 United States of America (USA)
Product identity:	01LIR209_OGK
Client/Metrc ID:	
Sample Date:	
Laboratory ID:	21-013634-0007
Evidence of Cooling:	No
Temp:	20.1 °C
Relinquished by:	Client

Report Number: 21-013634/D008.R000 **Report Date:** 11/24/2021 **ORELAP#:** OR100028 **Purchase Order: Received:** 11/18/21 00:00



THE HEMP COLLECT

Sample Results

Potency	Method J	AOAC 2015 V98	3-6 (mod)	Units %	Batch: 2110540	Analyze: 11/19/21	11:35:00 P
Analyte		Dry LOQ	Notes				
	Received	weight					
CBC	< LOQ	0.0978					CBD-A
CBC-A [†]	7.05	0.0978					CBC-A
CBC-Total [†]	6.18	0.184					THC-A
CBD	0.472	0.0978					CBG-A
CBD-A	72.4	0.978					CBD CBDV-A
CBD-Total	64.0	0.956					CBG
CBDV [†]	< LOQ	0.0978					CBL-A
CBDV-A [†]	0.306	0.0978					
CBDV-Total [†]	0.265	0.183					
CBE [†]	< LOQ	0.0978					
CBG [†]	0.246	0.0978					
CBG-A [†]	2.38	0.0978					
CBG-Total	2.34	0.183					
CBL [†]	< LOQ	0.0978					
CBL-A [†]	0.133	0.0978					
CBL-Total [†]	< LOQ	0.184					
CBN	< LOQ	0.0978					
CBT [†]	< LOQ	0.0978					
$\Delta 8\text{-THC}^{\dagger}$	< LOQ	0.0978					
$\Delta 8$ -THCV	< LOQ	0.0978					
$\Delta 9$ -THC	< LOQ	0.0978					
THC-A	2.68	0.0978					
THC-Total	2.35	0.184					
THCV [↑]	< LOQ	0.0978					
THCV-A [†]	< LOQ	0.0978					
THCV-Total [†]	< LOQ	0.183					
Total Cannabinoids [†]	85.7						

 Www.columbialaboratories.com
 Page 2 of 7

 Test results relate only to the parameters tested and to the samples as received by the laboratory. Test results meet all requirements of NELAP and the Columbia Laboratories quality assurance plan unless otherwise noted. This report shall not be reproduced, except in full, without the written consent of this laboratory. Samples will be retained for a maximum of 30 days from the receipt date unless prior arrangements have been made.

 Testing in accordance with:
 OAR 333-007-0430





Report Number: 21-013634/D008.R000 **Report Date:** 11/24/2021 **ORELAP#:** OR100028 Purchase Order: **Received:** 11/18/21 00:00

These test results are representative of the individual sample selected and submitted by the client.

Abbreviations

Limits: Action Levels per OAR-333-007-0400, OAR-333-007-0210, OAR-333-007-0220, CCR title 16-division 42. BCC-section 5723

Limit(s) of Quantitation (LOQ): The minimum levels, concentrations, or quantities of a target variable (e.g., target analyte) that can be reported with a specified degree of confidence.

[†] = Analyte not NELAP accredited.

Units of Measure

% = Percentage of sample % wt = $\mu g/g$ divided by 10,000

Approved Signatory

Derrick Tanner General Manager

www.columbialaboratories.com

Page 3 of 7

equirements of NELAP and the Columbia Laboratories quality assurance plan Test results relate only to the parameters tested and to the samples as received by unless otherwise noted. This report shall not be reproduced, except in full, without the written consent of this laboratory. Samples will be retained for a maximum of 30 days from the receipt date unless prior arrangements have been made





Report Number: 21-013634/D008.R000 **Report Date:** 11/24/2021 **ORELAP#:** OR100028 Purchase Order:

Received:

11/18/21 00:00

-					-11		nsiyat	s Reg	unste	d	1.1	1	1		Therefore .											
Email Results		kate: <u>OF</u> ne: <u>97209</u> X		Portland State: OF De 197209		Me Harbok NW Flanders st. nd scale: OF np. 97209 His Dropbox 6104 Discherube ()		yre Harbok NW Flanders st. and State: OF De 97209 salts: Dropbox 08164 DisaBeaute ()		te Farook IW Flanders st. dstate: OF np. 97205 ts: Oropbox		yre Farbok NW Flanders st. Ind State: OF De 97203 Parts: Oropbox 06164 Dischember ()		V Planders st. State: OF np 97209 Dropbox 04 0 % Results () beth Wthehempcollect.cor			that Scherts	sitiaal Selverta. uistare li Waster Accivity		arpatens Grins: Yearst and Modd	ore: Ecosh and Total Coliform	content total collormi		2	Project Number Project Name Custors Reporting: Report to State METRC or Other: Terneround time: S dualeess Day Standard Turkamend S dualeess Day Radit Turkamend S dualeess Day Standard Turkamend	
tab	10 - 1 - 1			- rehicider -	ider .	side 1	pinns.	dial S	store	1.	0.76	W.F.C	way Metals	tycotooline	ine:	Sample	Weght									
10	Cheet Sample Ment Ocation	(late	Time		1	1.0	1.2	No.	Ter	ŝ	2	2	4	8	Type-1	(Units)	Comments/Metre ID									
1.1	3DST212_Amber	11/18		×		×	×					X			C		-rushed, just potencies.									
2.10	3DST212_Clear	11/18				×									C		Landard and Landard									
3 0	1LIR209_PW	11/18				×									C											
4 0	1LIR209_SG	11/18				x									C											
5 0	1LIR209_PA	11/18				×									C	_										
8 0	1LIR209_PP	11/18				x									C											
7 0	1LIR209_OGK	11/18				х									C											
+	1								_	-																
	failing athed for	Ciate	Time		-	R	RONAL ST	By:		-	D	dr	n	rie			Lab Use Only:									
Kyle	Farook	11/18	4:00	72				ηł	21	15	46	Shipped Via:														

1 - Sample Type Codes: Vegetation (V) | Isolates (N) ; Estract/Consentrate (C); Texture/Topical (T); Estract(V), Neverage (N)

nation with locking regard Namples Admitted by Cal min union finish interior

12423 NEWhister Way Purchase, ON \$7250

www.columbialaboratories.com

Page 4 of 7

Test results relate only to the parameters tested and to the samples as received by the laboratory. Test results meet all requirements of NELAP and the Columbia Laboratories quality assurance plan unless otherwise noted. This report shall not be reproduced, except in full, without the written consent of this laboratory. Samples will be retained for a maximum of 30 days from the receipt date unless prior arrangements have been made.





Report Number:	21-013634/D008.R000
Report Date:	11/24/2021
ORELAP#:	OR100028
Purchase Order:	

Received:

11/18/21 00:00

Revision #: 0.00 Control : CFL-D06 Revision Date: 05/31/2019 Effective Date: 05/31/2019

		Laboi	atory	Quality Co				
J AOAC 2015 V9				Bat	ch ID: 211	.0540		
Laboratory Cont								
Analyte	Result	Spike	Units	% Rec	Limit	ts	Evaluation	Notes
CBDVA	0.216	0.2	%	108	85.0 -	115	Acceptable	
CBDV	0.226	0.2	%	113	85.0 -	115	Acceptable	
CBE	0.195	0.2	%	97.6	85.0 -	115	Acceptable	
CBDA	0.209	0.2	%	105	85.0 -	115	Acceptable	
CBGA	0.216	0.2	%	108	85.0 -	115	Acceptable	
CBG	0.217	0.2	%	108	85.0 -	115	Acceptable	
CBD	0.197	0.2	%	98.7	85.0 -	115	Acceptable	
THCV	0.205	0.2	%	103	85.0 -	115	Acceptable	
d8THCV	0.185	0.2	%	92.4	85.0 -	115	Acceptable	
THCVA	0.212	0.2	%	106	85.0 -	115	Acceptable	
CBN	0.198	0.2	%	99.2	85.0 -	115	Acceptable	
exo-THC	0.174	0.2	%	87.1	85.0 -	115	Acceptable	
d9THC	0.186	0.2	%	93.1	85.0 -	115	Acceptable	
d8THC	0.206	0.2	%	103	85.0 -	115	Acceptable	
CBL	0.193	0.2	%	96.4	85.0 -	115	Acceptable	
CBC	0.216	0.2	%	108	85.0 -	115	Acceptable	
THCA	0.204	0.2	%	102	85.0 -	115	Acceptable	
CBCA	0.223	0.2	%	112	85.0 -	115	Acceptable	
CBLA	0.203	0.2	%	102	85.0 -	115	Acceptable	
CBT	0.216	0.2	%	108	85.0 -	115	Acceptable	

Method Blank

Analyte	Result	LOQ	Units	Limits	Evaluation	Notes
CBDVA	<loq< td=""><td>0.1</td><td>%</td><td>< 0.1</td><td>Acceptable</td><td></td></loq<>	0.1	%	< 0.1	Acceptable	
CBDV	<loq< td=""><td>0.1</td><td>%</td><td>< 0.1</td><td>Acceptable</td><td></td></loq<>	0.1	%	< 0.1	Acceptable	
CBE	<loq< td=""><td>0.1</td><td>%</td><td>< 0.1</td><td>Acceptable</td><td></td></loq<>	0.1	%	< 0.1	Acceptable	
CBDA	<loq< td=""><td>0.1</td><td>%</td><td>< 0.1</td><td>Acceptable</td><td></td></loq<>	0.1	%	< 0.1	Acceptable	
CBGA	<loq< td=""><td>0.1</td><td>%</td><td>< 0.1</td><td>Acceptable</td><td></td></loq<>	0.1	%	< 0.1	Acceptable	
CBG	<loq< td=""><td>0.1</td><td>%</td><td>< 0.1</td><td>Acceptable</td><td></td></loq<>	0.1	%	< 0.1	Acceptable	
CBD	<loq< td=""><td>0.1</td><td>%</td><td>< 0.1</td><td>Acceptable</td><td></td></loq<>	0.1	%	< 0.1	Acceptable	
THCV	<loq< td=""><td>0.1</td><td>%</td><td>< 0.1</td><td>Acceptable</td><td></td></loq<>	0.1	%	< 0.1	Acceptable	
d8THCV	<loq< td=""><td>0.1</td><td>%</td><td>< 0.1</td><td>Acceptable</td><td></td></loq<>	0.1	%	< 0.1	Acceptable	
THCVA	<loq< td=""><td>0.1</td><td>%</td><td>< 0.1</td><td>Acceptable</td><td></td></loq<>	0.1	%	< 0.1	Acceptable	
CBN	<loq< td=""><td>0.1</td><td>%</td><td>< 0.1</td><td>Acceptable</td><td></td></loq<>	0.1	%	< 0.1	Acceptable	
exo-THC	<loq< td=""><td>0.1</td><td>%</td><td>< 0.1</td><td>Acceptable</td><td></td></loq<>	0.1	%	< 0.1	Acceptable	
d9THC	<loq< td=""><td>0.1</td><td>%</td><td>< 0.1</td><td>Acceptable</td><td></td></loq<>	0.1	%	< 0.1	Acceptable	
d8THC	<loq< td=""><td>0.1</td><td>%</td><td>< 0.1</td><td>Acceptable</td><td></td></loq<>	0.1	%	< 0.1	Acceptable	
CBL	<loq< td=""><td>0.1</td><td>%</td><td>< 0.1</td><td>Acceptable</td><td></td></loq<>	0.1	%	< 0.1	Acceptable	
CBC	<loq< td=""><td>0.1</td><td>%</td><td>< 0.1</td><td>Acceptable</td><td></td></loq<>	0.1	%	< 0.1	Acceptable	
THCA	<loq< td=""><td>0.1</td><td>%</td><td>< 0.1</td><td>Acceptable</td><td></td></loq<>	0.1	%	< 0.1	Acceptable	
CBCA	<loq< td=""><td>0.1</td><td>%</td><td>< 0.1</td><td>Acceptable</td><td></td></loq<>	0.1	%	< 0.1	Acceptable	
CBLA	<loq< td=""><td>0.1</td><td>%</td><td>< 0.1</td><td>Acceptable</td><td></td></loq<>	0.1	%	< 0.1	Acceptable	
CBT	<loq< td=""><td>0.1</td><td>%</td><td>< 0.1</td><td>Acceptable</td><td></td></loq<>	0.1	%	< 0.1	Acceptable	

Abbreviations

ND - None Detected at or above MRL RPD - Relative Percent Difference

LOQ - Limit of Quantitation

Units of Measure:

% - Percent

 Www.columbialaboratories.com
 Page 5 of 7

 Test results relate only to the parameters tested and to the samples as received by the laboratory. Test results meet all requirements of NELAP and the Columbia Laboratories quality assurance plan unless otherwise noted. This report shall not be reproduced, except in full, without the written consent of this laboratory. Samples will be retained for a maximum of 30 days from the receipt date unless prior arrangements have been made.

 Testing in accordance with:
 OAR 333-007-0430





Report Number:	21-013634/D008.R000
Report Date:	11/24/2021
ORELAP#:	OR100028
Purchase Order:	

Received:

11/18/21 00:00

Revision #: 0.00 Control : CFL-D06 Revision Date: 05/31/2019 Effective Date: 05/31/2019

			Labo	ratory C	Quality Co	ntrol Results				
J AOAC 2015 V9	8-6				Bate	ch ID: 2110540	l.			
Sample Duplicat	e			Sample ID: 21-013424-0001						
Analyte	Result	Org. Result	LOQ	Units	RPD	Limits	Evaluation	Notes		
CBDVA	<loq< td=""><td><loq< td=""><td>0.1</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.1</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.1	%	NA	< 20	Acceptable			
CBDV	<loq< td=""><td><loq< td=""><td>0.1</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.1</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.1	%	NA	< 20	Acceptable			
CBE	<loq< td=""><td><loq< td=""><td>0.1</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.1</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.1	%	NA	< 20	Acceptable			
CBDA	<loq< td=""><td><loq< td=""><td>0.1</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.1</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.1	%	NA	< 20	Acceptable			
CBGA	<loq< td=""><td><loq< td=""><td>0.1</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.1</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.1	%	NA	< 20	Acceptable			
CBG	3.50	3.48	0.1	%	0.674	< 20	Acceptable			
CBD	2.82	2.76	0.1	%	1.86	< 20	Acceptable			
THCV	0.475	0.462	0.1	%	2.70	< 20	Acceptable			
d8THCV	<loq< td=""><td><loq< td=""><td>0.1</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.1</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.1	%	NA	< 20	Acceptable			
THCVA	<loq< td=""><td><loq< td=""><td>0.1</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.1</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.1	%	NA	< 20	Acceptable			
CBN	2.48	2.44	0.1	%	1.44	< 20	Acceptable			
exo-THC	<loq< td=""><td><loq< td=""><td>0.1</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.1</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.1	%	NA	< 20	Acceptable			
d9THC	73.4	74.4	0.1	%	1.41	< 20	Acceptable			
d8THC	<loq< td=""><td><loq< td=""><td>0.1</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.1</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.1	%	NA	< 20	Acceptable			
CBL	<loq< td=""><td><loq< td=""><td>0.1</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.1</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.1	%	NA	< 20	Acceptable			
CBC	0.362	0.351	0.1	%	3.25	< 20	Acceptable			
THCA	<loq< td=""><td><loq< td=""><td>0.1</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.1</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.1	%	NA	< 20	Acceptable			
CBCA	<loq< td=""><td><loq< td=""><td>0.1</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.1</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.1	%	NA	< 20	Acceptable			
CBLA	<loq< td=""><td><loq< td=""><td>0.1</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.1</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.1	%	NA	< 20	Acceptable			
CBT	1.69	1.62	0.1	%	4.41	< 20	Acceptable			

Abbreviations

ND - None Detected at or above MRL

RPD - Relative Percent Difference LOQ - Limit of Quantitation

NA - Calculation Not Applicable given non-numerical results

Units of Measure:

% - Percent

Page 6 of 7
Test results relate only to the parameters tested and to the samples as received by the laboratory. Test results meet all requirements of NELAP and the Columbia Laboratories quality assurance plan
unless otherwise noted. This report shall not be reproduced, except in full, without the written consent of this laboratory. Samples will be retained for a maximum of 30 days from the receipt date unless
prior arrangements have been made.
Testing in accordance with: OAR 333-007-0430





Report Number: 21-013634/D008.R000 **Report Date:** 11/24/2021 **ORELAP#:** OR100028 **Purchase Order: Received:** 11/18/21 00:00

Explanation of QC Flag Comments:

Code	Explanation
Q	Matrix interferences affecting spike or surrogate recoveries.
Q1	Quality control result biased high. Only non-detect samples reported.
Q2	Quality control outside QC limits. Data considered estimate.
Q3	Sample concentration greater than four times the amount spiked.
Q4	Non-homogenous sample matrix, affecting RPD result and/or % recoveries.
Q5	Spike results above calibration curve.
Q6	Quality control outside QC limits. Data acceptable based on remaining QC.
R	Relative percent difference (RPD) outside control limit.
R1	RPD non-calculable, as sample or duplicate results are less than five times the LOQ.
R2	Sample replicates RPD non-calculable, as only one replicate is within the analytical range.
LOQ1	Quantitation level raised due to low sample volume and/or dilution.
LOQ2	Quantitaion level raised due to matrix interference.
В	Analyte detected in method blank, but not in associated samples.
B1	The sample concentration is greater than 5 times the blank concentration.
B2	The sample concentration is less than 5 times the blank concentration.

 www.columbialaboratories.com
 Page 7 of 7

 Test results relate only to the parameters tested and to the samples as received by the laboratory. Test results meet all requirements of NELAP and the Columbia Laboratories quality assurance plan unless otherwise noted. This report shall not be reproduced, except in full, without the written consent of this laboratory. Samples will be retained for a maximum of 30 days from the receipt date unless prior arrangements have been made.

 Testing in accordance with:
 OAR 333-007-0430