



Report Number:	23-000691/D009.R000
Report Date:	01/24/2023
ORELAP#:	OR100028
Purchase Order:	
Received:	01/17/23 14:16

Customer:	IHC LLC
Product identity:	0107LIRVAP200_OGK
Client/Metrc ID:	
Laboratory ID:	23-000691-0004

Summary	
---------	--

Analyte	Result (%)	• CBD • CI		
CBD	27.5	• CBN	CBD-Total	36.7%
CBN	19.8	• CBC		
CBC	15.6	• CBD-A	THC-Total	0.323%
CBD-A	10.5	• CBG		
CBG	3.92	• CBT • CBE	(Reported in pe	rcent of total sample)
CBT	1.51	• THC-A		
CBE	1.22	• CBC-A		
THC-A	0.236	• CBDV		
CBC-A	0.233	<ul> <li>Δ9-THC</li> </ul>		
CBDV	0.176			
∆9-THC	0.116			
CBG-A	0.103			



IHC LLC

.

No

20 °C

ramos

825 NW 16th Ave Portland Oregon 97209

23-000691-0004

0107LIRVAP200\_OGK

United States of America (USA)

Customer:

**Product identity:** 

Client/Metrc ID:

Sample Date:

Laboratory ID:

Temp:

Evidence of Cooling:

Relinquished by:

12423 NE Whitaker Way Portland, OR 97230 503-254-1794



Report Number:	23-000691/D009.R000
Report Date:	01/24/2023
ORELAP#:	OR100028
Purchase Order:	
Received:	01/17/23 14:16



# Sample Results

Potency	Method: J AOAC 201	5 V98-6 (mod	d) <sup>p</sup> Units %	Batch: 2300604	Analyze: 1/19/23 1:25:00 AM
Analyte	As Dry	LOQ	Notes		
	Received weig				<ul> <li>CBD</li> <li>Δ9-THC</li> <li>Δ9-CBC</li> </ul>
CBC	15.6	0.0701			CBN      CBG-A     CBC
CBC-A	0.233	0.0701			CBC
CBC-Total	15.8	0.132			CBG
CBD	27.5	0.701			• CBT
CBD-A	10.5	0.0701			• СВЕ
CBD-Total	36.7	0.763			• THC-A
CBDV	0.176	0.0701			CBC-A
CBDV-A	< LOQ	0.0701			CBDV
CBDV-Total	0.176	0.131			
CBE	1.22	0.0701			
CBG	3.92	0.0701			
CBG-A	0.103	0.0701			
CBG-Total	4.01	0.131			
CBL	< LOQ	0.0701			
CBL-A	< LOQ	0.0701			
CBL-Total	< LOQ	0.132			
CBN	19.8	0.0701			
CBT	1.51	0.0701			
∆10-THC-9R	< LOQ	0.0701			
∆8-THC	< LOQ	0.0701			
∆8-THCV	< LOQ	0.0701			
∆9-THC	0.116	0.0701			
exo-THC	< LOQ	0.0701			
THC-A	0.236	0.0701			
THC-Total	0.323	0.132			
THCV	< LOQ	0.0701			
THCV-A	< LOQ	0.0701			
THCV-Total	< LOQ	0.131			
Total Cannabinoids	80.9				

www.columbialaboratories.com





 Report Number:
 23-000691/D009.R000

 Report Date:
 01/24/2023

 ORELAP#:
 OR100028

 Purchase Order:
 Received:

 01/17/23 14:16
 01/17/23 14:16

### Abbreviations

Limits: Action Levels per OAR-333-007-0400, OAR-333-007-0210, OAR-333-007-0220, CCR title 16-division 42. BCC-section 5723

Limit(s) of Quantitation (LOQ): The minimum levels, concentrations, or quantities of a target variable (e.g., target analyte) that can be reported with a specified degree of confidence.

<sup>b</sup> = ISO/IEC 17025:2017 accredited method.

#### Units of Measure

% = Percentage of sample % wt =  $\mu g/g$  divided by 10,000

Approved Signatory

Derrick Tanner General Manager

www.columbialaboratories.com

Page 3 of 8





Report Number:	23-000691/D009.R000
Report Date:	01/24/2023
ORELAP#:	OR100028
Purchase Order:	
Received:	01/17/23 14:16

Columbia A Terrary Compose

# Hemp / Cannabis Usable / Extract / Finished Products

**Chain of Custody Record** 

Revision: 4.00 Control#: CP029 Rev 02/24/2021 Eff: 03/04/2021. CRELAP C: CREDODDS

		Analysis Requested												. Frenchury			
Contact: kyle @thehempcol Smat: 431 NW Handers st. One Portland State: @ Errol Resulte: dropbox (IH) ht. (b1) 608164 - Fx Results	Company: The Hemp Collect Contact: kyle@thehempcollect Struct: 431 NW Flanders st. Ony: Portland State: UP 3 @ Ernel Result: dropbox (IHC) Ph: (b1) 608164  Fx Results () sting (# efferent): ]061@thehempcollect		97209	- 03.59 compareds	tride Multi-Tauldus ~ 179 compounds		sthael Soleents	& Water Activity		Reso: Yaset and Mold	fices: E.Colitanel Total Celiforni	tala	18		Projec Pro Cuiton I Report to	t Number: est Name: leporting: o State - D ME ad Storer 10 5 6 D 30 D 20 T	THE or C Other: lad and Day Standard Turnaround ladianos Day Rush Turnaround* Animeta Day Rush Turnaround* Anetic for modiateity
Client Saraple Meet/Monthen	Date	Tree	Prestation	Perindo	MORENO	hertbad	Molichure	Yerpones.	MICHOL 71	MIGNELE.	Peary Metals.	Mycobadris	Differi	Sample Type *	Weight (Units)	Contracto/Metro 10	
01LIRVAP200_SP			-		x	-		_	_	_	_	-	-	c			
0107LIRVAP200_PB	-	-	_	-	x	-		_	-		-	-	-	c			
0107LINVAP200_Dalla			-	-	x	-		-	-		-	-	-	č			
01020506LIRVAP200_00K	10	-	_		x	-	_	_	-	-	-		-	c			
	FV		_	-	×		_	_	_	_			-	c			
orocooocarine ase_	FV		-	-	-	-	_	_		_		-	_	c			
7 01LIR209_GJ				×	x	x			X		x	×		<u> </u>			
3 01LIR209_SG				x	x	x			х		х	x		C			
9 01LIR209_Llama				×	×	X			x		х	x		C			
10 01LIR209_TG		1		x	x	x		-	_		x			C	4		
Heinquished Dy:	Cate	Time		1	2	oghiel	ły:			Dy	-		10			Lab Use Onlyc	
Kyle Farook	1/17	11:00 A		é		5	-			1-17	13	111	0	1000010444		or D Chart drop	
<u>33</u> - 1.17 1338		puess.						oltile> 1416			4	Evidence of coaling: D Yes   D No - Temp (*C): 2 0, 6     Simple in good condition: D Yes   D No     Dash   D Check   D CC   D Net:     Prelog Monage:					

1 - Sample Type Ender: Vagetation (V) ; Isolates (S) ; Estract/Cencentrate (C) ; Texture/Tepical (T) ; Edible (E) ; Reverage (U)

Receptor as inclusion in Collardia Education with training requirements contained on opercontains with the envirotnessing among consistent with the COC. In Agoing "Willingstohed by " you are approag to observe and (he service was

12423 NE Whiteler Way Portland, OR 87288

P: (503) 254-1794 | Parc (503) 254-2492 (mission) and a second se

Page\_\_\_\_\_ef\_\_\_\_

Page 4 of 8





Report Number:	23-000691/D009.R000
Report Date:	01/24/2023
ORELAP#:	OR100028
Purchase Order:	
Received:	01/17/23 14:16

Revision: 1 Document ID: 7148 Legacy ID: Worksheet Validated 04/20/2021

J AOAC 2015 V98			Ldi	Joi atory	Quality Co					
					В	atch ID:	23006	04		
aboratory Contr										
Analyte	LCS	Result	Spike	Units	% Rec		Limits		Evaluation	Notes
CBDVA	2	0.103	0.100	%	103	80.0	-	120	Acceptable	
CBDV	2	0.110	0.106	%	103	80.0	-	120	Acceptable	
CBE	2	0.107	0.105	%	102	80.0	-	120	Acceptable	
CBDA	1	0.0962	0.096	%	100.0	90.0	-	110	Acceptable	
CBGA CBG	1	0.0969	0.096	%	101	80.0	-	120	Acceptable	
CBD	1	0.100	0.099	%	102	80.0	-	120	Acceptable	
THCV	2	0.0966			99.2	90.0	-	110	Acceptable	
INCV	2	0.109	0.106	%	103	80.0	-	120	Acceptable	
THEV	2	0.108	0.103	%	104	80.0	-	120	Acceptable	
CBN	1	0.102	0.099	%	103	80.0	-	120	Acceptable Acceptable	
2BIN 2XO-THC	2	0.103	0.102	%	101	80.0	-	120	Acceptable	
INTHC	1	0.101	0.097	%	104	80.0	-	120	Acceptable	
19THC	1	0.108	0.105	%	103	90.0	-	110	Acceptable	
BL	2	0.101	0.100	%	100	90.0	-	110	Acceptable	
10THC	1	0.111	0.104	%	107	80.0	-	120	Acceptable	
CBC	2	0.0480	0.047	%	102	80.0	-	120	Acceptable	
НСА	1		0.104	%	101	80.0	-	120	Acceptable	
BCA	2	0.0960	0.103	%	101	90.0	-	110	Acceptable	
CBLA	2	0.104	0.105	%	101	80.0	-	120	Acceptable	
CBT	2	0.109	0.105	%	104 103	80.0	-	120 120	Acceptable	
Method Blank	2	0.109	0.105	70	103	80.0	-	120	Acceptable	
Analyte	R	esult	LOQ		Units		Limits		Evaluation	Notes
BDVA		LOQ	0.077	1	%		0.077		Acceptable	Notes
CBDV		:LOQ	0.077		%		0.077		Acceptable	
CBE		:LOQ	0.077		%		< 0.077		Acceptable	
CBDA		:LOQ	0.077	-	%		0.077		Acceptable	
CBGA		:LOQ	0.077		%		< 0.077		Acceptable	
CBG		:LOQ	0.077	-	%	< 0.077			Acceptable	
CBD		:LOQ	0.077	+	%		0.077		Acceptable	
HCV		:LOQ	0.077		%		0.077		Acceptable	
18THCV		:LOQ	0.077	+	%		0.077		Acceptable	
THCVA		LOQ	0.077		%		0.077		Acceptable	
CBN		LOQ	0.077	1	%		0.077		Acceptable	
exo-THC		LOQ	0.077	1	%	<	0.077		Acceptable	
19THC		LOQ	0.077	1	%		0.077		Acceptable	
18THC	<	LOQ	0.077		%	<	0.077		Acceptable	
CBL	<	LOQ	0.077	1	%	<	0.077		Acceptable	
10THC	<	LOQ	0.077		%	<	0.077		Acceptable	
CBC	<	LOQ	0.077	1	%	<	0.077		Acceptable	
	<	LOQ	0.077	1	%	<	0.077		Acceptable	
ГНСА		LOQ	0.077	1	%	<	0.077		Acceptable	
THCA CBCA	<	LUQ								
		:LOQ	0.077		%		0.077		Acceptable	

ND - None Detected at or above MRL

RPD - Relative Percent Difference LOQ - Limit of Quantitation

Units of Measure: % - Percent





Report Number:	23-000691/D009.R000
Report Date:	01/24/2023
ORELAP#:	OR100028
Purchase Order:	
Received:	01/17/23 14:16

Revision: 1 Document ID: 7148 Legacy ID: Worksheet Validated 04/20/2021

J AOAC 2015 V98-6	Batch ID: 2300604													
Sample Duplicate	Sample ID: <b>22-004270-0004</b>													
Analyte	Result	Org. Result	LOQ	Units	RPD	Limits	Evaluation	Notes						
CBDVA	<loq< td=""><td><loq< td=""><td>0.077</td><td>%</td><td>NA</td><td>&lt; 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.077</td><td>%</td><td>NA</td><td>&lt; 20</td><td>Acceptable</td><td></td></loq<>	0.077	%	NA	< 20	Acceptable							
CBDV	0.485	0.485	0.077	%	0.0286	< 20	Acceptable							
CBE	<loq< td=""><td><loq< td=""><td>0.077</td><td>%</td><td>NA</td><td>&lt; 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.077</td><td>%</td><td>NA</td><td>&lt; 20</td><td>Acceptable</td><td></td></loq<>	0.077	%	NA	< 20	Acceptable							
CBDA	<loq< td=""><td><loq< td=""><td>0.077</td><td>%</td><td>NA</td><td>&lt; 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.077</td><td>%</td><td>NA</td><td>&lt; 20</td><td>Acceptable</td><td></td></loq<>	0.077	%	NA	< 20	Acceptable							
CBGA	<loq< td=""><td><loq< td=""><td>0.077</td><td>%</td><td>NA</td><td>&lt; 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.077</td><td>%</td><td>NA</td><td>&lt; 20</td><td>Acceptable</td><td></td></loq<>	0.077	%	NA	< 20	Acceptable							
CBG	0.188	0.188	0.077	%	0.345	< 20	Acceptable							
CBD	85.0	85.5	0.077	%	0.592	< 20	Acceptable							
THCV	<loq< td=""><td><loq< td=""><td>0.077</td><td>%</td><td>NA</td><td>&lt; 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.077</td><td>%</td><td>NA</td><td>&lt; 20</td><td>Acceptable</td><td></td></loq<>	0.077	%	NA	< 20	Acceptable							
d8THCV	<loq< td=""><td><loq< td=""><td>0.077</td><td>%</td><td>NA</td><td>&lt; 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.077</td><td>%</td><td>NA</td><td>&lt; 20</td><td>Acceptable</td><td></td></loq<>	0.077	%	NA	< 20	Acceptable							
THCVA	<loq< td=""><td><loq< td=""><td>0.077</td><td>%</td><td>NA</td><td>&lt; 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.077</td><td>%</td><td>NA</td><td>&lt; 20</td><td>Acceptable</td><td></td></loq<>	0.077	%	NA	< 20	Acceptable							
CBN	0.499	0.501	0.077	%	0.406	< 20	Acceptable							
exo-THC	<loq< td=""><td><loq< td=""><td>0.077</td><td>%</td><td>NA</td><td>&lt; 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.077</td><td>%</td><td>NA</td><td>&lt; 20</td><td>Acceptable</td><td></td></loq<>	0.077	%	NA	< 20	Acceptable							
d9THC	<loq< td=""><td><loq< td=""><td>0.077</td><td>%</td><td>NA</td><td>&lt; 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.077</td><td>%</td><td>NA</td><td>&lt; 20</td><td>Acceptable</td><td></td></loq<>	0.077	%	NA	< 20	Acceptable							
d8THC	<loq< td=""><td><loq< td=""><td>0.077</td><td>%</td><td>NA</td><td>&lt; 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.077</td><td>%</td><td>NA</td><td>&lt; 20</td><td>Acceptable</td><td></td></loq<>	0.077	%	NA	< 20	Acceptable							
CBL	<loq< td=""><td>0.0772</td><td>0.077</td><td>%</td><td>NA</td><td>&lt; 20</td><td>Acceptable</td><td>R2</td></loq<>	0.0772	0.077	%	NA	< 20	Acceptable	R2						
d10THC	<loq< td=""><td><loq< td=""><td>0.077</td><td>%</td><td>NA</td><td>&lt; 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.077</td><td>%</td><td>NA</td><td>&lt; 20</td><td>Acceptable</td><td></td></loq<>	0.077	%	NA	< 20	Acceptable							
CBC	0.936	0.937	0.077	%	0.136	< 20	Acceptable							
THCA	<loq< td=""><td><loq< td=""><td>0.077</td><td>%</td><td>NA</td><td>&lt; 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.077</td><td>%</td><td>NA</td><td>&lt; 20</td><td>Acceptable</td><td></td></loq<>	0.077	%	NA	< 20	Acceptable							
CBCA	<loq< td=""><td><loq< td=""><td>0.077</td><td>%</td><td>NA</td><td>&lt; 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.077</td><td>%</td><td>NA</td><td>&lt; 20</td><td>Acceptable</td><td></td></loq<>	0.077	%	NA	< 20	Acceptable							
CBLA	<loq< td=""><td><loq< td=""><td>0.077</td><td>%</td><td>NA</td><td>&lt; 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.077</td><td>%</td><td>NA</td><td>&lt; 20</td><td>Acceptable</td><td></td></loq<>	0.077	%	NA	< 20	Acceptable							
CBT	0.575	0.579	0.077	%	0.591	< 20	Acceptable							

ND - None Detected at or above MRL RPD - Relative Percent Difference LOQ - Limit of Quantitation

Units of Measure:





Report Number:	23-000691/D009.R000
Report Date:	01/24/2023
ORELAP#:	OR100028
Purchase Order:	
Received:	01/17/23 14:16







23-000691/D009.R000 **Report Number: Report Date:** 01/24/2023 **ORELAP#:** OR100028 **Purchase Order:** 01/17/23 14:16 Received:

Explanation of QC Flag Comments:

Code	Explanation
Q	Matrix interferences affecting spike or surrogate recoveries.
Q1	Quality control result biased high. Only non-detect samples reported.
Q2	Quality control outside QC limits. Data considered estimate.
Q3	Sample concentration greater than four times the amount spiked.
Q4	Non-homogenous sample matrix, affecting RPD result and/or % recoveries.
Q5	Spike results above calibration curve.
Q6	Quality control outside QC limits. Data acceptable based on remaining QC.
R	Relative percent difference (RPD) outside control limit.
R1	RPD non-calculable, as sample or duplicate results are less than five times the LOQ.
R2	Sample replicates RPD non-calculable, as only one replicate is within the analytical range.
LOQ1	Quantitation level raised due to low sample volume and/or dilution.
LOQ2	Quantitaion level raised due to matrix interference.
В	Analyte detected in method blank, but not in associated samples.
B1	The sample concentration is greater than 5 times the blank concentration.
B2	The sample concentration is less than 5 times the blank concentration.

# SD230412-042 page 1 of 2

#### PharmLabs San Diego Certificate of Analysis

3421 Hancock St, Second Floor, San Diego, CA 92110 | License: C8-0000098-LIC ISO/IEC 17025:2017 Certification L17-427-1 | Accreditation #85368

### sample 01SDT224\_CRD\_CRYSTAL RES. CBD

Sample ID SD230412-042 (72070) Matrix Concentrate (Inhalable Cannabis Good)

Tested for The Hemp Collect Sampled -Received Apr 12, 2023 Reported Apr 24, 2023 Analyses executed CAN+, RES, MIBIG, MTO, PES, HME, FVI

### CAN+ - Cannabinoids Analysis

Analyzed Apr 24, 2023 | Instrument HPLC-VWD | Method SOP-001 The expanded Uncertainty of the Cannabinoid analysis is approximately #.806% at the 95% Confidence Level

Analyte	LOD mg/g	LOQ mg/g	Result %	Result mg/g
Cannabidivarin (CBDV)	0.039	0.16	ND	ND
Cannabidiolic Acid (CBDA)	0.001	0.16	ND	ND
Cannabigerol Acid (CBGA)	0.001	0.16	ND	ND
Cannabigerol (CBG)	0.001	0.16	0.77	7.73
Cannabidiol (CBD)	0.001	0.16	49.16	491.56
Tetrahydrocannabivarin (THCV)	0.001	0.16	ND	ND
Cannabinol (CBN)	0.001	0.16	2.29	22.93
Tetrahydrocannabinol (Δ9-THC)	0.003	0.16	ND	ND
Δ8-tetrahydrocannabinol (Δ8-THC)	0.004	0.16	ND	ND
Cannabicyclol (CBL)	0.002	0.16	0.76	7.64
Cannabichromene (CBC)	0.002	0.16	5.71	57.09
Tetrahydrocannabinolic Acid (THCA)	0.001	0.16	ND	ND
Total THC ( THCa * 0.877 + Δ9THC )			ND	ND
Total THC + Δ8THC ( THCa * 0.877 + Δ9THC + Δ8THC )			ND	ND
Total CBD ( CBDa * 0.877 + CBD )			49.16	491.56
Total CBG ( CBGa * 0.877 + CBG )			0.77	7.73
Total Cannabinoids			58.70	586.95

#### HME - Heavy Metals Detection Analysis

Analyzed Apr 14, 2023 | Instrument ICP/MSMS | Method SOP-005

Analyte	LOD ug/g	LOQ ug/g	Result ug/g	Limit ug/g	Analyte	LOD ug/g	LOQ ug/g	Result ug/g	Limit ug/g
Arsenic (As)	0.0002	0.0005	ND	0.2	Cadmium (Cd)	3.0e-05	0.0005	ND	0.2
Mercury (Hg)	1.0e-05	0.0001	ND	0.1	Lead (Pb)	1.0e-05	0.00125	ND	0.5

#### **MIBIG - Microbial Testing Analysis**

#### Analyzed Apr 17, 2023 | Instrument qPCR and/or Plating | Method SOP-007

Analyte	Result CFU/g	Limit	Analyte	Result CFU/g	Limit
Shiga toxin-producing Escherichia Coli	ND	ND per 1 gram	Salmonella spp.	ND	ND per 1 gram
Aspergillus fumigatus	ND	ND per 1 gram	Aspergillus flavus	ND	ND per 1 gram
Aspergillus niger	ND	ND per 1 gram	Aspergillus terreus	ND	ND per 1 gram

#### MTO - Mycotoxin Testing Analysis

#### Analyzed Apr 14, 2023 | Instrument LC/MSMS | Method SOP-004

Analyte	LOD ug/kg	LOQ ug/kg	Result ug/kg (ppb)	Limit ug/kg	Analyte	LOD ug/kg	LOQ ug/kg	Result ug/kg (ppb)	Limit ug/kg
Ochratoxin A	5.0	20.0	ND	20	Aflatoxin B1	2.5	5.0	ND	-
Aflatoxin B2	2.5	5.0	ND	-	Aflatoxin G1	2.5	5.0	ND	-
Aflatoxin G2	2.5	5.0	ND	-	Total Aflatoxins	10.0	20.0	ND	20







Authorized Signature

Brandon Starr

Brandon Starr, Lab Manager Mon, 24 Apr 2023 14:10:27 -0700







PharmLabs San Diego | 3421 Hancock St, Second Floor, San Diego, CA 92110 | 619.356.0898 | ISO/IEC 17025:2017 Certification L17-427-1 "This report shall not be reproduced except in full, without the written approval of the lab. This report is for informational purposes only and should not be used to diagnose, treat or prevent any disease. Results are only for samples and batches indicated. Results are reported on an "as received" basis, unless indicated otherwise. When a Pass/Fall status is reported, that status is intended to be in accordance with federal, state and local lows which are required for the customer to be in compliance. The measurement of uncertainty is not included in the Pass/Fall evolution unless explicition unless explicition, state or local lows and has been reported on the retrificate of analysis. Ressurement of uncertainty is available upon request.

# SD230412-042 page 2 of 2

# **QA** Testing

#### PES - Pesticides Screening Analysis

Analyzed Apr 14, 2023 | Instrument LC/MSMS GC/MSMS | Method SOP-003

Analyte	LOD ug/g	LOQ ug/g	Result ug/g	Limit ug/g	Analyte	LOD ug/g	LOQ ug/g	Result ug/g	Limit ug/g
Aldicarb	0.0078	0.02	ND	0.0078	Carbofuran	0.01	0.02	ND	0.01
Dimethoate	0.01	0.02	ND	0.01	Etofenprox	0.02	0.1	ND	0.02
Fenoxycarb	0.01	0.02	ND	0.01	Thiachloprid	0.01	0.02	ND	0.01
Daminozide	0.01	0.03	ND	0.01	Dichlorvos	0.02	0.07	ND	0.02
Imazalil	0.02	0.07	ND	0.02	Methiocarb	0.01	0.02	ND	0.01
Spiroxamine	0.01	0.02	ND	0.01	Coumaphos	0.01	0.02	ND	0.01
Fipronil	0.01	0.1	ND	0.01	Paclobutrazol	0.01	0.03	ND	0.01
Chlorpyrifos	0.01	0.04	ND	0.01	Ethoprophos (Prophos)	0.01	0.02	ND	0.01
Baygon (Propoxur)	0.01	0.02	ND	0.01	Chlordane	0.04	0.1	ND	0.04
Chlorfenapyr	0.03	0.1	ND	0.03	Methyl Parathion	0.02	0.1	ND	0.02
Mevinphos	0.03	0.08	ND	0.03	Abamectin	0.03	0.08	ND	0.1
Acephate	0.02	0.05	ND	0.1	Acetamiprid	0.01	0.05	ND	0.1
Azoxystrobin	0.01	0.02	ND	0.1	Bifenazate	0.01	0.05	ND	0.1
Bifenthrin	0.02	0.35	ND	3	Boscalid	0.01	0.03	ND	0.1
Carbaryl	0.01	0.02	ND	0.5	Chlorantraniliprole	0.01	0.04	ND	10
Clofentezine	0.01	0.03	ND	0.1	Diazinon	0.01	0.02	ND	0.1
Dimethomorph	0.02	0.06	ND	2	Etoxazole	0.01	0.05	ND	0.1
Fenpyroximate	0.02	0.1	ND	0.1	Flonicamid	0.01	0.02	ND	0.1
Fludioxonil	0.01	0.05	ND	0.1	Hexythiazox	0.01	0.03	ND	0.1
Imidacloprid	0.01	0.05	ND	5	Kresoxim-methyl	0.01	0.03	ND	0.1
Malathion	0.01	0.05	ND	0.5	Metalaxyl	0.01	0.02	ND	2
Methomyl	0.02	0.05	ND	1	Myclobutanil	0.02	0.07	ND	0.1
Naled	0.01	0.02	ND	0.1	Oxamyl	0.01	0.02	ND	0.5
Permethrin	0.01	0.02	ND	0.5	Phosmet	0.01	0.02	ND	0.1
Piperonyl Butoxide	0.02	0.06	ND	3	Propiconazole	0.03	0.08	ND	0.1
Prallethrin	0.02	0.05	ND	0.1	Pyrethrin	0.05	0.41	ND	0.5
Pyridaben	0.02	0.07	ND	0.1	Spinosad A	0.01	0.05	ND	0.1
Spinosad D	0.01	0.05	ND	0.1	Spiromesifen	0.02	0.06	ND	0.1
Spirotetramat	0.01	0.02	ND	0.1	Tebuconazole	0.01	0.02	ND	0.1
Thiamethoxam	0.01	0.02	ND	5	Trifloxystrobin	0.01	0.02	ND	0.1
Acequinocyl	0.02	0.09	ND	0.1	Captan	0.01	0.02	ND	0.7
Cypermethrin	0.02	0.1	ND	1	Cyfluthrin	0.04	0.1	ND	2
Fenhexamid	0.02	0.07	ND	0.1	Spinetoram J,L	0.02	0.07	ND	0.1
Pentachloronitrobenzene	0.01	0.1	ND	0.1					

#### **RES - Residual Solvents Testing Analysis**

Analyte	LOD ug/g	LOQ ug/g	Result ug/g	Limit ug/g	Analyte	LOD ug/g	LOQ ug/g	Result ug/g	Limit ug/g
Propane (Prop)	0.4	40.0	ND		Butane (But)	0.4	40.0	ND	
Methanol (Metha)	0.4	40.0	ND		Ethylene Oxide (EthOx)	0.4	0.8	ND	
Pentane (Pen)	0.4	40.0	ND		Ethanol (Ethan)	0.4	40.0	ND	
Ethyl Ether (EthEt)	0.4	40.0	ND		Acetone (Acet)	0.4	40.0	<loq< td=""><td></td></loq<>	
Isopropanol (2-Pro)	0.4	40.0	ND		Acetonitrile (Acetonit)	0.4	40.0	ND	
Methylene Chloride (MetCh)	0.4	0.8	ND		Hexane (Hex)	0.4	40.0	ND	
Ethyl Acetate (EthAc)	0.4	40.0	ND		Chloroform (Clo)	0.4	0.8	ND	
Benzene (Ben)	0.4	0.8	ND		1-2-Dichloroethane (12-Dich)	0.4	0.8	ND	
Heptane (Hep)	0.4	40.0	ND		Trichloroethylene (TriClEth)	0.4	0.8	ND	
Toluene (Toluene)	0.4	40.0	ND		Xulenes (Xul)	0.4	40.0	ND	

#### FVI - Filth & Foreign Material Inspection Analysis

 
 Analyzed Apr 13, 2023 | Instrument Microscope | Method SOP-010
 Result
 Analyte / Limit
 Result

 Analyte / Limit
 Result
 Analyte / Limit
 Result

 > 1/4 of the total sample area covered by sand, soil, cinders, or dirt
 ND
 ND

 > Insect fragment, 1 hair, or 1 count mammaline secreta per 3g
 ND
 >1/4 of the total sample area covered by mold
 ND

UI Not Identified ND Not Detected NA Not Applicable NT Not Reported LOD Limit of Detection LOQ Limit of Quantification <LOQ Detected NUCU. Above upper limit of linearity >ULCU. Above upper limit of linearity CFU/Q colony forming Units per 1 gram TNTC Too Numerous to Count







Authorized Signature

Brandon Starr

Brandon Starr, Lab Manager Mon, 24 Apr 2023 14:10:27 -0700



PharmLabs San Diego | 3421 Hancock St, Second Floor, San Diego, CA 92110 | 619.356.0898 | ISO/IEC 17025:2017 Certification L17-427-1 This report shall not be reproduced except in full, without the written approval of the Job, This report is for informational purposes only and about not be used to diagoas, treat or prevent any disease. Results are only for samples and batches indicated. Results are reported on The report shall not use sequely the use of the Lob. This report is for informational purposes only and about not be used to diagoas, treat or prevent any disease. Results are only for samples and batches indicated. Results are reported on the report shall not use sequely the use of the lob. The measurement of uncertainty is not included in the Poss/foll evolution unless sequely the report agent to entrance in the intervention of uncertainty is not included.





Report Number:	23-000690/D022.R000
Report Date:	01/24/2023
ORELAP#:	OR100028
Purchase Order:	
Received:	01/17/23 14:16

\_ \_ \_ \_ \_ \_ \_ \_ \_

Customer:	IHC LLC
Product identity:	01LIR209_OGK
Client/Metrc ID:	
Laboratory ID:	23-000690-0011

Summary
---------

Analyte	Result (%)			
CBD-A	60.4	CBD-A	CBD-Total	54.0%
CBC-A	4.40	<ul><li>CBC-A</li><li>CBG-A</li></ul>		
CBG-A	2.79	• THC-A	THC-Total	2.47%
THC-A	2.48	• CBD		
CBD	1.05	CBDV-A	(Reported in per	rcent of total sample)
CBDV-A	0.426	<ul> <li>Δ9-THC</li> </ul>		
∆9-THC	0.293	• CBC		
CBC	0.190	CBG		
CBG	0.188	THCV-A		
THCV-A	0.0819			

### **Residual Solvents:**

### **Pesticides:**

Analyte	Result (mg/kg)	Limits (mg/kg)	Status
Multi-Residue Pesticide Profile	< LOQ for all analytes		

\_ \_ \_ \_ \_ \_ \_ \_ \_ \_ \_ \_ \_ \_ \_

I \_ I \_ I 

### Metals:

\_ \_

Less than LOQ for all analytes.

I -- -



IHC LLC

.

No

20 °C

ramos

825 NW 16th Ave Portland Oregon 97209

01LIR209\_OGK

23-000690-0011

United States of America (USA)

**Customer:** 

**Product identity:** 

Client/Metrc ID:

Sample Date:

Laboratory ID:

Temp:

Evidence of Cooling:

Relinquished by:

12423 NE Whitaker Way Portland, OR 97230 503-254-1794



Report Number:	23-000690/D022.R000
Report Date:	01/24/2023
ORELAP#:	OR100028
Purchase Order:	
Received:	01/17/23 14:16



# **Sample Results**

Potency	Method: J AOAC	2015 V98-6 (mod	d) <sup>p</sup> Units %	Batch: 2300599	Analyze: 1/19/23 8:00:00 AM
Analyte		Dry LOQ	Notes		
		weight			CBD-A
CBC	0.190	0.0686			• CBC-A
CBC-A	4.40	0.0686			CBG-A     THE A
CBC-Total	4.05	0.129			<ul><li>THC-A</li><li>CBD</li></ul>
CBD	1.05	0.0686			CBD     CBD
CBD-A	60.4	0.686			<ul> <li>Δ9-THC</li> </ul>
CBD-Total	54.0	0.671			• CBC
CBDV	< LOQ	0.0686			• CBG
CBDV-A	0.426	0.0686			• THCV-
CBDV-Total	0.369	0.128			
CBE	< LOQ	0.0686			
CBG	0.188	0.0686			
CBG-A	2.79	0.0686			
CBG-Total	2.64	0.128			
CBL	< LOQ	0.0686			
CBL-A	< LOQ	0.0686			
CBL-Total	< LOQ	0.129			
CBN	< LOQ	0.0686			
CBT	< LOQ	0.0686			
Δ10-THC-9R	< LOQ	0.0686			
∆8-THC	< LOQ	0.0686			
∆8-THCV	< LOQ	0.0686			
∆9-THC	0.293	0.0686			
exo-THC	< LOQ	0.0686			
THC-A	2.48	0.0686			
THC-Total	2.47	0.129			
THCV	< LOQ	0.0686			
THCV-A	0.0819	0.0686			
THCV-Total	< LOQ	0.128			
Total Cannabinoids	72.3				

www.columbialaboratories.com

Page 2 of 16





Report Number:	23-000690/D022.R000
Report Date:	01/24/2023
ORELAP#:	OR100028
Purchase Order:	
Received:	01/17/23 14:16

Solvents	Method:	Residua	I Solve	ents by	GC/MS <sup>p</sup>	Units µg/g Batch 2	300691	Analyz	<b>e</b> 01/2	23/23 (	03:03 PM
Analyte	Result	Limits	LOQ	Status	Notes	Analyte	Result	Limits	LOQ	Status	Notes
1,4-Dioxane	< LOQ	380	100	pass		2-Butanol	< LOQ	5000	200	pass	
2-Ethoxyethanol	< LOQ	160	30.0	pass		2-Methylbutane (Isopentane)	< LOQ		200		
2-Methylpentane	< LOQ		30.0			2-Propanol (IPA)	< LOQ	5000	200	pass	
2,2-Dimethylbutane	< LOQ		30.0			2,2-Dimethylpropane (neo-pentane)	< LOQ		200		
2,3-Dimethylbutane	< LOQ		30.0			3-Methylpentane	< LOQ		30.0		
Acetone	< LOQ	5000	200	pass		Acetonitrile	< LOQ	410	100	pass	
Benzene	< LOQ	2.00	1.00	pass		Butanes (sum)	499	5000	400	pass	
Cyclohexane	< LOQ	3880	200	pass		Ethyl acetate	< LOQ	5000	200	pass	
Ethyl benzene	< LOQ		200			Ethyl ether	< LOQ	5000	200	pass	
Ethylene glycol	< LOQ	620	200	pass		Ethylene oxide	< LOQ	50.0	20.0	pass	
Hexanes (sum)	< LOQ	290	150	pass		Isopropyl acetate	< LOQ	5000	200	pass	
Isopropylbenzene (Cumene)	< LOQ	70.0	30.0	pass		m,p-Xylene	< LOQ		200		
Methanol	< LOQ	3000	200	pass		Methylene chloride	< LOQ	600	60.0	pass	
Methylpropane (Isobutane)	< LOQ		200			n-Butane	499		200		
n-Heptane	< LOQ	5000	200	pass		n-Hexane	< LOQ		30.0		
n-Pentane	< LOQ		200			o-Xylene	< LOQ		200		
Pentanes (sum)	< LOQ	5000	600	pass		Propane	< LOQ	5000	200	pass	
Tetrahydrofuran	< LOQ	720	100	pass		Toluene	< LOQ	890	100	pass	
Total Xylenes	< LOQ		400			Total Xylenes and Ethyl benzene	< LOQ	2170	600	pass	

Pesticides Method: AOAC 2007.01 & EN 15662 (mod)<sup>b</sup> Units mg/kg Batch 2300687 Analyze 01/23/23 01:15 PM Analyte Result Limits Status Notes

Multi-Residue Pesticide Profile

< LOQ for all analytes

Metals							
Analyte	Result	Limits	Units	LOQ	Batch	Analyzed Method	Status Notes
Arsenic	< LOQ	0.200	mg/kg	0.0842	2300594	01/18/23 AOAC 2013.06 (mod.) <sup>p</sup>	pass
Cadmium	< LOQ	0.200	mg/kg	0.0842	2300594	01/18/23 AOAC 2013.06 (mod.) <sup>b</sup>	pass
Lead	< LOQ	0.500	mg/kg	0.0842	2300594	01/18/23 AOAC 2013.06 (mod.) <sup>b</sup>	pass
Mercury	< LOQ	0.100	mg/kg	0.0421	2300594	01/18/23 AOAC 2013.06 (mod.) <sup>b</sup>	pass

www.columbialaboratories.com





 Report Number:
 23-000690/D022.R000

 Report Date:
 01/24/2023

 ORELAP#:
 OR100028

 Purchase Order:
 Received:

 01/17/23 14:16
 01/17/23 14:16

#### Abbreviations

Limits: Action Levels per OAR-333-007-0400, OAR-333-007-0210, OAR-333-007-0220, CCR title 16-division 42. BCC-section 5723

Limit(s) of Quantitation (LOQ): The minimum levels, concentrations, or quantities of a target variable (e.g., target analyte) that can be reported with a specified degree of confidence.

<sup>b</sup> = ISO/IEC 17025:2017 accredited method.

#### Units of Measure

μg/g = Microgram per gram mg/kg = Milligram per kilogram = parts per million (ppm) % = Percentage of sample % wt = μg/g divided by 10,000

Approved Signatory

Derrick Tanner General Manager

www.columbialaboratories.com

Page 4 of 16





Report Number:	23-000690/D022.R000
Report Date:	01/24/2023
ORELAP#:	OR100028
Purchase Order:	
Received:	01/17/23 14:16

6	Columbia
6	ADDRATORIES

#### P2320 Multi-Residue Pesticide Profile Cannabis

Analyte	LOQ (mg/kg)	
2,4-D	0.1	
Abamectin	0.1	
Acephate	0.2	
Acequinocyl	0.2	
Acetamiprid	0.1	
Acetochlor	0.2	
Acrinathrin	0.1	
Alachlor	0.1	
Aldicarb	0.1	
Aldoxycarb	0.1	
Aldrin	0.1	
Ametoctradin	0.1	
Ametryn	0.1	
Anilazine	0.1	
Aspon	0.1	
Asulam	0.1	
Atrazine	0.1	
Atrazine-desethyl	0.1	
Azinphos-ethyl	0.1	
Azinphos-methyl	0.1	
Azoxystrobin	0.1	
Benalaxyl	0.1	
Bendiocarb	0.1	
Benoxacor	0.1	
Bensulide	0.1	
Bentazon	0.1	
Bifenazate	0.1	
Bifenox	0.1	
Bifenthrin	0.1	
Binapacryl	0.1	
Boscalid	0.1	
Bromacil	0.1	
Bromophos-ethyl	0.1	
Bromopropylate	0.1	
Bromoxynil	0.1	
Bupirimate	0.1	
Buprofezin	0.1	
Butachlor	0.1	
Butylate	0.1	
Cadusafos	0.1	
Captan	0.2	
Carbaryl	0.1	
Carbendazim	0.1	
Carbofuran	0.1	
Carbofuran 3-hydroxy	0.1	
Carbophenothion	0.1	
Carbophenothion-methyl	0.1	
Carboxin	0.1	

Analyte	LOQ (mg/kg)
Chlorantraniliprol	0.1
Chlordane, cis-	0.1
Chlordane, trans-	0.1
Chlorfenapyr	0.1
Chlorfenvinphos	0.1
Chlorobenzilate	0.1
Chlorpyrifos-ethyl	0.1
Chlorpyrifos-methyl	0.1
Chlorthal-dimethyl (Dacthal)	0.1
Clethodim	0.1
Clethodim sulfone	0.1
Clethodim sulfoxide	0.1
Clofentezine	0.1
Clomazone	0.1
Clopyralid	0.1
Clothianidin	0.1
Coumaphos	0.1
Crotoxyphos	0.1
Cyanofenphos	0.1
Cyanophos	0.1
Cyantraniliprole	0.1
Cyazofamid	0.1
Cyfluthrin	0.1
Cyhalothrin, lambda	0.1
Cymoxanil	0.1
Cypermethrin	0.1
Cyprodinil	0.1
DDD, o,p'-	0.1
DDD, p,p'-	0.1
DDE, o,p'-	0.1
DDE, p,p'-	0.1
DDT, o,p'-	0.1
DDT, p,p'-	0.1
DEET	0.1
Deltamethrin	0.1
Demeton-S	0.1
Demeton-s-methyl	0.1
Demeton-S-methyl-sulfone	0.1
Desmedipham	0.1
Diazinon	0.1
Dicamba	0.1
Dichlofenthion	0.1
Dichlofluanid	0.1
Dichlorbenzamid	0.1
Dichlorvos	0.1
Diclofop	0.1
Diclofop-methyl	0.1
Dicrotophos	0.1

Page 1 of 3

Dieldrin	ng/kg)           0.1
Difenoconazol Diflubenzuron Diflubenzuron Diflufenzopyr Dimethenamid Dimethoat Dimethomorph Dinotefuran Diotefuran Diphenamid Diphenamid Diphenylamine (DPA) Disulfoton Disulfoton-sulfone Disulfoton-Sulfoxide Diuron	0.1 0.1 0.1 0.1 0.1 0.1 0.1 0.1 0.1 0.1
Diflubenzuron Diflubenzuron Diflubenzuron Diflufenzopyr Dimethenamid Dimethoat Dimethomorph Dinoseb Dinotefuran Dioxathion Diphenamid Diphenylamine (DPA) Disulfoton Disulfoton-sulfone Disulfoton-Sulfoxide Diuron difference Disulfoton Sulfoxed Diuron difference Disulfoxed Diuron difference Disulfoxed Diverses Disulfoxed Diverses Disulfoxed Diverses Diverses Disulfoxed Diverses Di	0.1 0.1 0.1 0.1 0.1 0.1 0.1 0.1 0.1 0.1
Diflufenzopyr Dimethenamid Dimethoat Dimethomorph Dinoseb Dinotefuran Dioxathion Diphenamid Diphenylamine (DPA) Disulfoton Disulfoton-sulfone Disulfoton-Sulfoxide Diuron	0.1 0.1 0.1 0.1 0.1 0.1 0.1 0.1 0.1 0.1
Dimethenamid Dimethonat Dimethomorph Dinoseb Dinotefuran Dioxathion Diphenamid Diphenylamine (DPA) Disulfoton Disulfoton-sulfone Disulfoton-Sulfoxide Diuron	0.1 0.1 0.1 0.1 0.1 0.1 0.1 0.1 0.1
Dimethenamid Dimethonat Dimethomorph Dinoseb Dinotefuran Dioxathion Diphenamid Diphenylamine (DPA) Disulfoton Disulfoton-sulfone Disulfoton-Sulfoxide Diuron	0.1 0.1 0.1 0.1 0.1 0.1 0.1 0.1
Dimethomorph Dinoseb Dinotefuran Dioxathion Diphenamid Diphenamid Diphenylamine (DPA) Disulfoton Disulfoton-sulfone Disulfoton-Sulfoxide Diuron Disulfoxide Divon Divon Disulfoxide Divon Disulfoxide Divon Divon Disulfoxide Divon Divon Disulfoxide Divon	0.1 0.1 0.1 0.1 0.1 0.1 0.1 0.1
Dinoseb Dinotefuran Dioxathion Diphenamid Diphenylamine (DPA) Disulfoton Disulfoton-sulfone Disulfoton-Sulfoxide Diuron	0.1 0.1 0.1 0.1 0.1 0.1 0.1
Dinotefuran Dioxathion Diphenamid Diphenylamine (DPA) Disulfoton Disulfoton-sulfone Disulfoton-Sulfoxide Diuron	0.1 0.1 0.1 0.1 0.1 0.1
Dioxathion Diphenamid Diphenamid Diphenylamine (DPA) Disulfoton Disulfoton-sulfone Disulfoton-Sulfoxide Diuron Disulfoxide Divon Disulfoxide Divon Disulfoxide Divon Disulfoxide Divon Disulfoxide Divon Div	0.1 0.1 0.1 0.1 0.1
Diphenamid Diphenylamine (DPA) Disulfoton Disulfoton-sulfone Disulfoton-sulfoxide Diuron	0.1 0.1 0.1 0.1
Diphenamid Diphenylamine (DPA) Disulfoton Disulfoton-sulfone Disulfoton-sulfoxide Diuron	0.1 0.1 0.1 0.1
Disulfoton Disulfoton-sulfone Disulfoton-Sulfoxide Diuron Disulfoxide Diuron	0.1 0.1
Disulfoton Disulfoton-sulfone Disulfoton-Sulfoxide Diuron Disulfoxide Diuron	0.1 0.1
Disulfoton-Sulfoxide Diuron	
Disulfoton-Sulfoxide Diuron	
Diuron	
DNOC	0.1
	0.1
Edifenphos	0.1
Endosulfan (alpha isomer)	0.1
Endosulfan (beta isomer)	0.1
Endosulfan-sulfate	0.1
Endrin	0.1
EPN	0.1
EPTC	0.1
Esfenvalerate/Fenvalerate	0.1
Ethiofencarb	0.1
Ethion	0.1
Ethofumesate	0.1
Ethoprophos	0.1
Etofenprox	0.1
Etoxazole	0.1
Etrimfos	0.1
Famoxadone	0.1
Famphur	0.1
Fenamiphos	0.1
Fenamiphos-Sulfone	0.1
Fenamiphos-Sulfoxide	0.1
Fenazaquin	0.1
Fenbuconazole	0.1
Fenhexamid	0.1
Fenobucarb	0.1
Fenoxycarb	0.1
Fenpropathrin	0.1
Fensulfothion	0.1
Fenthion	0.1
Fenuron	0.1

Updated: 09.12.2022

mg/kg= milligram per kilogram (ppm)

LOQ= Limit of Quantitation

Page 5 of 16
<u>www.columbialaboratories.com</u>
Page 5 of 16
Test results relate only to the parameters tested and to the samples as received by the laboratory. Test results meet all requirements of NELAP and the Columbia Laboratories quality assurance plan
unless otherwise noted. This report shall not be reproduced, except in full, without the written consent of this laboratory. Samples will be retained for a maximum of 30 days from the receipt date unless
prior arrangements have been made.
Tester except on the tester of the samples are been made.





Report Number:	23-000690/D022.R000
Report Date:	01/24/2023
ORELAP#:	OR100028
Purchase Order:	
Received:	01/17/23 14:16

6	Columbia
	LADORATORIES

#### P2320 Multi-Residue Pesticide Profile Cannabis

Analyte	LOQ (mg/kg)
Flonicamid	0.1
Fluazifop	0.1
Fluazinam	0.1
Flucythrinate	0.1
Fludioxonil	0.1
Flufenacet	0.1
Flumioxazin	0.1
Fluopicolide	0.1
Fluopyram	0.1
Fluoxastrobin	0.1
Flupyradifurone	0.1
Fluridone	0.1
Fluroxypyr	0.1
Fluthiacet-methyl	0.1
Flutolanil	0.1
Flutriafol	0.1
Fluvalinate	0.1
Fluxapyroxad	0.1
	0.1
Fomesafen	
Formetanate	0.1
Furathiocarb	0.1
Haloxyfop	0.1
Heptachlor	0.1
Heptachlor epoxide	0.1
Hexaconazole	0.1
Hexazinone	0.1
Hexythiazox	0.1
Hydropene	0.1
Imazalil	0.1
Imazethapyr	0.1
Imidacloprid	0.1
Indaziflam	0.1
Indoxacarb	0.1
Iprobenfos	0.1
Iprodion	0.1
Isobenzan	0.1
Isofenphos	0.1
Isofenphos-methyl	0.1
Isofenphos-oxon	0.1
Isoprocarb	0.1
Isoprothiolane	0.1
Isoproturon	0.1
Isoxaben	0.1
Kresoxim-methyl	0.1
Lindane	0.1
Linuron	0.1
Malaoxon	0.1
Malathion	0.1

Analyte	LOQ (mg/kg)								
Mandipropamid	0.1								
MCPA	0.1								
MCPB	0.1								
MCPP	0.1								
Mecabarm	0.1								
Mepanipyrim	0.1								
Mesotrione	0.1								
Metalaxyl	0.1								
Methamidophos	0.1								
Methiocarb	0.1								
Methiocarb sulfone	0.1								
Methiocarb sulfoxide	0.1								
Methomyl	0.1								
Methoxyfenozide	0.1								
Metolachlor	0.1								
Metolcarb	0.1								
Metrafenone	0.1								
Mevinphos	0.1								
MGK 264	0.1								
Molinat	0.1								
Monocrotophos	0.1								
Monolinuron	0.1								
Myclobutanil	0.1								
Naled	0.1								
Napropamide	0.1								
Neburon	0.1								
Norflurazon	0.1								
Novaluron	0.1								
Omethoat	0.1								
Oryzalin	0.1								
Oxadiazon	0.1								
Oxadixyl	0.1								
Oxamyl	0.1								
Oxamyl-oxime	0.1								
Oxychlordane	0.1								
Oxydemeton-Methyl	0.1								
Oxyfluorfen	0.1								
Paclobutrazol	0.1								
Paraoxon-ethyl	0.1								
Paraoxon-methyl	0.1								
Parathion-methyl	0.1								
Penconazole	0.1								
Pendimethalin	0.1								
Penflufen	0.1								
Penthiopyrad	0.1								
Permethrin	0.1								
Perthane Phenmedipham	0.1								

Page 2 of 3

Analyte	LOQ (mg/kg)					
Phenothrin	0.1					
Phenthoate	0.1					
Phorate	0.1					
Phorate-Sulfone	0.1					
Phorate-Sulfoxide	0.1					
Phosalone	0.1					
Phosmet	0.1					
Phosphamidon	0.1					
Phoxim	0.1					
Pinoxaden	0.1					
Piperonyl Butoxide	0.1					
Pirimicarb	0.1					
Pirimiphos-ethyl	0.1					
Pirimiphos-methyl	0.1					
Prallethrin	0.1					
Prochloraz	0.1					
Procymidone	0.1					
Profenofos	0.1					
Promecarb	0.1					
Prometon	0.1					
Prometryn	0.1					
Propachlor	0.1					
Propamocarb	0.1					
Propanil	0.1					
Propazine	0.1					
Propetamophos	0.1					
Propham	0.1					
Propiconazole	0.1					
Propoxur	0.1					
Propyzamide	0.1					
Prothiofos	0.1					
Pyraclostrobin	0.1					
Pyraflufen Ethyl	0.1					
Pyrazophos	0.1					
Pyrethrin	0.1					
Pyridaben	0.1					
Pyrimethanil	0.1					
Pyriproxifen	0.1					
Pyroxasulfone	0.1					
Pyroxsulam	0.1					
Quinalphos	0.1					
Quinclorac	0.1					
Quinoxyfen	0.1					
Quintozene(PCNB)	0.2					
Quizalofop	0.1					
Resmethrin	0.1					
Rotenone	0.1					

Updated: 09.12.2022

LOQ= Limit of Quantitation mg/kg= milligram per kilogram (ppm)

Page 6 of 16
<u>www.columbialaboratories.com</u>
Page 6 of 16
Test results relate only to the parameters tested and to the samples as received by the laboratory. Test results meet all requirements of NELAP and the Columbia Laboratories quality assurance plan
unless otherwise noted. This report shall not be reproduced, except in full, without the written consent of this laboratory. Samples will be retained for a maximum of 30 days from the receipt date unless
prior arrangements have been made.
Tester except on the tester of the samples are consented of this laboratory.





Report Number:	23-000690/D022.R000
Report Date:	01/24/2023
ORELAP#:	OR100028
Purchase Order:	
Received:	01/17/23 14:16

6	Columbia
1	🚯 A Yostami is tawaawy

P2320 Multi-Residue Pesticide Profile Cannabis

Analyte	LOQ (mg/kg)
Sebuthylazin	0.1
Sethoxydim	0.1
Simazine	0.1
Simetryn	0.1
Spinetoram J/L	0.1
Spinosyn A/D	0.1
Spirodiclofen	0.1
Spiromesifen	0.1
Spirotetramat	0.1
Spiroxamine	0.1
Sulfentrazone	0.1
Sulfotep	0.1
Sulfoxaflor	0.1
Sulprofos	0.1
Tebuconazole	0.1
Tebufenozide	0.1
Terbufos	0.1
Terbuthylazine	0.1
Terbutryn	0.1
Tetrachlorvinphos	0.1
Tetraconazole	0.1
Tetramethrin	0.1
Thiabendazol	0.1
Thiabendazol-5-hydroxy	0.1
Thiacloprid	0.1
Thiamethoxam	0.1
Thiobencarb	0.1
Thiodicarb	0.1
Thiometon	0.1
Thiophanate-methyl	0.2
Tolfenpyrad	0.1
Tolylfluanid	0.1
Triadimefon	0.1
Triadimenol	0.1
Triazophos	0.1
Trifloxystrobin	0.1
Triflumizole	0.1
Triticonazole	0.1
Zoxamid	0.1

LOQ= Limit of Quantitation mg/kg= milligram per kilogram (ppm)

Updated: 09.12.2022

 www.columbialaboratories.com
 Page 7 of 16

 Test results relate only to the parameters tested and to the samples as received by the laboratory. Test results meet all requirements of NELAP and the Columbia Laboratories quality assurance plan unless otherwise noted. This report shall not be reproduced, except in full, without the written consent of this laboratory. Samples will be retained for a maximum of 30 days from the receipt date unless prior arrangements have been made.

 Testing in accordance with: OAR 333-007-0400 OAR 333-007-0410
 OAR 333-007-0430





Report Number:	23-000690/D022.R000
Report Date:	01/24/2023
ORELAP#:	OR100028
Purchase Order:	
Received:	01/17/23 14:16

olumbia ABORATORIES s A Hermonia Company

### Hemp / Cannabis Usable / Extract / Finished Products

Chain of Custody Record

Revision: 4.00 Controlit: OF025 Rev 00/24/2021 Eff: 03/04/2021 ORELAPID: OR10023

000000000000000000000000000000000000000						. 1	stalys	is Req	Lette	d					O Mambers	
Company: The Hemp Collect Contact: Kyle@thehempor Street: 431 NW Handers S Cky. Portland Isole: © Enail Results: dropbox (IH Ph: (b1) bUB1b4 □ Feilleath Billing (If different): [Dell@thehe	01600.00 t <u>UF</u> Bp 10) = (1	97209	- OR 59 comparada	sticide Multi-Nesidue - 375 compounds		ddiupt Solverds	obstann & Walden Activity		ficro: Yosof and MeM	crec 6.00% and Total Dolifums	sals	E		Projec Pro Custom I Report 1	a Number sect Nerre: teporting: o State - [] Ati o Stat	TRC or  Other: Discher: Doy Standord Tumansand Business Day Rish Tumansand* Business Day Rish Tumansand* Check for molificibility
Lab D Cient Sample Identification	Care	Time	Perticides	1.2	Vatericy	- A-	Moleture	Tupperet	Microc Yo	Micros C.	Heavy Netals	Mysulasing	Dther	Sample Type 1	Weight (Units)	Comments/Weins 10
1 01LIR209_LB				x	x	X					x			0		
2 01LIR209_KC				x	x	x				-	х			C	1 <u>.</u>	
3 01LIR209_FV				x	x	X					×			С		
4 01LIR209_WW				ж	x	x					×			C		
5 01LIR209_98				х.	х	x		-			х			C		
8 01LIR209_BO	-	-		x	x	x					x	-		C		
7 01LIR209_LT	-	-	$\vdash$	x	x	x	-		-	-	x		-	C	1	
8 01LIR209_RC	-	-	$\vdash$	x	x	x	-	-	-	-	x	-	-	Ċ		
9 01LIR209_PJ		-	+	x	x	x	-	-	-	-	x	-	-	C		
10 01LIR209_CJ	-	-		x	x	x			-		x			C		
Relegation by:	Date	Tirse		12	20	herest	By:	-		p	100	TP	na.			Lab Une Only:
Kyle Farook	1/17	11:00 4		2	$\supset$	12	-			1-17	2.13	11	0			w D Clerr drup w   D Ro - Temp (PC): 2 + 3
132	1.17	1337	>		128	35				\$07	123	191	6	Samule in good condition: [] Wes [ ] Na [] Cash   [] Check   [] CC   [] Net:		

+ - Sample Type Codes: Vegetation (V) ; isolates (S) ; Estimati/Concentrate (C); Techare/Topical (T); Edible (E); Beverage (B)

whe was a sum down with the corrections of service associated with the COC. By April ("Adiopothed by" you are opticing to down service orgity interactive Calantics Automatics with timing requirements carations saving A: (NOR) 254-2794 7 Hox: (NOR) 252-3452

12422 W Whiteler Way Authority OM 87280

infollication bit laboratorias 2017

Page of .....

www.columbialaboratories.com

Page 8 of 16





Report Number:	23-000690/D022.R000
Report Date:	01/24/2023
ORELAP#:	OR100028
Purchase Order:	
Received:	01/17/23 14:16

olumbia ROPATORIES A Torologies Children of

#### Hemp / Cannabis Usable / Extract / Finished Products Chain of Custody Record

Revision: 4.00 Control#: CF023 Rev 02/24/2021 Eff: 05/04/2021

CRELAPID: OR100028

-		1.00					A	inalysi	is Reg	ueste	đ					0 Number:	
2 0 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	The Hemp Collect Contact: Kyleis/thehempox 431 NW Flanders s we Portland Sealer Bernall Results: dropbox (IH c {61 } 505154 ] Fx Result ing (f different)_joel/is/thehe	t. <u>OF</u> zer HC)	97209	elsefen – OI 59 comparede	#ore Mail: Residue - 379 compounds		adust Solverta	Noissure & Water Activity		Acros Yearst and Mode	Auro: E.Coli and Total Gelfbern	ash.			Projec Pro Cuttorn P Report to	T Noreber: lect Name: sporting: state - [] M nd time: 102 S [] 3 [] 3 [] 7	
tab ID		Dete	Tirret	Periode	Preside	Potency	Feetbark	Moisture	Terperne	Micros VI	Moru: E.	Meany Matah	Mycotophie	Officer	Semple Type #	Weight (LAVIS)	Comments/Wetro (D
	01LIR209_Shaolin			-	-	121	x		_	_	_	×	_		c		
			-		x	x	-		_		_		-		c		-
	01LIR209_Japhy				×	×	×					x			735		
	01LIR209_PP				x	x	x					х			C		
5	01LIR209_MT				×	x	×					×			C		
6	01LIR209_PK		S		x	x	x					x			C	1000	
7	01LIR209_SP				x	x	x					x			C		1
8	01LIR209_Sour G				x	x	x					x			C		
9	01LIR209_FG			T	×	x	x		-		-	x			C		
10	01LIR209_RGSP	-			x	x	x				-	x			C		
nelequalized by: Date Time		Time		2	- 8	and the second	Ry:	-		D	atar .	Te	TRAL .	-		Lab Use Only:	
Ку	le Farcok	1/17	11:00 /		1	3	2				1+1	7.15	11	n,			tes   D No - Temp (*C) _ Z o. +
_	120-	107	1335		12	32	6				011	1/13	IH)	4	Sample in good constition: () Yini () No		

+ - Sample Type Codec: Vagetation (V) ; holatin (5) ; totract/Concentrate (C); Tincture/Topical (1); Edible (C); Beverage (8)

ender services to econdater with the current toward service associated with this COC. To signing: "Admonstracity" year or synologic data: termiamples a devoted to Columbus Laboratories with a range reparationers constrate on open 13423 Mi Whiteler Wee P. (503) 254-1784 | Jac. (503) 254-1452

Portland, Dilla/2288

info@eoluenikistakuralus les.com

www.columbialaboratories.com

Page 9 of 16





Report Number:	23-000690/D022.R000
Report Date:	01/24/2023
ORELAP#:	OR100028
Purchase Order:	
Received:	01/17/23 14:16

olumbia BORATORIES A Texasian Company

## Hemp / Cannabis Usable / Extract / Finished Products

**Chain of Custody Record** 

Revision: 4.00 Control®: CF025 Rev 02/24/2021 Eff: 03/04/2021 OFFELAPID: ORD0028

1121028060-0114628	200					. 1	<b>L</b> eadys	is flee	ue the	d	111			P	0 Number:	
Congasy: Contact: Hyleterthehempcollect.com Street: 431 NW Flanders st. Gry: Portland State: OF Jap: 97209 Ø Enail Results: dropbox (IHC) Phs ( <u>61)</u> 605164 □ Fs Results: () Illing (# different): joel 69thehempcollect.com		0+ <sub>Ap</sub> 97209 0)		Nuth-Residue - 379 compounds		oldual Solveres	Stare & Water Activity		Bertic Veest and Mold	ons E.Def and Tetal Colifors	atala.	50		Fra Costen F Report to	Neporting: - State - [] WET - of time: 10 1 0 - 1 0 - 2 0 - 10 - 1	IRC or [] Other Latiness Day Standard Turnaround Latiness Day Rush Turnaround* Assistan Day Rush Tamaround* Next Air ovailability
Lab ID Gient Sample Identification 1 01LIR209_TK	Oute	Time	Particides	K Perticide I	× Potency	Festival	Moldure	largenter	Micros Vi	MICHOL C.	M Hawky Mercula	Mycotasies	Uther	Semple Type It	weght (Units)	Comments/Webre (D
2 01LIR209_STs	-	-	H	x	×	1×	-	-	-	-	X	-	-	C		
3 01LIR209 CS	-	-		x	x	x	-	-	-	-	X	-	-	č		
4 01LIR209 PB	-	-		x	×	x	-	-	-	-	X	-	-	c		
5																
8		-			-	-	-									
10	-			$\square$		1										
Helinquished lity:	Dele	Time		1	20	AND NO.	By	-		0	906	T	me.			Leb the Unly:
Kyle Farook	1/17	11:00 /	-	2		5-	-			-	-13	11	_	tvidence	of cooling: D Ve	ar [] Client drop () [] No - Temp (*C);2 / j
122	1.17	1336			25	5	_	-	-	01	1/15	141	6	C Celt [		: () Net)

1 - Samule Type Codes: Vegetation (V) ; instates (S) ; Extract/Concentrate (C) ; Tincharu/Topical (T) ; Edible (E) ; Deverage (S)

war courter in the Raphi admittate Columbia Inde is soft assessing require we for active to accordance with the current table of consist excellent with the COC. By upping "Acheptoher by" or ory spreke is fictrary P. (300) 254-1264 ( Fox (300) 254-1452

12425 Att Hiteliter Way Personal, OK 622281

Info@columbid.com/ks.com

Ner\_of\_

www.columbialaboratories.com

Page 10 of 16





Report Number:	23-000690/D022.R000
Report Date:	01/24/2023
ORELAP#:	OR100028
Purchase Order:	
Received:	01/17/23 14:16

Revision: 1 Document ID: 7148 Legacy ID: Worksheet Validated 04/20/2021

J AOAC 2015 V98					В	atch ID:	23005	99		
Laboratory Contr	ol Sample									
Analyte	LCS	Result	Spike	Units	% Rec		Limits		Evaluation	Notes
CBDVA	2	0.104	0.100	%	104	80.0	-	120	Acceptable	
CBDV	2	0.110	0.106	%	104	80.0	-	120	Acceptable	
CBE	2	0.108	0.105	%	103	80.0	-	120	Acceptable	
CBDA	1	0.0963	0.096	%	100	90.0	-	110	Acceptable	
CBGA	1	0.0966	0.096	%	100	80.0	-	120	Acceptable	
CBG	1	0.100	0.099	%	102	80.0	-	120	Acceptable	
CBD	1	0.0970	0.097	%	99.7	90.0	-	110	Acceptable	
THCV	2	0.108	0.106	%	102	80.0	-	120	Acceptable	
18THCV	2	0.109	0.103	%	106	80.0	-	120	Acceptable	
THCVA	2	0.103	0.099	%	104	80.0	-	120	Acceptable	
CBN	1	0.103	0.102	%	101	80.0	-	120	Acceptable	
exo-THC	2	0.101	0.097	%	104	80.0	-	120	Acceptable	
19THC	1	0.112	0.105	%	107	90.0	-	110	Acceptable	
d8THC	1	0.0963	0.100	%	95.8	90.0	-	110	Acceptable	
CBL	2	0.109	0.104	%	105	80.0	-	120	Acceptable	
10THC	1	0.0474	0.047	%	100	80.0	-	120	Acceptable	
CBC	2	0.107	0.104	%	103	80.0	-	120	Acceptable	
ГНСА	1	0.0946	0.095	%	99.6	90.0	-	110	Acceptable	
CBCA	2	0.105	0.103	%	102	80.0	-	120	Acceptable	
CBLA	2	0.109	0.105	%	104	80.0	-	120	Acceptable	
CBT	2	0.110	0.105	%	104	80.0	-	120	Acceptable	
Method Blank										
Analyte		esult	LOQ		Units		Limits		Evaluation	Notes
CBDVA		LOQ	0.077		%		0.077		Acceptable	
CBDV		LOQ	0.077		%		0.077		Acceptable	
CBE		LOQ	0.077		%		0.077		Acceptable	
CBDA		LOQ	0.077		%		0.077		Acceptable	
CBGA		LOQ	0.077		%		0.077		Acceptable	
CBG		LOQ	0.077		%		0.077		Acceptable	
CBD		LOQ	0.077		%		0.077		Acceptable	
THCV		loq	0.077		%		0.077		Acceptable	
d8THCV		LOQ	0.077		%		0.077		Acceptable	
THCVA		LOQ	0.077		%		0.077		Acceptable	
CBN		LOQ	0.077		%		0.077		Acceptable	
exo-THC		loq	0.077		%		0.077		Acceptable	
d9THC		LOQ	0.077		%		0.077		Acceptable	
18THC		LOQ	0.077		%		0.077		Acceptable	
CBL		LOQ	0.077		%		0.077		Acceptable	
10THC		LOQ	0.077		%		0.077		Acceptable	
CBC		LOQ	0.077		%		0.077		Acceptable	
ГНСА		LOQ	0.077		%		0.077		Acceptable	
CBCA		LOQ	0.077		%		0.077		Acceptable	
							0.077		Acceptable	
CBLA CBT		LOQ LOQ	0.077		%		0.077		Acceptable	

s ND - None Detected at or above MRL RPD - Relative Percent Difference LOQ - Limit of Quantitation

Units of Measure: % - Percent





Report Number:	23-000690/D022.R000
Report Date:	01/24/2023
ORELAP#:	OR100028
Purchase Order:	
Received:	01/17/23 14:16

Revision: 1 Document ID: 7148 Legacy ID: Worksheet Validated 04/20/2021

			La	boratory	Quality Cont	rol Results					
J AOAC 2015 V98-6					Bat	ch ID: 2300599					
Sample Duplicate		Sample ID: 23-000690-0001									
Analyte	Result	Org. Result	LOQ	Units	RPD	Limits	Evaluation	Notes			
CBDVA	0.234	0.234	0.077	%	0.0872	< 20	Acceptable				
CBDV	<loq< td=""><td><loq< td=""><td>0.077</td><td>%</td><td>NA</td><td>&lt; 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.077</td><td>%</td><td>NA</td><td>&lt; 20</td><td>Acceptable</td><td></td></loq<>	0.077	%	NA	< 20	Acceptable				
CBE	<loq< td=""><td><loq< td=""><td>0.077</td><td>%</td><td>NA</td><td>&lt; 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.077</td><td>%</td><td>NA</td><td>&lt; 20</td><td>Acceptable</td><td></td></loq<>	0.077	%	NA	< 20	Acceptable				
CBDA	54.6	54.7	0.077	%	0.322	< 20	Acceptable				
CBGA	1.61	1.61	0.077	%	0.0614	< 20	Acceptable				
CBG	0.100	0.102	0.077	%	1.57	< 20	Acceptable				
CBD	0.888	0.922	0.077	%	3.66	< 20	Acceptable				
THCV	<loq< td=""><td><loq< td=""><td>0.077</td><td>%</td><td>NA</td><td>&lt; 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.077</td><td>%</td><td>NA</td><td>&lt; 20</td><td>Acceptable</td><td></td></loq<>	0.077	%	NA	< 20	Acceptable				
d8THCV	<loq< td=""><td><loq< td=""><td>0.077</td><td>%</td><td>NA</td><td>&lt; 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.077</td><td>%</td><td>NA</td><td>&lt; 20</td><td>Acceptable</td><td></td></loq<>	0.077	%	NA	< 20	Acceptable				
THCVA	<loq< td=""><td><loq< td=""><td>0.077</td><td>%</td><td>NA</td><td>&lt; 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.077</td><td>%</td><td>NA</td><td>&lt; 20</td><td>Acceptable</td><td></td></loq<>	0.077	%	NA	< 20	Acceptable				
CBN	<loq< td=""><td><loq< td=""><td>0.077</td><td>%</td><td>NA</td><td>&lt; 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.077</td><td>%</td><td>NA</td><td>&lt; 20</td><td>Acceptable</td><td></td></loq<>	0.077	%	NA	< 20	Acceptable				
exo-THC	<loq< td=""><td><loq< td=""><td>0.077</td><td>%</td><td>NA</td><td>&lt; 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.077</td><td>%</td><td>NA</td><td>&lt; 20</td><td>Acceptable</td><td></td></loq<>	0.077	%	NA	< 20	Acceptable				
d9THC	0.263	0.260	0.077	%	1.28	< 20	Acceptable				
d8THC	<loq< td=""><td><loq< td=""><td>0.077</td><td>%</td><td>NA</td><td>&lt; 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.077</td><td>%</td><td>NA</td><td>&lt; 20</td><td>Acceptable</td><td></td></loq<>	0.077	%	NA	< 20	Acceptable				
CBL	<loq< td=""><td><loq< td=""><td>0.077</td><td>%</td><td>NA</td><td>&lt; 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.077</td><td>%</td><td>NA</td><td>&lt; 20</td><td>Acceptable</td><td></td></loq<>	0.077	%	NA	< 20	Acceptable				
d10THC	<loq< td=""><td><loq< td=""><td>0.077</td><td>%</td><td>NA</td><td>&lt; 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.077</td><td>%</td><td>NA</td><td>&lt; 20</td><td>Acceptable</td><td></td></loq<>	0.077	%	NA	< 20	Acceptable				
CBC	<loq< td=""><td><loq< td=""><td>0.077</td><td>%</td><td>NA</td><td>&lt; 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.077</td><td>%</td><td>NA</td><td>&lt; 20</td><td>Acceptable</td><td></td></loq<>	0.077	%	NA	< 20	Acceptable				
THCA	3.97	3.97	0.077	%	0.128	< 20	Acceptable				
CBCA	2.66	2.63	0.077	%	1.28	< 20	Acceptable				
CBLA	<loq< td=""><td><loq< td=""><td>0.077</td><td>%</td><td>NA</td><td>&lt; 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.077</td><td>%</td><td>NA</td><td>&lt; 20</td><td>Acceptable</td><td></td></loq<>	0.077	%	NA	< 20	Acceptable				
CBT	<loq< td=""><td><loq< td=""><td>0.077</td><td>%</td><td>NA</td><td>&lt; 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.077</td><td>%</td><td>NA</td><td>&lt; 20</td><td>Acceptable</td><td></td></loq<>	0.077	%	NA	< 20	Acceptable				

ND - None Detected at or above MRL RPD - Relative Percent Difference

LOQ - Limit of Quantitation

Units of Measure:

Page 12 of 16
<u>www.columbialaboratories.com</u> Page 12 of 16
Test results relate only to the parameters tested and to the samples as received by the laboratory. Test results meet all requirements of NELAP and the Columbia Laboratories quality assurance plan
unless otherwise noted. This report shall not be reproduced, except in full, without the written consent of this laboratory. Samples will be retained for a maximum of 30 days from the receipt date unless
prior arrangements have been made.
Tester exception with 0.1 the exception of the samples are received by the laboratory.





Report Number:	23-000690/D022.R000
Report Date:	01/24/2023
ORELAP#:	OR100028
Purchase Order:	
Received:	01/17/23 14:16

Revision: 2 Document ID: 7087 Legacy ID: CFL-E33Effective:

	La	borator	/ Quali	ty Contro	ol Results			Loguoy IL		SSERECTIVE.
Residual Solvents						Bat	tch ID:	2300691		
Method Blank					Laborator	y Control S	ample			
Analyte	Result		LOQ	Notes	Result	Spike	Units	% Rec	Limits	Notes
Propane	ND	<	200		547	572	µg/g	95.6 6	0 - 120	
Isobutane	ND	<	200		701	731	µg/g	95.9 6	0 - 120	
Butane	ND	<	200		678	731	µg/g	92.7 6	0 - 120	
2,2-Dimethylpropane	ND	<	200		893	936	µg/g		0 - 120	
Methanol	ND	<	200		1580	1620	μg/g	97.5 6	0 - 120	
Ethylene Oxide	ND	<	30		55	56.2	µg/g	97.9 6	0 - 120	
2-Methylbutane	ND	<	200		1520	1610	µg/g	94.4 6	0 - 120	
Pentane	ND	<	200		1520	1600	µg/g		0 - 120	
Ethanol	ND	<	200		1610	1610	µg/g		0 - 130	
Ethyl Ether	ND	<	200		1560	1630	μg/g	95.7 6	0 - 120	
2,2-Dimethylbutane	ND	<	30		164	171	μg/g	95.9 6	0 - 120	
Acetone	ND	<	200		1560	1630	µg/g	95.7 6	0 - 120	
2-Propanol	ND	<	200		1670	1620	µg/g	103.1 6	0 - 120	
Acetonitrile	ND	<	100		475	498	µg/g	95.4 6	0 - 120	
2,3-Dimethylbutane	ND	<	30		160	171	µg/g	93.6 6	0 - 120	
Dichloromethane	ND	<	60		476	483	µg/g	98.6 6	0 - 120	
2-Methylpentane	ND	<	30		161	168	µg/g	95.8 6	0 - 120	
3-Methylpentane	ND	<	30		146	167	µg/g	87.4 6	0 - 120	
Hexane	ND	<	30		208	182	µg/g	114.3 6	0 - 120	
Ethyl acetate	ND	<	200		1570	1610	µg/g	97.5 6	0 - 120	
2-Butanol	ND	<	200		1660	1600	µg/g	103.8 6	0 - 120	
Tetrahydrofuran	ND	<	100		474	483	µg/g	98.1 6	0 - 120	
Cyclohexane	ND	<	200		1540	1610	µg/g	95.7 6	0 - 120	
Benzene	ND	<	1		5.3	5.02	µg/g	105.6 6	0 - 120	
Isopropyl Acetate	ND	<	200		1670	1620	µg/g	103.1 6	0 - 120	
Heptane	ND	<	200		1500	1610	µg/g	93.2 6	0 - 120	
1,4-Dioxane	ND	<	100		475	491	µg/g	96.7 6	0 - 120	
2-Ethoxyethanol	ND	<	30		316	181	µg/g	174.6 6	0 - 120	Q1
Ethylene Glycol	ND	<	200		698	484	µg/g	144.2 6	0 - 120	Q1
Toluene	ND	<	100		465	485	µg/g	95.9 6	0 - 120	
Ethylbenzene	ND	<	200		911	969	µg/g	94.0 6	0 - 120	
m,p-Xylene	ND	<	200		915	994	μg/g	92.1 6	0 - 120	1
p-Xylene	ND	<	200		901	967	µg/g	93.2 6	0 - 120	1
Cumene	ND	<	30		161	171	µg/g	94.2 6	0 - 120	

 www.columbialaboratories.com
 Page 13 of 16

 Test results relate only to the parameters tested and to the samples as received by the laboratory. Test results meet all requirements of NELAP and the Columbia Laboratories quality assurance plan unless otherwise noted. This report shall not be reproduced, except in full, without the written consent of this laboratory. Samples will be retained for a maximum of 30 days from the receipt date unless prior arrangements have been made.

 Testing in accordance with: OAR 333-007-0400 OAR 333-007-0410
 OAR 333-007-0430





Revision: 2 Document ID: 7087

Report Number:	23-000690/D022.R000
Report Date:	01/24/2023
ORELAP#:	OR100028
Purchase Order:	
Received:	01/17/23 14:16

							Legacy ID	: CFL-E33Effective:
QC - Sample Duplicate						Sample ID:	: 23-000690-0005	
Analyte	Result	Org. Result	LOQ	Units	RPD	Limits	Accept/Fail	Notes
Propane	ND	ND	200	µg/g	0.0	< 20	Acceptable	
Isobutane	ND	ND	200	µg/g	0.0	< 20	Acceptable	
Butane	1250	1160	200	µg/g	7.5	< 20	Acceptable	
2,2-Dimethylpropane	ND	ND	200	µg/g	0.0	< 20	Acceptable	
Methanol	ND	ND	200	µg/g	0.0	< 20	Acceptable	
Ethylene Oxide	ND	ND	30	µg/g	0.0	< 20	Acceptable	
2-Methylbutane	ND	ND	200	µg/g	0.0	< 20	Acceptable	
Pentane	ND	ND	200	µg/g	0.0	< 20	Acceptable	
Ethanol	ND	ND	200	µg/g	0.0	< 20	Acceptable	
Ethyl Ether	ND	ND	200	µg/g	0.0	< 20	Acceptable	
2,2-Dimethylbutane	ND	ND	30	µg/g	0.0	< 20	Acceptable	
Acetone	ND	ND	200	µg/g	0.0	< 20	Acceptable	
2-Propanol	ND	ND	200	µg/g	0.0	< 20	Acceptable	
Acetonitrile	ND	ND	100	µg/g	0.0	< 20	Acceptable	
2,3-Dimethylbutane	ND	ND	30	µg/g	0.0	< 20	Acceptable	
Dichloromethane	ND	ND	60	µg/g	0.0	< 20	Acceptable	
2-Methylpentane	ND	ND	30	µg/g	0.0	< 20	Acceptable	
3-Methylpentane	ND	ND	30	µg/g	0.0	< 20	Acceptable	
Hexane	ND	ND	30	µg/g	0.0	< 20	Acceptable	
Ethyl acetate	ND	ND	200	µg/g	0.0	< 20	Acceptable	
2-Butanol	ND	ND	200	µg/g	0.0	< 20	Acceptable	
Tetrahydrofuran	ND	ND	100	µg/g	0.0	< 20	Acceptable	
Cyclohexane	ND	ND	200	µg/g	0.0	< 20	Acceptable	
Benzene	ND	ND	1	µg/g	0.0	< 20	Acceptable	
Isopropyl Acetate	ND	ND	200	µg/g	0.0	< 20	Acceptable	
Heptane	ND	ND	200	µg/g	0.0	< 20	Acceptable	
1,4-Dioxane	ND	ND	100	μg/g	0.0	< 20	Acceptable	
2-Ethoxyethanol	ND	ND	30	µg/g	0.0	< 20	Acceptable	
Ethylene Glycol	ND	ND	200	µg/g	0.0	< 20	Acceptable	
Toluene	ND	ND	100	µg/g	0.0	< 20	Acceptable	
Ethylbenzene	ND	ND	200	µg/g	0.0	< 20	Acceptable	
m,p-Xylene	ND	ND	200	µg/g	0.0	< 20	Acceptable	
o-Xylene	ND	ND	200	µg/g	0.0	< 20	Acceptable	
Cumene	ND	ND	30	µg/g	0.0	< 20	Acceptable	

Abbreviations

ND - None Detected at or above MRL RPD - Relative Percent Difference

Units of Measure:

µg/g- Microgram per gram or ppm

LOQ - Limit of Quantitation

Q1 - Quality control result biased high. Only non-detect samples reported.

Page 14 of 16
www.columbialaboratories.com
Test results relate only to the parameters tested and to the samples as received by the laboratory. Test results meet all requirements of NELAP and the Columbia Laboratories quality assurance plan
unless otherwise noted. This report shall not be reproduced, except in full, without the written consent of this laboratory. Samples will be retained for a maximum of 30 days from the receipt date unless
prior arrangements have been made.
Test results results are used to the samples are used to the samples are used to the samples will be retained for a maximum of 30 days from the receipt date unless
prior arrangements have been made.





Report Number:	23-000690/D022.R000
Report Date:	01/24/2023
ORELAP#:	OR100028
Purchase Order:	
Received:	01/17/23 14:16



 www.columbialaboratories.com
 Page 15 of 16

 Test results relate only to the parameters tested and to the samples as received by the laboratory. Test results meet all requirements of NELAP and the Columbia Laboratories quality assurance plan unless otherwise noted. This report shall not be reproduced, except in full, without the written consent of this laboratory. Samples will be retained for a maximum of 30 days from the receipt date unless prior arrangements have been made.

 Testing in accordance with: OAR 333-007-0400 OAR 333-007-0410
 OAR 333-007-0430





23-000690/D022.R000 **Report Number: Report Date:** 01/24/2023 **ORELAP#:** OR100028 **Purchase Order: Received:** 01/17/23 14:16

Explanation of QC Flag Comments:

Code	Explanation
Q	Matrix interferences affecting spike or surrogate recoveries.
Q1	Quality control result biased high. Only non-detect samples reported.
Q2	Quality control outside QC limits. Data considered estimate.
Q3	Sample concentration greater than four times the amount spiked.
Q4	Non-homogenous sample matrix, affecting RPD result and/or % recoveries.
Q5	Spike results above calibration curve.
Q6	Quality control outside QC limits. Data acceptable based on remaining QC.
R	Relative percent difference (RPD) outside control limit.
R1	RPD non-calculable, as sample or duplicate results are less than five times the LOQ.
R2	Sample replicates RPD non-calculable, as only one replicate is within the analytical range.
LOQ1	Quantitation level raised due to low sample volume and/or dilution.
LOQ2	Quantitaion level raised due to matrix interference.
В	Analyte detected in method blank, but not in associated samples.
B1	The sample concentration is greater than 5 times the blank concentration.
B2	The sample concentration is less than 5 times the blank concentration.

 Image: New Columbial aboratories.com
 Page: 16 of 16

 Test results relate only to the parameters tested and to the samples as received by the laboratory. Test results meet all requirements of NELAP and the Columbia Laboratories quality assurance plan unless otherwise noted. This report shall not be reproduced, except in full, without the written consent of this laboratory. Samples will be retained for a maximum of 30 days from the receipt date unless prior arrangements have been made.

 Testing in accordance with: OAR 333-007-0400 OAR 333-007-0410
 OAR 333-007-0430