



Report Number:	22-001139/D009.R000
Report Date:	02/08/2022
ORELAP#:	OR100028
Purchase Order:	
Received:	01/31/22 16:12

\_ \_ \_ \_

Customer:	IHC LLC
Product identity:	0103LIRSUG200_SG
Client/Metrc ID:	
Laboratory ID:	22-001139-0014

Summary

Analyte	Result (%)	Δ8-THC • CBG-A	、 <b> </b>	
∆8-THC <sup>†</sup>	35.9	CBD     THC-A	CBD-Total	39.3%
CBD	32.1	CBD-A	+	
CBD-A	8.21	CBE	THC-Total	<loq< td=""></loq<>
CBE <sup>†</sup>	3.97	CBG		
CBG <sup>†</sup>	0.779	<ul><li>CBC</li><li>CBT</li></ul>	(Reported in pe	rcent of total sample)
CBC	0.754	CBN		• •
CBT <sup>†</sup>	0.658	• CBC-A		
CBN	0.508	CBDV		
CBC-A <sup>†</sup>	0.464	<ul> <li>Δ8-THCV</li> </ul>		
CBDV <sup>†</sup>	0.240			
∆8-THCV	0.221			
CBG-A <sup>†</sup>	0.217			
THC-A	0.167			

Page 1 of 9
Test results relate only to the parameters tested and to the samples as received by the laboratory. Test results meet all requirements of NELAP and the Columbia Laboratories quality assurance plan
unless otherwise noted. This report shall not be reproduced, except in full, without the written consent of this laboratory. Samples will be retained for a maximum of 30 days from the receipt date unless
prior arrangements have been made.
Testing in accordance with: OAR 333-007-0430





Customer:	IHC LLC 825 NW 16th Ave Portland Oregon 97209 United States of America (USA)
Product identity:	0103LIRSUG200_SG
Client/Metrc ID:	
Sample Date:	
Laboratory ID:	22-001139-0014
Evidence of Cooling:	No
Temp:	20.3 °C
Relinquished by:	Client

**Report Number:** 22-001139/D009.R000 **Report Date:** 02/08/2022 **ORELAP#:** OR100028 **Purchase Order: Received:** 01/31/22 16:12



# THE HEMP COLLECT

# **Sample Results**

Potency	Method J AOA	C 2015 V98-6 (mod)	Units %	Batch: 2201060	Analyze: 2/4/22 4:39:00 AM
Analyte	As Dry	LOQ Notes			
	Received weig				Δ8-THC
CBC	0.754	0.0926			CBD CBG-A
CBC-A <sup>†</sup>	0.464	0.0926			CBD-A      THC-A     CBE
CBC-Total <sup>†</sup>	1.16	0.174			CBE     CBE
CBD	32.1	0.926			<ul> <li>CBC</li> </ul>
CBD-A	8.21	0.0926			СВТ
CBD-Total	39.3	1.01			• CBN
CBDV <sup>†</sup>	0.240	0.0926			• CBC-A
CBDV-A <sup>†</sup>	< LOQ	0.0926			CBDV
CBDV-Total <sup>†</sup>	0.240	0.173			
CBE <sup>†</sup>	3.97	0.0926			
CBG <sup>†</sup>	0.779	0.0926			
CBG-A <sup>†</sup>	0.217	0.0926			
CBG-Total	0.970	0.173			
CBL <sup>†</sup>	< LOQ	0.0926			
CBL-A <sup>†</sup>	< LOQ	0.0926			
CBL-Total <sup>†</sup>	< LOQ	0.174			
CBN	0.508	0.0926			
CBT <sup>†</sup>	0.658	0.0926			
$\Delta 8$ -THC <sup>†</sup>	35.9	0.926			
∆8-THCV	0.221	0.0926			
∆9-THC	< LOQ	0.0926			
THC-A	0.167	0.0926			
THC-Total	< LOQ	0.174			
THCV <sup>†</sup>	< LOQ	0.0926			
THCV-A <sup>†</sup>	< LOQ	0.0926			
THCV-Total <sup>†</sup>	< LOQ	0.173			
Total Cannabinoids <sup>†</sup>	84.2				

Page 2 of 9 <u>www.columbialaboratories.com</u> Test results relate only to the parameters tested and to the samples as received by the laboratory. Test results meet all requirements of NELAP and the Columbia Laboratories quality assurance plan unless otherwise noted. This report shall not be reproduced, except in full, without the written consent of this laboratory. Samples will be retained for a maximum of 30 days from the receipt date unless prior arrangements have been made. Tester except on the term of the samples are received by the laboratory.

Testing in accordance with: OAR 333-007-0430





**Report Number:** 22-001139/D009.R000 **Report Date:** 02/08/2022 **ORELAP#:** OR100028 Purchase Order: **Received:** 01/31/22 16:12

These test results are representative of the individual sample selected and submitted by the client.

## Abbreviations

Limits: Action Levels per OAR-333-007-0400, OAR-333-007-0210, OAR-333-007-0220, CCR title 16-division 42. BCC-section 5723

Limit(s) of Quantitation (LOQ): The minimum levels, concentrations, or quantities of a target variable (e.g., target analyte) that can be reported with a specified degree of confidence.

<sup>†</sup> = Analyte not NELAP accredited.

## Units of Measure

% = Percentage of sample % wt =  $\mu g/g$  divided by 10,000

Approved Signatory

**Derrick Tanner** General Manager

www.columbialaboratories.com

Page 3 of 9

Test results relate only to the parameters tested and to the samples as received by the laboratory. Test results meet all requirements of NELAP and the Columbia Laboratories quality assurance plan unless otherwise noted. This report shall not be reproduced, except in full, without the written consent of this laboratory. Samples will be retained for a maximum of 30 days from the receipt date unless prior arrangements have been made





**Report Number:** 22-001139/D009.R000 02/08/2022 **Report Date: ORELAP#:** OR100028 **Purchase Order: Received:** 

01/31/22 16:12

23/682			þ., .				naiyai	i Req	ueste	d .					Sumber:	1. The second se
Company: IHC Contact: Kyle Harook Server: 431 NW Flanders st. Oty: Portland Sate: Dimit Results: dropbox Ph: (61) 608164 Pk Results: Elling (if drevent) beth 19thened	01- 2pr.		- CR SP compounds	ddode Multi-Redder - 379 compounds		dual Schertz	Vistore & Water Activity		row Yearst and Mold	Nerro: & Cold and Total Collform	185			Projec Proj Custore A Report to	t Number: ext Name: leporting: o State - C M nd time: 1  2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	ETRC or  Opher Business Day Standard Turnsround Business Day Rish Turnsround* Bealiness Day Rish Turnsround* 'Check for availability
eb D Client Sample Identification	Date	Time	Pesticides	Proside	Polancy	Feedbard 5	Molsture	Terperez	Micror Yes	MICTOL & C	HEAVY METRIX	Myrotoen	Other.	Sample Type 1	Weight (Unita)	Comments/Metric ID
\$100//\$09986_18008/E48_PV	1/31	-	-	_		-	-	_	_			_	-	C		-
DIOENSO SALL S RUAPSOO_TO-	1/31	-	-	_	x	-		-	_					c		
OIODOTERVAPIOD.OGK	1/51		-	_	X	_	_	-			_	_	_	c		
ULOBOTLERYAP200_Vama	121		_		x			_	-			_				
010307LIEWAP200_lava	1/31		-		X	_	_			_				C		
010307LCEUAP200, PP	1/81				х	_								C		
OLERVAP200_ST	1/31				х		_			L				C		
OILIRYAP200_SG	1/31				x		_					-		C		1
OILTRVAPLOO_PB	1/31				x								1.1	C		
0 011 EAVAP200_00-	1/31				×						- 17			C		
Relinquished By:	Date	Time			. 8	eceland	By:			D	the _	Th	THE			Leb Use Only: or Ci Ellert drop

1 - Sample Type Codes: Vegetation (v) ; teolates (5) ; Extract/Concentrate (C) ; Tincture/Topical (1) ; Edible (C) ; Beverage (0)

number with testing requirements committee an opportunit for services in accordance with the commit the graph of CCC and the barrane and the Samples (advanced in Colombia Labo period Lafor - app 날 다 / P: (S02) 254-1754 | Par: (S02) 254-3452 13423 NE Whitelan Way

Personal OR 57230

tido@inkoni##abesite/leacerer

Dags\_ st. www.ostarchisblocatores.com

www.columbialaboratories.com

Page 4 of 9

Test results relate only to the parameters tested and to the samples as received by the laboratory. Test results meet all requirements of NELAP and the Columbia Laboratories quality assurance plan unless otherwise noted. This report shall not be reproduced, except in full, without the written consent of this laboratory. Samples will be retained for a maximum of 30 days from the receipt date unless prior arrangements have been made.





**Report Number:** 22-001139/D009.R000 02/08/2022 **Report Date: ORELAP#:** OR100028 **Purchase Order:** 

01/31/22 16:12

**Received:** 

			1			A	nelssi	e Reig	uieste	d.				1 No.	1211121	
Company HHC Context: Kyle F-arook Street: 431 NW Flanders st. Coy Portland Street: Email Results: dropbox Ph; (51) 608164 Pk Results: Ming If different: beth withered	)F 20pt 1		- Of \$2 compounds	esik ide Multi-Residue - 379 compounds		dimets.	estare & Water Activity		Norse: Years and Miskd	discres 6.664 and Total Coliform	<b>th</b>			Projec Proj Custore B Report to	t Number: oct Name: reporting: o State Mil od time: S 3 2  2	TRIC or  Other: Business Day Standard Ternaround* Business Day Rich Turnaround* Check for ovailability
B Olivert Sample Identification	Date	Tine	verticides	vesticide	<b>Utency</b>	testional Solvents	debtere	Superior.	Micros Vo	diaro. 64	Innyy Metala	Miscondina	Other:	Sample Type 7	Weight (Units)	Comments/Metric ID
OLOFLIERVAP200_Bame	1/31		1		x	-								C		
HOLOSOLLER MPLOS. TO	1/31		$\square$		x		-							С		
0103LIRSUG200_SP	1/31				x			1						C	1	
OWSLIRSUS200_SG-	1/31				x									C		
01031-28506-200-06-K	1/31				х									С		
0103LERSUG200_98	1/31				x									¢		
ONDEDGOSOGLERWAPZ M- PW	1/31				x				1					C	_	
NOROGOSIGLERSUGED. PW	1/31				×							1		C		
0102.050506LTR 200_ FV	1/31				x					1				C	12.00	
O CHOROGOSOWLERSUG200_TG	1/31	Sec.			x									C		
Farlinguikhed By:	Date	Time.		-	a	raived	By:			13	itte .	T	mé	-		Lab Use Only: on EFCIent drop

+ - Sample Type Codes: Vegetation (V) ; toolates (S) ; Extract/Concentrate (C); Tincture/Topical (T); Edble (D); Sevenage (D)

in over glories assault with the COC & spring "Arity shed by "yes are agreeing to descrive Samples automated to Calumbia Laboratorius with inning tran dense with the co a fire subvision do m

22423 NE Wittoker Way Anthend, CR 97220

P: (505) 254-2794 J Par: (505) 254-3432 infrateurier bialuberatures.com

Page\_\_\_\_of\_\_\_\_

www.columbialaboratories.com

Page 5 of 9

Test results relate only to the parameters tested and to the samples as received by the laboratory. Test results meet all requirements of NELAP and the Columbia Laboratories quality assurance plan unless otherwise noted. This report shall not be reproduced, except in full, without the written consent of this laboratory. Samples will be retained for a maximum of 30 days from the receipt date unless prior arrangements have been made.





**Report Number:** 22-001139/D009.R000 02/08/2022 **Report Date: ORELAP#:** OR100028 **Purchase Order:** 

**Received:** 

01/31/22 16:12

1 marsh						A	naiysi	s Req	ueste	d .				D.	Number	
Company: IHC Contact: Kyle Harook Scient: 431 NW Flanders st. Ots: Portland Suite: 0 Email Results: 0ropbox Pt: (61) 6U6164 = Fx Results: Billing (HdHarart), 0eth@theher	가 78px !		esticides - 08.55 carepounds	Multi-Residue - 379 compounds		skerts -	costure & water Activity		foro: Yeast and Mold	tro: 8. Colt and Total Collform	ah.			Projec Proj Custom R Report to	t Number: oct Name: leporting: state MET al time: 52 5 0 3 8 3 8 2 6 70	RC or  Other: astress Cay Standard Turnetound astress Cay Rash Turnetound* astress Day Rish Turnetound* astress Day Rish Turnetound*
ab D Clave Samala Identification	Data	Des	esticides	eiricide A	otency	esidual Solventix	ACCENTR	sunda	Micro: Yes	Nero: B.C	terry Metals	Aycotooins	other	Sample Type 7	Weight	Comments/Metric ID
0109071IR.BORLOD_OGK	1/31		-	1	x	-	-	-	-	-	-	-		C	100000	and the second
ALTRSUG200-SP	1/31				x									C		
01122506200-PB	1/31		1		х									C		
OLITESU6200-06	1/31				x									C		
01020506LIRBORIOG. TO	1/51				x									C		
0107LTRBPRICO-06K	1/31				x									C		
MOTER BORZOD_ PP	1/31				х									C		
OILIRCHMERO_PS	1/31				x									C		
OILTRCRM200_SP	1/31				X									C		
0 0105 FLTBAC - FV	1/31		1		X			×						٩V		
Relaxa Adeci Fa-	Dute	Time	-			served	Byt		1	8	ite 🗌	T	me			Lab Use Ordy:

+ - Sample Type Codes: Vegetation (V) ; isolates (I) ; Extract/Concentrate (C) ; Tincture/Topical (T) ; Edible (C) ; Boverage (II)

names solt until programme under an aptement for correct to accordance with the correct entre of article anneted with the COC. In again of "Independent by" are on againing to their inter-Respire adversed to Canadian Lat.

12422 HE Whiteler Way Perkland, ON 57250

Pt (\$60) 254-1784 | Fax: (\$60) 254-3452 info@columbéletatoriertes.com

Page sf

Page 6 of 9

Test results relate only to the parameters tested and to the samples as received by the laboratory. Test results meet all requirements of NELAP and the Columbia Laboratories quality assurance plan unless otherwise noted. This report shall not be reproduced, except in full, without the written consent of this laboratory. Samples will be retained for a maximum of 30 days from the receipt date unless prior arrangements have been made.





Report Number:	22-001139/D009.R000
Report Date:	02/08/2022
ORELAP#:	OR100028
Purchase Order:	

Received:

01/31/22 16:12

Revision: 1 Document ID: 7148

Legacy ID:	Workshoot	Validated 04/20/2021	
Legacy ID.	VVUINSIIEEL	Vallualeu 04/20/2021	

		Labor	atory (	Quality Co	ontrol Results		
J AOAC 2015 V9				Bat	ch ID: 220106	0	
Laboratory Con	trol Sample						
Analyte	Result	Spike	Units	% Rec	Limits	Evaluation	Notes
CBDVA	0.185	0.2	%	92.7	85.0 - 1	15 Acceptable	
CBDV	0.208	0.2	%	104	85.0 - 1	15 Acceptable	
CBE	0.192	0.2	%	95.9	85.0 - 1	15 Acceptable	
CBDA	0.210	0.2	%	105	85.0 - 1	15 Acceptable	
CBGA	0.186	0.2	%	92.9	85.0 - 1	15 Acceptable	
CBG	0.190	0.2	%	95.2	85.0 - 1	15 Acceptable	
CBD	0.207	0.2	%	104	85.0 - 1	15 Acceptable	
THCV	0.187	0.2	%	93.4	85.0 - 1	15 Acceptable	
d8THCV	0.181	0.2	%	90.7	85.0 - 1	15 Acceptable	
THCVA	0.183	0.2	%	91.6	85.0 - 1	15 Acceptable	
CBN	0.204	0.2	%	102	85.0 - 1	15 Acceptable	
exo-THC	0.174	0.2	%	87.2	85.0 - 1	15 Acceptable	
d9THC	0.200	0.2	%	99.8	85.0 - 1	15 Acceptable	
d8THC	0.176	0.2	%	88.2	85.0 - 1	15 Acceptable	
CBL	0.180	0.2	%	89.9	85.0 - 1	15 Acceptable	
CBC	0.184	0.2	%	91.8	85.0 - 1	15 Acceptable	
THCA	0.200	0.2	%	99.9	85.0 - 1	15 Acceptable	
CBCA	0.189	0.2	%	94.4	85.0 - 1	15 Acceptable	
CBLA	0.200	0.2	%	100	85.0 - 1	15 Acceptable	
CBT	0.226	0.2	%	113	85.0 - 1	15 Acceptable	

#### Method Blank

Analyte	Result	LOQ	Units	Limits	Evaluation	Notes
CBDVA	<loq< td=""><td>0.1</td><td>%</td><td>&lt; 0.1</td><td>Acceptable</td><td></td></loq<>	0.1	%	< 0.1	Acceptable	
CBDV	<loq< td=""><td>0.1</td><td>%</td><td>&lt; 0.1</td><td>Acceptable</td><td></td></loq<>	0.1	%	< 0.1	Acceptable	
CBE	<loq< td=""><td>0.1</td><td>%</td><td>&lt; 0.1</td><td>Acceptable</td><td></td></loq<>	0.1	%	< 0.1	Acceptable	
CBDA	<loq< td=""><td>0.1</td><td>%</td><td>&lt; 0.1</td><td>Acceptable</td><td></td></loq<>	0.1	%	< 0.1	Acceptable	
CBGA	<loq< td=""><td>0.1</td><td>%</td><td>&lt; 0.1</td><td>Acceptable</td><td></td></loq<>	0.1	%	< 0.1	Acceptable	
CBG	<loq< td=""><td>0.1</td><td>%</td><td>&lt; 0.1</td><td>Acceptable</td><td></td></loq<>	0.1	%	< 0.1	Acceptable	
CBD	<loq< td=""><td>0.1</td><td>%</td><td>&lt; 0.1</td><td>Acceptable</td><td></td></loq<>	0.1	%	< 0.1	Acceptable	
THCV	<loq< td=""><td>0.1</td><td>%</td><td>&lt; 0.1</td><td>Acceptable</td><td></td></loq<>	0.1	%	< 0.1	Acceptable	
d8THCV	<loq< td=""><td>0.1</td><td>%</td><td>&lt; 0.1</td><td>Acceptable</td><td></td></loq<>	0.1	%	< 0.1	Acceptable	
THCVA	<loq< td=""><td>0.1</td><td>%</td><td>&lt; 0.1</td><td>Acceptable</td><td></td></loq<>	0.1	%	< 0.1	Acceptable	
CBN	<loq< td=""><td>0.1</td><td>%</td><td>&lt; 0.1</td><td>Acceptable</td><td></td></loq<>	0.1	%	< 0.1	Acceptable	
exo-THC	<loq< td=""><td>0.1</td><td>%</td><td>&lt; 0.1</td><td>Acceptable</td><td></td></loq<>	0.1	%	< 0.1	Acceptable	
d9THC	<loq< td=""><td>0.1</td><td>%</td><td>&lt; 0.1</td><td>Acceptable</td><td></td></loq<>	0.1	%	< 0.1	Acceptable	
d8THC	<loq< td=""><td>0.1</td><td>%</td><td>&lt; 0.1</td><td>Acceptable</td><td></td></loq<>	0.1	%	< 0.1	Acceptable	
CBL	<loq< td=""><td>0.1</td><td>%</td><td>&lt; 0.1</td><td>Acceptable</td><td></td></loq<>	0.1	%	< 0.1	Acceptable	
CBC	<loq< td=""><td>0.1</td><td>%</td><td>&lt; 0.1</td><td>Acceptable</td><td></td></loq<>	0.1	%	< 0.1	Acceptable	
THCA	<loq< td=""><td>0.1</td><td>%</td><td>&lt; 0.1</td><td>Acceptable</td><td></td></loq<>	0.1	%	< 0.1	Acceptable	
CBCA	<loq< td=""><td>0.1</td><td>%</td><td>&lt; 0.1</td><td>Acceptable</td><td></td></loq<>	0.1	%	< 0.1	Acceptable	
CBLA	<loq< td=""><td>0.1</td><td>%</td><td>&lt; 0.1</td><td>Acceptable</td><td></td></loq<>	0.1	%	< 0.1	Acceptable	
CBT	<loq< td=""><td>0.1</td><td>%</td><td>&lt; 0.1</td><td>Acceptable</td><td></td></loq<>	0.1	%	< 0.1	Acceptable	

#### Abbreviations

ND - None Detected at or above MRL RPD - Relative Percent Difference

LOQ - Limit of Quantitation

Units of Measure:

% - Percent

Page 7 of 9 Test results relate only to the parameters tested and to the samples as received by the laboratory. Test results meet all requirements of NELAP and the Columbia Laboratories quality assurance plan
unless otherwise noted. This report shall not be reproduced, except in full, without the written consent of this laboratory. Samples will be retained for a maximum of 30 days from the receipt date unless
prior arrangements have been made.
Testing in accordance with: OAR 333-007-0430





Report Number:	22-001139/D009.R000
Report Date:	02/08/2022
ORELAP#:	OR100028
Purchase Order:	
Received:	01/31/22 16:12

Revision: 1 Document ID: 7148

Legacy ID: Worksheet Validated 04/20/2021

Laboratory Quality Control Results													
J AOAC 2015	V98-6				Bate	ch ID: 2201060							
Sample Dupl	icate	Sample ID: 22-001139-0001											
Analyte	Result	Org. Result	LOQ	Units	RPD	Limits	Evaluation	Notes					
CBDVA	3.77	3.76	0.1	%	0.129	< 20	Acceptable						
CBDV	1.74	1.74	0.1	%	0.178	< 20	Acceptable						
CBE	0.336	0.331	0.1	%	1.55	< 20	Acceptable						
CBDA	5.57	5.56	0.1	%	0.181	< 20	Acceptable						
CBGA	0.143	0.143	0.1	%	0.145	< 20	Acceptable						
CBG	4.34	4.33	0.1	%	0.264	< 20	Acceptable						
CBD	6.51	6.40	0.1	%	1.73	< 20	Acceptable						
THCV	0.272	0.266	0.1	%	2.12	< 20	Acceptable						
d8THCV	1.65	1.64	0.1	%	0.661	< 20	Acceptable						
THCVA	0.180	0.179	0.1	%	0.427	< 20	Acceptable						
CBN	0.410	0.404	0.1	%	1.46	< 20	Acceptable						
exo-THC	<loq< td=""><td><loq< td=""><td>0.1</td><td>%</td><td>NA</td><td>&lt; 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.1</td><td>%</td><td>NA</td><td>&lt; 20</td><td>Acceptable</td><td></td></loq<>	0.1	%	NA	< 20	Acceptable						
d9THC	<loq< td=""><td><loq< td=""><td>0.1</td><td>%</td><td>NA</td><td>&lt; 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.1</td><td>%</td><td>NA</td><td>&lt; 20</td><td>Acceptable</td><td></td></loq<>	0.1	%	NA	< 20	Acceptable						
d8THC	57.9	57.8	0.1	%	0.132	< 20	Acceptable						
CBL	<loq< td=""><td><loq< td=""><td>0.1</td><td>%</td><td>NA</td><td>&lt; 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.1</td><td>%</td><td>NA</td><td>&lt; 20</td><td>Acceptable</td><td></td></loq<>	0.1	%	NA	< 20	Acceptable						
CBC	0.593	0.604	0.1	%	1.87	< 20	Acceptable						
THCA	0.212	0.213	0.1	%	0.245	< 20	Acceptable						
CBCA	0.420	0.420	0.1	%	0.0228	< 20	Acceptable						
CBLA	<loq< td=""><td><loq< td=""><td>0.1</td><td>%</td><td>NA</td><td>&lt; 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.1</td><td>%</td><td>NA</td><td>&lt; 20</td><td>Acceptable</td><td></td></loq<>	0.1	%	NA	< 20	Acceptable						
CBT	0.782	0.644	0.1	%	19.5	< 20	Acceptable						

#### Abbreviations

- ND None Detected at or above MRL
- RPD Relative Percent Difference

LOQ - Limit of Quantitation

#### Units of Measure:

% - Percent

Page 8 of 9
Test results relate only to the parameters tested and to the samples as received by the laboratory. Test results meet all requirements of NELAP and the Columbia Laboratories quality assurance plan
unless otherwise noted. This report shall not be reproduced, except in full, without the written consent of this laboratory. Samples will be retained for a maximum of 30 days from the receipt date unless
prior arrangements have been made.
Testing in accordance with: OAR 333-007-0430





22-001139/D009.R000 **Report Number: Report Date:** 02/08/2022 **ORELAP#:** OR100028 **Purchase Order:** 01/31/22 16:12 Received:

Explanation of QC Flag Comments:

Code	Explanation
Q	Matrix interferences affecting spike or surrogate recoveries.
Q1	Quality control result biased high. Only non-detect samples reported.
Q2	Quality control outside QC limits. Data considered estimate.
Q3	Sample concentration greater than four times the amount spiked.
Q4	Non-homogenous sample matrix, affecting RPD result and/or % recoveries.
Q5	Spike results above calibration curve.
Q6	Quality control outside QC limits. Data acceptable based on remaining QC.
R	Relative percent difference (RPD) outside control limit.
R1	RPD non-calculable, as sample or duplicate results are less than five times the LOQ.
R2	Sample replicates RPD non-calculable, as only one replicate is within the analytical range.
LOQ1	Quantitation level raised due to low sample volume and/or dilution.
LOQ2	Quantitaion level raised due to matrix interference.
В	Analyte detected in method blank, but not in associated samples.
B1	The sample concentration is greater than 5 times the blank concentration.
B2	The sample concentration is less than 5 times the blank concentration.

 www.columbialaboratories.com
 Page 9 of 9

 Test results relate only to the parameters tested and to the samples as received by the laboratory. Test results meet all requirements of NELAP and the Columbia Laboratories quality assurance plan unless otherwise noted. This report shall not be reproduced, except in full, without the written consent of this laboratory. Samples will be retained for a maximum of 30 days from the receipt date unless prior arrangements have been made.

 Testing in accordance with:
 OAR 333-007-0430

# SD230329-008 page 1 of 2

### PharmLabs San Diego Certificate of Analysis

3421 Hancock St, Second Floor, San Diego, CA 92110 | License: C8-0000098-LIC ISO/IEC 17025:2017 Certification L17-427-1 | Accreditation #85368

# sample 03DTST224\_AMBER\_D8 Distillate

**D**PharmLabs

Sample ID SD230329-008 (71349) Matrix Concentrate (Inhalable Cannabis Good)

Tested for The Hemp Collect Sampled -Received Mar 28, 2023 Analyses executed CAN+, RES, MIBIG, MTO, PES, HME, FVI

Reported Apr 05, 2023

Laboratory note: The estimated concentration of the unknown peak in the sample is 660% | Currently PharmLabs laboratory can not confirm an unidentified peak in your chromatogram due to interference (only with highly concentrated D8 products) from which we believe to be either (+)d8-THC or d9-THC. At this time there are no reference standards available for (+)d8-THC, (+)d8-THC is a different compound from the main (-)d8-THC cannobinoid and, therefore, these two compounds may have different efficacies. Using the most advanced instruments and techniques available, the separation of (+)d8-THC and d9-THC and d9-THC is problematic for the scientific community as a whole. PhormLabs believes the unidentified peak to be a combination of (+)d8-THC with the majority, if not all, of the concentration being (+)d8-THC. Total (+/-) D8 Concentration is estimated to be 94.56%.

## CAN+ - Cannabinoids Analysis

Analyzed Apr 04, 2023 | Instrument HPLC-VWD | Method SOP-001 The expanded Uncertainty of the Cannabinoid analysis is approximately **#.806%** at the 95% Confidence Level

Indy of many of the mark of the	The expanded offeer taining of the cannobiola analysis is approximately 2.000% at the 75% connactice zever				
Cannabidolic Acid (CBDA)         0.001         0.16         ND         ND           Cannabigerol Acid (CBGA)         0.001         0.16         ND         ND           Cannabigerol (CBG)         0.001         0.16         ND         ND           Cannabigerol (CBG)         0.001         0.16         ND         ND           Cannabidol (CBD)         0.001         0.16         ND         ND           Cannabidol (CBN)         0.001         0.16         ND         ND           Cannabigoral (AS-THC)         0.002         0.16         ND         ND           Cannabigoral (AS-THC)         0.002         0.16         ND         ND           Cannabigoral (AS-THC)         0.002         0.16         ND         ND           Cannabigoral (CBC)         0.001         0.16         ND         ND           Cannabigoral (CBC)         0.002         0.16         ND         ND           Cannabigoral (CBC)         0.001	Analyte				
Cannabigerol Acid (CBGA)         0.001         0.16         ND         ND           Cannabigerol (CBG)         0.001         0.16         ND         ND           Cannabigerol (CBG)         0.001         0.16         ND         ND           Cannabigorol (CBG)         0.001         0.16         ND         ND           Cannabigorol (CBO)         0.001         0.16         ND         ND           Cannabinol (CBN)         0.001         0.16         ND         ND           Cannabinol (A9-THC)         0.003         0.16         UI         UI           AB-tetrahydrocannabinol (A9-THC)         0.002         0.16         ND         ND           Cannabicyclo (CBL)         0.002         0.16         ND         ND           Cannabinol (A9-THC)         0.002         0.16         ND         ND           Cannabinol (CBL)         0.002         0.16         ND         ND           Cannabinolic Acid (THCA)         0.001         0.16         ND         ND           Cannabinolic Acid (THCA)         0.001         0.16         ND         ND           Total THC (THCa* 0.877 + A9THC)         ND         ND         ND           Total CBC (EBGa* 0.877 + CBB) <t< td=""><td>Cannabidivarin (CBDV)</td><td>0.039</td><td>0.16</td><td>ND</td><td>ND</td></t<>	Cannabidivarin (CBDV)	0.039	0.16	ND	ND
Cannabigerol (CBG)         0.001         0.16         ND         ND           Cannabigerol (CBG)         0.001         0.16         ND         ND           Tetrahydrocannabivorin (THCV)         0.001         0.16         ND         ND           Cannabilo (CBN)         0.001         0.16         ND         ND           Tetrahydrocannabinol (Δ9-THC)         0.003         0.16         UI         UI           Δ8-tetrahydrocannabinol (Δ9-THC)         0.002         0.16         ND         ND           Cannabilo (CBL)         0.002         0.16         ND         ND           Cannabilo (THCA)         0.001         0.16         ND         ND           Cannabilo (THCA)         0.001         0.16         ND         ND           Tetrahydrocannabinol (AS-TT+ASTHC)         ND         ND         ND           Total THC (THCa*0.877 + Δ8THC)         ND         ND         ND           Total CBG (EBGa*0.877 + CB)         ND         ND<	Cannabidiolic Acid (CBDA)	0.001	0.16	ND	ND
Cannabidi (CBD)         0.001         0.16         ND         ND           Tetrahydrocannabivarin (THCV)         0.001         0.16         ND         ND           Cannabidiol (CBN)         0.001         0.16         ND         ND           Tetrahydrocannabinol (Δ9-THC)         0.003         0.16         UI         UI           Δ8-tetrahydrocannabinol (Δ8-THC)         0.004         0.16         94.56         945.60           Cannabidiol (CBL)         0.002         0.16         ND         ND           Cannabidoniol (Δ8-THC)         0.002         0.16         ND         ND           Cannabidol (CBL)         0.001         0.16         ND         ND           Cannabidol (CBL)         0.001         0.16         ND         ND           Total THC (THCa * 0.877 + Δ9THC + Δ	Cannabigerol Acid (CBGA)	0.001	0.16	ND	ND
Tetrahydrocannabivarin (THCV)         0.001         0.16         ND         ND           Cannabinol (CBN)         0.001         0.16         ND         ND           Tetrahydrocannabinol (Δ9-THC)         0.003         0.16         UI         UI           Δ8-tetrahydrocannabinol (Δ8-THC)         0.004         0.16         94.56         945.60           Cannabicyclol (CBL)         0.002         0.16         ND         ND           Cannabicyclol (CBL)         0.001         0.16         ND         ND           Cannabicyclol (CBC)         0.001         0.16         ND         ND           Total THC (THca * 0.877 + Δ9THC + Δ8THC)         ND         ND         ND           Total CBC (CBBa* 0.877 + CBD)         VD         ND         ND           Total CBC (CBGa* 0.877 + CBG)         ND         ND         ND	Cannabigerol (CBG)	0.001	0.16	ND	ND
Cannabinol (CBN)         0.001         0.16         ND         ND           Tetrahydrocannabinol (Δ9-THC)         0.003         0.16         U1         U1           Δ8-tetrahydrocannabinol (Δ9-THC)         0.004         0.16         94.56         945.60           Cannabinol (Δ9-THC)         0.002         0.16         ND         ND           Δ8-tetrahydrocannabinol (Δ9-THC)         0.002         0.16         ND         ND           Cannabichomene (CBL)         0.002         0.16         ND         ND           Cannabichomene (CBC)         0.001         0.16         ND         ND           Tetrahydrocannabinolic Acid (THCA)         0.001         0.16         ND         ND           Total THC (THCa*0.877 + Δ9THC)         ND         ND         ND         ND           Total THC (THCa*0.877 + Δ9THC + Δ8THC)         Y45.60         Y45.60         Y45.60         Y45.60           Total CBG (CBGa*0.877 + CB)         ND         ND         ND         ND         ND	Cannabidiol (CBD)	0.001	0.16	ND	ND
Tetrahydrocanabinol (Δ9-THC)         0.003         0.16         UI         UI           Δ8-tetrahydrocanabinol (Δ9-THC)         0.004         0.16         94.56         945.60           Canabicyclol (CBL)         0.002         0.16         ND         ND           Canabichromene (CBC)         0.002         0.16         ND         ND           Tetrahydrocanabinol (Ad-THCA)         0.001         0.16         ND         ND           Total THC (THCa <sup>+</sup> 0.877 + Δ9THC)         ND         ND         ND           Total THC (THCa <sup>+</sup> 0.877 + Δ9THC + Δ8THC)         94.56         945.60         ND           Total CBD (CBDa <sup>+</sup> 0.877 + Δ9THC + Δ8THC)         ND         ND         ND           Total CBG (CBDa <sup>+</sup> 0.877 + CBS)         ND         ND         ND	Tetrahydrocannabivarin (THCV)	0.001	0.16	ND	ND
Ab-tetra/glarcannabinol (Ab-THC)     0.004     0.16     94.56     945.60       Cannabicyclol (CBL)     0.002     0.16     ND     ND       Cannabicyclol (CBC)     0.002     0.16     ND     ND       Tetra/glarcannabinolic Acid (THCA)     0.001     0.16     ND     ND       Total THC (THCa * 0.877 + A9THC)     ND     ND     ND       Total CBD (CBDa* 0.877 + A9THC + A8THC)     94.56     94.56       Total CBD (CBDa* 0.877 + CBD )     ND     ND       Total CBG (CBGa* 0.877 + CBG )     ND     ND	Cannabinol (CBN)	0.001	0.16	ND	ND
Cannabicyclol (CBL)         0.002         0.16         ND         ND           Tetrahydrocannabinolic Acid (THCA)         0.001         0.16         ND         ND           Total THC (THCa ° 0.877 + 49THC )         ND         ND         ND           Total THC + 48THC (THCa ° 0.877 + 49THC + 48THC + 48T	Tetrahydrocannabinol (Δ9-THC)	0.003	0.16	UI	UI
Cannabichromene (CBC)         0.002         0.16         ND         ND           Tetrahydrocannabinolic Acid (THCA)         0.001         0.16         ND         ND           Total THC (THCa <sup>0.0877 +</sup> A9THc )         ND         ND         ND           Total THC + A8THC (THCa <sup>0.0877 +</sup> A9THc + A8THc )         94.56         945.60           Total CBC (BBGa <sup>0.0877 +</sup> CBD)         ND         ND           Total CBC (CBGa <sup>0.0877 +</sup> CBC)         ND         ND	Δ8-tetrahydrocannabinol (Δ8-THC)	0.004	0.16	94.56	945.60
Tetrahydrocannabinolic Acid (THCA)         0.001         0.16         ND         ND           Total THC (THCa * 0.877 + Δ9THc )         ND         ND         ND           Total THC + Δ8THC (THCa * 0.877 + Δ9THc + Δ8THc )         94.56         945.60           Total CBD (CBDa * 0.877 + CBD )         ND         ND           Total CBG (CBGa * 0.877 + CBG )         ND         ND	Cannabicyclol (CBL)	0.002	0.16	ND	ND
Total THC ( THCa * 0.877 + Δ9THc )         ND         ND           Total THC + Δ8THC ( THCa * 0.877 + Δ9THc + Δ8THc )         94.56         945.60           Total CBD ( CBDa * 0.877 + CBD )         ND         ND           Total CBG ( CBGa * 0.877 + CBG )         ND         ND	Cannabichromene (CBC)	0.002	0.16	ND	ND
Total THC + A&THC ( THCa * 0.877 + AØTHC + A&THC )         94.56         945.60           Total CBD ( CBDa * 0.877 + CBD )         ND         ND           Total CBG ( CBGa * 0.877 + CBG )         ND         ND	Tetrahydrocannabinolic Acid (THCA)	0.001	0.16	ND	ND
Total CBD ( CBDa * 0.877 + CBD )         ND         ND           Total CBG ( CBGa * 0.877 + CBG )         ND         ND	Total THC ( THCa * 0.877 + Δ9THC )			ND	ND
Total CBG ( CBGa * 0.877 + CBG ) ND ND	Total THC + $\Delta$ 8THC ( THCa * 0.877 + $\Delta$ 9THC + $\Delta$ 8THC )			94.56	945.60
	Total CBD ( CBDa * 0.877 + CBD )			ND	ND
Total Cannabinoids 94.56 945.60	Total CBG ( CBGa * 0.877 + CBG )			ND	ND
	Total Cannabinoids			94.56	945.60

# HME - Heavy Metals Detection Analysis

Analyzed Apr 04, 2023 | Instrument ICP/MSMS | Method SOP-005

Analyte	LOD ug/g	LOQ ug/g	Result ug/g	Limit ug/g	Analyte	LOD ug/g	LOQ ug/g	Result ug/g	Limit ug/g
Arsenic (As)	0.0002	0.0005	ND	0.2	Cadmium (Cd)	3.0e-05	0.0005	ND	0.2
Mercury (Hg)	1.0e-05	0.0001	ND	0.1	Lead (Pb)	1.0e-05	0.00125	ND	0.5

### **MIBIG - Microbial Testing Analysis**

#### Analyzed Mar 31, 2023 | Instrument qPCR and/or Plating | Method SOP-007

Analyte	Result CFU/g	Limit	Analyte	Result CFU/g	Limit
Shiga toxin-producing Escherichia Coli	ND	ND per 1 gram	Salmonella spp.	ND	ND per 1 gram
Aspergillus fumigatus	ND	ND per 1 gram	Aspergillus flavus	ND	ND per 1 gram
Aspergillus niger	ND	ND per 1 gram	Aspergillus terreus	ND	ND per 1 gram

## MTO - Mycotoxin Testing Analysis

Analyzed Apr 04, 2023 | Instrument LC/MSMS | Method SOP-004

Analyte	LOD ug/kg	LOQ ug/kg	Result ug/kg (ppb)	Limit ug/kg	Analyte	LOD ug/kg	LOQ ug/kg	Result ug/kg (ppb)	Limit ug/kg
Ochratoxin A	5.0	20.0	ND	20	Aflatoxin B1	2.5	5.0	ND	-
Aflatoxin B2	2.5	5.0	ND	-	Aflatoxin G1	2.5	5.0	ND	-
Aflatoxin G2	2.5	5.0	ND	-	Total Aflatoxins	10.0	20.0	ND	20







Brandon Starr, Lab Manager Wed, 05 Apr 2023 10:13:00 -0700



PharmLabs San Diego | 3421 Hancock St, Second Floor, San Diego, CA 92110 | 619.356.0898 | ISO/IEC 17025:2017 Certification L17-427-1 "This report shall not be reproduced except in full, without the written approval of the lab. This report is for informational purposes only and should not be used to diagnose, treat or prevent any disease. Results are only for samples and batches indicated. Results are reported on an "as received" basis, unless indicated otherwise. When a Pass/Fall status is reported, that status is intended to be in accordance with federal, state and local lows which are required for the customer to be in compliance. The measurement of uncertainty is not included in the Pass/Fall evolution unless explicition unless expliciting, state or local lows and has been reported on the retrificate of analysis. Ressurement of uncertainty is available upon request.

Authorized Signature

Brandon Starr

# SD230329-008 page 2 of 2

# **QA** Testing

### PES - Pesticides Screening Analysis

Analyzed Apr 04, 2023 | Instrument LC/MSMS GC/MSMS | Method SOP-003

Analyte	LOD ug/g	LOQ ug/g	Result ug/g	Limit ug/g	Analyte	LOD ug/g	LOQ ug/g	Result ug/g	Limit ug/g
Aldicarb	0.0078	0.02	ND	0.0078	Carbofuran	0.01	0.02	ND	0.01
Dimethoate	0.01	0.02	ND	0.01	Etofenprox	0.02	0.1	ND	0.02
Fenoxycarb	0.01	0.02	ND	0.01	Thiachloprid	0.01	0.02	ND	0.01
Daminozide	0.01	0.03	ND	0.01	Dichlorvos	0.02	0.07	ND	0.02
Imazalil	0.02	0.07	ND	0.02	Methiocarb	0.01	0.02	ND	0.01
Spiroxamine	0.01	0.02	ND	0.01	Coumaphos	0.01	0.02	ND	0.01
Fipronil	0.01	0.1	ND	0.01	Paclobutrazol	0.01	0.03	ND	0.01
Chlorpyrifos	0.01	0.04	ND	0.01	Ethoprophos (Prophos)	0.01	0.02	ND	0.01
Baygon (Propoxur)	0.01	0.02	ND	0.01	Chlordane	0.04	0.1	ND	0.04
Chlorfenapyr	0.03	0.1	ND	0.03	Methyl Parathion	0.02	0.1	ND	0.02
Mevinphos	0.03	0.08	ND	0.03	Abamectin	0.03	0.08	ND	0.1
Acephate	0.02	0.05	ND	0.1	Acetamiprid	0.01	0.05	ND	0.1
Azoxystrobin	0.01	0.02	ND	0.1	Bifenazate	0.01	0.05	ND	0.1
Bifenthrin	0.02	0.35	ND	3	Boscalid	0.01	0.03	ND	0.1
Carbaryl	0.01	0.02	ND	0.5	Chlorantraniliprole	0.01	0.04	ND	10
Clofentezine	0.01	0.03	ND	0.1	Diazinon	0.01	0.02	ND	0.1
Dimethomorph	0.02	0.06	ND	2	Etoxazole	0.01	0.05	ND	0.1
Fenpyroximate	0.02	0.1	ND	0.1	Flonicamid	0.01	0.02	ND	0.1
Fludioxonil	0.01	0.05	ND	0.1	Hexythiazox	0.01	0.03	ND	0.1
Imidacloprid	0.01	0.05	ND	5	Kresoxim-methyl	0.01	0.03	ND	0.1
Malathion	0.01	0.05	ND	0.5	Metalaxyl	0.01	0.02	ND	2
Methomyl	0.02	0.05	ND	1	Myclobutanil	0.02	0.07	ND	0.1
Naled	0.01	0.02	ND	0.1	Oxamyl	0.01	0.02	ND	0.5
Permethrin	0.01	0.02	ND	0.5	Phosmet	0.01	0.02	ND	0.1
Piperonyl Butoxide	0.02	0.06	ND	3	Propiconazole	0.03	0.08	ND	0.1
Prallethrin	0.02	0.05	ND	0.1	Pyrethrin	0.05	0.41	ND	0.5
Pyridaben	0.02	0.07	ND	0.1	Spinosad A	0.01	0.05	ND	0.1
Spinosad D	0.01	0.05	ND	0.1	Spiromesifen	0.02	0.06	ND	0.1
Spirotetramat	0.01	0.02	ND	0.1	Tebuconazole	0.01	0.02	ND	0.1
Thiamethoxam	0.01	0.02	ND	5	Trifloxystrobin	0.01	0.02	ND	0.1
Acequinocyl	0.02	0.09	ND	0.1	Captan	0.01	0.02	ND	0.7
Cypermethrin	0.02	0.1	ND	1	Cyfluthrin	0.04	0.1	ND	2
Fenhexamid	0.02	0.07	ND	0.1	Spinetoram J,L	0.02	0.07	ND	0.1
Pentachloronitrobenzene	0.01	0.1	ND	0.1					

## **RES - Residual Solvents Testing Analysis**

Analyzed Apr 04, 2023 | Instrument GC/FID with Headspace Analyzer | Method SOP-006


Analyte	LOD ug/g	LOQ ug/g	Result ug/g	Limit ug/g	Analyte	LOD ug/g	LOQ ug/g	Result ug/g	Limit ug/g
Propane (Prop)	0.4	40.0	ND	5000.0	Butane (But)	0.4	40.0	ND	5000.0
Methanol (Metha)	0.4	40.0	ND	3000.0	Ethylene Oxide (EthOx)	0.4	0.8	ND	1.0
Pentane (Pen)	0.4	40.0	ND	5000.0	Ethanol (Ethan)	0.4	40.0	ND	5000.0
Ethyl Ether (EthEt)	0.4	40.0	ND	5000.0	Acetone (Acet)	0.4	40.0	ND	5000.0
Isopropanol (2-Pro)	0.4	40.0	ND	5000.0	Acetonitrile (Acetonit)	0.4	40.0	ND	410.0
Methylene Chloride (MetCh)	0.4	0.8	1.0	1.0	Hexane (Hex)	0.4	40.0	ND	290.0
Ethyl Acetate (EthAc)	0.4	40.0	ND	5000.0	Chloroform (Clo)	0.4	0.8	ND	1.0
Benzene (Ben)	0.4	0.8	ND	1.0	1-2-Dichloroethane (12-Dich)	0.4	0.8	ND	1.0
Heptane (Hep)	0.4	40.0	ND	5000.0	Trichloroethylene (TriClEth)	0.4	0.8	ND	1.0
Toluene (Toluene)	0.4	40.0	ND	890.0	Xylenes (Xyl)	0.4	40.0	ND	2170.0

### FVI - Filth & Foreign Material Inspection Analysis

Analyzed Mar 30, 2023 | Instrument Microscope | Method SOP-010

Analyte / Limit	Result	Analyte / Limit	Result
>1/4 of the total sample area covered by sand, soil, cinders, or dirt	ND	> 1/4 of the total sample area covered by mold	ND
>1 insect fragment, 1 hair, or 1 count mammalian excreta per 3g	ND	> 1/4 of the total sample area covered by an imbedded foreign material	ND

UI Not Identified ND Not Detected NA Not Applicable NT Not Reported LOD Limit of Detection LOQ Limit of Quantification <LOQ Detected NUCU. Above upper limit of linearity >ULCU. Above upper limit of linearity CFU/Q colony forming Units per 1 gram TNTC Too Numerous to Count







Authorized Signature

Brandon Starr

Brandon Starr, Lab Manager Wed, 05 Apr 2023 10:13:00 -0700



PharmLabs San Diego | 3421 Hancock St, Second Floor, San Diego, CA 92110 | 619.356.0898 | ISO/IEC 17025:2017 Certification L17-427-1 This report shall not be reproduced except in full, without the written approval of the lab. This report is for informational purposes only and should not be used to diagnose, treat or prevent any disease. Results are only for samples and batches indicated. Results are reported on an "os received" basis, unless indicated otherwise. When a Pass/Fail status is reported, that status is intended to be in accordance with federal, state and local laws which are required for the customer to be in compliance. The measurement of uncertainty is not included in the Pass/Fail evolution unless explicitude, state or including and accordance with federal or should not be upon request.