



Report Number: 23-000414/D005.R000

Report Date: 01/16/2023 **ORELAP#:** OR100028

Purchase Order:

Received: 01/10/23 16:50

Customer: IHC LLC

Product identity: Live D8 SGR - PB

Client/Metrc ID:

Laboratory ID: 23-000414-0007

Summary

Potency: Analyte Result (%) CBD CBDV CBD-Total 50.1% CBD 46.0 CBG Δ8-THC CBD-A Δ8-THC 30.5 CBT CBD-A 4.73 THC-Total 0.173% CBC CBT 0.573 CBE CBC 0.438 (Reported in percent of total sample) CBN CBE 0.407 Δ8-THCV CBN 0.353 CBC-A Δ8-THCV 0.350 THC-A CBC-A CBG-A 0.268 THC-A 0.197 CBG-A 0.167 CBDV 0.129 CBG 0.104





Report Number: 23-000414/D005.R000

Report Date: 01/16/2023 **ORELAP#:** OR100028

Purchase Order:

Received: 01/10/23 16:50

Portland Oregon 97209 United States of America (USA)

IHC LLC

825 NW 16th Ave

Product identity: Live D8 SGR - PB

Client/Metrc ID:

Sample Date:

Customer:

Laboratory ID: 23-000414-0007

Evidence of Cooling: No
Temp: 20 °C
Relinquished by: Client



Sample Results

Potency	Method: J AOAC 2015	V98-6 (mod) [‡]	Units %	Batch: 2300475	Analyze: 1/13/23 11:09:00 PM
Analyte	As Dry		Notes		● CBD ● CBG-A
CDC	Received weight				● ∆8-THC ● CBDV
CBC A	0.438	0.0735			CBD-A CBG
CBC-A	0.268	0.0735			O CBT
CBC-Total	0.673	0.138			• CBC
CBD	46.0	0.735			• CBE
CBD-A	4.73	0.0735			• CBN
CBD-Total	50.1	0.800			Δ8-THCV
CBDV	0.129	0.0735			• CBC-A
CBDV-A	< LOQ	0.0735			• THC-A
CBDV-Total	< LOQ	0.137			
CBE	0.407	0.0735			
CBG	0.104	0.0735			
CBG-A	0.167	0.0735			
CBG-Total	0.251	0.137			
CBL	< LOQ	0.0735			
CBL-A	< LOQ	0.0735			
CBL-Total	< LOQ	0.138			
CBN	0.353	0.0735			
CBT	0.573	0.0735			
Δ10-THC-9R	< LOQ	0.0735			
Δ8-THC	30.5	0.735			
Δ8-THCV	0.350	0.0735			
Δ9-THC	< LOQ	0.0735			
exo-THC	< LOQ	0.0735			
THC-A	0.197	0.0735			
THC-Total	0.173	0.138			
THCV	< LOQ	0.0735			
THCV-A	< LOQ	0.0735			
THCV-Total	< LOQ	0.137			
Total Cannabinoids	84.2				





Report Number: 23-000414/D005.R000

Report Date: 01/16/2023 **ORELAP#:** OR100028

Purchase Order:

Received: 01/10/23 16:50

Abbreviations

Limits: Action Levels per OAR-333-007-0400, OAR-333-007-0210, OAR-333-007-0220, CCR title 16-division 42. BCC-section 5723

Limit(s) of Quantitation (LOQ): The minimum levels, concentrations, or quantities of a target variable (e.g., target analyte) that can be reported with a specified degree of confidence.

p = ISO/IEC 17025:2017 accredited method.

Units of Measure

% = Percentage of sample % wt = μ g/g divided by 10,000

Approved Signatory

Derrick Tanner General Manager





Report Number: 23-000414/D005.R000

Report Date: 01/16/2023 **ORELAP#:** OR100028

Purchase Order:

Received: 01/10/23 16:50



Hemp / Cannabis Usable / Extract / Finished Products Chain of Custody Record

Revision: 4.00 Control#: CF023 Rev 02/24/2021 EH: 03/04/2021 ORELAP IO: OR100038

							A	nalya	is Req	ueste	d				20	O Number:	
5 G B 8	the Hemp Collect kyle@thehempcc contact: kyle@thehempcc contact: kyle@thehempcc kyle@thehempcc formil Result: gropbox (if- collection of the the collection of the colle	t UF 200 (U)	97209	estoides - DR 59 compounds	uticide Multi-Rasidos - 179 carepounds		situal Solicests	dotare & Weiler Activity		dicroc Yeast and Mobil	Terus C.Coli and Total Coliforns	riak	191		Project Number: Project Number: Distant Reporting: Report to State - C METRC or C Other: Terrorosed time: M 5 Resistent Day Standard Turn		WETRIC or CT Other:
Lab 10	Client Sample Mentification	Date	Tine	Petriode	Petricide	Potency	hestral	Mobitare	Secretar	Micro: Ye	Wiktor C.	HISTORY MINTERS	Mytomes	Other	Sample Type 1	Weight (Units)	Comments/Metrc ID
1	Live D8 SGR - FV	-	100011		1000	×				-				1000	C	2.0.1122	C. 1 40.
2	Live D8 SGR - TG					X									C		Sample #9: Alternate client
3	Live D8 BDR - OGK					×									C		Alle 1 - 1 - +
4	Live D8 BDR - PP					×									C		HITEMATE CLIEW
5	Live D8 SGR - OG					×				-					C		van · II
6	Live DB SGR - OGK					×									C		name: Mary
7	Live DB SGR - PB					×									C		1 2 0
В	Live D8 SGR - SP					X									C		Vae
9	OB-King Louis					×									C		
	Selequitive De:	Diny	Tree		-	- 84	motived	Bg:			(0)	AU.	m	me.			Lab use Only:
Ве	th Griggs	1/10	4:30 PI			ī	25	>			1/10	23	To	50	D Shipped Vie or SLittert drop Self-ince of sookag: D Yes Scho - Terep (YC) 200 - () * Semple in good condition: Sthell D No D Cast D Check D CC D Nee Freing storage:		Yes St No - Temp (*G

1 - Sample Type Codes: Vegetation (v) . Isolates (ii) . Entract/Concentrate (C) ; Tincture/Topical (II) ; Edible (C) ; Beverage (iii)

Supplies conduction (* American Color Colo





Report Number: 23-000414/D005.R000

Report Date: 01/16/2023 ORELAP#: OR100028

Purchase Order:

Received: 01/10/23 16:50







23-000414/D005.R000 **Report Number:**

Report Date: 01/16/2023 ORELAP#: OR100028

Purchase Order:

01/10/23 16:50 Received:

Explanation of QC Flag Comments:

Code	Explanation
Q	Matrix interferences affecting spike or surrogate recoveries.
Q1	Quality control result biased high. Only non-detect samples reported.
Q2	Quality control outside QC limits. Data considered estimate.
Q3	Sample concentration greater than four times the amount spiked.
Q4	Non-homogenous sample matrix, affecting RPD result and/or % recoveries.
Q5	Spike results above calibration curve.
Q6	Quality control outside QC limits. Data acceptable based on remaining QC.
R	Relative percent difference (RPD) outside control limit.
R1	RPD non-calculable, as sample or duplicate results are less than five times the LOQ.
R2	Sample replicates RPD non-calculable, as only one replicate is within the analytical range.
LOQ1	Quantitation level raised due to low sample volume and/or dilution.
LOQ2	Quantitaion level raised due to matrix interference.
В	Analyte detected in method blank, but not in associated samples.
B1	The sample concentration is greater than 5 times the blank concentration.
B2	The sample concentration is less than 5 times the blank concentration.

PharmLabs San Diego Certificate of Analysis

3421 Hancock St, Second Floor, San Diego, CA 92110 | License: C8-0000098-LIC ISO/IEC 17025:2017 Certification L17-427-1 | Accreditation #85368





Sample ID SD230329-008 (71349)		Matrix Concentrate (Inhalable Cannabis Good)				
Tested for The Hemp Collect						
Sampled -	Received Mar 28, 2023	Reported Apr 05, 2023				
Angluses executed CANA DES MIRIG MTO DES HME EVI						

Laboratory note: The estimated concentration of the unknown peak in the sample is 6.60% | Currently PharmLabs laboratory can not confirm an unidentified peak in your chromatogram due to interference (only with highly concentrated D8 products) from which we believe to be either (+)d8-THC or 49-THC. At this time there are no reference standards available for (+)d8-THC is o different compound from the main (-)d8-THC cannobinoid and, therefore, these two compounds may have different efficacies. Using the most advanced instruments and techniques available, the separation of (+)d8-THC and d9-THC is problematic for the scientific community as a whole. PharmLabs believes the unidentified peak to be a combination of (+)d8-THC with the majority, if not all, of the concentration being (+)d8-THC. Total (+/-) D8 Concentration is estimated to be 94.56%.

CAN+ - Cannabinoids Analysis

Analyzed Apr 04, 2023 | Instrument HPLC-VWD | Method SOP-001

The expanded Uncertainty of the Cannabinoid analysis is approximately **3.806**% at the 95% Confidence Level

Analyte	LOD mg/g	LOQ mg/g	Result	Result mg/g
Cannabidivarin (CBDV)	0.039	0.16	ND	ND ND
Cannabidiolic Acid (CBDA)	0.001	0.16	ND	ND
Cannabigerol Acid (CBGA)	0.001	0.16	ND	ND
Cannabigerol (CBG)	0.001	0.16	ND	ND
Cannabidiol (CBD)	0.001	0.16	ND	ND
Tetrahydrocannabivarin (THCV)	0.001	0.16	ND	ND
Cannabinol (CBN)	0.001	0.16	ND	ND
Tetrahydrocannabinol (Δ9-THC)	0.003	0.16	UI	UI
Δ 8-tetrahydrocannabinol (Δ 8-THC)	0.004	0.16	94.56	945.60
Cannabicyclol (CBL)	0.002	0.16	ND	ND
Cannabichromene (CBC)	0.002	0.16	ND	ND
Tetrahydrocannabinolic Acid (THCA)	0.001	0.16	ND	ND
Total THC (THCa * 0.877 + Δ9THC)			ND	ND
Total THC + Δ8THC (THCa * 0.877 + Δ9THC + Δ8THC)			94.56	945.60
Total CBD (CBDa * 0.877 + CBD)			ND	ND
Total CBG (CBGa * 0.877 + CBG)			ND	ND
Total Cannabinoids			94.56	945.60

HME - Heavy Metals Detection Analysis

Analyzed Apr 04, 2023 | Instrument ICP/MSMS | Method SOP-005

Analyte	LOD ug/g	LOQ ug/g	Result ug/g	Limit ug/g	Analyte	LOD ug/g	LOQ ug/g	Result ug/g	Limit ug/g
Arsenic (As)	0.0002	0.0005	ND	0.2	Cadmium (Cd)	3.0e-05	0.0005	ND	0.2
Mercury (Hg)	1.0e-05	0.0001	ND	0.1	Lead (Pb)	1.0e-05	0.00125	ND	0.5

MIBIG - Microbial Testing Analysis

Analyzed Mar 31, 2023 | Instrument qPCR and/or Plating | Method SOP-007

Analyzed rial bi, 2025 motionient quarteria, or rialing	11100100001				
Analyte	Result CFU/g	Limit	Analyte	Result CFU/g	Limit
Shiga toxin-producing Escherichia Coli	ND	ND per 1 gram	Salmonella spp.	ND	ND per 1 gram
Aspergillus fumigatus	ND	ND per 1 gram	Aspergillus flavus	ND	ND per 1 gram
Acporaillus pigor	ND	ND por 1 gram	Asparaillus torrous	ND	ND por 1 gram

MTO - Mycotoxin Testing Analysis

Analyzed Apr 04, 2023 | Instrument LC/MSMS | Method SOP-004

Analyte	LOD ug/kg	LOQ ug/kg	Result ug/kg (ppb)	Limit ug/kg	Analyte	LOD ug/kg	LOQ ug/kg	Result ug/kg (ppb)	Limit ug/kg
Ochratoxin A	5.0	20.0	ND	20	Aflatoxin B1	2.5	5.0	ND	-
Aflatoxin B2	2.5	5.0	ND	-	Aflatoxin G1	2.5	5.0	ND	-
Aflatoxin G2	2.5	5.0	ND	-	Total Aflatoxins	10.0	20.0	ND	20

UI Not Identified
ND Not Detected
N/A Not Applicable
NT Not Reported
LOD Limit of Detection
LOQ Limit of Quantification
<LOQ Detected
JULOL Above upper limit of linearity
CFU/g Colonyl Forming Units per 1 gram
TNTC Too Numerous to Count







Authorized Signature

Brandon Starr

Brandon Starr, Lab Manager Wed, 05 Apr 2023 10:13:00 -0700



PES - Pesticides Screening Analysis

Analyzed Apr 04, 2023 | Instrument LC/MSMS GC/MSMS | Method SOP-003

Analyte	LOD ug/g	LOQ ug/g	Result ug/g	Limit ug/g	Analyte	LOD ug/g	LOQ ug/g	Result ug/g	Limit ug/g
Aldicarb	0.0078	0.02	ND	0.0078	Carbofuran	0.01	0.02	ND	0.01
Dimethoate	0.01	0.02	ND	0.01	Etofenprox	0.02	0.1	ND	0.02
Fenoxycarb	0.01	0.02	ND	0.01	Thiachloprid	0.01	0.02	ND	0.01
Daminozide	0.01	0.03	ND	0.01	Dichlorvos	0.02	0.07	ND	0.02
Imazalil	0.02	0.07	ND	0.02	Methiocarb	0.01	0.02	ND	0.01
Spiroxamine	0.01	0.02	ND	0.01	Coumaphos	0.01	0.02	ND	0.01
Fipronil	0.01	0.1	ND	0.01	Paclobutrazol	0.01	0.03	ND	0.01
Chlorpyrifos	0.01	0.04	ND	0.01	Ethoprophos (Prophos)	0.01	0.02	ND	0.01
Baygon (Propoxur)	0.01	0.02	ND	0.01	Chlordane	0.04	0.1	ND	0.04
Chlorfenapyr	0.03	0.1	ND	0.03	Methyl Parathion	0.02	0.1	ND	0.02
Mevinphos	0.03	0.08	ND	0.03	Abamectin	0.03	0.08	ND	0.1
Acephate	0.02	0.05	ND	0.1	Acetamiprid	0.01	0.05	ND	0.1
Azoxystrobin	0.01	0.02	ND	0.1	Bifenazate	0.01	0.05	ND	0.1
Bifenthrin	0.02	0.35	ND	3	Boscalid	0.01	0.03	ND	0.1
Carbaryl	0.01	0.02	ND	0.5	Chlorantraniliprole	0.01	0.04	ND	10
Clofentezine	0.01	0.03	ND	0.1	Diazinon	0.01	0.02	ND	0.1
Dimethomorph	0.02	0.06	ND	2	Etoxazole	0.01	0.05	ND	0.1
Fenpyroximate	0.02	0.1	ND	0.1	Flonicamid	0.01	0.02	ND	0.1
Fludioxonil	0.01	0.05	ND	0.1	Hexythiazox	0.01	0.03	ND	0.1
Imidacloprid	0.01	0.05	ND	5	Kresoxim-methyl	0.01	0.03	ND	0.1
Malathion	0.01	0.05	ND	0.5	Metalaxyl	0.01	0.02	ND	2
Methomyl	0.02	0.05	ND	1	Myclobutanil	0.02	0.07	ND	0.1
Naled	0.01	0.02	ND	0.1	Oxamyl	0.01	0.02	ND	0.5
Permethrin	0.01	0.02	ND	0.5	Phosmet	0.01	0.02	ND	0.1
Piperonyl Butoxide	0.02	0.06	ND	3	Propiconazole	0.03	0.08	ND	0.1
Prallethrin	0.02	0.05	ND	0.1	Pyrethrin	0.05	0.41	ND	0.5
Pyridaben	0.02	0.07	ND	0.1	Spinosad A	0.01	0.05	ND	0.1
Spinosad D	0.01	0.05	ND	0.1	Spiromesifen	0.02	0.06	ND	0.1
Spirotetramat	0.01	0.02	ND	0.1	Tebuconazole	0.01	0.02	ND	0.1
Thiamethoxam	0.01	0.02	ND	5	Trifloxystrobin	0.01	0.02	ND	0.1
Acequinocyl	0.02	0.09	ND	0.1	Captan	0.01	0.02	ND	0.7
Cypermethrin	0.02	0.1	ND	1	Cyfluthrin	0.04	0.1	ND	2
Fenhexamid	0.02	0.07	ND	0.1	Spinetoram J,L	0.02	0.07	ND	0.1
Pentachloronitrobenzene	0.01	0.1	ND	0.1					

RES - Residual Solvents Testing Analysis

Analyzed Apr 04, 2023 | Instrument GC/FID with Headspace Analyzer | Method SOP-006

Analyte	LOD ug/g	LOQ ug/g	Result ug/g	Limit ug/g	Analyte	LOD ug/g	LOQ ug/g	Result ug/g	Limit ug/g
Propane (Prop)	0.4	40.0	ND	5000.0	Butane (But)	0.4	40.0	ND	5000.0
Methanol (Metha)	0.4	40.0	ND	3000.0	Ethylene Oxide (EthOx)	0.4	0.8	ND	1.0
Pentane (Pen)	0.4	40.0	ND	5000.0	Ethanol (Ethan)	0.4	40.0	ND	5000.0
Ethyl Ether (EthEt)	0.4	40.0	ND	5000.0	Acetone (Acet)	0.4	40.0	ND	5000.0
Isopropanol (2-Pro)	0.4	40.0	ND	5000.0	Acetonitrile (Acetonit)	0.4	40.0	ND	410.0
Methylene Chloride (MetCh)	0.4	0.8	1.0	1.0	Hexane (Hex)	0.4	40.0	ND	290.0
Ethyl Acetate (EthAc)	0.4	40.0	ND	5000.0	Chloroform (Clo)	0.4	0.8	ND	1.0
Benzene (Ben)	0.4	0.8	ND	1.0	1-2-Dichloroethane (12-Dich)	0.4	0.8	ND	1.0
Heptane (Hep)	0.4	40.0	ND	5000.0	Trichloroethylene (TriClEth)	0.4	0.8	ND	1.0
Toluene (Toluene)	0.4	40.0	ND	890.0	Xulenes (Xul)	0.4	40.0	ND	2170.0

FVI - Filth & Foreign Material Inspection Analysis

Analyzed Mar 30, 2023 | Instrument Microscope | Method SOP-010

Analyte / Limit	Result	Analyte / Limit	Result
> 1/4 of the total sample area covered by sand, soil, cinders, or dirt	ND	> 1/4 of the total sample area covered by mold	ND
> 1 insect fragment, 1 hair, or 1 count mammalian excreta per 3q	ND	> 1/4 of the total sample area covered by an imbedded foreign material	ND

UI Not Identified
ND Not Detected
NA Not Applicable
NT Not Reported
LOD Limit of Detection
LOQ Limit of Quantification
«LOQ Detected
»ULOL Above upper limit of linearity
CFU/g Colony Forming Units per 1 gram
TNTC Too Numerous to Count







Authorized Signature

Brandon Stark









Report Number: 23-000690/D002.R000

Report Date: 01/24/2023 **ORELAP#:** OR100028

Purchase Order:

Received: 01/17/23 14:16

Customer: IHC LLC
Product identity: 01LIR209_PB

Client/Metrc ID:

Laboratory ID: 23-000690-0024

Summary

Potency:

Analyte	Result (%)			
CBD-A	64.4	CBD-A	CBD-Total	57.3%
CBC-A	2.64	CBC-A		
THC-A	2.44	• THC-A	THC-Total	2.40%
CBG-A	2.09	OBG-A		
CBD	0.792	CBDCBDV-A	(Reported in pe	ercent of total sample)
CBDV-A	0.784	 Δ9-THC 		
Δ9-THC	0.255	• CBG		
CBG	0.166	• CBC		
CBC	0.0885			

Residual Solvents:

Pesticides:

Analyte	Result (mg/kg)	Limits (mg/kg)	Status
Multi-Residue Pesticide Profile	< LOQ for all analytes		

Metals:

Less than LOQ for all analytes.





Report Number: 23-000690/D002.R000

Report Date: 01/24/2023 **ORELAP#:** OR100028

Purchase Order:

Received: 01/17/23 14:16



Customer: IHC LLC

825 NW 16th Ave Portland Oregon 97209 United States of America (USA)

Product identity: 01LIR209_PB

Client/Metrc ID:

Sample Date:

Laboratory ID: 23-000690-0024

Evidence of Cooling: No
Temp: 20 °C
Relinquished by: ramos

Sample Results

Potency	Method: J AOAC 20	15 V98-6 (mod) ^b	Units %	Batch: 2300680	Analyze: 1/21/23	4:51:00 AM
Analyte	As Dry		otes			
000	Received wei	-				CBD-A
CBC	0.0885	0.0746				CBC-A
CBC-A	2.64	0.0746				THC-A
CBC-Total	2.40	0.140				O CBG-A
CBD	0.792	0.0746		`		• CBD
CBD-A	64.4	0.746				CBDV-AΔ9-THC
CBD-Total	57.3	0.729				• CBG
CBDV	< LOQ	0.0746				• CBC
CBDV-A	0.784	0.0746				
CBDV-Total	0.680	0.139				
CBE	< LOQ	0.0746				
CBG	0.166	0.0746				
CBG-A	2.09	0.0746				
CBG-Total	2.00	0.139				
CBL	< LOQ	0.0746				
CBL-A	< LOQ	0.0746				
CBL-Total	< LOQ	0.140				
CBN	< LOQ	0.0746				
CBT	< LOQ	0.0746				
Δ10-THC-9R	< LOQ	0.0746				
Δ8-THC	< LOQ	0.0746				
Δ8-THCV	< LOQ	0.0746				
Δ9-THC	0.255	0.0746				
exo-THC	< LOQ	0.0746				
THC-A	2.44	0.0746				
THC-Total	2.40	0.140				
THCV	< LOQ	0.0746				
THCV-A	< LOQ	0.0746				
THCV-Total	< LOQ	0.139				
Total Cannabinoids	73.7					



Report Number: 23-000690/D002.R000

Report Date: 01/24/2023 **ORELAP#:** OR100028

Purchase Order:

Received: 01/17/23 14:16

Solvents	Method:	Residua	I Solve	ents by	GC/MS ^þ	Units µg/g Batch 2	300691	Analyz	e 01/2	23/23 03:03 PM
Analyte	Result	Limits	LOQ	Status	Notes	Analyte	Result	Limits	LOQ	Status Notes
1,4-Dioxane	< LOQ	380	100	pass		2-Butanol	< LOQ	5000	200	pass
2-Ethoxyethanol	< LOQ	160	30.0	pass		2-Methylbutane (Isopentane)	< LOQ		200	
2-Methylpentane	< LOQ		30.0			2-Propanol (IPA)	< LOQ	5000	200	pass
2,2-Dimethylbutane	< LOQ		30.0			2,2-Dimethylpropane (neo-pentane)	< LOQ		200	
2,3-Dimethylbutane	< LOQ		30.0			3-Methylpentane	< LOQ		30.0	
Acetone	< LOQ	5000	200	pass		Acetonitrile	< LOQ	410	100	pass
Benzene	< LOQ	2.00	1.00	pass		Butanes (sum)	636	5000	400	pass
Cyclohexane	< LOQ	3880	200	pass		Ethyl acetate	< LOQ	5000	200	pass
Ethyl benzene	< LOQ		200			Ethyl ether	< LOQ	5000	200	pass
Ethylene glycol	< LOQ	620	200	pass		Ethylene oxide	< LOQ	50.0	20.0	pass
Hexanes (sum)	< LOQ	290	150	pass		Isopropyl acetate	< LOQ	5000	200	pass
lsopropylbenzene (Cumene)	< LOQ	70.0	30.0	pass		m,p-Xylene	< LOQ		200	
Methanol	< LOQ	3000	200	pass		Methylene chloride	< LOQ	600	60.0	pass
Methylpropane (Isobutane)	< LOQ		200			n-Butane	636		200	
n-Heptane	< LOQ	5000	200	pass		n-Hexane	< LOQ		30.0	
n-Pentane	< LOQ		200			o-Xylene	< LOQ		200	
Pentanes (sum)	< LOQ	5000	600	pass		Propane	< LOQ	5000	200	pass
Tetrahydrofuran	< LOQ	720	100	pass		Toluene	< LOQ	890	100	pass
Total Xylenes	< LOQ		400			Total Xylenes and Ethyl benzene	< LOQ	2170	600	pass

Pesticides	Method: AOAC 2007.01 & EN 15662 (mod)	Units mg/kg	Batch 2300713	Analyze 01/24/23 10:07 AM
Analyte	Result	Limits	Status	Notes

Multi-Residue Pesticide Profile < LOQ for all analytes

Metals							
Analyte	Result	Limits	Units	LOQ	Batch	Analyzed Method	Status Notes
Arsenic	< LOQ	0.200	mg/kg	0.0958	2300594	01/18/23 AOAC 2013.06 (mod.) ^þ	pass
Cadmium	< LOQ	0.200	mg/kg	0.0958	2300594	01/18/23 AOAC 2013.06 (mod.) ^p	pass
Lead	< LOQ	0.500	mg/kg	0.0958	2300594	01/18/23 AOAC 2013.06 (mod.) ^p	pass
Mercury	< LOQ	0.100	mg/kg	0.0479	2300594	01/18/23 AOAC 2013.06 (mod.) ^b	pass





Report Number: 23-000690/D002.R000

Report Date: 01/24/2023 **ORELAP#:** OR100028

Purchase Order:

Received: 01/17/23 14:16

Abbreviations

Limits: Action Levels per OAR-333-007-0400, OAR-333-007-0210, OAR-333-007-0220, CCR title 16-division 42. BCC-section 5723

Limit(s) of Quantitation (LOQ): The minimum levels, concentrations, or quantities of a target variable (e.g., target analyte) that can be reported with a specified degree of confidence.

p = ISO/IEC 17025:2017 accredited method.

Units of Measure

 $\mu g/g = Microgram per gram$ mg/kg = Milligram per kilogram = parts per million (ppm)% = Percentage of sample
% wt = $\mu g/g$ divided by 10,000

Approved Signatory

Derrick Tanner General Manager





Report Number: 23-000690/D002.R000

Report Date: 01/24/2023 ORELAP#: OR100028

Purchase Order:

Received: 01/17/23 14:16



P2320 Multi-Residue Pesticide Profile Cannabis

Analyte	LOQ (mg/kg)
2,4-D	0.1
Abamectin	0.1
Acephate	0.2
Acequinocyl	0.2
Acetamiprid	0.1
Acetochlor	0.2
Acrinathrin	0.1
Alachlor	0.1
Aldicarb	0.1
Aldoxycarb	0.1
Aldrin	0.1
Ametoctradin	0.1
Ametryn	0.1
Anilazine	0.1
Aspon	0.1
Asulam	0.1
Atrazine	0.1
Atrazine-desethyl	0.1
Azinphos-ethyl	0.1
Azinphos-methyl	0.1
Azoxystrobin	0.1
Benalaxyl	0.1
Bendiocarb	0.1
Benoxacor	0.1
Bensulide	0.1
Bentazon	0.1
Bifenazate	0.1
Bifenox	0.1
Bifenthrin	0.1
Binapacryl	0.1
Boscalid	0.1
Bromacil	0.1
Bromophos-ethyl	0.1
Bromopropylate	0.1
Bromoxynil	0.1
Bupirimate	0.1
Buprofezin	0.1
Butachlor	0.1
Butylate	0.1
Cadusafos	0.1
Captan	0.2
Carbaryl	0.1
Carbendazim	0.1
Carbofuran	0.1
Carbofuran 3-hydroxy	0.1
Carbophenothion	0.1
Carbophenothion-methyl	0.1
Carboxin	0.1

Analyte	LOQ
,	(mg/kg)
Chlorantraniliprol	0.1
Chlordane, cis-	0.1
Chlordane, trans-	0.1
Chlorfenapyr	0.1
Chlorfenvinphos	0.1
Chlorobenzilate	0.1
Chlorpyrifos-ethyl	0.1
Chlorpyrifos-methyl	0.1
Chlorthal-dimethyl (Dacthal)	0.1
Clethodim	0.1
Clethodim sulfone	0.1
Clethodim sulfoxide	0.1
Clofentezine	0.1
Clomazone	0.1
Clopyralid	0.1
Clothianidin	0.1
Coumaphos	0.1
Crotoxyphos	0.1
Cyanofenphos	0.1
Cyanophos	0.1
Cyantraniliprole	0.1
Cyazofamid	0.1
Cyfluthrin	0.1
Cyhalothrin, lambda	0.1
Cymoxanil	0.1
Cypermethrin	0.1
Cyprodinil	0.1
DDD, o,p'-	0.1
DDD, p,p'-	0.1
DDE, o,p'-	0.1
DDE, p,p'-	0.1
DDT, o,p'-	0.1
DDT, p,p'-	0.1
DEET	0.1
Deltamethrin	0.1
Demeton-S	0.1
Demeton-s-methyl	0.1
Demeton-S-methyl-sulfone	0.1
Desmedipham	0.1
Diazinon	0.1
Dicamba	0.1
Dichlofenthion	0.1
Dichlofluanid	0.1
Dichlorbenzamid	0.1
Dichlorvos	0.1
Diclofop	0.1
Diclofop-methyl	0.1
Dicrotophos	0.1

Analyte	LOQ
Analyte	(mg/kg)
Dieldrin	0.1
Diethofencarb	0.1
Difenoconazol	0.1
Diflubenzuron	0.1
Diflufenzopyr	0.1
Dimethenamid	0.1
Dimethoat	0.1
Dimethomorph	0.1
Dinoseb	0.1
Dinotefuran	0.1
Dioxathion	0.1
Diphenamid	0.1
Diphenylamine (DPA)	0.1
Disulfoton	0.1
Disulfoton-sulfone	0.1
Disulfoton-Sulfoxide	0.1
Diuron	0.1
DNOC	0.1
Edifenphos	0.1
Endosulfan (alpha isomer)	0.1
Endosulfan (beta isomer)	0.1
Endosulfan-sulfate	0.1
Endrin	0.1
EPN	0.1
EPTC	0.1
Esfenvalerate/Fenvalerate	0.1
Ethiofencarb	0.1
Ethion	0.1
Ethofumesate	0.1
Ethoprophos	0.1
Etofenprox	0.1
Etoxazole	0.1
Etrimfos	0.1
Famoxadone	0.1
Famphur	0.1
Fenamiphos	0.1
Fenamiphos-Sulfone	0.1
Fenamiphos-Sulfoxide	0.1
Fenazaquin	0.1
Fenbuconazole	0.1
Fenhexamid	0.1
Fenobucarb	0.1
Fenoxycarb	0.1
Fenpropathrin	0.1
Fensulfothion	0.1
Fenthion Fenuron	0.1
Fipronil	0.1

LOQ= Lmit of Quantitation mg/kg= milligram per kilogram (ppm)

Page 1 of 3

Updated: 09.12.2022





Report Number: 23-000690/D002.R000

Report Date: 01/24/2023 ORELAP#: OR100028

Purchase Order:

Received: 01/17/23 14:16



P2320 Multi-Residue Pesticide Profile Cannabis

Analyte	LOQ (mg/kg)
Flonicamid	0.1
Fluazifop	0.1
Fluazinam	0.1
Flucythrinate	0.1
Fludioxonil	0.1
Flufenacet	0.1
Flumioxazin	0.1
Fluopicolide	0.1
Fluopyram	0.1
Fluoxastrobin	0.1
Flupyradifurone	0.1
Fluridone	0.1
Fluroxypyr	0.1
Fluthiacet-methyl	0.1
Flutolanil	0.1
Flutriafol	0.1
Fluvalinate	0.1
Fluxapyroxad	0.1
Fomesafen	0.1
Formetanate	0.1
Furathiocarb	0.1
Haloxyfop	0.1
Heptachlor	0.1
Heptachlor epoxide	0.1
Hexaconazole	0.1
Hexazinone	0.1
Hexythiazox	0.1
Hydropene	0.1
Imazalil	0.1
	0.1
Imazethapyr Imidacloprid	0.1
Indaziflam	0.1
Indoxacarb	0.1
Iprobenfos	0.1
Iprodion	0.1
Isobenzan	0.1
Isofenphos	0.1
Isofenphos-methyl	0.1
Isofenphos-oxon	0.1
Isoprocarb	0.1
Isoprothiolane	0.1
Isoproturon	0.1
Isoxaben	0.1
Kresoxim-methyl	0.1
Lindane	0.1
Linuron	0.1
Malaoxon Malathion	0.1

Analyte	LOQ (mg/kg)
Mandipropamid	0.1
MCPA	0.1
MCPB	0.1
MCPP	0.1
Mecabarm	0.1
Mepanipyrim	0.1
Mesotrione	0.1
Metalaxyl	0.1
Methamidophos	0.1
Methiocarb	0.1
Methiocarb sulfone	0.1
Methiocarb sulfoxide	0.1
Methomyl	0.1
Methoxyfenozide	0.1
Metolachlor	0.1
Metolcarb	0.1
Metrafenone	0.1
Mevinphos	0.1
MGK 264	0.1
Molinat	0.1
Monocrotophos	0.1
Monolinuron	0.1
Myclobutanil	0.1
Naled	0.1
Napropamide	0.1
Neburon	0.1
Norflurazon	0.1
Novaluron	0.1
Omethoat	0.1
Oryzalin	0.1
Oxadiazon	0.1
Oxadixyl	0.1
Oxamyl	0.1
Oxamyl-oxime	0.1
Oxychlordane	0.1
Oxydemeton-Methyl	0.1
Oxyfluorfen	0.1
Paclobutrazol	0.1
Paraoxon-ethyl	0.1
Paraoxon-methyl	0.1
Parathion-methyl	0.1
Penconazole	0.1
Pendimethalin	0.1
Penflufen	0.1
Penthiopyrad	0.1
Permethrin	0.1
Perthane	0.1
Phenmedipham	0.1

Analyte	LOQ (mg/kg)
Phenothrin	0.1
Phenthoate	0.1
Phorate	0.1
Phorate-Sulfone	0.1
Phorate-Sulfoxide	0.1
Phosalone	0.1
Phosmet	0.1
Phosphamidon	0.1
Phoxim	0.1
Pinoxaden	0.1
Piperonyl Butoxide	0.1
Pirimicarb	0.1
Pirimiphos-ethyl	0.1
Pirimiphos-methyl	0.1
Prallethrin	0.1
Prochloraz	0.1
Procymidone	0.1
Profenofos	0.1
Promecarb	0.1
Prometon	0.1
Prometryn	0.1
Propachlor	0.1
Propamocarb	0.1
Propanil	0.1
Propazine	0.1
Propetamophos	0.1
Propham	0.1
Propiconazole	0.1
Propoxur	0.1
Propyzamide	0.1
Prothiofos	0.1
Pyraclostrobin	0.1
Pyraflufen Ethyl	0.1
Pyrazophos	0.1
Pyrethrin	0.1
Pyridaben	0.1
Pyrimethanil	0.1
Pyriproxifen	0.1
Pyroxasulfone	0.1
Pyroxsulam	0.1
Quinalphos	0.1
Quinalprios	0.1
	_
Quinoxyfen	0.1
Quintozene(PCNB) Quizalofop	0.2
Resmethrin	0.1
Rotenone	0.1
Saflufenacil	0.1

LOQ= Lmit of Quantitation mg/kg= milligram per kilogram (ppm)

Page 2 of 3

Updated: 09.12.2022





Report Number: 23-000690/D002.R000

Report Date: 01/24/2023 ORELAP#: OR100028

Purchase Order:

01/17/23 14:16 Received:



Analyte

Sebuthylazin

Sethoxydim Simazine

LOQ

(mg/kg)

0.1 0.1

0.1

P2320 Multi-Residue Pesticide Profile Cannabis

0.1 Simetryn Spinetoram J/L 0.1 0.1 Spinosyn A/D Spirodiclofen 0.1 0.1 Spiromesifen Spirotetramat 0.1 0.1 Spiroxamine Sulfentrazone 0.1 0.1 Sulfotep Sulfoxaflor 0.1 0.1 Sulprofos 0.1 Tebuconazole 0.1 Tebufenozide 0.1 Terbufos 0.1 Terbuthylazine Terbutryn 0.1 Tetrachlorvinphos 0.1 0.1 Tetraconazole Tetramethrin 0.1 0.1 Thiabendazol Thiabendazol-5-hydroxy 0.1 0.1 Thiacloprid Thiamethoxam 0.1 Thiobencarb 0.1 Thiodicarb 0.1 Thiometon 0.1 Thiophanate-methyl 0.2 Tolfenpyrad 0.1 Tolylfluanid 0.1 0.1 Triadimefon Triadimenol 0.1 0.1 Triazophos Trifloxystrobin 0.1 Triflumizole 0.1 Triticonazole 0.1 0.1 Zoxamid

LOQ= Lmit of Quantitation mg/kg= milligram per kilogram (ppm)

Page 3 of 3

Updated: 09.12.2022





Report Number: 23-000690/D002.R000

Report Date: 01/24/2023 **ORELAP#:** OR100028

Purchase Order:

Received: 01/17/23 14:16



Hemp / Cannabis Usable / Extract / Finished Products Chain of Custody Record

Revision: 4.00 Controll: CP029 Rev 00/24/2021 Eff: 03/04/2021 ORELAP D: OR100008

	AUATHA KO SAARKI KOM	0-1-					. 7	nelys	s Req	uetie	d					- Morehan		
2 6 6 5	Contact: kyle@thehempcollect.com Street: 431 NW Handers st. Street: 431 NW Handers st. City: Portland Issue: Uh 3p; 97209 Self-Email Results: dropbox (IHC) Ph; (b1) bUB1b4 Falleauts: [] asking (Falleauts) Joel@thehempcollect.com				SHide Multi-hesidae - 375 compounds		sidual Solvents	deturn & Water Rethely		icroc Yeast and Meld	crec C.Colf and Total Colforns	ants			Project Namber: Project Namber: Custom Reporting: Report to State - METRC or Other; Turnaround since: S S Business Day Standard Turnaround: 2 Susiness Day Roch Turnaround: "Check for modification."			
(Ab	Cient Sample Identification	Oute	Time	Periodes	Penide	Patency	-6	Metrum	Inpates	Micros Ye	More C.	Heavy Metals	Mystaline	Other	Sample Type 1	Weight	Consistin/Metrs 10	
1.5	01LIR209_LB				X	X	X					×			C			
	01LIR209_KC				×	X	X					X			C			
	01LIR209_FV			-	×	X	X					×			C			
4	01LIR209_WW				x	X	X					×			C			
5	01LIR209_SB				ж.	X	X					X			C			
6	01LIR209_BO				x	X	X					x			C			
7	01LIR209_LT	+		\vdash	X	X	x					×			C			
8	01LIR209_RC				x	X	x					×			C			
	01LIR209_PJ	+	1		x	x	×				_	X		-	C			
	01LIR209_CJ	_			x	×	x					X			C			
-	Relegation by:	Date	Tirse		10	3 8	goeved	B _C			- De	00	Tie	04			Lab Use Only:	
The second secon		11:00 A		1	0	12				1-17	.15	111	0		d Wa:	or Differential Process of the State of the		
		P35							y17/23 1		1916		Sample in good condition: [] Yes [] No Disable Disheck Dishe Disheck Dishe					

+ - Sample Type Codes: Vegetation (V) ; Includes (S) ; Estimat/Concentrate (C) ; Traction/Topical (T) ; Edible (E) ; Beverage (R)

Supply private the Colonia Laboratory with long regions on contain an agreement in a contain to a contain the colonial and the Colonia Colonia





Report Number: 23-000690/D002.R000

Report Date: 01/24/2023 **ORELAP#:** OR100028

Purchase Order:

Received: 01/17/23 14:16



Hemp / Cannabis Usable / Extract / Finished Products Chain of Custody Record

Revision: 4,00 Control#: CF025 New 02/24/2021 Eff: 05/04/2021 CRELAP ID: OR100028

120 100 100					,		nailysi	s Req	ueste	đ				R	0 Number:		
Company: I he Hemp Collect Contact: kyle is thehempcollect com Street: 431 NW Flanders st. Chy: Portland Sode: UF 29: 97209 ## Email Results: dropbox (IHC) ## [61] 508164 Fx Results: [] ##king f different joel (#thehempcollect.com				ose Mattidessue - 379 compounds		coldust Sofrents	Asistane & Water Activity		Good: Yearst and Node	Noc. E. Coli and Total Celiform	rish.	E		Froject Number: Froject Name: Custom Reporting: Report to State - □ NETRC or □ Other: Terroround time: Ø 5 thisleess Day Standard Turnaround □ 3 thisleess Day Right Turnaround* "Chack for ovalishibly Sempled by:			
Lab Client Sample Identification 1 01LIR209_OGK	Date	Time	Periodes	Pestofe	Polancy	Resistant	Moisture	Terperus	Month!	Moo: E.	Heary Metah.	Mycotonins	Other	Semple Type it	Weight (Units)	Construents/Wetro (I)	
01LIR209_Shaolin	-		Н	×	×	×					×			0			
01LIR209_Japhy	-	-	-	×	×	×				_	x			C			
01LIR209_PP	-	-	Н	×	×	×	_			-	×			C			
01LIR209 MT	-	-	Н	X	×	×		-	-	-	×	-		C	_		
01LIR209 PK			Н	×	×	×			-	-	X	-		Č	_		
01LIR209 SP	_			×	×	×					X	-		c			
01LIR209_Sour G	+		Н	×	×	×				<u></u>	x			С			
01LIR209 FG	+			×	×	×				-	×			c			
10 01LIR209_RGSP	-		\vdash	×	×	×					x			C			
Rollinguish and By:	Ditte	Time		-	- 1	best	BY:			De	tir	Tie	mer.			Lab Use Cely:	
A PARTY TO SERVICE AND ADDRESS OF THE PARTY		11:00 A		1	3	2				1+1	1.15	11	10			er D Olere drop	
335		1255						2) H (2)(1)(0			4	Serople is good condition: □ fini □ No. □ Conf (□ Check (□ CC) □ Mer: Prolog storage:					

+ - Sample Type Codes: Vegetation (V) ; Includes (S) ; Extract/Concentrate (C) ; Tincture/Topical (T) ; Edible (C) ; Beverage (A)

Lample administration Columbia (Administration of the extra propriation of the extra property of the extra pro





Report Number: 23-000690/D002.R000

Report Date: 01/24/2023 **ORELAP#:** OR100028

Purchase Order:

Received: 01/17/23 14:16



Hemp / Cannabis Usable / Extract / Finished Products Chain of Custody Record

Revision: 4.00 Control®: CF02S Rev 02/24/2021 Eff: 03/04/2021 ORLAPID: ORD0028

	9:5:0:99004:85V/2W	25.72						learly s	n Req	uette	d					O Number:	
Street City:	Ine Hemp Collect Contact: kyle@ithehempcollect.com Street: 431 NW Flanders st. Chy Portland state: UF Ap: 97209 Se Email Results: dropbox (IHC) Pt. (61) 508154 Fs Results: [] Billing (FdResult): joel (8) thehempcollect.com		strodes - ORSG compounts	sticide Multi-Residue - 379 compounds		esidual Soberes	elture & Wales Activity		Reno Yeses and Mold	sees: C.Deli and Tetal Coliform	Table 1	*		Project Number: Project Name: Costern Reporting: Report to State - METRC or Mother: Tamanound time: St 5 Statington Day Standard Turnsmound: 1 Statington Day Rock Turnsmound: 12 Statington Day Rock Turnsmound: 15 Statington Day Rock Turnsmound: 15 Statington Day Rock Turnsmound: 15 Statington Day Rock Turnsmound:			
tab ID	Client Sample Identification	Date	Time	Permode	K Perriode	February	Resident	Moeture	i i	More n	Micros C	Hanny Metals	Mycotasias	all di	Semple Type II	Weight	Community/Webre (B
10.11	1LIR209_ST8	-		Н	×	×	×	-	Н		-	X			C		
	1LIR209_CS	-	-	Н	x	×	X	-	\vdash		-	X	-		C		
G (1) 10 h	1LIR209 PB			н	×	×	×					X			C		
5				Н	\vdash	\vdash	\vdash				-						
6				Н													
7			1	$\overline{}$			+										
8							\vdash										
9				т	\vdash	\vdash	†										
10																- V	
	Helioquished By:	Dete	Time		1	2	powed	by:			0	936	Ti	me.			Leb time Coly:
Kyle Fargok 1/17 11:00 A		1	2	1	>-				1.0	13	11	1.0			ar II Client shop		
532 1.17 1336			(LIPS)						04/17/25 14/6			6	Semple in good conditions () Yes D No - Temp(*C); 2 / -) Semple in good conditions () Yes) () No () Cash D Chesk D CC D Nest Prelog storage				

1 - Samule Type Codes: Vegetation (V) | Inclutes (S) | Extract/Concentrate (C) | Tincture/Topical (T) | Ediblo (E) | Deverage (B)

Emplicational Colonia Library on the proposal country or growing in their trees.

12425 MF Million Way

P. Until 254-2341 Fox (Unit 254-1452

Property of Colonia Colo





23-000690/D002.R000 **Report Number:**

Report Date: 01/24/2023 ORELAP#: OR100028

Purchase Order:

Received: 01/17/23 14:16

Revision: 1 Document ID: 7148 Legacy ID: Worksheet Validated 04/20/2021

			Lal	boratory	Quality Co	ntrol Results			
J AOAC 2015 V98-					В	atch ID: 2300	680		
Laboratory Contro									
Analyte	LCS	Result	Spike	Units	% Rec	Limit	S	Evaluation	Notes
CBDVA	2	0.104	0.100	%	104	80.0 -	120	Acceptable	
CBDV	2	0.110	0.106	%	104	80.0 -	120	Acceptable	
CEE	2	0.108	0.105	%	103	80.0 -	120	Acceptable	
CBDA	1	0.0968	0.096	%	101	90.0 -	110	Acceptable	
CBGA	1	0.0973	0.096	%	101	80.0 -	120	Acceptable	
CBG	1	0.100	0.099	%	102	80.0 -	120	Acceptable	
CBD	1	0.0969	0.097	%	99.6	90.0 -	110	Acceptable	
THCV	2	0.109	0.106	%	102	80.0 -	120	Acceptable	
d8THCV	2	0.108	0.103	%	105	80.0 -	120	Acceptable	
THCVA	2	0.102	0.099	%	103	80.0 -	120	Acceptable	
CBN	1	0.104	0.102	%	102	80.0 -	120	Acceptable	
exo-THC	2	0.101	0.097	%	104	80.0 -	120	Acceptable	
d9THC	1	0.112	0.105	%	107	90.0 -	110	Acceptable	
BTHC	1	0.0971	0.100	%	96.7	90.0 -	110	Acceptable	
CBL	2	0.108	0.104	%	104	80.0 -	120	Acceptable	
9SHHC	3	0.0995	0.100	%	99.5	80.0 -	120	Acceptable	
d10THC	1	0.0471	0.047	%	99.8	80.0 -	120	Acceptable	
CBC	2	0.107	0.104	%	103	80.0 -	120	Acceptable	
9RHHC	3	0.0889	0.100	%	88.9	80.0 -	120	Acceptable	
THCA	1	0.0964	0.095	%	101	90.0 -	110	Acceptable	
CBCA	2	0.106	0.103	%	103	80.0 -	120	Acceptable	
CBLA	2	0.108	0.105	%	104	80.0 -	120	Acceptable	
BTHCO	3	0.104	0.100	%	104	80.0 -	120	Acceptable	
CBT	2	0.109	0.105	%	104	80.0 -	120	Acceptable	
9THCO	3	0.110	0.100	%	110	80.0 -	120	Acceptable	
Method Blank	•							*	•
Analyte		esult	LOQ		Units	Limit		Evaluation	Notes
CBDVA		LOQ	0.0077		%	< 0.00		Acceptable	
CBDV		LOQ	0.0077		%	< 0.00		Acceptable	
CBE					%	< 0.00		Acceptable	
CBDA		100	0.0077	1	0/_	< 0.00	77	Accentable	

Analyte	Result	LOQ	Units	Limits	Evaluation	Notes
CBDVA	<loq< td=""><td>0.0077</td><td>%</td><td>< 0.0077</td><td>Acceptable</td><td></td></loq<>	0.0077	%	< 0.0077	Acceptable	
CBDV	<loq< td=""><td>0.0077</td><td>%</td><td>< 0.0077</td><td>Acceptable</td><td></td></loq<>	0.0077	%	< 0.0077	Acceptable	
CEE	<loq< td=""><td>0.0077</td><td>%</td><td>< 0.0077</td><td>Acceptable</td><td></td></loq<>	0.0077	%	< 0.0077	Acceptable	
CBDA	<loq< td=""><td>0.0077</td><td>%</td><td>< 0.0077</td><td>Acceptable</td><td></td></loq<>	0.0077	%	< 0.0077	Acceptable	
CBGA	<loq< td=""><td>0.0077</td><td>%</td><td>< 0.0077</td><td>Acceptable</td><td></td></loq<>	0.0077	%	< 0.0077	Acceptable	
CBG	<loq< td=""><td>0.0077</td><td>%</td><td>< 0.0077</td><td>Acceptable</td><td></td></loq<>	0.0077	%	< 0.0077	Acceptable	
CBD	<loq< td=""><td>0.0077</td><td>%</td><td>< 0.0077</td><td>Acceptable</td><td></td></loq<>	0.0077	%	< 0.0077	Acceptable	
THCV	<loq< td=""><td>0.0077</td><td>%</td><td>< 0.0077</td><td>Acceptable</td><td></td></loq<>	0.0077	%	< 0.0077	Acceptable	
d8THCV	<loq< td=""><td>0.0077</td><td>%</td><td>< 0.0077</td><td>Acceptable</td><td></td></loq<>	0.0077	%	< 0.0077	Acceptable	
THCVA	<loq< td=""><td>0.0077</td><td>%</td><td>< 0.0077</td><td>Acceptable</td><td></td></loq<>	0.0077	%	< 0.0077	Acceptable	
CBN	<loq< td=""><td>0.0077</td><td>%</td><td>< 0.0077</td><td>Acceptable</td><td></td></loq<>	0.0077	%	< 0.0077	Acceptable	
exo-THC	<loq< td=""><td>0.0077</td><td>%</td><td>< 0.0077</td><td>Acceptable</td><td></td></loq<>	0.0077	%	< 0.0077	Acceptable	
d9THC	<loq< td=""><td>0.0077</td><td>%</td><td>< 0.0077</td><td>Acceptable</td><td></td></loq<>	0.0077	%	< 0.0077	Acceptable	
d8THC	<loq< td=""><td>0.0077</td><td>%</td><td>< 0.0077</td><td>Acceptable</td><td></td></loq<>	0.0077	%	< 0.0077	Acceptable	
CB.	<loq< td=""><td>0.0077</td><td>%</td><td>< 0.0077</td><td>Acceptable</td><td></td></loq<>	0.0077	%	< 0.0077	Acceptable	
9SHHC	<loq< td=""><td>0.0077</td><td>%</td><td>< 0.0077</td><td>Acceptable</td><td></td></loq<>	0.0077	%	< 0.0077	Acceptable	
d10THC	<loq< td=""><td>0.0077</td><td>%</td><td>< 0.0077</td><td>Acceptable</td><td></td></loq<>	0.0077	%	< 0.0077	Acceptable	
CBC	<loq< td=""><td>0.0077</td><td>%</td><td>< 0.0077</td><td>Acceptable</td><td></td></loq<>	0.0077	%	< 0.0077	Acceptable	
9RHHC	<loq< td=""><td>0.0077</td><td>%</td><td>< 0.0077</td><td>Acceptable</td><td></td></loq<>	0.0077	%	< 0.0077	Acceptable	
THCA	<loq< td=""><td>0.0077</td><td>%</td><td>< 0.0077</td><td>Acceptable</td><td></td></loq<>	0.0077	%	< 0.0077	Acceptable	
CBCA	<loq< td=""><td>0.0077</td><td>%</td><td>< 0.0077</td><td>Acceptable</td><td></td></loq<>	0.0077	%	< 0.0077	Acceptable	
CBLA	<loq< td=""><td>0.0077</td><td>%</td><td>< 0.0077</td><td>Acceptable</td><td></td></loq<>	0.0077	%	< 0.0077	Acceptable	
d8THCO	<loq< td=""><td>0.0077</td><td>%</td><td>< 0.0077</td><td>Acceptable</td><td></td></loq<>	0.0077	%	< 0.0077	Acceptable	
CBT	<loq< td=""><td>0.0077</td><td>%</td><td>< 0.0077</td><td>Acceptable</td><td></td></loq<>	0.0077	%	< 0.0077	Acceptable	
d9THCO	<loq< td=""><td>0.0077</td><td>%</td><td>< 0.0077</td><td>Acceptable</td><td></td></loq<>	0.0077	%	< 0.0077	Acceptable	

ND - None Detected at or above MRL RPD - Relative Percent Difference

LOQ - Limit of Quantitation

Units of Measure: % - Percent





23-000690/D002.R000 **Report Number:**

Report Date: 01/24/2023 ORELAP#: OR100028

Purchase Order:

Received: 01/17/23 14:16

Revision: 1 Document ID: 7148 Legacy ID: Worksheet Validated 04/20/2021

Laboratory Quality Control Results

J AOAC 2015 V98-6						tch ID: 2300680									
Sample Duplicate				Sample ID: 23-000673-0001											
Analyte	Result	Org. Result	LOQ	Units	RPD	Limits	Evaluation	Notes							
CBDVA	0.0236	0.0235	0.077	%	0.271	< 20	Acceptable								
CBDV	<loq< td=""><td><loq< td=""><td>0.077</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.077</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.077	%	NA	< 20	Acceptable								
CEE	<loq< td=""><td><loq< td=""><td>0.077</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.077</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.077	%	NA	< 20	Acceptable								
CBDA	<loq< td=""><td><loq< td=""><td>0.077</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.077</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.077	%	NA	< 20	Acceptable								
CEGA	<loq< td=""><td><loq< td=""><td>0.077</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.077</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.077	%	NA	< 20	Acceptable								
CEG	<loq< td=""><td><loq< td=""><td>0.077</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.077</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.077	%	NA	< 20	Acceptable								
CBD	<loq< td=""><td><loq< td=""><td>0.077</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.077</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.077	%	NA	< 20	Acceptable								
THCV	<loq< td=""><td><loq< td=""><td>0.077</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.077</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.077	%	NA	< 20	Acceptable								
d8THCV	<loq< td=""><td><loq< td=""><td>0.077</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.077</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.077	%	NA	< 20	Acceptable								
THCVA	<loq< td=""><td><loq< td=""><td>0.077</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.077</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.077	%	NA	< 20	Acceptable								
CBN	0.0340	0.0342	0.077	%	0.526	< 20	Acceptable								
exo-THC	<loq< td=""><td><loq< td=""><td>0.077</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.077</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.077	%	NA	< 20	Acceptable								
d9THC	<loq< td=""><td><loq< td=""><td>0.077</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.077</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.077	%	NA	< 20	Acceptable								
d8THC	0.189	0.172	0.077	%	9.34	< 20	Acceptable								
CBL	<loq< td=""><td><loq< td=""><td>0.077</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.077</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.077	%	NA	< 20	Acceptable								
9SHHC	39.6	38.5	0.077	%	2.70	< 20	Acceptable								
d10THC	<loq< td=""><td><loq< td=""><td>0.077</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.077</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.077	%	NA	< 20	Acceptable								
CBC	<loq< td=""><td><loq< td=""><td>0.077</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.077</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.077	%	NA	< 20	Acceptable								
9RHHC	36.9	35.2	0.077	%	4.96	< 20	Acceptable								
THCA	<loq< td=""><td><loq< td=""><td>0.077</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.077</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.077	%	NA	< 20	Acceptable								
CBCA	<loq< td=""><td><loq< td=""><td>0.077</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.077</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.077	%	NA	< 20	Acceptable								
CB.A	<loq< td=""><td><l0q< td=""><td>0.077</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></l0q<></td></loq<>	<l0q< td=""><td>0.077</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></l0q<>	0.077	%	NA	< 20	Acceptable								
d8THCO	<loq< td=""><td><loq< td=""><td>0.077</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.077</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.077	%	NA	< 20	Acceptable								
CBL	<loq< td=""><td><loq< td=""><td>0.077</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.077</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.077	%	NA	< 20	Acceptable								
d9THCO	<loq< td=""><td><l0q< td=""><td>0.077</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></l0q<></td></loq<>	<l0q< td=""><td>0.077</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></l0q<>	0.077	%	NA	< 20	Acceptable								

ND - None Detected at or above MRL

RPD - Relative Percent Difference

LOQ - Limit of Quantitation

R2 - Sample replicates RPD non-calculable, as only one replicate is within analytical range.

Units of Measure:





23-000690/D002.R000 **Report Number:**

Report Date: 01/24/2023 ORELAP#: OR100028

Purchase Order:

Received: 01/17/23 14:16

Revision: 2 Document ID: 7087 Legacy ID: CFL-E33Effective:

								Legacy	ID:	UFL-E	33Effective:
	La	.boratory	/ Qual	ity Contro	l Results						
Residual Solvents						Bate	ch ID:	23006	91		
Method Blark					Laboratory	Control S	ample				
Analyte	Result		LOQ	Notes	Result	Spike	Units	%Rec	Li	mits	Notes
Propane	ND	<	200		547	572	μg/g	95.6	60	- 120	
Isobutane	ND	<	200		701	731	μg/g	95.9	60	- 120	
Butane	ND	<	200		678	731	μg/g		60	- 120	
2,2-Dimethylpropane	ND	<	200		893	936	μg/g	95.4	60	- 120	
Methanol	ND	<	200		1580	1620	μg/g		60	- 120	
Ethylene Oxide	ND	<	30		55	56.2	μg/g	97.9	60	- 120	
2-Methylbutane	ND	<	200		1520	1610	μg/g	94.4	60	- 120	
Pertane	ND	<	200		1520	1600	μg/g	95.0	60	- 120	
Ethanol	ND	<	200		1610	1610	μg/g	100.0	70	- 130	
Ethyl Ether	ND	<	200		1560	1630	μg/g	95.7	60	- 120	
2,2-Dimethylbutane	ND	<	30		164	171	μg/g		60	- 120	
Acetone	ND	<	200		1560	1630	μg/g	95.7	60	- 120	
2-Propanol	ND	<	200		1670	1620	μg/g	103.1	60	- 120	
Acetonitrile	ND	<	100		475	498	μg/g	95.4	60	- 120	
2,3-Dimethylbutane	ND	<	30		160	171	μg/g	93.6	60	- 120	
Dichloromethane	ND	<	60		476	483	μg/g	98.6	60	- 120	
2-Methylpentane	ND	<	30		161	168	μg/g	95.8		- 120	
3-Methylpentane	ND	<	30		146	167	μg/g	87.4	60	- 120	
Hexane	ND	<	30		208	182	μg/g	114.3	60	- 120	
Ethyl acetate	ND	<	200		1570	1610	μg/g	97.5	60	- 120	
2-Butanol	ND	<	200		1660	1600	μg/g	103.8	60	- 120	
Tetrahydrofuran	ND	<	100		474	483	μg/g	98.1	60	- 120	
Cyclohexane	ND	<	200		1540	1610	μg/g	95.7	60	- 120	
Benzene	ND	<	1		5.3	5.02	μg/g	105.6	60	- 120	
Isopropyl Acetate	ND	<	200		1670	1620	μg/g	103.1	60	- 120	
Heptane	ND	<	200		1500	1610	μg/g	93.2	60	- 120	
1,4-Dioxane	ND	<	100		475	491	μg/g	96.7	60	- 120	
2-Ethoxyethanol	ND	<	30		316	181	μg/g	174.6	60	- 120	Q1
Ethylene Glycol	ND	<	200		698	484	μg/g	144.2	60	- 120	Q1
Toluene	ND	<	100		465	485	μg/g	95.9	60	- 120	
Ethylbenzene	ND	<	200		911	969	μg/g			- 120	
m,p-Xylene	ND	<	200		915	994	μg/g		60	- 120	
o-Xylene	ND	<	200		901	967	μg/g	93.2	60	- 120	
Cumene	ND	<	30		161	171	μg/g	94.2	60	- 120	





Report Number: 23-000690/D002.R000

Report Date: 01/24/2023 ORELAP#: OR100028

Purchase Order:

Received: 01/17/23 14:16

Revision: 2 Document ID: 7087 Legacy ID: CFL-E33Effective:

QC- Sample Duplicate			Sample ID: 23-000690-0005										
Analyte	Result	Org. Reult	LOQ Units	RPD	Limits	Accept/Fail	Notes						
Propane	ND	ND	200 μg/g	0.0	< 20	Acceptable							
Isobutane	ND	ND	200 μg/g	0.0	< 20	Acceptable							
Butane	1250	1160	200 μg/g	7.5	< 20	Acceptable							
2,2-Dimethylpropane	ND	ND	200 μg/g	0.0	< 20	Acceptable							
Methanol	ND	ND	200 μg/g	0.0	< 20	Acceptable							
Ethylene Oxide	ND	ND	30 μg/g	0.0	< 20	Acceptable							
2-Methylbutane	ND	ND	200 μg/g	0.0	< 20	Acceptable							
Pertane	ND	ND	200 μg/g	0.0	< 20	Acceptable							
Ethanol	ND	ND	200 μg/g	0.0	< 20	Acceptable							
Ethyl Ether	ND	ND	200 μg/g	0.0	< 20	Acceptable							
2,2-Dimethylbutane	ND	ND	30 μg/g	0.0	< 20	Acceptable							
Acetone	ND	ND	200 μg/g	0.0	< 20	Acceptable							
2-Propanol	ND	ND	200 μg/g	0.0	< 20	Acceptable							
Acetonitrile	ND	ND	100 μg/g	0.0	< 20	Acceptable							
2,3-Dimethylbutane	ND	ND	30 μg/g	0.0	< 20	Acceptable							
Dichloromethane	ND	ND	60 μg/g	0.0	< 20	Acceptable							
2-Methylpentane	ND	ND	30 μg/g	0.0	< 20	Acceptable							
3-Methylpentane	ND	ND	30 μg/g	0.0	< 20	Acceptable							
Hexane	ND	ND	30 μg/g	0.0	< 20	Acceptable							
Ethyl acetate	ND	ND	200 μg/g	0.0	< 20	Acceptable							
2-Butanol	ND	ND	200 μg/g	0.0	< 20	Acceptable							
Tetrahydrofuran	ND	ND	100 μg/g	0.0	< 20	Acceptable							
Cyclonexane	ND	ND	200 μg/g	0.0	< 20	Acceptable							
Benzene	ND	ND	1 μg/g	0.0	< 20	Acceptable							
Isopropyl Acetate	ND	ND	200 μg/g	0.0	< 20	Acceptable							
Heptane	ND	ND	200 μg/g	0.0	< 20	Acceptable							
1,4-Dioxane	ND	ND	100 μg/g	0.0	< 20	Acceptable							
2-Ethoxyethanol	ND	ND	30 μg/g	0.0	< 20	Acceptable							
Ethylene Glycd	ND	ND	200 μg/g	0.0	< 20	Acceptable							
Toluene	ND	ND	100 μg/g	0.0	< 20	Acceptable							
Ethylbenzene	ND	ND	200 μg/g	0.0	< 20	Acceptable							
m,p-Xylene	ND	ND	200 μg/g	0.0	< 20	Acceptable							
o-Xylene	ND	ND	200 μg/g	0.0	< 20	Acceptable							
Cumene	ND	ND	30 μg/g	0.0	< 20	Acceptable							

Abbreviations

Units of Measure:

ND - None Detected at or above MPL RPD- Relative Percent Difference

 $\mu g/g$ - Microgram per gram or ppm

LOQ - Limit of Quantitation
Q1- Quality control result biasedhigh. Only non-detect samples reported.





23-000690/D002.R000 **Report Number:**

Report Date: 01/24/2023 ORELAP#: OR100028

Purchase Order:

01/17/23 14:16 Received:







23-000690/D002.R000 **Report Number:**

Report Date: 01/24/2023 ORELAP#: OR100028

Purchase Order:

01/17/23 14:16 Received:

Explanation of QC Flag Comments:

Code	Explanation
Q	Matrix interferences affecting spike or surrogate recoveries.
Q1	Quality control result biased high. Only non-detect samples reported.
Q2	Quality control outside QC limits. Data considered estimate.
Q3	Sample concentration greater than four times the amount spiked.
Q4	Non-homogenous sample matrix, affecting RPD result and/or % recoveries.
Q5	Spike results above calibration curve.
Q6	Quality control outside QC limits. Data acceptable based on remaining QC.
R	Relative percent difference (RPD) outside control limit.
R1	RPD non-calculable, as sample or duplicate results are less than five times the LOQ.
R2	Sample replicates RPD non-calculable, as only one replicate is within the analytical range.
LOQ1	Quantitation level raised due to low sample volume and/or dilution.
LOQ2	Quantitaion level raised due to matrix interference.
В	Analyte detected in method blank, but not in associated samples.
B1	The sample concentration is greater than 5 times the blank concentration.
B2	The sample concentration is less than 5 times the blank concentration.