



Report Number: 23-000690/D005.R000

Report Date: 01/24/2023 **ORELAP#:** OR100028

Purchase Order:

Received: 01/17/23 14:16

Customer: IHC LLC
Product identity: 01LIR209_PP

Client/Metrc ID:

Laboratory ID: 23-000690-0014

Summary

Potency:

· • • • • • • • • • • • • • • • • • • •				
Analyte	Result (%)		ODD T-+-I	
CBD-A	61.9	CBD-A	CBD-Total	55.3%
CBC-A	2.72	CBC-A		
THC-A	2.60	THC-A	THC-Total	2.44%
CBD	0.988	• CBD		
CBG-A	0.987	CBG-ATHCV-A	(Reported in pe	ercent of total sample)
THCV-A	0.605	CBDV-A		
CBDV-A	0.300	 Δ9-THC 		
Δ9-THC	0.160	• CBG		
CBG	0.0803			

Residual Solvents:

Pesticides:

Analyte	Result (mg/kg)	Limits (mg/kg)	Status
Multi-Residue Pesticide Profile	< LOQ for all analytes		

Metals:

Less than LOQ for all analytes.





Report Number: 23-000690/D005.R000

Report Date: 01/24/2023 **ORELAP#:** OR100028

Purchase Order:

Received: 01/17/23 14:16



Customer: IHC LLC

825 NW 16th Ave Portland Oregon 97209 United States of America (USA)

Product identity: 01LIR209_PP

Client/Metrc ID:

Sample Date:

Laboratory ID: 23-000690-0014

Evidence of Cooling: No
Temp: 20 °C
Relinquished by: ramos

Sample Results

Potency	Method: J AOAC 201	5 V98-6 (mod)	Units %	Batch: 2300599	Analyze: 1/19/23 8:23:00 AM
Analyte	As Dry		Notes		
	Received weigh				CBD-A
CBC	< LOQ	0.0750			• CBC-A
CBC-A	2.72	0.0750			• THC-A
CBC-Total	2.39	0.141			O CBD
CBD	0.988	0.0750		1	• CBG-A
CBD-A	61.9	0.750			THCV-A
CBD-Total	55.3	0.733			○ CBDV-/ ○ Δ9-THC
CBDV	< LOQ	0.0750			• CBG
CBDV-A	0.300	0.0750			050
CBDV-Total	0.260	0.140			
CBE	< LOQ	0.0750			
CBG	0.0803	0.0750			
CBG-A	0.987	0.0750			
CBG-Total	0.947	0.140			
CBL	< LOQ	0.0750			
CBL-A	< LOQ	0.0750			
CBL-Total	< LOQ	0.141			
CBN	< LOQ	0.0750			
CBT	< LOQ	0.0750			
Δ10-THC-9R	< LOQ	0.0750			
Δ8-THC	< LOQ	0.0750			
Δ8-THCV	< LOQ	0.0750			
Δ9-THC	0.160	0.0750			
exo-THC	< LOQ	0.0750			
THC-A	2.60	0.0750			
THC-Total	2.44	0.141			
THCV	< LOQ	0.0750			
THCV-A	0.605	0.0750			
THCV-Total	0.531	0.140			
Total Cannabinoids	70.3				



23-000690/D005.R000 **Report Number:**

Report Date: 01/24/2023 ORELAP#: OR100028

Purchase Order:

Received: 01/17/23 14:16

Solvents	Method:	Residua	l Solve	ents by	GC/MS ^þ	Units μg/g Batch 2	300691	Analyz	e 01/2	23/23 03:03 PM
Analyte	Result	Limits	LOQ	Status	Notes	Analyte	Result	Limits	LOQ	Status Notes
1,4-Dioxane	< LOQ	380	100	pass		2-Butanol	< LOQ	5000	200	pass
2-Ethoxyethanol	< LOQ	160	30.0	pass		2-Methylbutane (Isopentane)	< LOQ		200	
2-Methylpentane	< LOQ		30.0			2-Propanol (IPA)	< LOQ	5000	200	pass
2,2-Dimethylbutane	< LOQ		30.0			2,2-Dimethylpropane (neo-pentane)	< LOQ		200	
2,3-Dimethylbutane	< LOQ		30.0			3-Methylpentane	< LOQ		30.0	
Acetone	< LOQ	5000	200	pass		Acetonitrile	< LOQ	410	100	pass
Benzene	< LOQ	2.00	1.00	pass		Butanes (sum)	466	5000	400	pass
Cyclohexane	< LOQ	3880	200	pass		Ethyl acetate	< LOQ	5000	200	pass
Ethyl benzene	< LOQ		200			Ethyl ether	< LOQ	5000	200	pass
Ethylene glycol	< LOQ	620	200	pass		Ethylene oxide	< LOQ	50.0	20.0	pass
Hexanes (sum)	< LOQ	290	150	pass		Isopropyl acetate	< LOQ	5000	200	pass
Isopropylbenzene (Cumene)	< LOQ	70.0	30.0	pass		m,p-Xylene	< LOQ		200	
Methanol	< LOQ	3000	200	pass		Methylene chloride	< LOQ	600	60.0	pass
Methylpropane (Isobutane)	< LOQ		200			n-Butane	466		200	
n-Heptane	< LOQ	5000	200	pass		n-Hexane	< LOQ		30.0	
n-Pentane	< LOQ		200			o-Xylene	< LOQ		200	
Pentanes (sum)	< LOQ	5000	600	pass		Propane	< LOQ	5000	200	pass
Tetrahydrofuran	< LOQ	720	100	pass		Toluene	< LOQ	890	100	pass
Total Xylenes	< LOQ		400			Total Xylenes and Ethyl benzene	< LOQ	2170	600	pass

Pesticides	Method: AOAC 2007.01 & EN 15662 (mod)	Units mg/kg	Batch 2300713	Analyze 01/24/23 10:07 AM
Analyte	Result	Limits	Status	Notes

Multi-Residue Pesticide Profile < LOQ for all analytes

Metals							
Analyte	Result	Limits	Units	LOQ	Batch	Analyzed Method	Status Notes
Arsenic	< LOQ	0.200	mg/kg	0.0795	2300594	01/18/23 AOAC 2013.06 (mod.) ^p	pass
Cadmium	< LOQ	0.200	mg/kg	0.0795	2300594	01/18/23 AOAC 2013.06 (mod.) ^b	pass
Lead	< LOQ	0.500	mg/kg	0.0795	2300594	01/18/23 AOAC 2013.06 (mod.) ^b	pass
Mercury	< LOQ	0.100	mg/kg	0.0398	2300594	01/18/23 AOAC 2013.06 (mod.) ^p	pass





Report Number: 23-000690/D005.R000

Report Date: 01/24/2023 **ORELAP#:** OR100028

Purchase Order:

Received: 01/17/23 14:16

Abbreviations

Limits: Action Levels per OAR-333-007-0400, OAR-333-007-0210, OAR-333-007-0220, CCR title 16-division 42. BCC-section 5723

Limit(s) of Quantitation (LOQ): The minimum levels, concentrations, or quantities of a target variable (e.g., target analyte) that can be reported with a specified degree of confidence.

p = ISO/IEC 17025:2017 accredited method.

Units of Measure

 $\mu g/g = Microgram per gram$ mg/kg = Milligram per kilogram = parts per million (ppm)% = Percentage of sample
% wt = $\mu g/g$ divided by 10,000

Approved Signatory

Derrick Tanner General Manager





Report Number: 23-000690/D005.R000

Report Date: 01/24/2023 ORELAP#: OR100028

Purchase Order:

01/17/23 14:16 Received:



P2320 Multi-Residue Pesticide Profile Cannabis

Analyte	LOQ (mg/kg)
2,4-D	0.1
Abamectin	0.1
Acephate	0.2
Acequinocyl	0.2
Acetamiprid	0.1
Acetochlor	0.2
Acrinathrin	0.1
Alachlor	0.1
Aldicarb	0.1
Aldoxycarb	0.1
Aldrin	0.1
Ametoctradin	0.1
Ametryn	0.1
Anilazine	0.1
Aspon	0.1
Asulam	0.1
Atrazine	0.1
Atrazine-desethyl	0.1
Azinphos-ethyl	0.1
Azinphos-methyl	0.1
Azoxystrobin	0.1
Benalaxyl	0.1
Bendiocarb	0.1
Benoxacor	0.1
Bensulide	0.1
Bentazon	0.1
Bifenazate	0.1
Bifenox	0.1
Bifenthrin	0.1
Binapacryl	0.1
Boscalid	0.1
Bromacil	0.1
Bromophos-ethyl	0.1
Bromopropylate	0.1
Bromoxynil	0.1
Bupirimate	0.1
Buprofezin	0.1
Butachlor	0.1
Butylate	0.1
Cadusafos	0.1
Captan	0.2
Carbaryl	0.1
Carbendazim	0.1
Carbofuran	0.1
Carbofuran 3-hydroxy	0.1
Carbophenothion	0.1
Carbophenothion-methyl	0.1
Carboxin	0.1

Analyte	LOQ (mg/kg)
Chlorantraniliprol	0.1
Chlordane, cis-	0.1
Chlordane, trans-	0.1
Chlorfenapyr	0.1
Chlorfenvinphos	0.1
Chlorobenzilate	0.1
Chlorpyrifos-ethyl	0.1
Chlorpyrifos-methyl	0.1
Chlorthal-dimethyl (Dacthal)	0.1
Clethodim	0.1
Clethodim sulfone	0.1
Clethodim sulfoxide	0.1
Clofentezine	0.1
Clomazone	0.1
Clopyralid	0.1
Clothianidin	0.1
Coumaphos	0.1
Crotoxyphos	0.1
Cyanofenphos	0.1
Cyanophos	0.1
Cyantraniliprole	0.1
Cyazofamid	0.1
Cyfluthrin	0.1
Cyhalothrin, lambda	0.1
Cymoxanil	0.1
Cypermethrin	0.1
Cyprodinil	0.1
DDD, o,p'-	0.1
DDD, p,p'-	0.1
DDE, o,p'-	0.1
DDE, p,p'-	0.1
DDT, o,p'-	0.1
DDT, p,p'-	0.1
DEET	0.1
Deltamethrin	0.1
Demeton-S	0.1
Demeton-s-methyl	0.1
Demeton-S-methyl-sulfone	0.1
Desmedipham	0.1
Diazinon	0.1
Dicamba	0.1
Dichlofenthion	0.1
Dichlofluanid	0.1
Dichlorbenzamid	0.1
Dichlorvos	0.1
Diclofop	0.1
Diclofop-methyl	0.1
Dicrotophos	0.1

Analyte	LOQ (mg/kg)
Dieldrin	0.1
Diethofencarb	0.1
Difenoconazol	0.1
Diflubenzuron	0.1
Diflufenzopyr	0.1
Dimethenamid	0.1
Dimethoat	0.1
Dimethomorph	0.1
Dinoseb	0.1
Dinotefuran	0.1
Dioxathion	0.1
Diphenamid	0.1
Diphenylamine (DPA)	0.1
Disulfoton	0.1
Disulfoton-sulfone	0.1
Disulfoton-Sulfoxide	0.1
Diuron	0.1
DNOC	0.1
Edifenphos	0.1
Endosulfan (alpha isomer)	0.1
Endosulfan (beta isomer)	0.1
Endosulfan-sulfate	0.1
Endrin	0.1
EPN	0.1
EPTC	0.1
Esfenvalerate/Fenvalerate	0.1
Ethiofencarb	0.1
Ethion	0.1
Ethofumesate	0.1
Ethoprophos	0.1
Etofenprox	0.1
Etoxazole	0.1
Etrimfos	0.1
Famoxadone	0.1
Famphur	0.1
Fenamiphos	0.1
Fenamiphos-Sulfone	0.1
Fenamiphos-Sulfoxide	0.1
Fenazaquin	0.1
Fenbuconazole	0.1
Fenhexamid	0.1
Fenobucarb	0.1
Fenoxycarb	0.1
Fenpropathrin	0.1
Fensulfothion	0.1
Fenthion	0.1
Fenuron	0.1
Fipronil	0.1

LOQ= Limit of Quantitation mg/kg= milligram per kilogram (ppm)

Page 1 of 3

Updated: 09.12.2022





Report Number: 23-000690/D005.R000

Report Date: 01/24/2023 ORELAP#: OR100028

Purchase Order:

01/17/23 14:16 Received:



P2320 Multi-Residue Pesticide Profile Cannabis

Analyte	LOQ (mg/kg)
Flonicamid	0.1
Fluazifop	0.1
Fluazinam	0.1
Flucythrinate	0.1
Fludioxonil	0.1
Flufenacet	0.1
Flumioxazin	0.1
Fluopicolide	0.1
Fluopyram	0.1
Fluoxastrobin	0.1
Flupyradifurone	0.1
Fluridone	0.1
Fluroxypyr	0.1
Fluthiacet-methyl	0.1
Flutolanil	0.1
Flutriafol	0.1
Fluvalinate	0.1
Fluxapyroxad	0.1
Fomesafen	0.1
Formetanate	0.1
Furathiocarb	0.1
Haloxyfop	0.1
Heptachlor	0.1
Heptachlor epoxide	0.1
Hexaconazole	0.1
Hexazinone	0.1
Hexythiazox	0.1
Hydropene	0.1
Imazalil	0.1
Imazethapyr	0.1
Imidacloprid	0.1
Indaziflam	0.1
Indoxacarb	0.1
Iprobenfos	0.1
Iprodion	0.1
Isobenzan	0.1
Isofenphos	0.1
Isofenphos-methyl	0.1
Isofenphos-oxon	0.1
Isoprocarb	0.1
Isoprothiolane	0.1
Isoproturon	0.1
Isoxaben	0.1
Kresoxim-methyl	0.1
Lindane	0.1
Linuron	0.1
Malaoxon	0.1
Malathion	0.1

Analyte	LOQ (mg/kg)
Mandipropamid	0.1
MCPA	0.1
MCPB	0.1
MCPP	0.1
Mecabarm	0.1
Mepanipyrim	0.1
Mesotrione	0.1
Metalaxyl	0.1
Methamidophos	0.1
Methiocarb	0.1
Methiocarb sulfone	0.1
Methiocarb sulfoxide	0.1
Methomyl	0.1
Methoxyfenozide	0.1
Metolachlor	0.1
Metolcarb	0.1
Metrafenone	0.1
Mevinphos	0.1
MGK 264	0.1
Molinat	0.1
Monocrotophos	0.1
Monolinuron	0.1
Myclobutanil	0.1
Naled	0.1
Napropamide	0.1
Neburon	0.1
Norflurazon	0.1
Novaluron	0.1
Omethoat	0.1
Oryzalin	0.1
Oxadiazon	0.1
Oxadixyl	0.1
Oxamyl	0.1
Oxamyl-oxime	0.1
Oxychlordane	0.1
Oxydemeton-Methyl	0.1
Oxyfluorfen	0.1
Paclobutrazol	_
Paraoxon-ethyl	0.1
Paraoxon-ethyl	_
•	0.1
Parathion-methyl	0.1
Penconazole Randimathalia	0.1
Pendimethalin Pentluten	0.1
Penflufen Penthiopyrad	0.1
Permethrin	0.1
Perthane	0.1
Phenmedipham	0.1

Analyte	LOQ (mg/kg)
Phenothrin	0.1
Phenthoate	0.1
Phorate	0.1
Phorate-Sulfone	0.1
Phorate-Sulfoxide	0.1
Phosalone	0.1
Phosmet	0.1
Phosphamidon	0.1
Phoxim	0.1
Pinoxaden	0.1
Piperonyl Butoxide	0.1
Pirimicarb	0.1
Pirimiphos-ethyl	0.1
Pirimiphos-methyl	0.1
Prallethrin	0.1
Prochloraz	0.1
Procymidone	0.1
Profenofos	0.1
Promecarb	0.1
Prometon	0.1
Prometryn	0.1
Propachlor	0.1
Propamocarb	0.1
Propanil	0.1
Propazine	0.1
Propetamophos	0.1
Propham	0.1
Propiconazole	0.1
Propoxur	0.1
Propyzamide	0.1
Prothiofos	0.1
Pyraclostrobin	0.1
Pyraflufen Ethyl	0.1
Pyrazophos	0.1
Pyrethrin	0.1
Pyridaben	0.1
Pyrimethanil	0.1
Pyriproxifen	0.1
Pyroxasulfone	0.1
Pyroxsulam	0.1
Quinalphos	0.1
•	_
Quinclorac	0.1
Quinoxyfen	0.1
Quintozene(PCNB) Quizalofop	0.2
Resmethrin	0.1
Rotenone	0.1
Saflufenacil	0.1

LOQ= Limit of Quantitation mg/kg= milligram per kilogram (ppm)

Page 2 of 3

Updated: 09.12.2022





Report Number: 23-000690/D005.R000

Report Date: 01/24/2023 ORELAP#: OR100028

Purchase Order:

01/17/23 14:16 Received:



P2320 Multi-Residue Pesticide Profile Cannabis

Analyte	LOQ (mg/kg)
Sebuthylazin	0.1
Sethoxydim	0.1
Simazine	0.1
Simetryn	0.1
Spinetoram J/L	0.1
Spinosyn A/D	0.1
Spirodiclofen	0.1
Spiromesifen	0.1
Spirotetramat	0.1
Spiroxamine	0.1
Sulfentrazone	0.1
Sulfotep	0.1
Sulfoxaflor	0.1
Sulprofos	0.1
Tebuconazole	0.1
Tebufenozide	0.1
Terbufos	0.1
Terbuthylazine	0.1
Terbutryn	0.1
Tetrachlorvinphos	0.1
Tetraconazole	0.1
Tetramethrin	0.1
Thiabendazol	0.1
Thiabendazol-5-hydroxy	0.1
Thiacloprid	0.1
Thiamethoxam	0.1
Thiobencarb	0.1
Thiodicarb	0.1
Thiometon	0.1
Thiophanate-methyl	0.2
Tolfenpyrad	0.1
Tolylfluanid	0.1
Triadimefon	0.1
Triadimenol	0.1
Triazophos	0.1
Trifloxystrobin	0.1
Triflumizole	0.1
Triticonazole	0.1
Zoxamid	0.1

LOQ= Limit of Quantitation mg/kg= milligram per kilogram (ppm)

Page 3 of 3

Updated: 09.12.2022





Report Number: 23-000690/D005.R000

Report Date: 01/24/2023 **ORELAP#:** OR100028

Purchase Order:

Received: 01/17/23 14:16



Hemp / Cannabis Usable / Extract / Finished Products Chain of Custody Record

Revision: 4.00 Controll: CP029 Rev 00/24/2021 Eff: 03/04/2021 ORELAP D: OR100008

100 TO 0 T						1	nelys	t Heq	uette	el					- Montag		
Ine Hemp Collect Contact: kyle@thehempcollect.com Inet: 431 NW Handers st. Inet: 431 NW Hande		97209	s - DR 59 congruends			dates Solverts	stron & Water Activity		icro: Youst and Mald	crec C.Colf and Total Colforns	erats	r		Project Namber: Project Namber: Duston Reporting Report to State - METRIC or Other: Turnscound time: Sid is Business Day Standard Turnscound 1 3 Sustains Day Rosh Turnscound* 1 2 September Day Rosh Turnscound* *Check for continuation Sampled by:			
Cient Sample Ment/Foation	Cure	Time	Peticides	Festione	Patency	Residual	Metrum	Lapares	Micros Ye	Micros C.	Heavy Metals	Mystellon	Dither	Sample Type I	Weight (Units)	Consecutiv/Metrs (C)	
2 01LIR209_KC	-		H	×	×	X	-	-	_	-	×	-	-	Č I			
3 01LIR209_FV	-			×	X	×			_		×	-	-	c	-		
4 01LIR209_WW	-	-		x	X	X			-		×		_	C			
5 01LIR209 SB	-	-	-	x	X	x					X			c			
5 01LIR209 BO	-			×	×	K					×			C	-		
7 01LIR209 LT	-	_	\vdash	×	×	х			_		x			C			
9 01LIR209 RC	-			×	X	X					×			C			
9 01LIR209_PJ	_		\vdash	×	×	×					×			C			
10 01LIR209_CJ				x	×	x					х			C			
Relegational By:	Date	Tirse		1	7.8	guerred	Be			D ₀	00	Tie	00			Lab Une Only:	
Kyle Farook	1/17	11:00 A		1	7	12				1-17	.15	111	0			or Difference 2 ++3	
732	1.17	/337			(2)	35				807	123	(9)	Ь				

+ - Sample Type Codes: Vegetation (V) ; Inclutes (S) ; Entract/Concentrate (C) ; Tinchure/Topical (T) ; Edible (E) ; Beverage (R)

Supply private the Colonia Laboratory with long regions on contain an agreement in a contain to a contain the colonial and the Colonia Colonia





Report Number: 23-000690/D005.R000

Report Date: 01/24/2023 OR100028 ORELAP#:

Purchase Order:

01/17/23 14:16 Received:



Hemp / Cannabis Usable / Extract / Finished Products Chain of Custody Record

Revision: 4.00 Control#: CF025 Nev 02/24/2021 EH: 05/04/2021 CRELAPID: ORIGINAR

	55000300000000000	des S					A	naiysi	s Req	ueste	d .					O Number:	
1 4 10 4				Oil 59 compounds	are Matt Residue - 379 compounds		idazi Solvetta	Noisture & Water Activity		Sond: Yearst and Node	Nove: E.Coli and Total Californ	rish.	THE STATE OF THE S		Project Proj Custom F Report to	T Nurebor: [ect Name: Soporting: D State - C N Ind time: 82 1	ETTIC or Green Business Day Standard Turnaround Business Day Rush Turnaround* Chack for ovalishtly
Lei	Client Sample Identification	Dete	Tirret	Periodes	ž	Politonicy	1.2	Woishire	Terperus	Month N	Moo: E	Heavy Matah.	Mycotomins	Other	Semple Type it	Weight (LEVIS)	Comments/Wetrc (D
	01LIR209_OGK				X	×	×					X			6		
	01LIR209_Shaolin				X	X	×					X			0		
3	01LIR209_Japhy				×	×	×					×			C		
4	01LIR209_PP			П	X	X	X				Ţ.	X			C		
5	01LIR209_MT	100		П	X	×	×					X			C		
6	01LIR209_PK				x	×	×					X			C		
7	01LIR209_SP	_			×	×	×					x	_		C		
8	01LIR209_Sour G	_			x	×	×	1			J-	x			C		
	01LIR209 FG	_		Н	×	×	×				-	×			C		i e
10	01LIR209_RGSP			\vdash	×	×	×					x			C		
	Rolling ablied by:	Date	Time		-	- 8	galvid	By:			0	dir	Tie	180		100	tals Use Cely:
K	yle Farook	1/17					es D Mo Temp (*C): Z P . P										
	132	10.7	1335		P	35	8				الان	1/1.3	141	4	Sample in good confidence Yeng No.		

1 - Sample Type Codes: Vagetation (V) ; histories (S) ; bidract/Concentrate (C) ; fincture/Topical (T) ; bible (E) ; three-upe (N)

on the services in a confidence with the current tensor of service associated with this COC. To staying: Nothing solid CoC and support of the service and the confidence of th umplic arisestandos Columbio (Valoriamens velle arising propuramens considerar de egito Page of services and a service and a services and a services and a services and a service and a services and a services and a services and a service and a services and a service and a services and a services and a service and a service and a service and a service and a services and a service and a service and a services and a services and a service and a se 13423 Mt Whiteler Wee P. (500) 254-1794 | Aux (500) 254-1457 Portland, OR 97938 teledbeckaministaturalist lescore





Report Number: 23-000690/D005.R000

Report Date: 01/24/2023 **ORELAP#:** OR100028

Purchase Order:

Received: 01/17/23 14:16



Hemp / Cannabis Usable / Extract / Finished Products Chain of Custody Record

Revision: 4.00 Control®: CF02S Rev 02/24/2021 Eff: 03/04/2021 ORLAPID: ORG00028

71-210-9000-FB14794	20.00						cratys	n Req	uette	d					O Number:		
Contact: kyletwithehempod Street: 431 NW Flanders St City: Portland Scale: Get Email Results: dropbox (IH-	Ine Hemp Collect Ryles/thehempoollect.com 431 NW Flanders st. Portland Scale: OF Jp. 97209 Email Results: dropbox (IHC) (61) 606164 Fr Results: () Ing (Fdfferent): joel 62thehempcollect.com		strodes - ORSG compounds	esticide Multi-Residue - 379 compounds		eddaal Soheres	& Water Schöng	isture & Water Activity peren.	face: Year and Mold	Kets: E. Deli and Tetal Coliforns	Coll and Total Coliforni ecals.	**		Project Number: Project Name: Costern Reporting: Report to State - METRC or Mother Terranged time: State and State on Dry Standard Turner and 1 Sections Day Rush Turners and 2 Desires Day Rush Turners and *Check for one linking Sampled by:			
tab ID Client Sample Identification 1 01LIR209_TK	Date	Time	Pasticide	A Perticide	Potency	Resident	Mosture	No.	More N	Micros C.	Hanny Metals	Mycotasias	Other	Semple Type II	(Units)	Community/Webre (D	
01LIR209 STs	-			×	×	×	-	\vdash		-	X			C			
01LIR209 CS	-			X	×	×	-	\vdash		-	X	-		c			
4 01LIR209 PB				×	×	×		\vdash			X			C			
5			H														
1																	
9																	
10															()	1.	
(yle Fargok	Date Time Aproximates State Time Lab Line Class		ar [] Client drop														
532	617	/334			LP5	5				01	1/13	141	6	tividence of cooking: () Yes () No - Tersp (*C ; 2 / -) Sample is good coedition: () Yes () No () Cash () Ohest () OC () Mer. #relog storage:			

1 - Samule Type Codes: Vegetation (V) | Inclutes (S) | Extract/Concentrate (C) | Tincture/Topical (T) | Ediblo (E) | Deverage (B)

Emplicational Colonia Library on the proposal country or growing in their trees.

12425 M. Martin Way

P. Unit 254-254 | Fac. (Ed.) 254-1452

Reputation of the CCC. By upper Tuberphild by "year or growing in their trees.

12425 M. Martin Way

Proposal on 87241

Inches Colonia C





23-000690/D005.R000 **Report Number:**

Report Date: 01/24/2023 ORELAP#: OR100028

Purchase Order:

01/17/23 14:16 Received:

Revision: 1 Document ID: 7148 Legacy ID: Worksheet Validated 04/20/2021

Laboratory Quality Control Results

J AOAC 2015 V98-6					B	atch ID: 2300599		
Laboratory Control	Sample							
Analyte	LCS	Result	Spike	Units	% Rec	Limits	Evaluation	Notes
CBDVA	2	0.104	0.100	%	104	80.0 - 120	Acceptable	
CBDV	2	0.110	0.106	%	104	80.0 - 120	Acceptable	
CBE	2	0.108	0.105	%	103	80.0 - 120	Acceptable	
CBDA	1	0.0963	0.096	%	100	90.0 - 110	Acceptable	
CBGA	1	0.0966	0.096	%	100	80.0 - 120	Acceptable	
CBG	1	0.100	0.099	%	102	80.0 - 120	Acceptable	
CBD	1	0.0970	0.097	%	99.7	90.0 - 110	Acceptable	
THCV	2	0.108	0.106	%	102	80.0 - 120	Acceptable	
d8THCV	2	0.109	0.103	%	106	80.0 - 120	Acceptable	
THCVA	2	0.103	0.099	%	104	80.0 - 120	Acceptable	
CBN	1	0.103	0.102	%	101	80.0 - 120	Acceptable	
exo-THC	2	0.101	0.097	%	104	80.0 - 120	Acceptable	
d9THC	1	0.112	0.105	%	107	90.0 - 110	Acceptable	
d8THC	1	0.0963	0.100	%	95.8	90.0 - 110	Acceptable	
CBL	2	0.109	0.104	%	105	80.0 - 120	Acceptable	
d10THC	1	0.0474	0.047	%	100	80.0 - 120	Acceptable	
CBC	2	0.107	0.104	%	103	80.0 - 120	Acceptable	
THCA	1	0.0946	0.095	%	99.6	90.0 - 110	Acceptable	
CBCA	2	0.105	0.103	%	102	80.0 - 120	Acceptable	
CBLA	2	0.109	0.105	%	104	80.0 - 120	Acceptable	
CBT	2	0.110	0.105	%	104	80.0 - 120	Acceptable	

Method Blank

Analyte	Result	LOQ	Units	Limits	Evaluation	Notes
CBDVA	<loq< td=""><td>0.077</td><td>%</td><td>< 0.077</td><td>Acceptable</td><td></td></loq<>	0.077	%	< 0.077	Acceptable	
CBDV	<loq< td=""><td>0.077</td><td>%</td><td>< 0.077</td><td>Acceptable</td><td></td></loq<>	0.077	%	< 0.077	Acceptable	
CBE	<loq< td=""><td>0.077</td><td>%</td><td>< 0.077</td><td>Acceptable</td><td></td></loq<>	0.077	%	< 0.077	Acceptable	
CBDA	<loq< td=""><td>0.077</td><td>%</td><td>< 0.077</td><td>Acceptable</td><td></td></loq<>	0.077	%	< 0.077	Acceptable	
CBGA	<loq< td=""><td>0.077</td><td>%</td><td>< 0.077</td><td>Acceptable</td><td></td></loq<>	0.077	%	< 0.077	Acceptable	
CBG	<loq< td=""><td>0.077</td><td>%</td><td>< 0.077</td><td>Acceptable</td><td></td></loq<>	0.077	%	< 0.077	Acceptable	
CBD	<loq< td=""><td>0.077</td><td>%</td><td>< 0.077</td><td>Acceptable</td><td></td></loq<>	0.077	%	< 0.077	Acceptable	
THCV	<loq< td=""><td>0.077</td><td>%</td><td>< 0.077</td><td>Acceptable</td><td></td></loq<>	0.077	%	< 0.077	Acceptable	
d8THCV	<l0q< td=""><td>0.077</td><td>%</td><td>< 0.077</td><td>Acceptable</td><td></td></l0q<>	0.077	%	< 0.077	Acceptable	
THCVA	<loq< td=""><td>0.077</td><td>%</td><td>< 0.077</td><td>Acceptable</td><td></td></loq<>	0.077	%	< 0.077	Acceptable	
CBN	<loq< td=""><td>0.077</td><td>%</td><td>< 0.077</td><td>Acceptable</td><td></td></loq<>	0.077	%	< 0.077	Acceptable	
exo-THC	<loq< td=""><td>0.077</td><td>%</td><td>< 0.077</td><td>Acceptable</td><td></td></loq<>	0.077	%	< 0.077	Acceptable	
d9THC	<loq< td=""><td>0.077</td><td>%</td><td>< 0.077</td><td>Acceptable</td><td></td></loq<>	0.077	%	< 0.077	Acceptable	
d8THC	<loq< td=""><td>0.077</td><td>%</td><td>< 0.077</td><td>Acceptable</td><td></td></loq<>	0.077	%	< 0.077	Acceptable	
CBL	<loq< td=""><td>0.077</td><td>%</td><td>< 0.077</td><td>Acceptable</td><td></td></loq<>	0.077	%	< 0.077	Acceptable	
d10THC	<loq< td=""><td>0.077</td><td>%</td><td>< 0.077</td><td>Acceptable</td><td></td></loq<>	0.077	%	< 0.077	Acceptable	
CBC	<loq< td=""><td>0.077</td><td>%</td><td>< 0.077</td><td>Acceptable</td><td></td></loq<>	0.077	%	< 0.077	Acceptable	
THCA	<loq< td=""><td>0.077</td><td>%</td><td>< 0.077</td><td>Acceptable</td><td></td></loq<>	0.077	%	< 0.077	Acceptable	
CBCA	<loq< td=""><td>0.077</td><td>%</td><td>< 0.077</td><td>Acceptable</td><td></td></loq<>	0.077	%	< 0.077	Acceptable	
CBLA	<loq< td=""><td>0.077</td><td>%</td><td>< 0.077</td><td>Acceptable</td><td></td></loq<>	0.077	%	< 0.077	Acceptable	
CBT	<loq< td=""><td>0.077</td><td>%</td><td>< 0.077</td><td>Acceptable</td><td></td></loq<>	0.077	%	< 0.077	Acceptable	

ND - None Detected at or above MRL RPD - Relative Percent Difference LOQ - Limit of Quantitation

Units of Measure: % - Percent





23-000690/D005.R000 **Report Number:**

Report Date: 01/24/2023 ORELAP#: OR100028

Purchase Order:

Received: 01/17/23 14:16

Revision: 1 Document ID: 7148 Legacy ID: Worksheet Validated 04/20/2021

Laboratory Quality Control Results

J AOAC 2015 V98-6	Batch ID: 2300599									
Sample Duplicate					Sam	ple ID: 23-000690	-0001			
Analyte	Result	Org. Result	LOQ	Units	RPD	Limits	Evaluation	Notes		
CBDVA	0.234	0.234	0.077	%	0.0872	< 20	Acceptable			
CBDV	<loq< td=""><td><loq< td=""><td>0.077</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.077</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.077	%	NA	< 20	Acceptable			
CBE	<loq< td=""><td><loq< td=""><td>0.077</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.077</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.077	%	NA	< 20	Acceptable			
CBDA	54.6	54.7	0.077	%	0.322	< 20	Acceptable			
CBGA	1.61	1.61	0.077	%	0.0614	< 20	Acceptable			
CBG	0.100	0.102	0.077	%	1.57	< 20	Acceptable			
CBD	0.888	0.922	0.077	%	3.66	< 20	Acceptable			
THCV	<loq< td=""><td><loq< td=""><td>0.077</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.077</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.077	%	NA	< 20	Acceptable			
d8THCV	<loq< td=""><td><loq< td=""><td>0.077</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.077</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.077	%	NA	< 20	Acceptable			
THCVA	<loq< td=""><td><loq< td=""><td>0.077</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.077</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.077	%	NA	< 20	Acceptable			
CBN	<loq< td=""><td><loq< td=""><td>0.077</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.077</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.077	%	NA	< 20	Acceptable			
exo-THC	<loq< td=""><td><loq< td=""><td>0.077</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.077</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.077	%	NA	< 20	Acceptable			
d9THC	0.263	0.260	0.077	%	1.28	< 20	Acceptable			
d8THC	<loq< td=""><td><loq< td=""><td>0.077</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.077</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.077	%	NA	< 20	Acceptable			
CBL	<loq< td=""><td><loq< td=""><td>0.077</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.077</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.077	%	NA	< 20	Acceptable			
d10THC	<loq< td=""><td><loq< td=""><td>0.077</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.077</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.077	%	NA	< 20	Acceptable			
CBC	<loq< td=""><td><loq< td=""><td>0.077</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.077</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.077	%	NA	< 20	Acceptable			
THCA	3.97	3.97	0.077	%	0.128	< 20	Acceptable			
CBCA	2.66	2.63	0.077	%	1.28	< 20	Acceptable			
CBLA	<loq< td=""><td><loq< td=""><td>0.077</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.077</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.077	%	NA	< 20	Acceptable			
CBT	<loq< td=""><td><loq< td=""><td>0.077</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.077</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.077	%	NA	< 20	Acceptable			

ND - None Detected at or above MRL RPD - Relative Percent Difference

LOQ - Limit of Quantitation

Units of Measure:





23-000690/D005.R000 **Report Number:**

Report Date: 01/24/2023 ORELAP#: OR100028

Purchase Order:

Received: 01/17/23 14:16

Revision: 2 Document ID: 7087 Legacy ID: CFL-E33Effective:

	La	borator	y Qual	ity Contro	ol Results						
Residual Solvents						Bat	ch ID:	230069	1		
Method Blank					Laborator	y Control Sa	mple				
Analyte	Result		LOQ	Notes	Result	Spike	Units	% Rec	L	imits	Notes
Propane	ND	<	200		547	572	μg/g	95.6	60	- 120	
Isobutane	ND	<	200		701	731	µg/g	95.9	60	- 120	
Butane	ND	<	200		678	731	µg/g	92.7	60	- 120	
2,2-Dimethylpropane	ND	<	200		893	936	μg/g	95.4	60	- 120	
Methanol	ND	<	200		1580	1620	μg/g	97.5	60	- 120	
Ethylene Oxide	ND	<	30		55	56.2	μg/g	97.9	60	- 120	
2-Methylbutane	ND	<	200		1520	1610	µg/g	94.4	60	- 120	
Pentane	ND	<	200		1520	1600	µg/g	95.0	60	- 120	
Ethanol	ND	<	200		1610	1610	μg/g	100.0	70	- 130	
Ethyl Ether	ND	<	200		1560	1630	μg/g	95.7	60	- 120	
2,2-Dimethylbutane	ND	<	30		164	171	μg/g	95.9	60	- 120	
Acetone	ND	<	200		1560	1630	μg/g	95.7	60	- 120	
2-Propanol	ND	<	200		1670	1620	µg/g	103.1	60	- 120	
Acetonitrile	ND	<	100		475	498	µg/g	95.4	60	- 120	
2,3-Dimethylbutane	ND	<	30		160	171	μg/g	93.6	60	- 120	
Dichloromethane	ND	<	60		476	483	μg/g	98.6	60	- 120	
2-Methylpentane	ND	<	30		161	168	µg/g	95.8	60	- 120	
3-Methylpentane	ND	<	30		146	167	µg/g	87.4	60	- 120	
Hexane	ND	<	30		208	182	µg/g	114.3	60	- 120	
Ethyl acetate	ND	<	200		1570	1610	µg/g	97.5	60	- 120	
2-Butanol	ND	<	200		1660	1600	μg/g	103.8	60	- 120	
Tetrahydrofuran	ND	<	100		474	483	μg/g	98.1	60	- 120	
Cyclohexane	ND	<	200		1540	1610	µg/g	95.7	60	- 120	
Benzene	ND	<	1		5.3	5.02	µg/g	105.6	60	- 120	
sopropyl Acetate	ND	<	200		1670	1620	µg/g	103.1	60	- 120	
Heptane	ND	<	200		1500	1610	μg/g	93.2	60	- 120	
1,4-Dioxane	ND	<	100		475	491	μg/g	96.7	60	- 120	
2-Ethoxyethanol	ND	<	30		316	181	μg/g	174.6	60	- 120	Q1
Ethylene Glycol	ND	<	200		698	484	μg/g	144.2	60	- 120	Q1
Toluene	ND	<	100		465	485	μg/g	95.9	60	- 120	
Ethylbenzene	ND	<	200		911	969	μg/g	94.0	60	- 120	İ
n,p-Xylene	ND	<	200		915	994	μg/g	92.1	60	- 120	
n-Xvlene	ND	-	200		901	967		93.2	60	- 120	





23-000690/D005.R000 **Report Number:**

Report Date: 01/24/2023 ORELAP#: OR100028

Purchase Order:

Received: 01/17/23 14:16

Revision: 2 Document ID: 7087 Legacy ID: CFL-E33Effective:

QC - Sample Duplicate		Sample ID: 23-000690-0005											
Analyte	Result	Org. Result	LOQ	Units	RPD	Limits	Accept/Fail	Notes					
Propane	ND	ND	200	μg/g	0.0	< 20	Acceptable						
Isobutane	ND	ND	200	μg/g	0.0	< 20	Acceptable						
Butane	1250	1160	200	μg/g	7.5	< 20	Acceptable						
2,2-Dimethylpropane	ND	ND	200	μg/g	0.0	< 20	Acceptable						
Methanol	ND	ND	200	μg/g	0.0	< 20	Acceptable						
Ethylene Oxide	ND	ND	30	μg/g	0.0	< 20	Acceptable						
2-Methylbutane	ND	ND	200	μg/g	0.0	< 20	Acceptable						
Pentane	ND	ND	200	μg/g	0.0	< 20	Acceptable						
Ethanol	ND	ND	200	μg/g	0.0	< 20	Acceptable						
Ethyl Ether	ND	ND	200	μg/g	0.0	< 20	Acceptable						
2,2-Dimethylbutane	ND	ND	30	μg/g	0.0	< 20	Acceptable						
Acetone	ND	ND	200	μg/g	0.0	< 20	Acceptable						
2-Propanol	ND	ND	200	μg/g	0.0	< 20	Acceptable						
Acetonitrile	ND	ND	100	μg/g	0.0	< 20	Acceptable						
2,3-Dimethylbutane	ND	ND	30	μg/g	0.0	< 20	Acceptable						
Dichloromethane	ND	ND	60	μg/g	0.0	< 20	Acceptable						
2-Methylpentane	ND	ND	30	μg/g	0.0	< 20	Acceptable						
3-Methylpentane	ND	ND	30	μg/g	0.0	< 20	Acceptable						
Hexane	ND	ND	30	μg/g	0.0	< 20	Acceptable						
Ethyl acetate	ND	ND	200	μg/g	0.0	< 20	Acceptable						
2-Butanol	ND	ND	200	μg/g	0.0	< 20	Acceptable						
Tetrahydrofuran	ND	ND	100	μg/g	0.0	< 20	Acceptable						
Cyclohexane	ND	ND	200	μg/g	0.0	< 20	Acceptable						
Benzene	ND	ND	1	μg/g	0.0	< 20	Acceptable						
Isopropyl Acetate	ND	ND	200	μg/g	0.0	< 20	Acceptable						
Heptane	ND	ND	200	μg/g	0.0	< 20	Acceptable						
1,4-Dioxane	ND	ND	100	μg/g	0.0	< 20	Acceptable						
2-Ethoxyethanol	ND	ND	30	μg/g	0.0	< 20	Acceptable						
Ethylene Glycol	ND	ND	200	μg/g	0.0	< 20	Acceptable						
Toluene	ND	ND	100	μg/g	0.0	< 20	Acceptable						
Ethylbenzene	ND	ND	200	μg/g	0.0	< 20	Acceptable						
m,p-Xylene	ND	ND	200	μg/g	0.0	< 20	Acceptable						
o-Xylene	ND	ND	200	μg/g	0.0	< 20	Acceptable						
Cumene	ND	ND	30	ug/g	0.0	< 20	Acceptable						

Abbreviations

Units of Measure:

ND - None Detected at or above MRL RPD - Relative Percent Difference

μg/g- Microgram per gram or ppm

LOQ - Limit of Quantitation

Q1 - Quality control result biased high. Only non-detect samples reported.





Report Number: 23-000690/D005.R000

Report Date: 01/24/2023 ORELAP#: OR100028

Purchase Order:

Received: 01/17/23 14:16







23-000690/D005.R000 **Report Number:**

Report Date: 01/24/2023 ORELAP#: OR100028

Purchase Order:

01/17/23 14:16 Received:

Explanation of QC Flag Comments:

Code	Explanation
Q	Matrix interferences affecting spike or surrogate recoveries.
Q1	Quality control result biased high. Only non-detect samples reported.
Q2	Quality control outside QC limits. Data considered estimate.
Q3	Sample concentration greater than four times the amount spiked.
Q4	Non-homogenous sample matrix, affecting RPD result and/or % recoveries.
Q5	Spike results above calibration curve.
Q6	Quality control outside QC limits. Data acceptable based on remaining QC.
R	Relative percent difference (RPD) outside control limit.
R1	RPD non-calculable, as sample or duplicate results are less than five times the LOQ.
R2	Sample replicates RPD non-calculable, as only one replicate is within the analytical range.
LOQ1	Quantitation level raised due to low sample volume and/or dilution.
LOQ2	Quantitaion level raised due to matrix interference.
В	Analyte detected in method blank, but not in associated samples.
B1	The sample concentration is greater than 5 times the blank concentration.
B2	The sample concentration is less than 5 times the blank concentration.





22-014012/D007.R000 **Report Number:**

Report Date: 11/23/2022 ORELAP#: OR100028

Purchase Order:

Received: 11/15/22 12:43

IHC LLC **Customer:**

Product identity: Live D8 KO- Pink Panther

Client/Metrc ID:

22-014012-0004 **Laboratory ID:**

Summary

Analyte	Result (%)			
Δ8-THC	55.9	Δ8-THCCBN	CBD-Total	4.18%
CBN	7.58	• CBN		
CBD-A	4.63	Δ8-THCV	THC-Total	0.173%
∆8-THCV	0.218	THC-A		
THC-A	0.197	CBT	(Reported in pe	rcent of total sample)
CBT	0.153	CBD		
CBD	0.122	• CBG-A		
CBG-A	0.110	CBDV-ACBG		
CBDV-A	0.0881	● CBG		
CBG	0.0782			





Report Number: 22-014012/D007.R000

Report Date: 11/23/2022 **ORELAP#:** OR100028

Purchase Order:

Received: 11/15/22 12:43



Customer: IHC LLC

825 NW 16th Ave Portland Oregon 97209 United States of America (USA)

Product identity: Live D8 KO- Pink Panther

Client/Metrc ID:

Sample Date:

Laboratory ID: 22-014012-0004

Evidence of Cooling: No
Temp: 9.6
Relinquished by: hinton

Sample Results

Potency	Method: J AOAC 201	5 V98-6 (mod	b Units %	Batch: 2209904	Analyze: 11/16/22	10:03:00 P
Analyte	As Dry	LOQ	Notes			
	Received weigh					Δ8-THC
CBC	< LOQ	0.0687				CBN
CBC-A	< LOQ	0.0687				CBD-A A9 THOY
CBC-Total	< LOQ	0.129				Δ8-THCVTHC-A
CBD	0.122	0.0687				O CBT
CBD-A	4.63	0.0687				CBD
CBD-Total	4.18	0.129				CBG-A
CBDV	< LOQ	0.0687				CBDV-A
CBDV-A	0.0881	0.0687				CBG
CBDV-Total	< LOQ	0.128				
CBE	< LOQ	0.0687				
CBG	0.0782	0.0687				
CBG-A	0.110	0.0687				
CBG-Total	0.175	0.128				
CBL	< LOQ	0.0687				
CBL-A	< LOQ	0.0687				
CBL-Total	< LOQ	0.129				
CBN	7.58	0.0687				
CBT	0.153	0.0687				
$\Delta 10$ -THC	< LOQ	0.0687				
Δ8-THC	55.9	0.687				
Δ8-THCV	0.218	0.0687				
Δ9-THC	< LOQ	0.0687				
exo-THC	< LOQ	0.0687				
THC-A	0.197	0.0687				
THC-Total	0.173	0.129				
THCV	< LOQ	0.0687				
THCV-A	< LOQ	0.0687				
THCV-Total	< LOQ	0.128				
Total Cannabinoids	69.1					





Report Number: 22-014012/D007.R000

Report Date: 11/23/2022 **ORELAP#:** OR100028

Purchase Order:

Received: 11/15/22 12:43

These test results are representative of the individual sample selected and submitted by the client.

Abbreviations

Limits: Action Levels per OAR-333-007-0400, OAR-333-007-0210, OAR-333-007-0220, CCR title 16-division 42. BCC-section 5723

Limit(s) of Quantitation (LOQ): The minimum levels, concentrations, or quantities of a target variable (e.g., target analyte) that can be reported with a specified degree of confidence.

p = ISO/IEC 17025:2017 accredited method.

Units of Measure

% = Percentage of sample % wt = μ g/g divided by 10,000

Approved Signatory

Derrick Tanner General Manager






Report Number: 22-014012/D007.R000

Report Date: 11/23/2022 **ORELAP#:** OR100028

Purchase Order:

Received: 11/15/22 12:43







Report Number: 22-014012/D007.R000

Report Date: 11/23/2022 **ORELAP#:** OR100028

Purchase Order:

Received: 11/15/22 12:43

Revision: 1 Document ID: 7148 Legacy ID: Worksheet Validated 04/20/2021

Laboratory Quality Control Results Batch ID: 22099 Spike Units 0.102 % 0.106 % Result Limits Evaluation Analyte LCS CBDVA CBDV Acceptable Acceptable 0.105 102 80.0 120 0.108 102 80.0 120 0.109 102 80.0 120 CBDA 0.0960 0.095 101 90.0 Acceptable Acceptable % % CBGA CBG 0.094 0.102 0.100 0.104 103 102 101 120 110 120 0.099 80.0 90.0 Acceptable CBD % 0.098 Acceptable Acceptable 80.0 Acceptable Acceptable 0.109 THCVA 0.102 102 80.0 120 0.102 120 Acceptable 120 Acceptable 120 Acceptable 110 Acceptable CBN 0.104 % 0.100 102 80.0 0.106 0.103 Acceptable Acceptable d8THC 0.105 0.101 0.0921 102 90.0 110 CBL 80.0 d10THC 0.090 % Acceptable 120 Acceptable 0.105 0.108 103 80.0 THCA 0.093 % Acceptable 0.0940 101 90.0 110 120 Acceptable 0.104 100 80.0 CBLA 0.106 Acceptable

Method Blank	-					
Analyte	Result	LOQ	Units	Limits	Evaluation	Notes
CBDVA	<l0q< td=""><td>0.077</td><td>%</td><td>< 0.077</td><td>Acceptable</td><td></td></l0q<>	0.077	%	< 0.077	Acceptable	
CBDV	<loq< td=""><td>0.077</td><td>%</td><td>< 0.077</td><td>Acceptable</td><td></td></loq<>	0.077	%	< 0.077	Acceptable	
CBE	<loq< td=""><td>0.077</td><td>%</td><td>< 0.077</td><td>Acceptable</td><td></td></loq<>	0.077	%	< 0.077	Acceptable	
CBDA	<l0q< td=""><td>0.077</td><td>%</td><td>< 0.077</td><td>Acceptable</td><td></td></l0q<>	0.077	%	< 0.077	Acceptable	
CBGA	<loq< td=""><td>0.077</td><td>%</td><td>< 0.077</td><td>Acceptable</td><td></td></loq<>	0.077	%	< 0.077	Acceptable	
CBG	<loq< td=""><td>0.077</td><td>%</td><td>< 0.077</td><td>Acceptable</td><td></td></loq<>	0.077	%	< 0.077	Acceptable	
CBD	<loq< td=""><td>0.077</td><td>%</td><td>< 0.077</td><td>Acceptable</td><td></td></loq<>	0.077	%	< 0.077	Acceptable	
THCV	<l0q< td=""><td>0.077</td><td>%</td><td>< 0.077</td><td>Acceptable</td><td></td></l0q<>	0.077	%	< 0.077	Acceptable	
d8THCV	<l0q< td=""><td>0.077</td><td>%</td><td>< 0.077</td><td>Acceptable</td><td></td></l0q<>	0.077	%	< 0.077	Acceptable	
THCVA	<loq< td=""><td>0.077</td><td>%</td><td>< 0.077</td><td>Acceptable</td><td></td></loq<>	0.077	%	< 0.077	Acceptable	
CBN	<loq< td=""><td>0.077</td><td>%</td><td>< 0.077</td><td>Acceptable</td><td></td></loq<>	0.077	%	< 0.077	Acceptable	
exo-THC	<l0q< td=""><td>0.077</td><td>%</td><td>< 0.077</td><td>Acceptable</td><td></td></l0q<>	0.077	%	< 0.077	Acceptable	
d9THC	<loq< td=""><td>0.077</td><td>%</td><td>< 0.077</td><td>Acceptable</td><td></td></loq<>	0.077	%	< 0.077	Acceptable	
d8THC	<loq< td=""><td>0.077</td><td>%</td><td>< 0.077</td><td>Acceptable</td><td></td></loq<>	0.077	%	< 0.077	Acceptable	
CBL	<l0q< td=""><td>0.077</td><td>%</td><td>< 0.077</td><td>Acceptable</td><td></td></l0q<>	0.077	%	< 0.077	Acceptable	
d10THC	<loq< td=""><td>0.077</td><td>%</td><td>< 0.077</td><td>Acceptable</td><td></td></loq<>	0.077	%	< 0.077	Acceptable	
CBC	<loq< td=""><td>0.077</td><td>%</td><td>< 0.077</td><td>Acceptable</td><td></td></loq<>	0.077	%	< 0.077	Acceptable	
THCA	<l0q< td=""><td>0.077</td><td>%</td><td>< 0.077</td><td>Acceptable</td><td></td></l0q<>	0.077	%	< 0.077	Acceptable	
CBCA	<l0q< td=""><td>0.077</td><td>%</td><td>< 0.077</td><td>Acceptable</td><td></td></l0q<>	0.077	%	< 0.077	Acceptable	
CBLA	<l0q< td=""><td>0.077</td><td>%</td><td>< 0.077</td><td>Acceptable</td><td></td></l0q<>	0.077	%	< 0.077	Acceptable	
CBT	<loq< td=""><td>0.077</td><td>%</td><td>< 0.077</td><td>Acceptable</td><td></td></loq<>	0.077	%	< 0.077	Acceptable	

ND - None Detected at or above MRL

RPD - Relative Percent Difference LOQ - Limit of Quantitation

Units of Measure:

% - Percent





22-014012/D007.R000 **Report Number:**

Report Date: 11/23/2022 ORELAP#: OR100028

Purchase Order:

11/15/22 12:43 Received:

Revision: 1 Document ID: 7148 Legacy ID: Worksheet Validated 04/20/2021

Laboratory Quality Control Results

J AOAC 2015 V98-6						itch ID: 2209904		
Sample Duplicate					San	nple ID: 22-013998 -	-0001	
Analyte	Result	Org. Result	LOQ	Units	RPD	Limits	Evaluation	Notes
CBDVA	<loq< td=""><td><loq< td=""><td>0.077</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.077</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.077	%	NA	< 20	Acceptable	
CBDV	0.207	0.219	0.077	%	5.86	< 20	Acceptable	
CBE	<loq< td=""><td><loq< td=""><td>0.077</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.077</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.077	%	NA	< 20	Acceptable	
CBDA	<loq< td=""><td><loq< td=""><td>0.077</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.077</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.077	%	NA	< 20	Acceptable	
CBGA	<loq< td=""><td><loq< td=""><td>0.077</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.077</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.077	%	NA	< 20	Acceptable	
CBG	<loq< td=""><td><loq< td=""><td>0.077</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.077</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.077	%	NA	< 20	Acceptable	
CBD	85.0	90.3	0.077	%	6.08	< 20	Acceptable	
THCV	<loq< td=""><td><loq< td=""><td>0.077</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.077</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.077	%	NA	< 20	Acceptable	
d8THCV	<loq< td=""><td><loq< td=""><td>0.077</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.077</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.077	%	NA	< 20	Acceptable	
THCVA	<loq< td=""><td><loq< td=""><td>0.077</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.077</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.077	%	NA	< 20	Acceptable	
CBN	<loq< td=""><td><loq< td=""><td>0.077</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.077</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.077	%	NA	< 20	Acceptable	
exo-THC	<loq< td=""><td><loq< td=""><td>0.077</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.077</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.077	%	NA	< 20	Acceptable	
d9THC	<loq< td=""><td><loq< td=""><td>0.077</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.077</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.077	%	NA	< 20	Acceptable	
d8THC	<loq< td=""><td><loq< td=""><td>0.077</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.077</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.077	%	NA	< 20	Acceptable	
CBL	<loq< td=""><td><loq< td=""><td>0.077</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.077</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.077	%	NA	< 20	Acceptable	
d10THC	<loq< td=""><td><loq< td=""><td>0.077</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.077</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.077	%	NA	< 20	Acceptable	
CBC	<loq< td=""><td><loq< td=""><td>0.077</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.077</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.077	%	NA	< 20	Acceptable	
THCA	<loq< td=""><td><loq< td=""><td>0.077</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.077</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.077	%	NA	< 20	Acceptable	
CBCA	<loq< td=""><td><loq< td=""><td>0.077</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.077</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.077	%	NA	< 20	Acceptable	
CBLA	<loq< td=""><td><loq< td=""><td>0.077</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.077</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.077	%	NA	< 20	Acceptable	
CBT	<loq< td=""><td><loq< td=""><td>0.077</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.077</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.077	%	NA	< 20	Acceptable	

Abbreviations

ND - None Detected at or above MRL RPD - Relative Percent Difference LOQ - Limit of Quantitation

Units of Measure:





Report Number: 22-014012/D007.R000

11/23/2022 **Report Date:** ORELAP#: OR100028

Purchase Order:

Received: 11/15/22 12:43







Report Number: 22-014012/D007.R000

Report Date: 11/23/2022 ORELAP#: OR100028

Purchase Order:

Received: 11/15/22 12:43

Explanation of QC Flag Comments:

Code	Explanation
Q	Matrix interferences affecting spike or surrogate recoveries.
Q1	Quality control result biased high. Only non-detect samples reported.
Q2	Quality control outside QC limits. Data considered estimate.
Q3	Sample concentration greater than four times the amount spiked.
Q4	Non-homogenous sample matrix, affecting RPD result and/or % recoveries.
Q5	Spike results above calibration curve.
Q6	Quality control outside QC limits. Data acceptable based on remaining QC.
R	Relative percent difference (RPD) outside control limit.
R1	RPD non-calculable, as sample or duplicate results are less than five times the LOQ.
R2	Sample replicates RPD non-calculable, as only one replicate is within the analytical range.
LOQ1	Quantitation level raised due to low sample volume and/or dilution.
LOQ2	Quantitaion level raised due to matrix interference.
В	Analyte detected in method blank, but not in associated samples.
B1	The sample concentration is greater than 5 times the blank concentration.
B2	The sample concentration is less than 5 times the blank concentration.

PharmLabs San Diego Certificate of Analysis

3421 Hancock St, Second Floor, San Diego, CA 92110 | License: C8-0000098-LIC ISO/IEC 17025:2017 Certification L17-427-1 | Accreditation #85368





Sample ID SD230329-008 (71349)		Matrix Concentrate (Inhalable Cannabis Good)
Tested for The Hemp Collect		
Sampled -	Received Mar 28, 2023	Reported Apr 05, 2023
Analyses executed CAN+ RES MIR	RIG MTO DES HME EVI	

Laboratory note: The estimated concentration of the unknown peak in the sample is 6.60% | Currently PharmLabs laboratory can not confirm an unidentified peak in your chromatogram due to interference (only with highly concentrated D8 products) from which we believe to be either (+)d8-THC or 49-THC. At this time there are no reference standards available for (+)d8-THC is o different compound from the main (-)d8-THC cannobinoid and, therefore, these two compounds may have different efficacies. Using the most advanced instruments and techniques available, the separation of (+)d8-THC and d9-THC is problematic for the scientific community as a whole. PharmLabs believes the unidentified peak to be a combination of (+)d8-THC with the majority, if not all, of the concentration being (+)d8-THC. Total (+/-) D8 Concentration is estimated to be 94.56%.

CAN+ - Cannabinoids Analysis

Analyzed Apr 04, 2023 | Instrument HPLC-VWD | Method SOP-001

The expanded Uncertainty of the Cannabinoid analysis is approximately #3.806% at the 95% Confidence Level

Analyte	LOD mg/g	LOQ mg/g	Result	Result mg/g
Cannabidivarin (CBDV)	0.039	0.16	ND	ND ND
Cannabidiolic Acid (CBDA)	0.001	0.16	ND	ND
Cannabigerol Acid (CBGA)	0.001	0.16	ND	ND
Cannabigerol (CBG)	0.001	0.16	ND	ND
Cannabidiol (CBD)	0.001	0.16	ND	ND
Tetrahydrocannabivarin (THCV)	0.001	0.16	ND	ND
Cannabinol (CBN)	0.001	0.16	ND	ND
Tetrahydrocannabinol (Δ9-THC)	0.003	0.16	UI	UI
Δ 8-tetrahydrocannabinol (Δ 8-THC)	0.004	0.16	94.56	945.60
Cannabicyclol (CBL)	0.002	0.16	ND	ND
Cannabichromene (CBC)	0.002	0.16	ND	ND
Tetrahydrocannabinolic Acid (THCA)	0.001	0.16	ND	ND
Total THC (THCa * 0.877 + Δ9THC)			ND	ND
Total THC + Δ8THC (THCa * 0.877 + Δ9THC + Δ8THC)			94.56	945.60
Total CBD (CBDa * 0.877 + CBD)			ND	ND
Total CBG (CBGa * 0.877 + CBG)			ND	ND
Total Cannabinoids			94.56	945.60

HME - Heavy Metals Detection Analysis

Analyzed Apr 04, 2023 | Instrument ICP/MSMS | Method SOP-005

Analyte	LOD ug/g	LOQ ug/g	Result ug/g	Limit ug/g	Analyte	LOD ug/g	LOQ ug/g	Result ug/g	Limit ug/g
Arsenic (As)	0.0002	0.0005	ND	0.2	Cadmium (Cd)	3.0e-05	0.0005	ND	0.2
Mercury (Hg)	1.0e-05	0.0001	ND	0.1	Lead (Pb)	1.0e-05	0.00125	ND	0.5

MIBIG - Microbial Testing Analysis

Analyzed Mar 31, 2023 | Instrument qPCR and/or Plating | Method SOP-007

Analyzed rial bi, 2025 motionient quarteria, or rialing	11100100001				
Analyte	Result CFU/g	Limit	Analyte	Result CFU/g	Limit
Shiga toxin-producing Escherichia Coli	ND	ND per 1 gram	Salmonella spp.	ND	ND per 1 gram
Aspergillus fumigatus	ND	ND per 1 gram	Aspergillus flavus	ND	ND per 1 gram
Acporaillus pigor	ND	ND por 1 gram	Asparaillus torrous	ND	ND por 1 gram

MTO - Mycotoxin Testing Analysis

Analyzed Apr 04, 2023 | Instrument LC/MSMS | Method SOP-004

Analyte	LOD ug/kg	LOQ ug/kg	Result ug/kg (ppb)	Limit ug/kg	Analyte	LOD ug/kg	LOQ ug/kg	Result ug/kg (ppb)	Limit ug/kg
Ochratoxin A	5.0	20.0	ND	20	Aflatoxin B1	2.5	5.0	ND	-
Aflatoxin B2	2.5	5.0	ND	-	Aflatoxin G1	2.5	5.0	ND	-
Aflatoxin G2	2.5	5.0	ND	-	Total Aflatoxins	10.0	20.0	ND	20

UI Not Identified
ND Not Detected
N/A Not Applicable
NT Not Reported
LOD Limit of Detection
LOQ Limit of Quantification
<LOQ Detected
JULOL Above upper limit of linearity
CFU/g Colonyl Forming Units per 1 gram
TNTC Too Numerous to Count







Authorized Signature

Brandon Starr

Brandon Starr, Lab Manager Wed, 05 Apr 2023 10:13:00 -0700



PES - Pesticides Screening Analysis

Analyzed Apr 04, 2023 | Instrument LC/MSMS GC/MSMS | Method SOP-003

Analyte	LOD ug/g	LOQ ug/g	Result ug/g	Limit ug/g	Analyte	LOD ug/g	LOQ ug/g	Result ug/g	Limit ug/g
Aldicarb	0.0078	0.02	ND	0.0078	Carbofuran	0.01	0.02	ND	0.01
Dimethoate	0.01	0.02	ND	0.01	Etofenprox	0.02	0.1	ND	0.02
Fenoxycarb	0.01	0.02	ND	0.01	Thiachloprid	0.01	0.02	ND	0.01
Daminozide	0.01	0.03	ND	0.01	Dichlorvos	0.02	0.07	ND	0.02
Imazalil	0.02	0.07	ND	0.02	Methiocarb	0.01	0.02	ND	0.01
Spiroxamine	0.01	0.02	ND	0.01	Coumaphos	0.01	0.02	ND	0.01
Fipronil	0.01	0.1	ND	0.01	Paclobutrazol	0.01	0.03	ND	0.01
Chlorpyrifos	0.01	0.04	ND	0.01	Ethoprophos (Prophos)	0.01	0.02	ND	0.01
Baygon (Propoxur)	0.01	0.02	ND	0.01	Chlordane	0.04	0.1	ND	0.04
Chlorfenapyr	0.03	0.1	ND	0.03	Methyl Parathion	0.02	0.1	ND	0.02
Mevinphos	0.03	0.08	ND	0.03	Abamectin	0.03	0.08	ND	0.1
Acephate	0.02	0.05	ND	0.1	Acetamiprid	0.01	0.05	ND	0.1
Azoxystrobin	0.01	0.02	ND	0.1	Bifenazate	0.01	0.05	ND	0.1
Bifenthrin	0.02	0.35	ND	3	Boscalid	0.01	0.03	ND	0.1
Carbaryl	0.01	0.02	ND	0.5	Chlorantraniliprole	0.01	0.04	ND	10
Clofentezine	0.01	0.03	ND	0.1	Diazinon	0.01	0.02	ND	0.1
Dimethomorph	0.02	0.06	ND	2	Etoxazole	0.01	0.05	ND	0.1
Fenpyroximate	0.02	0.1	ND	0.1	Flonicamid	0.01	0.02	ND	0.1
Fludioxonil	0.01	0.05	ND	0.1	Hexythiazox	0.01	0.03	ND	0.1
Imidacloprid	0.01	0.05	ND	5	Kresoxim-methyl	0.01	0.03	ND	0.1
Malathion	0.01	0.05	ND	0.5	Metalaxyl	0.01	0.02	ND	2
Methomyl	0.02	0.05	ND	1	Myclobutanil	0.02	0.07	ND	0.1
Naled	0.01	0.02	ND	0.1	Oxamyl	0.01	0.02	ND	0.5
Permethrin	0.01	0.02	ND	0.5	Phosmet	0.01	0.02	ND	0.1
Piperonyl Butoxide	0.02	0.06	ND	3	Propiconazole	0.03	0.08	ND	0.1
Prallethrin	0.02	0.05	ND	0.1	Pyrethrin	0.05	0.41	ND	0.5
Pyridaben	0.02	0.07	ND	0.1	Spinosad A	0.01	0.05	ND	0.1
Spinosad D	0.01	0.05	ND	0.1	Spiromesifen	0.02	0.06	ND	0.1
Spirotetramat	0.01	0.02	ND	0.1	Tebuconazole	0.01	0.02	ND	0.1
Thiamethoxam	0.01	0.02	ND	5	Trifloxystrobin	0.01	0.02	ND	0.1
Acequinocyl	0.02	0.09	ND	0.1	Captan	0.01	0.02	ND	0.7
Cypermethrin	0.02	0.1	ND	1	Cyfluthrin	0.04	0.1	ND	2
Fenhexamid	0.02	0.07	ND	0.1	Spinetoram J,L	0.02	0.07	ND	0.1
Pentachloronitrobenzene	0.01	0.1	ND	0.1					

RES - Residual Solvents Testing Analysis

Analyzed Apr 04, 2023 | Instrument GC/FID with Headspace Analyzer | Method SOP-006

Analyte	LOD ug/g	LOQ ug/g	Result ug/g	Limit ug/g	Analyte	LOD ug/g	LOQ ug/g	Result ug/g	Limit ug/g
Propane (Prop)	0.4	40.0	ND	5000.0	Butane (But)	0.4	40.0	ND	5000.0
Methanol (Metha)	0.4	40.0	ND	3000.0	Ethylene Oxide (EthOx)	0.4	0.8	ND	1.0
Pentane (Pen)	0.4	40.0	ND	5000.0	Ethanol (Ethan)	0.4	40.0	ND	5000.0
Ethyl Ether (EthEt)	0.4	40.0	ND	5000.0	Acetone (Acet)	0.4	40.0	ND	5000.0
Isopropanol (2-Pro)	0.4	40.0	ND	5000.0	Acetonitrile (Acetonit)	0.4	40.0	ND	410.0
Methylene Chloride (MetCh)	0.4	0.8	1.0	1.0	Hexane (Hex)	0.4	40.0	ND	290.0
Ethyl Acetate (EthAc)	0.4	40.0	ND	5000.0	Chloroform (Clo)	0.4	0.8	ND	1.0
Benzene (Ben)	0.4	0.8	ND	1.0	1-2-Dichloroethane (12-Dich)	0.4	0.8	ND	1.0
Heptane (Hep)	0.4	40.0	ND	5000.0	Trichloroethylene (TriClEth)	0.4	0.8	ND	1.0
Toluene (Toluene)	0.4	40.0	ND	890.0	Xulenes (Xul)	0.4	40.0	ND	2170.0

FVI - Filth & Foreign Material Inspection Analysis

Analyzed Mar 30, 2023 | Instrument Microscope | Method SOP-010

Analyte / Limit	Result	Analyte / Limit	Result
> 1/4 of the total sample area covered by sand, soil, cinders, or dirt	ND	> 1/4 of the total sample area covered by mold	ND
> 1 insect fragment, 1 hair, or 1 count mammalian excreta per 3q	ND	> 1/4 of the total sample area covered by an imbedded foreign material	ND

UI Not Identified
ND Not Detected
NA Not Applicable
NT Not Reported
LOD Limit of Detection
LOQ Limit of Quantification
«LOQ Detected
»ULOL Above upper limit of linearity
CFU/g Colony Forming Units per 1 gram
TNTC Too Numerous to Count







Authorized Signature

Brandon Stark



