



Report Number: 23-005874/D003.R000

Report Date: 05/23/2023 **ORELAP#:** OR100028

Purchase Order:

Received: 05/16/23 14:00

Customer: The Hemp Collect

Product identity: Live Delta 8 Knockout Extract - Pink Panther

Client/Metrc ID:

Laboratory ID: 23-005874-0004

Summary

nalyte	Result (%)			
∆8-THC	60.9		CBD-Total	4.06%
CBN	9.42			:
CBD-A	4.52	 Δ8-THC 	THC-Total	0.196%
THC-A	0.223	• CBN		
CBD	0.0931	CBD-ATHC-A	(Reported in per	rcent of total samp
		• CBD		
		-		





Report Number: 23-005874/D003.R000

Report Date: 05/23/2023 **ORELAP#:** OR100028

Purchase Order:

Received: 05/16/23 14:00



Customer: The Hemp Collect

825 NW 16th Ave Portland Oregon 97209

United States of America (USA)

Product identity: Live Delta 8 Knockout Extract - Pink Panther

Client/Metrc ID:

Sample Date:

Laboratory ID: 23-005874-0004

Evidence of Cooling: No
Temp: 23.1 °C
Relinquished by: Hinton

Sample Results

Potency	Method: J AOAC 201	5 V98-6 (mod)♭ Units %	Batch: 2307432	Analyze: 5/18/23 3:05:00 AM
Analyte	As Dry Received weigl	LOQ nt	Notes		
CBD	0.0931	0.0735			
CBD-A	4.52	0.0735			
CBD-Total	4.06	0.138			• CBN
CBG	< LOQ	0.0735			• CBD-A
CBG-A	< LOQ	0.0735			• THC-A
CBG-Total	< LOQ	0.137			• CBD
CBN	9.42	0.0735			
Δ10-THC-9R	< LOQ	0.0735			
Δ10-THC-9S	< LOQ	0.0735			
$\Delta 10$ -THC-Total	< LOQ	0.147			
Δ8-THC	60.9	0.735			
Δ9-THC	< LOQ	0.0735			
THC-A	0.223	0.0735			
THC-Total	0.196	0.138			
Total Cannabinoids	75.2				





Report Number: 23-005874/D003.R000

Report Date: 05/23/2023 **ORELAP#:** OR100028

Purchase Order:

Received: 05/16/23 14:00

Abbreviations

Limits: Action Levels per OAR-333-007-0400, OAR-333-007-0210, OAR-333-007-0220, CCR title 16-division 42. BCC-section 5723

Limit(s) of Quantitation (LOQ): The minimum levels, concentrations, or quantities of a target variable (e.g., target analyte) that can be reported with a specified degree of confidence.

p = ISO/IEC 17025:2017 accredited method.

Units of Measure

% = Percentage of sample % wt = μ g/g divided by 10,000

Approved Signatory

Derrick Tanner General Manager





Report Number: 23-005874/D003.R000

05/23/2023 **Report Date:** ORELAP#: OR100028

Purchase Order:

Received: 05/16/23 14:00



Hemp & Cannabis: Usable / Extract / Finished Product

The-Hemp-Collect-1684260416

Potency Cannabinoid Basic

Chain of Custody, Record

ORELAP ID: **OR1000028** ANAB ISO 17025 ID: **AT1508**

Company: The Hemp Collect Contact: Eve Pavkov
Street Address: 431 NW Flanders St, Suite 202 City, State, Zip: Portland, Oregon 97209 Email: eve@thehempcollect.com
Email, CC: kyle@thehempcollect.com
Contact Phone: 3096488876 Company Phone: 3096488876

Billing Information
Billing Email: accounting@thehempcollect.com

Project Information

Project Information
Project Name: NIA
PO Number: NIA
Turnaround Time: 5 Business Days (standard) (required for microbial testing).
Samples Delivered to Laboratory: Schedule Pick-Up

Pick-Up Location Street Address: 431 NW Flanders St, Suite 202 City, State, Zip: Portland, Oregon 97209
Pick-Up Location Phone: 3096488876

							Pote			
#	Sample Name	Sample Material	METRC ID	Amount Provided	Reporting Unit	Serving Size	Testing Comments			
1	CBD Extract - Watermelon OG	Extract / Concentrate		5 g	% (by mass/mass)		Alternative Client Name: ATLrx		~	~
2	CBD Extract - Forbidden Fruit	Extract / Concentrate		5 g	% (by mass/mass)		Alternative Client Name: ATLrx		~	~
3	Live CBD Anytime Tincture	Tincture	400423136320	10 g	mg/g & mg/serving	28.5 g			~	
4	Live Delta 8 Knockout Extract - Pink Panther	Extract / Concentrate	102623131315	2.6 g	% (by mass/mass)		Alternative Client name: Mood Product Group		~	
5	Live Delta 8 Daytrip - Guava Jam	Extract / Concentrate	102323131315	3 g	% (by mass/mass)		Alternative Client name: Mood Product Group	~		

Relinquished By	Date	Time		Received By	Date	Time	Received Temp., °C	Evidence of Cooling?
Eve Parkov	5/16/2023	11:06	Temp., °C	MRH	5/16/2023	13:11		No
MRH	5/16/2023	13:11	23,1	RBS	5/16/2023	13;58		No

Samples submitted to Columbia Laboratories with testing requirements constitute an agreement for services in accordance with the current terms of services associated with this COC. By signing "Relinquished by" you are agreeing to these terms.

Columbia Laboratories 12423 NE WHitaker Way Portland, OR 97230

P: (503) 254-1794 | Fax: (503) 254-1452





Report Number: 23-005874/D003.R000

Report Date: 05/23/2023 **ORELAP#:** OR100028

Purchase Order:

Received: 05/16/23 14:00

Revision: 1 Document ID: 7148 Legacy ID: Worksheet Validated 04/20/2021

Laboratory Quality Control Results Batch ID: 2307432 Result Spike Units Evaluation Analyte LCS Limits CBDVA CBDV 0.0703 % 0.0683 % Acceptable Acceptable 0.0757 108 80.0 120 0.0719 105 80.0 0.0783 0.0828 106 80.0 120 CBDA 0.0739 0.0718 % 103 102 90.0 Acceptable CBGA 0.0717 Acceptable 120 Acceptable 110 Acceptable 103 102 108 0.0742 % 80.0 90.0 0.0768 CBD 0.0746 % 0.0762 Acceptable 0.0563 80.0 Acceptable Acceptable 0.0615 THCVA 0.0721 0.0781 108 80.0 120 CBN 0.0762 0.0760 % Acceptable 120 Acceptable 110 Acceptable 0.0721 102 80.0 0.0812 Acceptable Acceptable 0.0970 0.0943 97.2 90.0 110 9S-d10TH0 0.0550 0.0832 99.0 112 80.0 0.0744 % Acceptable 0.0709 % 120 Acceptable 0.0709 100 80.0 9R-d10TH 0.0716 % Acceptable 0.0710 80.0 120 Acceptable 0.0697 100 80.0 120 % 100 99.0 120 110 9R-HHC 0.0637 Acceptable 0.0725 Acceptable 0.0717 90.0 CBCA 0.0802 0.0748 107 80.0 Acceptable 120 CBLA d9THCF 0.0742 120 Acceptable 120 Acceptable 120 Acceptable 0.0785 106 80.0 0.0728 0.0724 100 93.7 0.0772 d8THCO 80.0 96.0 94.8 0.0733 80.0 d9THCO

Result	LOQ	Units	Limits	Evaluation	Notes
<loq< td=""><td>0.00750</td><td>%</td><td>< 0.00750</td><td>Acceptable</td><td></td></loq<>	0.00750	%	< 0.00750	Acceptable	
<loq< td=""><td>0.00750</td><td>%</td><td>< 0.00750</td><td>Acceptable</td><td></td></loq<>	0.00750	%	< 0.00750	Acceptable	
<loq< td=""><td>0.00750</td><td>%</td><td>< 0.00750</td><td>Acceptable</td><td></td></loq<>	0.00750	%	< 0.00750	Acceptable	
<loq< td=""><td>0.00750</td><td>%</td><td>< 0.00750</td><td>Acceptable</td><td></td></loq<>	0.00750	%	< 0.00750	Acceptable	
<loq< td=""><td>0.00750</td><td>%</td><td>< 0.00750</td><td>Acceptable</td><td></td></loq<>	0.00750	%	< 0.00750	Acceptable	
<loq< td=""><td>0.00750</td><td>%</td><td>< 0.00750</td><td>Acceptable</td><td></td></loq<>	0.00750	%	< 0.00750	Acceptable	
<loq< td=""><td>0.00750</td><td>%</td><td>< 0.00750</td><td>Acceptable</td><td></td></loq<>	0.00750	%	< 0.00750	Acceptable	
<loq< td=""><td>0.00750</td><td>%</td><td>< 0.00750</td><td>Acceptable</td><td></td></loq<>	0.00750	%	< 0.00750	Acceptable	
<loq< td=""><td>0.00750</td><td>%</td><td>< 0.00750</td><td>Acceptable</td><td></td></loq<>	0.00750	%	< 0.00750	Acceptable	
<loq< td=""><td>0.00750</td><td>%</td><td>< 0.00750</td><td>Acceptable</td><td></td></loq<>	0.00750	%	< 0.00750	Acceptable	
<loq< td=""><td>0.00750</td><td>%</td><td>< 0.00750</td><td>Acceptable</td><td></td></loq<>	0.00750	%	< 0.00750	Acceptable	
<loq< td=""><td>0.00750</td><td>%</td><td>< 0.00750</td><td>Acceptable</td><td></td></loq<>	0.00750	%	< 0.00750	Acceptable	
<loq< td=""><td>0.00750</td><td>%</td><td>< 0.00750</td><td>Acceptable</td><td></td></loq<>	0.00750	%	< 0.00750	Acceptable	
<loq< td=""><td>0.00750</td><td>%</td><td>< 0.00750</td><td>Acceptable</td><td></td></loq<>	0.00750	%	< 0.00750	Acceptable	
<loq< td=""><td>0.00750</td><td>%</td><td>< 0.00750</td><td>Acceptable</td><td></td></loq<>	0.00750	%	< 0.00750	Acceptable	
<loq< td=""><td>0.00750</td><td>%</td><td>< 0.00750</td><td>Acceptable</td><td></td></loq<>	0.00750	%	< 0.00750	Acceptable	
<loq< td=""><td>0.00750</td><td>%</td><td>< 0.00750</td><td>Acceptable</td><td></td></loq<>	0.00750	%	< 0.00750	Acceptable	
<loq< td=""><td>0.00750</td><td>%</td><td>< 0.00750</td><td>Acceptable</td><td></td></loq<>	0.00750	%	< 0.00750	Acceptable	
<loq< td=""><td>0.00750</td><td>%</td><td>< 0.00750</td><td>Acceptable</td><td></td></loq<>	0.00750	%	< 0.00750	Acceptable	
<loq< td=""><td>0.00750</td><td>%</td><td>< 0.00750</td><td>Acceptable</td><td></td></loq<>	0.00750	%	< 0.00750	Acceptable	
<loq< td=""><td>0.00750</td><td>%</td><td>< 0.00750</td><td>Acceptable</td><td></td></loq<>	0.00750	%	< 0.00750	Acceptable	
<loq< td=""><td>0.00750</td><td>%</td><td>< 0.00750</td><td>Acceptable</td><td></td></loq<>	0.00750	%	< 0.00750	Acceptable	
<loq< td=""><td>0.00750</td><td>%</td><td>< 0.00750</td><td>Acceptable</td><td></td></loq<>	0.00750	%	< 0.00750	Acceptable	
<loq< td=""><td>0.00750</td><td>%</td><td>< 0.00750</td><td>Acceptable</td><td></td></loq<>	0.00750	%	< 0.00750	Acceptable	
<loq< td=""><td>0.00750</td><td>%</td><td>< 0.00750</td><td>Acceptable</td><td></td></loq<>	0.00750	%	< 0.00750	Acceptable	
<loq< td=""><td>0.00750</td><td>%</td><td>< 0.00750</td><td>Acceptable</td><td></td></loq<>	0.00750	%	< 0.00750	Acceptable	
<loq< td=""><td>0.00750</td><td>%</td><td>< 0.00750</td><td>Acceptable</td><td></td></loq<>	0.00750	%	< 0.00750	Acceptable	
	<1.00 <1.00 <1.00 <1.00 <1.00 <1.00 <1.00 <1.00 <1.00 <1.00 <1.00 <1.00 <1.00 <1.00 <1.00 <1.00 <1.00 <1.00 <1.00 <1.00 <1.00 <1.00 <1.00 <1.00 <1.00 <1.00 <1.00 <1.00 <1.00 <1.00 <1.00 <1.00 <1.00 <1.00 <1.00 <1.00 <1.00 <1.00 <1.00 <1.00 <1.00 <1.00 <1.00 <1.00 <1.00 <1.00 <1.00 <1.00 <1.00 <1.00 <1.00 <1.00 <1.00 <1.00 <1.00 <1.00 <1.00 <1.00 <1.00 <1.00 <1.00 <1.00 <1.00 <1.00 <1.00 <1.00 <1.00 <1.00 <1.00 <1.00 <1.00 <1.00 <1.00 <1.00 <1.00 <1.00 <1.00 <1.00 <1.00 <1.00	 <10Q 0.00750 <1.0Q 0.00750	<loq< td=""> 0.00750 % <loq< td=""> 0.00750 %</loq<></loq<></loq<></loq<></loq<></loq<></loq<></loq<></loq<></loq<></loq<></loq<></loq<></loq<></loq<></loq<></loq<></loq<></loq<></loq<></loq<></loq<></loq<></loq<>	<loq< td=""> 0.00750 % < 0.00750</loq<>	<loq< th=""> 0.00750 % < 0.00750 Acceptable <loq< td=""> 0.00750 % < 0.00750</loq<></loq<>

eviations

ND - None Detected at or above MRI

RPD - Relative Percent Difference LOQ - Limit of Quantitation

Units of Measure:

% - Percent





Report Number: 23-005874/D003.R000

Report Date: 05/23/2023 **ORELAP#:** OR100028

Purchase Order:

Received: 05/16/23 14:00

Revision: 1 Document ID: 7148 Legacy ID: Worksheet Validated 04/20/2021

Laboratory Quality Control Results Batch ID: 2307432 Sample ID: 23-005738-0001 Analyte CBDVA CBDV Org. Result LOQ Units Evaluation Limits 0.00740 % 0.00740 % Acceptable Acceptable < 20 < 20 0.0617 0.0596 3.51 0.00740 CBDA 0.00740 % < 20 Acceptable CBGA CBG 0.00740 < 20 Acceptable Acceptable 88.6 0.00740 % 2.36 CBD 86.5 < 20 Acceptable Acceptable Acceptable Acceptable d8THC\ 0.00740 < 20 0.00740 0.00740 THCVA 0.0212 0.0207 Acceptable Acceptable Acceptable CBN % 2.22 < 20 0.00740 0.00740 < 20 0.00740 % 0.00740 % 0.00740 < 20 Acceptable Acceptable NA NA 9S-d10THC CBL 9S-HHC 0.00740 % < 20 Acceptable 0.00740 % Acceptable 9R-d10THC 0.00740 % < 20 Acceptable 0.0110 Acceptable 9R-HHC 0.00740 % < 20 Acceptable Acceptable 0.00740 0.00740 % 0.00740 % 0.00740 % < 20 < 20 < 20 Acceptable Acceptable Acceptable CBCA CBLA d9THCF d8THCO CBT 0.00740 0.00740 Acceptable Acceptable d9THCO 0.00740 < 20

bbreviatio

ND - None Detected at or above MRL RPD - Relative Percent Difference LOQ - Limit of Quantitation

Units of Measure:

% - Percent





Report Number: 23-005874/D003.R000

Report Date: 05/23/2023 **ORELAP#:** OR100028

Purchase Order:

Received: 05/16/23 14:00







23-005874/D003.R000 **Report Number:**

Report Date: 05/23/2023 ORELAP#: OR100028

Purchase Order:

05/16/23 14:00 Received:

Explanation of QC Flag Comments:

Code	Explanation
Q	Matrix interferences affecting spike or surrogate recoveries.
Q1	Quality control result biased high. Only non-detect samples reported.
Q2	Quality control outside QC limits. Data considered estimate.
Q3	Sample concentration greater than four times the amount spiked.
Q4	Non-homogenous sample matrix, affecting RPD result and/or % recoveries.
Q5	Spike results above calibration curve.
Q6	Quality control outside QC limits. Data acceptable based on remaining QC.
R	Relative percent difference (RPD) outside control limit.
R1	RPD non-calculable, as sample or duplicate results are less than five times the LOQ.
R2	Sample replicates RPD non-calculable, as only one replicate is within the analytical range.
LOQ1	Quantitation level raised due to low sample volume and/or dilution.
LOQ2	Quantitaion level raised due to matrix interference.
В	Analyte detected in method blank, but not in associated samples.
B1	The sample concentration is greater than 5 times the blank concentration.
B2	The sample concentration is less than 5 times the blank concentration.