



22-014347/D002.R000 **Report Number:**

Report Date: 12/01/2022 **ORELAP#:** OR100028

Purchase Order:

Received: 11/22/22 13:20

IHC LLC **Customer:**

Product identity: Live D9 20 mg Sour Apple

Client/Metrc ID:

Laboratory ID: 22-014347-0005

Summary

Potency:

Analyte per 8g	Result	Limits	Units	Status	THC-Total per Serving Size 21.0 mg/8g
CBD per 8g	0.282		mg/8g		
CBD-A per 8g	0.783		mg/8g		CBD-Total per Serving Size 0.969 mg/8g
Δ9-THC per 8g	21.0		mg/8g		CBD-Total per Serving Size 0.969 mg/8g
					(Reported in milligrams per serving)





Report Number: 22-014347/D002.R000

Report Date: 12/01/2022 **ORELAP#:** OR100028

Purchase Order:

Received: 11/22/22 13:20

Customer: IHC LLC

825 NW 16th Ave Portland Oregon 97209

United States of America (USA)

Product identity: Live D9 20 mg Sour Apple

Client/Metrc ID:

Sample Date:

Laboratory ID: 22-014347-0005

Evidence of Cooling: No
Temp: 13.1 °C
Relinquished by: Hinton
Serving Size #1: 8 g



Sample Results

Potency per 8g	Method: J AOAC 2015 VS	98-6 (mod) ^þ	Units mg/se Ba	itch: 2210147	Analyze: 11/28/22 8:25:00 PM
Analyte	Result	Limits	Units	LOQ	Notes
CBC per 8g	< LOQ		mg/8g	0.252	
CBC-A per 8g	< LOQ		mg/8g	0.252	
CBC-Total per 8g	< LOQ		mg/8g	0.473	
CBD per 8g	0.282		mg/8g	0.252	
CBD-A per 8g	0.783		mg/8g	0.252	
CBD-Total per 8g	0.969		mg/8g	0.473	
CBDV per 8g	< LOQ		mg/8g	0.252	
CBDV-A per 8g	< LOQ		mg/8g	0.252	
CBDV-Total per 8g	< LOQ		mg/8g	0.470	
CBE per 8g	< LOQ		mg/8g	0.252	
CBG per 8g	< LOQ		mg/8g	0.252	
CBG-A per 8g	< LOQ		mg/8g	0.252	
CBG-Total per 8g	< LOQ		mg/8g	0.470	
CBL per 8g	< LOQ		mg/8g	0.252	
CBL-A per 8g	< LOQ		mg/8g	0.252	
CBL-Total per 8g	< LOQ		mg/8g	0.473	
CBN per 8g	< LOQ		mg/8g	0.252	
CBT per 8g	< LOQ		mg/8g	0.252	
∆8-THCV per 8g	< LOQ		mg/8g	0.252	
$\Delta 10$ -THC per 8g	< LOQ		mg/8g	0.252	
∆8-THC per 8g	< LOQ		mg/8g	0.252	
Δ9-THC per 8g	21.0		mg/8g	0.252	
exo-THC per 8g	< LOQ		mg/8g	0.252	
THC-A per 8g	< LOQ		mg/8g	0.252	
THC-Total per 8g	21.0		mg/8g	0.473	
THCV per 8g	< LOQ		mg/8g	0.252	
THCV-A per 8g	< LOQ		mg/8g	0.252	
THCV-Total per 8g	< LOQ		mg/8g	0.473	
Total Cannabinoids per 8g	22.1		mg/8g		

www.columbialaboratories.com

Page 2 of 9





Report Number: 22-014347/D002.R000

Report Date: 12/01/2022 ORELAP#: OR100028

Purchase Order:

Received: 11/22/22 13:20





Report Number: 22-014347/D002.R000

Report Date: 12/01/2022 **ORELAP#:** OR100028

Purchase Order:

Received: 11/22/22 13:20

These test results are representative of the individual sample selected and submitted by the client.

Abbreviations

Limits: Action Levels per OAR-333-007-0400, OAR-333-007-0210, OAR-333-007-0220, CCR title 16-division 42. BCC-section 5723

Limit(s) of Quantitation (LOQ): The minimum levels, concentrations, or quantities of a target variable (e.g., target analyte) that can be reported with a specified degree of confidence.

p = ISO/IEC 17025:2017 accredited method.

Units of Measure

g = g

mg/8g = Milligram per 8g

% = Percentage of sample

% wt = μ g/g divided by 10,000

Approved Signatory

Derrick Tanner General Manager





Report Number: 22-014347/D002.R000

Report Date: 12/01/2022 ORELAP#: OR100028

Purchase Order:

Received: 11/22/22 13:20



Hemp & Cannabis: Usable / Extract / Finished Product Chain of Custody Record

CHELAP ID: ORSO0028 ANAB SO 17025 ID: AT-1508

Document Control ID: 2832 Revision: 5 Effective: 01/04/2022

27-214347

Campony THE, LLC			Analysis	s Requested		PO Number:	
CONTROL TOCK @ the hump collect, com Address: 431 NW Flowed State: CR. Epicode: 97209 CAN PORTHUMAN STATE: CR. Epicode: 97209 CAN PORTHUMAN TOCK & the hump collect a com Deta (1971) - 550-0003 Name: Finally Address: 500: 5100			Residual schoonss Peskindes Terphones Patency			Reporting Type: () Fitpert to: () - ME () - Oth	E-Ind. Hamp product CI -Rec. Centralis 3-Compliance St. R&D R&C CI -ODA CI -DEDA en cound draw (DAT - Restricts Days): S(B - I CI - NID* CI - 20D*
i Takilma Kush 2 Bul ordard 2 Wesley's wish	Live Rea	ivo.	* * * * * * * * * * * * * * * * * * *			Material Wespet Type (2005) 10% 10%	Comments/Metric ID
4 Live D9 20mg Hus 5 Live D9 20mg 50	ultberry us Apple		*			245 245	#4 Serving Size:
Springer Integrated by	tiste	Time	Sgrature Assistably	Clote	Time		Lab Use Only:
Van	4/22	12:19	MIRNE	11 33	12:16	□ Shipped Wa	
mera	11/9.5	12:40	800	Unit 1225 Evidence of cooling: (1 Yes □ No - Te Lample in good condition: □ Yes □ No Payment: □ Cash □ Check □ cc □ Presing prompts		relition: 🗆 Ves 🗆 No	

 $? - \textbf{Material Type Codes:} \ \textit{Finc Material (i)} : \\ | \text{Substantial} | \text{Value Treduct} | \text{Value Tredu$ Supply what so I wind to Delivate uniformly restriction continues appropriate for service in according 497 do ; annotated and site CCR. He repaire "Antoquestrally" previous agreeing as above arms. P. 5000 254-1294 (Fax: 5000 254-1452

23423 NV MANDAW Hop

Fortherd, CR 87719





Report Number: 22-014347/D002.R000

Report Date: 12/01/2022 **ORELAP#:** OR100028

Purchase Order:

Received: 11/22/22 13:20

Revision: 1 Document ID: 7148 Legacy ID: Worksheet Validated 04/20/2021

Laboratory Quality Control Results Batch ID: 2210147 Spike Units 0.0341 % 0.0354 % Result Limits Evaluation Analyte LCS CBDVA CBDV Acceptable Acceptable 0.0331 97.0 80.0 120 0.0344 97.0 80.0 0.0354 0.0336 80.0 120 CBDA 0.0332 0.0319 % 104 103 90.0 Acceptable CBGA CBG 0.0322 Acceptable 120 Acceptable 110 Acceptable 120 Acceptable 104 105 97.5 80.0 90.0 0.0331 CBD 0.0319 % 0.0335 0.0331 80.0 Acceptable Acceptable 0.0362 THCVA 0.0332 0.0318 95.8 80.0 120 0.0330 120 Acceptable 120 Acceptable 120 Acceptable 110 Acceptable CBN 0.0335 % 0.0327 0.0310 94.7 80.0 0.0335 98.5 0.0334 Acceptable Acceptable d8THC 0.0307 92.1 93.7 90.0 110 CBL 0.0313 80.0 d10THC 0.0307 % Acceptable 120 Acceptable 0.0333 95.3 80.0 0.0319 THCA % Acceptable 109 90.0 0.0350 110 120 Acceptable 0.0337 98.3 80.0 CBLA 0.0353 Acceptable 0.0366

Method Blank						
Analyte	Result	LOQ	Units	Limits	Evaluation	Notes
CBDVA	<loq< td=""><td>0.003</td><td>%</td><td>< 0.003</td><td>Acceptable</td><td></td></loq<>	0.003	%	< 0.003	Acceptable	
CBDV	<loq< td=""><td>0.003</td><td>%</td><td>< 0.003</td><td>Acceptable</td><td></td></loq<>	0.003	%	< 0.003	Acceptable	
CBE	<loq< td=""><td>0.003</td><td>%</td><td>< 0.003</td><td>Acceptable</td><td></td></loq<>	0.003	%	< 0.003	Acceptable	
CBDA	<l0q< td=""><td>0.003</td><td>%</td><td>< 0.003</td><td>Acceptable</td><td></td></l0q<>	0.003	%	< 0.003	Acceptable	
CBGA	<loq< td=""><td>0.003</td><td>%</td><td>< 0.003</td><td>Acceptable</td><td></td></loq<>	0.003	%	< 0.003	Acceptable	
CBG	<loq< td=""><td>0.003</td><td>%</td><td>< 0.003</td><td>Acceptable</td><td></td></loq<>	0.003	%	< 0.003	Acceptable	
CBD	<loq< td=""><td>0.003</td><td>%</td><td>< 0.003</td><td>Acceptable</td><td></td></loq<>	0.003	%	< 0.003	Acceptable	
THCV	<l0q< td=""><td>0.003</td><td>%</td><td>< 0.003</td><td>Acceptable</td><td></td></l0q<>	0.003	%	< 0.003	Acceptable	
d8THCV	<loq< td=""><td>0.003</td><td>%</td><td>< 0.003</td><td>Acceptable</td><td></td></loq<>	0.003	%	< 0.003	Acceptable	
THCVA	<loq< td=""><td>0.003</td><td>%</td><td>< 0.003</td><td>Acceptable</td><td></td></loq<>	0.003	%	< 0.003	Acceptable	
CBN	<loq< td=""><td>0.003</td><td>%</td><td>< 0.003</td><td>Acceptable</td><td></td></loq<>	0.003	%	< 0.003	Acceptable	
exo-THC	<l0q< td=""><td>0.003</td><td>%</td><td>< 0.003</td><td>Acceptable</td><td></td></l0q<>	0.003	%	< 0.003	Acceptable	
d9THC	<loq< td=""><td>0.003</td><td>%</td><td>< 0.003</td><td>Acceptable</td><td></td></loq<>	0.003	%	< 0.003	Acceptable	
d8THC	<loq< td=""><td>0.003</td><td>%</td><td>< 0.003</td><td>Acceptable</td><td></td></loq<>	0.003	%	< 0.003	Acceptable	
CBL	<loq< td=""><td>0.003</td><td>%</td><td>< 0.003</td><td>Acceptable</td><td></td></loq<>	0.003	%	< 0.003	Acceptable	
d10THC	<loq< td=""><td>0.003</td><td>%</td><td>< 0.003</td><td>Acceptable</td><td></td></loq<>	0.003	%	< 0.003	Acceptable	
CBC	<loq< td=""><td>0.003</td><td>%</td><td>< 0.003</td><td>Acceptable</td><td></td></loq<>	0.003	%	< 0.003	Acceptable	
THCA	<loq< td=""><td>0.003</td><td>%</td><td>< 0.003</td><td>Acceptable</td><td></td></loq<>	0.003	%	< 0.003	Acceptable	
CBCA	<loq< td=""><td>0.003</td><td>%</td><td>< 0.003</td><td>Acceptable</td><td></td></loq<>	0.003	%	< 0.003	Acceptable	
CBLA	<loq< td=""><td>0.003</td><td>%</td><td>< 0.003</td><td>Acceptable</td><td></td></loq<>	0.003	%	< 0.003	Acceptable	
CBT	<loq< td=""><td>0.003</td><td>%</td><td>< 0.003</td><td>Acceptable</td><td></td></loq<>	0.003	%	< 0.003	Acceptable	

ND - None Detected at or above MRL

RPD - Relative Percent Difference LOQ - Limit of Quantitation

Units of Measure:

% - Percent





22-014347/D002.R000 **Report Number:**

Report Date: 12/01/2022 **ORELAP#:** OR100028

Purchase Order:

Received: 11/22/22 13:20

Revision: 1 Document ID: 7148 Legacy ID: Worksheet Validated 04/20/2021

Laboratory Quality Control Results

J AOAC 2015 V98-6	Batch ID: 2210147										
Sample Duplicate					San	ple ID: 22-014342 -	0002				
Analyte	Result	Org. Result	LOQ	Units	RPD	Limits	Evaluation	Notes			
CBDVA	<loq< td=""><td><loq< td=""><td>0.003</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.003</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.003	%	NA	< 20	Acceptable				
CBDV	<loq< td=""><td>0.0044</td><td>0.003</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td>R2</td></loq<>	0.0044	0.003	%	NA	< 20	Acceptable	R2			
CBE	0.0164	0.0269	0.003	%	48.5	< 20	Outlier	R, Q4			
CBDA	<loq< td=""><td><loq< td=""><td>0.003</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.003</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.003	%	NA	< 20	Acceptable				
CBGA	<loq< td=""><td><loq< td=""><td>0.003</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.003</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.003	%	NA	< 20	Acceptable				
CBG	0.0059	0.0096	0.003	%	47.4	< 20	Outlier	R, Q4			
CBD	0.130	0.212	0.003	%	47.7	< 20	Outlier	R, Q4			
THCV	<loq< td=""><td><loq< td=""><td>0.003</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.003</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.003	%	NA	< 20	Acceptable				
d8THCV	<loq< td=""><td><loq< td=""><td>0.003</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.003</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.003	%	NA	< 20	Acceptable				
THCVA	<loq< td=""><td><loq< td=""><td>0.003</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.003</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.003	%	NA	< 20	Acceptable				
CBN	0.0105	0.0170	0.003	%	47.5	< 20	Outlier	R, Q4			
exo-THC	<loq< td=""><td><loq< td=""><td>0.003</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.003</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.003	%	NA	< 20	Acceptable				
d9THC	0.0336	0.0555	0.003	%	49.2	< 20	Outlier	R, Q4			
d8THC	<loq< td=""><td><loq< td=""><td>0.003</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.003</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.003	%	NA	< 20	Acceptable				
CBL	<loq< td=""><td><loq< td=""><td>0.003</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.003</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.003	%	NA	< 20	Acceptable				
d10THC	<loq< td=""><td><loq< td=""><td>0.003</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.003</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.003	%	NA	< 20	Acceptable				
CBC	0.0152	0.0246	0.003	%	47.6	< 20	Outlier	R, Q4			
THCA	<loq< td=""><td><loq< td=""><td>0.003</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.003</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.003	%	NA	< 20	Acceptable				
CBCA	<loq< td=""><td><loq< td=""><td>0.003</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.003</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.003	%	NA	< 20	Acceptable				
CBLA	<loq< td=""><td><loq< td=""><td>0.003</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.003</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.003	%	NA	< 20	Acceptable				
CBT	0.0191	0.0330	0.003	%	53.0	< 20	Outlier	R, Q4			

Abbreviations

ND - None Detected at or above MRL RPD - Relative Percent Difference LOQ - Limit of Quantitation

Units of Measure:





Report Number: 22-014347/D002.R000

12/01/2022 **Report Date: ORELAP#:** OR100028

Purchase Order:

Received: 11/22/22 13:20







Report Number: 22-014347/D002.R000

Report Date: 12/01/2022 ORELAP#: OR100028

Purchase Order:

11/22/22 13:20 Received:

Explanation of QC Flag Comments:

Code	Explanation
Q	Matrix interferences affecting spike or surrogate recoveries.
Q1	Quality control result biased high. Only non-detect samples reported.
Q2	Quality control outside QC limits. Data considered estimate.
Q3	Sample concentration greater than four times the amount spiked.
Q4	Non-homogenous sample matrix, affecting RPD result and/or % recoveries.
Q5	Spike results above calibration curve.
Q6	Quality control outside QC limits. Data acceptable based on remaining QC.
R	Relative percent difference (RPD) outside control limit.
R1	RPD non-calculable, as sample or duplicate results are less than five times the LOQ.
R2	Sample replicates RPD non-calculable, as only one replicate is within the analytical range.
LOQ1	Quantitation level raised due to low sample volume and/or dilution.
LOQ2	Quantitaion level raised due to matrix interference.
В	Analyte detected in method blank, but not in associated samples.
B1	The sample concentration is greater than 5 times the blank concentration.
B2	The sample concentration is less than 5 times the blank concentration.





Report Number: 23-000691/D005.R000

Report Date: 01/24/2023 **ORELAP#:** OR100028

Purchase Order:

Received: 01/17/23 14:16

Customer: IHC LLC
Product identity: 01LIR209_SG

Client/Metrc ID:

Laboratory ID: 23-000691-0008

Summary

Potency:

Analyte	Result (%)			
CBD-A	58.2	• CBD-A	CBD-Total	52.4%
CBC-A	3.16	CBC-A		
CBG-A	3.13	CBG-A	THC-Total	2.67%
THC-A	2.61	• THC-A		
CBD	1.35	CBDCBDV-A	(Reported in pe	ercent of total sample)
CBDV-A	1.04	Δ9-THC		
Δ9-THC	0.380	• CBG		
CBG	0.252	• CBC		
CBC	0.170			

Residual Solvents:

All analytes passing and less than LOQ.

Pesticides:

 Limits (mg/kg)	Result (mg/kg)	Analyte	
	file < LOQ for all analytes	Multi-Residue Pesticide Profile	

Metals:

Less than LOQ for all analytes.

Microbiology:

Less than LOQ for all analytes.





Report Number: 23-000691/D005.R000

Report Date: 01/24/2023 **ORELAP#:** OR100028

Purchase Order:

Received: 01/17/23 14:16



Customer: IHC LLC

825 NW 16th Ave Portland Oregon 97209 United States of America (USA)

Product identity: 01LIR209_SG

Client/Metrc ID:

Sample Date:

Laboratory ID: 23-000691-0008

Evidence of Cooling: No
Temp: 20 °C
Relinquished by: ramos

Sample Results

Potency	Method: J AOAC 2	015 V98-6 (mod) ^þ	Units %	Batch: 2300680	Analyze: 1/21/23 5:07:00 AM
Analyte	As Dr		lotes		
CBC	Received we 0.170	-			• CBD-A
		0.0715			• CBC-A
CBC-A	3.16	0.0715			• CBG-A
CBC-Total	2.94	0.134			O THC-A
CBD CBD-A	1.35 58.2	0.0715 0.715			CBD CBDV-A
CBD-A CBD-Total	50.2 52.4	0.715			△ ∆9-THC
CBD-Total	52.4 < LOQ	0.699			• CBG
	< LOQ 1.04				• CBC
CBDV-A		0.0715			
CBDV-Total CBE	0.901	0.133			
CBG	< LOQ	0.0715			
	0.252	0.0715			
CBG-A CBG-Total	3.13 3.00	0.0715 0.133			
CBG-10tal					
CBL-A	< LOQ < LOQ	0.0715 0.0715			
CBL-Total	< LOQ < LOQ	0.0713			
CBL-10tal	< LOQ < LOQ	0.134			
CBT	< LOQ < LOQ	0.0715			
Δ10-THC-9R	< LOQ < LOQ	0.0715			
Δ10-111C-9H Δ8-THC	< LOQ < LOQ	0.0715			
Δ8-THCV	< LOQ < LOQ	0.0715			
Δ9-THC	0.380	0.0715			
exo-THC	< LOQ	0.0715			
THC-A	2.61	0.0715			
THC-Total	2.67	0.0713			
THCV	< LOQ	0.0715			
THCV-A	< LOQ < LOQ	0.0715			
THCV-Total	< LOQ < LOQ	0.0713			
Total Cannabinoids	70.3	0.100			





Report Number: 23-000691/D005.R000

Report Date: 01/24/2023 **ORELAP#:** OR100028

Purchase Order:

Received: 01/17/23 14:16

Microbiology						
Analyte	Result	Limits Units	LOQ	Batch	Analyzed Method	Status Notes
Mold (RAPID Petrifilm)	< LOQ	cfu/g	10	2300531	01/21/23 AOAC 2014.05 (RAPID) ^b	
Yeast (RAPID Petrifilm)	< LOQ	cfu/g	10	2300531	01/21/23 AOAC 2014.05 (RAPID) ^p	

Solvents	Method:	Residua	I Solve	ents by	GC/MS ^þ	Units µg/g Batch 2	2300722	Analyz	e 01/2	24/23 12:13 PM
Analyte	Result	Limits	LOQ	Status	Notes	Analyte	Result	Limits	LOQ	Status Notes
1,4-Dioxane	< LOQ	380	100	pass		2-Butanol	< LOQ	5000	200	pass
2-Ethoxyethanol	< LOQ	160	30.0	pass		2-Methylbutane (Isopentane)	< LOQ		200	
2-Methylpentane	< LOQ		30.0			2-Propanol (IPA)	< LOQ	5000	200	pass
2,2-Dimethylbutane	< LOQ		30.0			2,2-Dimethylpropane (neo-pentane)	< LOQ		200	
2,3-Dimethylbutane	< LOQ		30.0			3-Methylpentane	< LOQ		30.0	
Acetone	< LOQ	5000	200	pass		Acetonitrile	< LOQ	410	100	pass
Benzene	< LOQ	2.00	1.00	pass		Butanes (sum)	< LOQ	5000	400	pass
Cyclohexane	< LOQ	3880	200	pass		Ethyl acetate	< LOQ	5000	200	pass
Ethyl benzene	< LOQ		200			Ethyl ether	< LOQ	5000	200	pass
Ethylene glycol	< LOQ	620	200	pass		Ethylene oxide	< LOQ	50.0	20.0	pass
Hexanes (sum)	< LOQ	290	150	pass		Isopropyl acetate	< LOQ	5000	200	pass
lsopropylbenzene (Cumene)	< LOQ	70.0	30.0	pass		m,p-Xylene	< LOQ		200	
Methanol	< LOQ	3000	200	pass		Methylene chloride	< LOQ	600	60.0	pass
Methylpropane (Isobutane)	< LOQ		200			n-Butane	< LOQ		200	
n-Heptane	< LOQ	5000	200	pass		n-Hexane	< LOQ		30.0	
n-Pentane	< LOQ		200			o-Xylene	< LOQ		200	
Pentanes (sum)	< LOQ	5000	600	pass		Propane	< LOQ	5000	200	pass
Tetrahydrofuran	< LOQ	720	100	pass		Toluene	< LOQ	890	100	pass
Total Xylenes	< LOQ		400			Total Xylenes and Ethyl benzene	< LOQ	2170	600	pass

Pesticides	Method: AOAC 2007.01 & EN 15662 (mod) b Units mg/kg	Batch 2300713	Analyze 01/24/23 10:07 AM
Analyte	Result	Limits	Status	Notes

Multi-Residue Pesticide Profile < LOQ for all analytes

Metals							
Analyte	Result	Limits	Units	LOQ	Batch	Analyzed Method	Status Notes
Arsenic	< LOQ	0.200	mg/kg	0.0775	2300594	01/18/23 AOAC 2013.06 (mod.) ^b	pass
Cadmium	< LOQ	0.200	mg/kg	0.0775	2300594	01/18/23 AOAC 2013.06 (mod.) ^b	pass
Lead	< LOQ	0.500	mg/kg	0.0775	2300594	01/18/23 AOAC 2013.06 (mod.) ^b	pass
Mercury	< LOQ	0.100	mg/kg	0.0388	2300594	01/18/23 AOAC 2013.06 (mod.) ^b	pass





23-000691/D005.R000 **Report Number:**

Report Date: 01/24/2023 ORELAP#: OR100028

Purchase Order:

Received: 01/17/23 14:16

Mycotoxins							
Analyte	Result	Limits	Units	LOQ	Batch	Analyzed Method	Status Note
Aflatoxin B2¥	< LOQ		μg/kg	5.00	2300576	01/19/23 AOAC 2007.01 & EN 15662 (mod) ^þ	
Aflatoxin B1¥	< LOQ		μg/kg	5.00	2300576	01/19/23 AOAC 2007.01 & EN 15662 (mod) ^b	
Aflatoxin G1¥	< LOQ		μg/kg	5.00	2300576	01/19/23 AOAC 2007.01 & EN 15662 (mod) ^b	
Aflatoxin G2¥	< LOQ		μg/kg	5.00	2300576	01/19/23 AOAC 2007.01 & EN 15662 (mod) ^b	
Ochratoxin A¥	< LOQ	20.0	μg/kg	5.00	2300576	01/19/23 AOAC 2007.01 & EN 15662 (mod) ^b	pass
Total Aflatoxins [¥]	0.000	20.0	μg/kg	20.0		01/24/23 AOAC 2007.01 & EN 15662 (mod) ^b	pass





Report Number: 23-000691/D005.R000

Report Date: 01/24/2023 **ORELAP#:** OR100028

Purchase Order:

Received: 01/17/23 14:16

Abbreviations

Limits: Action Levels per OAR-333-007-0400, OAR-333-007-0210, OAR-333-007-0220, CCR title 16-division 42. BCC-section 5723

Limit(s) of Quantitation (LOQ): The minimum levels, concentrations, or quantities of a target variable (e.g., target analyte) that can be reported with a specified degree of confidence.

p = ISO/IEC 17025:2017 accredited method.

* = TNI accredited analyte.

Units of Measure

cfu/g = Colony forming units per gram

μg/g = Microgram per gram

μg/kg = Micrograms per kilogram = parts per billion (ppb)

mg/kg = Milligram per kilogram = parts per million (ppm)

% = Percentage of sample

% wt = $\mu g/g$ divided by 10,000

Approved Signatory

Derrick Tanner General Manager





Report Number: 23-000691/D005.R000

Report Date: 01/24/2023 **ORELAP#:** OR100028

Purchase Order:

Received: 01/17/23 14:16



Hemp / Cannabis Usable / Extract / Finished Products Chain of Custody Record

Revision: 4.00 Control#: CF029 Rev 02/24/2021 Eff: 03/04/2021. CREAP C: CR100006

300 and 200 miles at 2,000 miles						A	nailys	s Req	uesto	¢					0 Number:	
Company: The Hemp Collect Contact: Kyle @thehempcol Street: 431 NW Handers st. Ony: Portland State: Groppox (IHC Phr. 61 608164 Fx Results: sting Fafferent Joel @thehem	UF 2p	97209	CR59 compasseds	Multi-Residue - 179 compounds		abad Solvents	chure & Water Activity	- 60	Reno: Yasat and Model	Mignet E. Claik and Total Celiforns	riele	us su		Project Pro Cautom I Report to	t Number	CTRC or CT Other: Sections Day Standard Terroround Sections Day Rush Terroround* Dustries Day Rush Terroround* Discipling April 1988
Lab Clean Sareple Identification 1 01LIRVAP200_SP	Date	Tree	Pestidies	Perticide	Potenty	heribad	Moloture	Joppines	Memorya	Mensi	Beary Metals	Mycobadns	Others	Sample Type †	Weight (Units)	Comments/Metrc (0
2 O1LIRVAP200 PB				\vdash	×	\vdash	\vdash					-		Č.		
3 0107LIRVAP200 Liama	_			+	×	\vdash			-			-		C		
4 0107LIRVAP200 OGK					x	\vdash								c		
5 01020506LIFIVAP200_	TG	-		\vdash	x	\vdash								C		
6 01020506LIRVAP200_	FV				×									C		
7 01LIR209_GJ				×	x	×	\vdash		х		X	×		C		
8 01LIR209_SG				x	x	×			х		х	x		C		
9 01LIR209_Llama				×	×	×			Х		х	x		C		
10 01LIR209_TG				×	×	X					×			C	7	
Heinquished By:	Crate	Time		12	2	locativisc	By:			De	dic	-19	10			Lab Use Only:
Kyle Farook	1/17	11:00 /		6		5				-	-	11/1	_	Evidence	of cooling: CIV	or □ Chart drop res □ No - Temp (*C): 20, €
73-	1.17	/338		Q.	35	_				olt	(C)	14/	4		D Check Do	rc Yes Mo

1 - Sample Type Codes: Vogotation (V); Isolates (S); Extract/Concentrate (C); Taxture/Tapical (T); Edible (E); Severage (U)

Employ administrative Collection Collection





23-000691/D005.R000 **Report Number:**

Report Date: 01/24/2023 ORELAP#: OR100028

Purchase Order:

01/17/23 14:16 Received:

Revision: 1 Document ID: 7148 Legacy ID: Worksheet Validated 04/20/2021

			La	boratory	Quality Co	ntrol Results		
J AOAC 2015 V98-6					В	atch ID: 2300680		
Laboratory Control S	ample							
Analyte	LCS	Result	Spike	Units	% Rec	Limits	Evaluation	Notes
CBDVA	2	0.104	0.100	%	104	80.0 - 120	Acceptable	
CBDV	2	0.110	0.106	%	104	80.0 - 120	Acceptable	
CBE	2	0.108	0.105	%	103	80.0 - 120	Acceptable	
CBDA	1	0.0968	0.096	%	101	90.0 - 110	Acceptable	
CBGA	1	0.0973	0.096	%	101	80.0 - 120	Acceptable	
CBG	1	0.100	0.099	%	102	80.0 - 120	Acceptable	
CBD	1	0.0969	0.097	%	99.6	90.0 - 110	Acceptable	
THCV	2	0.109	0.106	%	102	80.0 - 120	Acceptable	
d8THCV	2	0.108	0.103	%	105	80.0 - 120	Acceptable	
THCVA	2	0.102	0.099	%	103	80.0 - 120	Acceptable	
CBN	1	0.104	0.102	%	102	80.0 - 120	Acceptable	
exo-THC	2	0.101	0.097	%	104	80.0 - 120	Acceptable	
d9THC	1	0.112	0.105	%	107	90.0 - 110	Acceptable	
d8THC	1	0.0971	0.100	%	96.7	90.0 - 110	Acceptable	
CBL	2	0.108	0.104	%	104	80.0 - 120	Acceptable	
9S-HHC	3	0.0995	0.100	%	99.5	80.0 - 120	Acceptable	
d10THC	1	0.0471	0.047	%	99.8	80.0 - 120	Acceptable	
CBC	2	0.107	0.104	%	103	80.0 - 120	Acceptable	
9R-HHC	3	0.0889	0.100	%	88.9	80.0 - 120	Acceptable	
THCA	1	0.0964	0.095	%	101	90.0 - 110	Acceptable	
CBCA	2	0.106	0.103	%	103	80.0 - 120	Acceptable	
CBLA	2	0.108	0.105	%	104	80.0 - 120	Acceptable	
d8THCO	3	0.104	0.100	%	104	80.0 - 120	Acceptable	
CBT	2	0.109	0.105	%	104	80.0 - 120	Acceptable	
d9THCO	3	0.110	0.100	%	110	80.0 - 120	Acceptable	
Method Blank		•				•		
Analyta	D _C	seult	100		Unite	Limite	Evaluation	Notos

Analyte	Result	LOQ	Units	Limits	Evaluation	Notes
CBDVA	<loq< td=""><td>0.0077</td><td>%</td><td>< 0.0077</td><td>Acceptable</td><td></td></loq<>	0.0077	%	< 0.0077	Acceptable	
CBDV	<l0q< td=""><td>0.0077</td><td>%</td><td>< 0.0077</td><td>Acceptable</td><td></td></l0q<>	0.0077	%	< 0.0077	Acceptable	
CBE	<loq< td=""><td>0.0077</td><td>%</td><td>< 0.0077</td><td>Acceptable</td><td></td></loq<>	0.0077	%	< 0.0077	Acceptable	
CBDA	<loq< td=""><td>0.0077</td><td>%</td><td>< 0.0077</td><td>Acceptable</td><td></td></loq<>	0.0077	%	< 0.0077	Acceptable	
CBGA	<loq< td=""><td>0.0077</td><td>%</td><td>< 0.0077</td><td>Acceptable</td><td></td></loq<>	0.0077	%	< 0.0077	Acceptable	
CBG	<loq< td=""><td>0.0077</td><td>%</td><td>< 0.0077</td><td>Acceptable</td><td></td></loq<>	0.0077	%	< 0.0077	Acceptable	
CBD	<loq< td=""><td>0.0077</td><td>%</td><td>< 0.0077</td><td>Acceptable</td><td></td></loq<>	0.0077	%	< 0.0077	Acceptable	
THCV	<loq< td=""><td>0.0077</td><td>%</td><td>< 0.0077</td><td>Acceptable</td><td></td></loq<>	0.0077	%	< 0.0077	Acceptable	
d8THCV	<loq< td=""><td>0.0077</td><td>%</td><td>< 0.0077</td><td>Acceptable</td><td></td></loq<>	0.0077	%	< 0.0077	Acceptable	
THCVA	<loq< td=""><td>0.0077</td><td>%</td><td>< 0.0077</td><td>Acceptable</td><td></td></loq<>	0.0077	%	< 0.0077	Acceptable	
CBN	<loq< td=""><td>0.0077</td><td>%</td><td>< 0.0077</td><td>Acceptable</td><td></td></loq<>	0.0077	%	< 0.0077	Acceptable	
exo-THC	<loq< td=""><td>0.0077</td><td>%</td><td>< 0.0077</td><td>Acceptable</td><td></td></loq<>	0.0077	%	< 0.0077	Acceptable	
d9THC	<loq< td=""><td>0.0077</td><td>%</td><td>< 0.0077</td><td>Acceptable</td><td></td></loq<>	0.0077	%	< 0.0077	Acceptable	
d8THC	<loq< td=""><td>0.0077</td><td>%</td><td>< 0.0077</td><td>Acceptable</td><td></td></loq<>	0.0077	%	< 0.0077	Acceptable	
CBL	<loq< td=""><td>0.0077</td><td>%</td><td>< 0.0077</td><td>Acceptable</td><td></td></loq<>	0.0077	%	< 0.0077	Acceptable	
9S-HHC	<loq< td=""><td>0.0077</td><td>%</td><td>< 0.0077</td><td>Acceptable</td><td></td></loq<>	0.0077	%	< 0.0077	Acceptable	
d10THC	<loq< td=""><td>0.0077</td><td>%</td><td>< 0.0077</td><td>Acceptable</td><td></td></loq<>	0.0077	%	< 0.0077	Acceptable	
CBC	<loq< td=""><td>0.0077</td><td>%</td><td>< 0.0077</td><td>Acceptable</td><td></td></loq<>	0.0077	%	< 0.0077	Acceptable	
PR-HHC	<loq< td=""><td>0.0077</td><td>%</td><td>< 0.0077</td><td>Acceptable</td><td></td></loq<>	0.0077	%	< 0.0077	Acceptable	
THCA	<loq< td=""><td>0.0077</td><td>%</td><td>< 0.0077</td><td>Acceptable</td><td></td></loq<>	0.0077	%	< 0.0077	Acceptable	
CBCA	<l0q< td=""><td>0.0077</td><td>%</td><td>< 0.0077</td><td>Acceptable</td><td></td></l0q<>	0.0077	%	< 0.0077	Acceptable	
CBLA	<loq< td=""><td>0.0077</td><td>%</td><td>< 0.0077</td><td>Acceptable</td><td></td></loq<>	0.0077	%	< 0.0077	Acceptable	
18THCO	<loq< td=""><td>0.0077</td><td>%</td><td>< 0.0077</td><td>Acceptable</td><td></td></loq<>	0.0077	%	< 0.0077	Acceptable	
CBT	<loq< td=""><td>0.0077</td><td>%</td><td>< 0.0077</td><td>Acceptable</td><td></td></loq<>	0.0077	%	< 0.0077	Acceptable	
d9THCO	<loq< td=""><td>0.0077</td><td>%</td><td>< 0.0077</td><td>Acceptable</td><td></td></loq<>	0.0077	%	< 0.0077	Acceptable	

Abbreviations

ND - None Detected at or above MRL RPD - Relative Percent Difference LOQ - Limit of Quantitation

Units of Measure: % - Percent





Report Number: 23-000691/D005.R000

Report Date: 01/24/2023 **ORELAP#:** OR100028

Purchase Order:

Received: 01/17/23 14:16

Revision: 1 Document ID: 7148 Legacy ID: Worksheet Validated 04/20/2021

Laboratory Quality Control Results

J AOAC 2015 V98-6					Ba	tch ID: 2300680		
Sample Duplicate					San	nple ID: 23-000673	-0001	-
Analyte	Result	Org. Result	LOQ	Units	RPD	Limits	Evaluation	Notes
CBDVA	0.0236	0.0235	0.077	%	0.271	< 20	Acceptable	
CBDV	<loq< td=""><td><loq< td=""><td>0.077</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.077</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.077	%	NA	< 20	Acceptable	
CBE	<loq< td=""><td><loq< td=""><td>0.077</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.077</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.077	%	NA	< 20	Acceptable	
CBDA	<loq< td=""><td><loq< td=""><td>0.077</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.077</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.077	%	NA	< 20	Acceptable	
CBGA	<loq< td=""><td><loq< td=""><td>0.077</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.077</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.077	%	NA	< 20	Acceptable	
CBG	<loq< td=""><td><loq< td=""><td>0.077</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.077</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.077	%	NA	< 20	Acceptable	
CBD	<loq< td=""><td><loq< td=""><td>0.077</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.077</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.077	%	NA	< 20	Acceptable	
THCV	<loq< td=""><td><loq< td=""><td>0.077</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.077</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.077	%	NA	< 20	Acceptable	
d8THCV	<loq< td=""><td><loq< td=""><td>0.077</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.077</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.077	%	NA	< 20	Acceptable	
THCVA	<loq< td=""><td><loq< td=""><td>0.077</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.077</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.077	%	NA	< 20	Acceptable	
CBN	0.0340	0.0342	0.077	%	0.526	< 20	Acceptable	
exo-THC	<loq< td=""><td><loq< td=""><td>0.077</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.077</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.077	%	NA	< 20	Acceptable	
d9THC	<loq< td=""><td><loq< td=""><td>0.077</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.077</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.077	%	NA	< 20	Acceptable	
d8THC	0.189	0.172	0.077	%	9.34	< 20	Acceptable	
CBL	<loq< td=""><td><loq< td=""><td>0.077</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.077</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.077	%	NA	< 20	Acceptable	
9S-HHC	39.6	38.5	0.077	%	2.70	< 20	Acceptable	
d10THC	<loq< td=""><td><loq< td=""><td>0.077</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.077</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.077	%	NA	< 20	Acceptable	
CBC	<loq< td=""><td><loq< td=""><td>0.077</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.077</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.077	%	NA	< 20	Acceptable	
9R-HHC	36.9	35.2	0.077	%	4.96	< 20	Acceptable	
THCA	<loq< td=""><td><loq< td=""><td>0.077</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.077</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.077	%	NA	< 20	Acceptable	
CBCA	<loq< td=""><td><loq< td=""><td>0.077</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.077</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.077	%	NA	< 20	Acceptable	
CBLA	<loq< td=""><td><loq< td=""><td>0.077</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.077</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.077	%	NA	< 20	Acceptable	
d8THCO	<loq< td=""><td><loq< td=""><td>0.077</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.077</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.077	%	NA	< 20	Acceptable	
CBT	<loq< td=""><td><loq< td=""><td>0.077</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.077</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.077	%	NA	< 20	Acceptable	
d9THCO	<loq< td=""><td><loq< td=""><td>0.077</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.077</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.077	%	NA	< 20	Acceptable	

Ahhreviatio

ND - None Detected at or above MRL

RPD - Relative Percent Difference

LOQ - Limit of Quantitation

R2 - Sample replicates RPD non-calculable, as only one replicate is within analytical range.

Units of Measure:





23-000691/D005.R000 **Report Number:**

Report Date: 01/24/2023 ORELAP#: OR100028

Purchase Order:

Received: 01/17/23 14:16

Revision: 2 Document ID: 7087 Legacy ID: CFL-E33Effective:

				ol Results							
					Bat	ch ID:	230072	22			
				Laborator	y Control Sa	ample					
Result		LOQ	Notes	Result	Spike	Units	% Rec	- 1	imi	its	Notes
ND	<	200		480	572	μg/g	83.9	60	-	120	
ND	<	200		623	731	μg/g	85.2	60		120	
ND	<	200		592	731	μg/g	81.0	60		120	
ND	<	200		812	936	μg/g	86.8	60		120	
ND	<	200		1410	1620	μg/g	87.0	60		120	
ND	<	30		49	56.2	μg/g	87.2	60		120	
ND	<	200		1330	1610	μg/g	82.6	60		120	
ND	<			1330	1600	μg/g	83.1	60		120	
	<				1610	μg/g	87.0	70	,		
	<				1630	μg/g	82.2	60	,		
ND	<	30		138	171	μg/g	80.7	60		120	
ND	<	200		1340	1630	μg/g	82.2	60		120	
ND	<	200		1440	1620	μg/g	88.9	60		120	
ND	<	500		1380	1670	μg/g	82.6	70		130	
	<					μg/g	82.1		,		
ND	<	500		1460	1730	μg/g	84.4	70	-	130	
ND	<	30		135	171	μg/g	78.9	60	Ē	120	
ND	<	60		406	483	μg/g	84.1	60	-	120	
ND	<	30		146	168	μg/g	86.9	60	-	120	
ND	<	500		1520	1650	μg/g	92.1	70		130	
ND	<	30		125	167	μg/g	74.9	60		120	
ND	<	30		178	182	μg/g	97.8	60		120	
ND	<	500		1420	1620	μg/g	87.7	70		130	
ND	<	500		1330	1620	μg/g	82.1	70		130	
ND	<	200		1360	1610	μg/g	84.5	60		120	
ND	<	200		1430	1600	μg/g	89.4	60		120	
ND	<	100		397	483	μg/g	82.2	60		120	
ND	<	200		1300	1610	μg/g	80.7	60	-	120	
ND	<	500		1360	1620	μg/g	84.0	70		130	
ND	<	1		4.42	5.02	μg/g	88.0	60		120	
ND	<	200		1450	1620	μg/g	89.5	60		120	
ND	<	200		1280	1610	μg/g	79.5	60		120	
ND	<	500		1450	1630	μg/g	89.0	70		130	
ND	<	500		1310	1610	μg/g	81.4	70		130	
ND	<	100		390	491	μg/g	79.4	60		120	
ND	<	30		296	181	μg/g	163.5	60		120	Q1
ND	<	500		1260	1620	μg/g	77.8	70		130	
ND	<	500		1380	1630	μg/g	84.7	70		130	
ND	<	200		652	484	μg/g	134.7	60		120	Q1
ND	<	100		373	485	μg/g	76.9	60		120	
ND	<	500		1320	1630	μg/g	81.0	70		130	
ND	<	500		1330	1620	μg/g	82.1	70		130	
ND	<	500		1280	1620	μg/g	79.0	70		130	
ND	<	200		712	969	μg/g	73.5	60		120	
ND	<	200		720	994	μg/g	72.4	60		120	
ND	<	200		694	967	μg/g	71.8	60		120	
ND	<	30		126	171	μg/g	73.7	60		120	
ND	<	500		1120	1630	μg/g	68.7	70		130	Q6
ND	<	500		2220	1680	μg/g	132.1	70	-	130	Q1
ND	<	50		147	169	μg/g	87.0	70	-	130	
	<	500		1340	1630	μg/g	82.2	70	-	130	
ND				573	482	μg/g	118.9	70		130	
ND ND	<	150		5/5			110.5	,,	-		
	< <	150 150		533	510	μg/g	104.5	70	÷	130	
ND											
ND ND	<	150		533	510	µg/g	104.5	70	-	130	
ND ND ND	<	150 50		533 194	510 203	µg/g µg/g	104.5 95.6	70 70		130 130	
ND ND ND	< <	150 50 50		533 194 198	510 203 172	нд/д нд/д нд/д нд/д	104.5 95.6 115.1	70 70 70		130 130 130	
ND ND ND ND ND	< < <	150 50 50 1		533 194 198 0.857	510 203 172 1	µg/g µg/g µg/g	104.5 95.6 115.1 85.7	70 70 70 70		130 130 130 130	
	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND





Report Number: 23-000691/D005.R000

Report Date: 01/24/2023 ORELAP#: OR100028

Purchase Order:

Received: 01/17/23 14:16

Revision: 2 Document ID: 7087 Legacy ID: CFL-E33Effective:

QC - Sample Duplicate						23-000158-0002	
Analyte		Org. Result	LOQ Units	RPD	Limits	Accept/Fail	Notes
Propane	ND	ND	200 μg/g	0.0	< 20	Acceptable	
sobutane	ND	ND	200 μg/g	0.0	< 20	Acceptable	
Butane	ND	ND	200 μg/g	0.0	< 20	Acceptable	
2,2-Dimethylpropane	ND	ND	200 μg/g	0.0	< 20	Acceptable	
Methanol	ND	ND	200 μg/g	0.0	< 20	Acceptable	
thylene Oxide	ND	ND	30 μg/g	0.0	< 20	Acceptable	
2-Methylbutane	ND	ND	200 μg/g	0.0	< 20	Acceptable	
Pentane	ND	ND	200 μg/g	0.0	< 20	Acceptable	
thanol	ND	ND	200 μg/g	0.0	< 20	Acceptable	
Ethyl Ether	ND	ND	200 μg/g	0.0	< 20	Acceptable	
2,2-Dimethylbutane	ND	ND	30 μg/g	0.0	< 20	Acceptable	
Acetone	ND	ND	200 μg/g	0.0	< 20	Acceptable	
2-Propanol	ND	ND	200 μg/g	0.0	< 20	Acceptable	
thyl Formate	ND	ND	500 μg/g	0.0	< 20	Acceptable	
Acetonitrile	ND ND	ND ND	100 μg/g	0.0	< 20	Acceptable	
Methyl Acetate	ND ND	ND ND	500 μg/g	0.0	< 20	Acceptable	
2,3-Dimethylbutane	ND	ND ND	30 μg/g	0.0	< 20	Acceptable	•
Dichloromethane	ND ND	ND ND	60 μg/g	0.0	< 20	Acceptable	
2-Methylpentane	ND	ND	30 μg/g	0.0	< 20	Acceptable	
MTBE	ND ND	ND ND	500 μg/g	0.0	< 20	Acceptable	
3-Methylpentane	ND ND	ND ND		0.0	< 20		
Hexane	ND ND	ND ND		0.0	< 20	Acceptable	
			30 μg/g			Acceptable	
1-Propanol	ND	ND	500 μg/g	0.0	< 20	Acceptable	
Methylethylketone	ND	ND	500 μg/g	0.0	< 20	Acceptable	
thyl acetate	ND	ND	200 μg/g	0.0	< 20	Acceptable	
2-Butanol	ND	ND	200 μg/g	0.0	< 20	Acceptable	
Tetrahydrofuran	ND	ND	100 μg/g	0.0	< 20	Acceptable	
Cyclohexane	ND	ND	200 μg/g	0.0	< 20	Acceptable	
2-methyl-1-propanol	ND	ND	500 μg/g	0.0	< 20	Acceptable	
Benzene	ND	ND	1 μg/g	0.0	< 20	Acceptable	
sopropyl Acetate	ND	ND	200 μg/g	0.0	< 20	Acceptable	
Heptane	ND	ND	200 μg/g	0.0	< 20	Acceptable	
L-Butanol	ND	ND	500 μg/g	0.0	< 20	Acceptable	
Propyl Acetate	ND	ND	500 μg/g	0.0	< 20	Acceptable	
1,4-Dioxane	ND	ND	100 μg/g	0.0	< 20	Acceptable	
2-Ethoxyethanol	ND	ND	30 μg/g	0.0	< 20	Acceptable	
Methylisobutylketone	ND	ND	500 μg/g	0.0	< 20	Acceptable	
3-Methyl-1-butanol	ND	ND	500 μg/g	0.0	< 20	Acceptable	
thylene Glycol	ND	ND	200 μg/g	0.0	< 20	Acceptable	
Toluene	ND	ND	100 μg/g	0.0	< 20	Acceptable	
sobutyl Acetate	ND	ND	500 μg/g	0.0	< 20	Acceptable	
1-Pentanol	ND	ND	500 μg/g	0.0	< 20	Acceptable	
Butyl Acetate	ND	ND	500 μg/g	0.0	< 20	Acceptable	
thylbenzene	ND	ND	200 μg/g	0.0	< 20	Acceptable	
n,p-Xylene	ND	ND	200 μg/g	0.0	< 20	Acceptable	
-Xylene	ND	ND	200 μg/g	0.0	< 20	Acceptable	1
Cumene	ND	ND	30 μg/g	0.0	< 20	Acceptable	1
Anisole	ND	ND ND	500 μg/g	0.0	< 20	Acceptable	
OMSO	ND	ND ND	500 μg/g	0.0	< 20	Acceptable	1
,2-dimethoxyethane	ND	ND ND	50 μg/g	0.0	< 20	Acceptable	
riethylamine	ND	ND ND	500 μg/g	0.0	< 20	Acceptable	1
N,N-dimethylformamide	ND ND	ND ND	150 μg/g	0.0	< 20	Acceptable	
N,N-dimethylacetamide	ND ND	ND ND	150 μg/g	0.0	< 20	Acceptable	ł
	ND ND	ND ND		0.0	< 20		<u> </u>
Pyridine Sulfolane	ND ND	ND ND	100		< 20	Acceptable	<u> </u>
			100	0.0		Acceptable	1
,2-Dichloroethane	ND	ND	1 μg/g	0.0	< 20	Acceptable	
Chloroform	ND	ND	1 μg/g	0.0	< 20	Acceptable	<u> </u>
Frichloroethylene	ND	ND	1 μg/g	0.0	< 20	Acceptable	
1,1-Dichloroethane	ND	ND	1 μg/g	0.0	< 20	Acceptable	

Abbreviations

Units of Measure:

μg/g- Microgram per gram or ppm

ND - None Detected at or above MRL RPD - Relative Percent Difference

LOQ - Limit of Quantitation

Q1 - Quality control result biased high. Only non-detect samples reported.
Q6 - Quality control outside QC limits. Data acceptable based on remaining QC.





Report Number: 23-000691/D005.R000

Report Date: 01/24/2023 ORELAP#: OR100028

Purchase Order:

Received: 01/17/23 14:16







23-000691/D005.R000 **Report Number:**

Report Date: 01/24/2023 ORELAP#: OR100028

Purchase Order:

01/17/23 14:16 Received:

Explanation of QC Flag Comments:

Code	Explanation
Q	Matrix interferences affecting spike or surrogate recoveries.
Q1	Quality control result biased high. Only non-detect samples reported.
Q2	Quality control outside QC limits. Data considered estimate.
Q3	Sample concentration greater than four times the amount spiked.
Q4	Non-homogenous sample matrix, affecting RPD result and/or % recoveries.
Q5	Spike results above calibration curve.
Q6	Quality control outside QC limits. Data acceptable based on remaining QC.
R	Relative percent difference (RPD) outside control limit.
R1	RPD non-calculable, as sample or duplicate results are less than five times the LOQ.
R2	Sample replicates RPD non-calculable, as only one replicate is within the analytical range.
LOQ1	Quantitation level raised due to low sample volume and/or dilution.
LOQ2	Quantitaion level raised due to matrix interference.
В	Analyte detected in method blank, but not in associated samples.
B1	The sample concentration is greater than 5 times the blank concentration.
B2	The sample concentration is less than 5 times the blank concentration.

PharmLabs San Diego Certificate of Analysis

3421 Hancock St, Second Floor, San Diego, CA 92110 | License: C8-0000098-LIC ISO/IEC 17025:2017 Certification L17-427-1 | Accreditation #85368





Sample ID SD230412-043 (720)	71)	Matrix Concentrate (Inhalable Cannabis Good)
Tested for The Hemp Collect		
Sampled -	Received Apr 12, 2023	Reported Apr 21, 2023
Analyses executed CAN+, RES,	, MIBIG, MTO, PES, HME, FVI	

CAN+ - Cannabinoids Analysis

Analyzed Apr 14, 2023 | Instrument HPLC-VWD | Method SOP-001

The expanded Uncertainty of the Cannabinoid analysis is approximately 4.806% at the 95% Confidence Level

Analyte	LOD mg/g	LOQ mg/g	Result %	Result mg/g
Cannabidivarin (CBDV)	0.039	0.16	ND	ND
Cannabidiolic Acid (CBDA)	0.001	0.16	ND	ND
Cannabigerol Acid (CBGA)	0.001	0.16	ND	ND
Cannabigerol (CBG)	0.001	0.16	2.58	25.80
Cannabidiol (CBD)	0.001	0.16	0.28	2.83
Tetrahydrocannabivarin (THCV)	0.001	0.16	1.01	10.14
Cannabinol (CBN)	0.001	0.16	1.80	18.04
Tetrahydrocannabinol (Δ9-THC)	0.003	0.16	88.36	883.64
$\Delta 8$ -tetrahydrocannabinol ($\Delta 8$ -THC)	0.004	0.16	ND	ND
Cannabicyclol (CBL)	0.002	0.16	ND	ND
Cannabichromene (CBC)	0.002	0.16	1.26	12.57
Tetrahydrocannabinolic Acid (THCA)	0.001	0.16	ND	ND
Total THC (THCa * 0.877 + Δ9THC)			88.36	883.64
Total THC + Δ8THC (THCa * 0.877 + Δ9THC + Δ8THC)			88.36	883.64
Total CBD (CBDa * 0.877 + CBD)			0.28	2.83
Total CBG (CBGa * 0.877 + CBG)			2.58	25.80
Total Cannabinoids			95.30	953.03

HME - Heavy Metals Detection Analysis

Analyzed Apr 14, 2023 | Instrument ICP/MSMS | Method SOP-005

Analyte	LOD ug/g	LOQ ug/g	Result ug/g	Limit ug/g	Analyte	LOD ug/g	LOQ ug/g	Result ug/g	Limit ug/g
Arsenic (As)	0.0002	0.0005	ND	0.2	Cadmium (Cd)	3.0e-05	0.0005	<loq< td=""><td>0.2</td></loq<>	0.2
Mercury (Hg)	1.0e-05	0.0001	ND	0.1	Lead (Pb)	1.0e-05	0.00125	ND	0.5

MIBIG - Microbial Testing Analysis

Analyzed Apr 17, 2023 | Instrument qPCR and/or Plating | Method SOP-007

Analyte	Result CFU/g	Limit	Analyte	Result CFU/g	Limit
Shiga toxin-producing Escherichia Coli	ND	ND per 1 gram	Salmonella spp.	ND	ND per 1 gram
Aspergillus fumigatus	ND	ND per 1 gram	Aspergillus flavus	ND	ND per 1 gram
Asperaillus niger	ND	ND per 1 gram	Asperaillus terreus	ND	ND per 1 gram

MTO - Mycotoxin Testing Analysis

Analyzed Apr 14, 2023 | Instrument LC/MSMS | Method SOP-004

Analyte	LOD ug/kg	LOQ ug/kg	Result ug/kg (ppb)	Limit ug/kg	Analyte	LOD ug/kg	LOQ ug/kg	Result ug/kg (ppb)	Limit ug/kg
Ochratoxin A	5.0	20.0	ND	20	Aflatoxin B1	2.5	5.0	ND	-
Aflatoxin B2	2.5	5.0	ND	-	Aflatoxin G1	2.5	5.0	ND	-
Aflatoxin G2	2.5	5.0	ND	-	Total Aflatoxins	10.0	20.0	ND	20

UI Not Identified
ND Not Detected
N/A Not Applicable
NT Not Reported
LOD Limit of Detection
LOQ Limit of Quantification
<LOQ Detected
>ULOL Above upper limit of linearity
CFU/g Colonyl Forming Units per 1 gram
TNTC Too Numerous to Count







Bhomo

Brandon Starr

Brandon Starr, Lab Manager Fri, 21 Apr 2023 10:44:37 -0700

Authorized Signature



PES - Pesticides Screening Analysis

Analyzed Apr 14, 2023 | Instrument LC/MSMS GC/MSMS | Method SOP-003

Dimethode	Analyte	LOD ug/g	LOQ ug/g	Result ug/g	Limit ug/g	Analyte	LOD ug/g	LOQ ug/g	Result ug/g	Limit ug/g
Fenosycarb	Aldicarb	0.0078	0.02	ND	0.0078	Carbofuran	0.01	0.02	ND	0.01
Deminoside 0.01 0.05 ND 0.01 Dichloros 0.02 0.07 ND 0.02 Indicate 0.01 0.02 ND 0.01 Indicate 0.01 0.03 ND 0.01 Indicate 0.01 0.02 ND 0.02 Indicate 0.02 0.01 ND 0.02 Indicate 0.02 0.03 ND 0.02 Indicate 0.02 0.03 ND 0.02 Indicate 0.02 0.05 ND 0.1 Indicate 0.02 Indicate 0.01 0.05 ND 0.1 Indicate 0.01 0.0	Dimethoate	0.01	0.02	ND	0.01	Etofenprox	0.02	0.1	ND	0.02
Imazell	Fenoxycarb	0.01	0.02	ND	0.01	Thiachloprid	0.01	0.02	ND	0.01
Sprioxamine 0.01 0.02 ND 0.01 Coumaphos 0.01 0.02 ND 0.01 Florina 0.01 0.01 ND 0.01 Poctoburzaci 0.01 0.05 ND 0.01 Chlorapifos 0.01 0.02 ND 0.01 Chlorapifos 0.04 0.01 ND 0.04 Chlorapifos 0.03 0.08 ND 0.03 Methyl Parathian 0.02 0.01 ND 0.02 Chlorapifos 0.03 0.08 ND 0.1 Chlorapifos 0.01 0.05 ND 0.1 Ch	Daminozide	0.01	0.03	ND	0.01	Dichlorvos	0.02	0.07	ND	0.02
Fight	Imazalil	0.02	0.07	ND	0.02	Methiocarb	0.01	0.02	ND	0.01
Chlorpyrifos	Spiroxamine	0.01	0.02	ND	0.01	Coumaphos	0.01	0.02	ND	0.01
Baygon (Propoxur) 0.01 0.02 ND 0.01 Chlordene 0.04 0.1 ND 0.04 Chlorfengpyr 0.03 0.1 ND 0.02 0.1 ND 0.02 Mevinphos 0.03 0.08 ND 0.1 Acephate 0.02 0.05 ND 0.1 Acetamiprid 0.01 0.05 ND 0.1 Acceystrobin 0.01 0.02 0.35 ND 3 Boscolid 0.01 0.05 ND 0.1 Bitenthrin 0.02 0.35 ND 3 Boscolid 0.01 0.05 ND 0.1 Clofentezine 0.01 0.02 ND 0.5 Chlorentraligrole 0.01 0.04 ND 0.1 Dimethmorph 0.02 0.06 ND 0.1 Diszinon 0.01 0.02 ND 0.1 Fenguroximate 0.02 0.1 ND 0.1 Floricamid 0.01 0.02 ND 0.1 <td>Fipronil</td> <td>0.01</td> <td>0.1</td> <td>ND</td> <td>0.01</td> <td>Paclobutrazol</td> <td>0.01</td> <td>0.03</td> <td>ND</td> <td>0.01</td>	Fipronil	0.01	0.1	ND	0.01	Paclobutrazol	0.01	0.03	ND	0.01
Chlorfenapyr 0.03 0.1 ND 0.03 Methyl Parathion 0.02 0.1 ND 0.02 Nethylphos 0.03 0.08 ND 0.03 Abamectin 0.03 0.08 ND 0.1 Acceptate 0.01 0.05 ND 0.1 Bifenazate 0.01 0.05 ND 0.1 Bifenazate 0.01 0.05 ND 0.1 Corboral 0.01 0.02 ND 0.1 Bifenazate 0.01 0.05 ND 0.1 Corboral 0.01 0.02 ND 0.1 DI 0.1 Diagnom 0.01 0.03 ND 0.1 DI 0.1 Corboral 0.01 0.03 ND 0.1 DI 0.1 Diagnom 0.01 0.04 ND 0.1 DI 0.1 Diagnom 0.01 0.04 ND 0.1 DI 0.1 Diagnom 0.01 0.04 ND 0.1 DI 0.1 Diagnom 0.01 0.02 ND 0.1 DI 0.1 DIagnom 0.01 0.05 ND 0.1 DI 0.1 DI 0.05 ND 0.1 DI	Chlorpyrifos	0.01	0.04	ND	0.01	Ethoprophos (Prophos)	0.01	0.02	ND	0.01
Mevinphos 0.03 0.08 ND 0.03 Abemetin 0.03 0.08 ND 0.1	Baygon (Propoxur)	0.01	0.02	ND	0.01	Chlordane	0.04	0.1	ND	0.04
Acephate 0.02 0.05 ND 0.1 Acetamiprid 0.01 0.05 ND 0.1 Azoxystrobin 0.01 0.02 ND 0.1 Bifenozate 0.01 0.05 ND 0.1 Bifenthrin 0.02 0.35 ND 3 Boscolid 0.01 0.05 ND 0.1 Corbaryl 0.01 0.02 ND 0.5 Chlorantroniliprole 0.01 0.04 ND 10 Clofentezine 0.01 0.02 0.06 ND 2 Etoxazole 0.01 0.02 ND 0.1 Dimethomorph 0.02 0.06 ND 2 Etoxazole 0.01 0.02 ND 0.1 Fenguroximate 0.02 0.1 ND 0.1 Heavithicax 0.01 0.02 ND 0.1 Indidacloprid 0.01 0.05 ND 0.1 Heavithicax 0.01 0.03 ND 0.1 Indidacloprid 0.	Chlorfenapyr	0.03	0.1	ND	0.03	Methyl Parathion	0.02	0.1	ND	0.02
Azoxystrobin 0.01 0.02 ND 0.1 Bifenozate 0.01 0.05 ND 0.1 Bifenthrin 0.02 0.35 ND 0.5 Chloraterile 0.01 0.04 ND 0.1 Clofentzine 0.01 0.02 ND 0.5 Chloratroniliprole 0.01 0.02 ND 0.1 Dimethomorph 0.02 0.06 ND 0.2 Etoxacole 0.01 0.05 ND 0.1 Fenpyroximate 0.02 0.1 ND 0.1 Hexythiczox 0.01 0.03 ND 0.1 Fludioxonil 0.01 0.05 ND 0.1 Hexythiczox 0.01 0.03 ND 0.1 Inidactoprid 0.01 0.05 ND 5 Krescwim-methyl 0.01 0.03 ND 0.1 Methomyl 0.01 0.05 ND 0.5 Metalaxyl 0.01 0.02 ND 0.1 Noled 0.01 <	Mevinphos	0.03	0.08	ND	0.03	Abamectin	0.03	0.08	ND	0.1
Bifenthrin 0.02	Acephate	0.02	0.05	ND	0.1	Acetamiprid	0.01	0.05	ND	0.1
Carbaryl 0.01 0.02 ND 0.5 Chlorantraniliprole 0.01 0.04 ND 10 Clofentezine 0.01 0.03 ND 0.1 Dizazinon 0.01 0.02 ND 0.1 Dimethomorph 0.02 0.06 ND 2 E Etoxazole 0.01 0.05 ND 0.1 Fengyroximate 0.02 0.1 ND 0.1 Flonicamid 0.01 0.02 ND 0.1 Fludioxoril 0.01 0.05 ND 0.1 Heysthiazox 0.01 0.03 ND 0.1 Inidacloprid 0.01 0.05 ND 0.5 Kresoxim-methyl 0.01 0.03 ND 0.1 Malathion 0.01 0.05 ND 0.5 Metalaxyl 0.01 0.02 ND 0.1 Methomyl 0.02 0.05 ND 1 Myclobutanil 0.02 0.07 ND 0.1 Noled 0.01 0.0	Azoxystrobin		0.02	ND	0.1	Bifenazate	0.01	0.05	ND	0.1
Clofentezine	Bifenthrin	0.02	0.35	ND	3	Boscalid	0.01	0.03	ND	0.1
Dimethomorph 0.02 0.06 ND 2 Etoxazole 0.01 0.05 ND 0.1 Fengyrowinate 0.02 0.1 ND 0.1 Flonicamid 0.01 0.02 ND 0.1 Indiacolorid 0.01 0.05 ND 0.5 Kresoxim-methyl 0.01 0.03 ND 0.1 Imidacloprid 0.01 0.05 ND 5 Kresoxim-methyl 0.01 0.03 ND 0.1 Methomyl 0.01 0.05 ND 0.5 Metalaxyl 0.01 0.02 ND 0.1 Methomyl 0.02 0.05 ND 1 Myclobutanil 0.01 0.02 ND 0.1 Methomyl 0.02 0.05 ND 0.1 Oxmyl 0.01 0.02 ND 0.1 Methomyl 0.01 0.02 ND 0.1 Oxmyl 0.01 0.02 ND 0.1 Plantation 0.01 0.02 <	Carbaryl		0.02	ND	0.5	Chlorantraniliprole	0.01	0.04	ND	10
Fengyoximate 0.02 0.1 ND 0.1 Flonicamid 0.01 0.02 ND 0.1 Fludioxonil 0.01 0.05 ND 0.1 Hexythiazox 0.01 0.03 ND 0.1 Inidactoprid 0.01 0.05 ND 5 Kresoxim-methyl 0.01 0.03 ND 0.1 Matothion 0.01 0.05 ND 0.5 Metalaxyl 0.01 0.02 ND 0.1 Methomyl 0.02 0.05 ND 1 Myclobutanil 0.02 0.07 ND 0.5 Methomyl 0.02 0.05 ND 0.1 Oxamyl 0.02 0.07 ND 0.5 Permethrin 0.01 0.02 ND 0.5 Phosmet 0.01 0.02 ND 0.1 Piperonyl Butoxide 0.02 0.06 ND 3 Propiconazole 0.03 0.08 ND 0.1 Pyridaben 0.02 0.05	Clofentezine		0.03	ND	0.1	Diazinon	0.01	0.02	ND	0.1
Fludioxonil 0.01 0.05 ND 0.1 Hexythiazox 0.01 0.03 ND 0.1 Imidacloprid 0.01 0.05 ND 5 Kresoxim-methyl 0.01 0.03 ND 0.1 Imidacloprid 0.01 0.05 ND 0.5 ND 0.5 Kresoxim-methyl 0.01 0.02 ND 0.2 ND 0.3 ND ND 0.3 ND	Dimethomorph	0.02	0.06	ND	2	Etoxazole	0.01	0.05	ND	0.1
Imidacloprid 0.01 0.05 ND 0.5 Metaloxy 0.01 0.03 ND 0.1 Melathion 0.01 0.05 ND 0.5 Metaloxy 0.01 0.02 0.07 ND 0.1 0.02 0.05 ND 0.1 0.02 ND 0.1 0.03 0.08 ND 0.1 0.05 ND 0.1 0.	Fenpyroximate			ND	0.1	Flonicamid		0.02	ND	0.1
Malathion 0.01 0.05 ND 0.5 Metalaxyl 0.01 0.02 ND 2 Methomyl 0.02 0.05 ND 1 Myclobutanil 0.02 0.07 ND 0.1 Noled 0.01 0.02 ND 0.1 Oxamyl 0.01 0.02 ND 0.5 Permethrin 0.01 0.02 ND 0.5 Phosmet 0.01 0.02 ND 0.1 Piperonyl Butoxide 0.02 0.06 ND 3 Propiconazole 0.03 0.08 ND 0.1 Piperonyl Butoxide 0.02 0.05 ND 0.1 Pyrethrin 0.03 0.08 ND 0.1 Piperonyl Butoxide 0.02 0.05 ND 0.1 Pyrethrin 0.03 0.08 ND 0.1 Piperonyl Butoxide 0.02 0.05 ND 0.1 Spinosad A 0.01 0.05 ND 0.5 Pyridaben 0.02 0	Fludioxonil	0.01	0.05	ND	0.1	Hexythiazox	0.01	0.03	ND	0.1
Methomyl 0.02 0.05 ND 1 Myclobutanil 0.02 0.07 ND 0.1 Noled 0.01 0.02 ND 0.1 Oxamyl 0.01 0.02 ND 0.5 Permethrin 0.01 0.02 ND 0.5 Phosmet 0.01 0.02 ND 0.1 Piperonyl Butoxide 0.02 0.06 ND 3 Propiconazole 0.03 0.08 ND 0.1 Prollethrin 0.02 0.05 ND 0.1 Pyrethrin 0.05 0.41 ND 0.5 Prollethrin 0.02 0.05 ND 0.1 Pyrethrin 0.05 0.41 ND 0.5 Pyridothen 0.02 0.07 ND 0.1 Spinosad A 0.01 0.05 ND 0.1 Spinosad D 0.01 0.05 ND 0.1 Spinosesifen 0.02 0.06 ND 0.1 Thiomethoxam 0.01 0.02	Imidacloprid					Kresoxim-methyl				0.1
Naled 0.01 0.02 ND 0.1 Oxamyl 0.01 0.02 ND 0.5 Permethrin 0.01 0.02 ND 0.5 Phosmet 0.01 0.02 ND 0.1 Pigleronyl Butoxide 0.02 0.06 ND 3 Propiconazole 0.03 0.08 ND 0.1 Prallethrin 0.02 0.05 ND 0.1 Pyrethrin 0.05 0.41 ND 0.5 Pyridoben 0.02 0.07 ND 0.1 Spinosod A 0.01 0.05 ND 0.1 Spinosad D 0.01 0.02 ND 0.1 Spiromesifen 0.02 0.06 ND 0.1 Spirotetramat 0.01 0.02 ND 0.1 Tebuconazole 0.01 0.02 ND 0.1 Thiamethoxam 0.01 0.02 ND 5 Trifloxystrobin 0.01 0.02 ND 0.1 Acequincyl 0.02 0.07	Malathion		0.05	ND	0.5	Metalaxyl			ND	2
Permethrin 0.01 0.02 ND 0.5 Phosmet 0.01 0.02 ND 0.1 Piperonyl Butoxide 0.02 0.06 ND 3 Propiconazole 0.03 0.08 ND 0.1 Prollethrin 0.02 0.05 ND 0.1 Pyrethrin 0.05 0.41 ND 0.5 Pyridaben 0.02 0.07 ND 0.1 Spinosad A 0.01 0.05 ND 0.1 Spirosd D 0.01 0.05 ND 0.1 Spinosad A 0.01 0.05 ND 0.1 Spirosd D 0.01 0.05 ND 0.1 Spinosad A 0.01 0.05 ND 0.1 Spirosd D 0.01 0.02 ND 0.1 Tebuconazole 0.01 0.02 ND 0.1 Thiamethoxam 0.01 0.02 ND 0.5 Trifloxystrobin 0.01 0.02 ND 0.1 Acequinocyl 0.02 0	Methomyl	0.02	0.05	ND	1	Myclobutanil	0.02	0.07	ND	0.1
Piperonyl Butoxide 0.02 0.06 ND 3 Propiconazole 0.03 0.08 ND 0.1 Prollethrin 0.02 0.05 ND 0.1 Pyrethrin 0.05 0.41 ND 0.5 Pyridoben 0.02 0.07 ND 0.1 Spinosad A 0.01 0.05 ND 0.1 Spinosad D 0.01 0.05 ND 0.1 Spiromesifen 0.02 0.06 ND 0.1 Spirotetramat 0.01 0.02 ND 0.1 Tebuconazole 0.01 0.02 ND 0.1 Thiomethoxam 0.01 0.02 ND 5 Trifloxystrobin 0.01 0.02 ND 0.1 Acequincupl 0.02 0.09 ND 0.1 Captan 0.01 0.02 ND 0.7 Cypermethrin 0.02 0.07 ND 0.1 Spinetoran J.L 0.02 0.07 ND 0.1 Fenhexamid 0.02	Naled	0.01		ND	0.1	Oxamyl	0.01	0.02	ND	0.5
Prollethrin 0.02 0.05 ND 0.1 Pyrethrin 0.05 0.41 ND 0.5 Pyridoben 0.02 0.07 ND 0.1 Spinosad A 0.01 0.05 ND 0.1 Spinosad D 0.01 0.02 ND 0.1 Spiromesifen 0.02 0.06 ND 0.1 Spirotetramat 0.01 0.02 ND 0.1 Tebuconazole 0.01 0.02 ND 0.1 Thiamethoxam 0.01 0.02 ND 5 Trifloxystrobin 0.01 0.02 ND 0.1 Acequinocyl 0.02 0.09 ND 0.1 Captan 0.01 0.02 ND 0.7 Cypermethrin 0.02 0.0 ND 0.1 Spinetoram J.L 0.02 0.07 ND 0.1 Fenhexamid 0.02 0.07 ND 0.1 Spinetoram J.L 0.02 0.07 ND 0.1	Permethrin	0.01	0.02	ND	0.5	Phosmet	0.01	0.02	ND	0.1
Pyridaben 0.02 0.07 ND 0.1 Spinosad A 0.01 0.05 ND 0.1 Spinosad D 0.01 0.05 ND 0.1 Spinomesifen 0.02 0.06 ND 0.1 Spirotetramot 0.01 0.02 ND 0.1 Tebuconazole 0.01 0.02 ND 0.1 Thiamethoxam 0.01 0.02 ND 5 Trifloxystrobin 0.01 0.02 ND 0.1 Acequinocyl 0.02 0.09 ND 0.1 Captan 0.01 0.02 ND 0.7 Cypermethrin 0.02 0.07 ND 0.1 Spinetoram J.L 0.02 0.07 ND 0.1 Fenhexamid 0.02 0.07 ND 0.1 Spinetoram J.L 0.02 0.07 ND 0.1	Piperonyl Butoxide		0.06	ND	3	Propiconazole		0.08	ND	0.1
Spinosad D 0.01 0.05 ND 0.1 Spiromesifen 0.02 0.06 ND 0.1 Spirotetramat 0.01 0.02 ND 0.1 Tebuconazole 0.01 0.02 ND 0.1 Thiamethoxam 0.01 0.02 ND 5 Trifloxystrobin 0.01 0.02 ND 0.1 Acequinocyl 0.02 0.09 ND 0.1 Captan 0.01 0.02 ND 0.7 Cypermethrin 0.02 0.07 ND 1 Cyfluthrin 0.04 0.1 ND 2 Fenhexamid 0.02 0.07 ND 0.1 Spinetoram J.L 0.02 0.07 ND 0.1	Prallethrin	0.02	0.05	ND	0.1	Pyrethrin	0.05	0.41	ND	0.5
Spirotetramat 0.01 0.02 ND 0.1 Tebuconazole 0.01 0.02 ND 0.1 Thiamethoxam 0.01 0.02 ND 5 Trifloxystrobin 0.01 0.02 ND 0.1 Acequinocyl 0.02 0.09 ND 0.1 Capton 0.01 0.02 ND 0.7 Cypermethrin 0.02 0.1 ND 1 Cyfluthrin 0.04 0.1 ND 2 Fenhexamid 0.02 0.07 ND 0.1 Spinetoram J,L 0.02 0.07 ND 0.1	Pyridaben	0.02	0.07	ND	0.1	Spinosad A	0.01	0.05	ND	0.1
Thiamethoxam 0.01 0.02 ND 5 Trifloxystrobin 0.01 0.02 ND 0.1 Acequincyl 0.02 0.09 ND 0.1 Captan 0.01 0.02 ND 0.7 Cypermethrin 0.02 0.1 ND 1 Cyfluthrin 0.04 0.1 ND 2 Fenhexamid 0.02 0.07 ND 0.1 Spinetoram J.L 0.02 0.07 ND 0.1	Spinosad D	0.01	0.05	ND	0.1	Spiromesifen	0.02	0.06	ND	0.1
Acequinocyl 0.02 0.09 ND 0.1 Capton 0.01 0.02 ND 0.7 Cypermethrin 0.02 0.1 ND 1 Cyfluthrin 0.04 0.1 ND 2 Fenhexamid 0.02 0.07 ND 0.1 Spinetoram J,L 0.02 0.07 ND 0.1	Spirotetramat	0.01	0.02	ND	0.1	Tebuconazole	0.01	0.02	ND	0.1
Cypermethrin 0.02 0.1 ND 1 Cyfluthrin 0.04 0.1 ND 2 Fenhexamid 0.02 0.07 ND 0.1 Spinetoram J,L 0.02 0.07 ND 0.1	Thiamethoxam	0.01	0.02	ND	5	Trifloxystrobin	0.01	0.02	ND	0.1
Fenhexamid 0.02 0.07 ND 0.1 Spinetoram J,L 0.02 0.07 ND 0.1	Acequinocyl	0.02	0.09	ND	0.1	Captan	0.01	0.02	ND	0.7
	Cypermethrin	0.02	0.1	ND	1	Cyfluthrin	0.04	0.1	ND	2
Pentachloronitrobenzene 0.01 0.1 ND 0.1	Fenhexamid	0.02	0.07	ND	0.1	Spinetoram J,L	0.02	0.07	ND	0.1
	Pentachloronitrobenzene	0.01	0.1	ND	0.1					

RES - Residual Solvents Testing Analysis

Analyzed Apr 20, 2023 | Instrument GC/FID with Headspace Analyzer | Method SOP-006

randigeod ripi ze, zeze motromont ee, rie mit	in incompande / interior	u 001 000							
Analyte	LOD ug/g	LOQ ug/g	Result ug/g	Limit ug/g	Analyte	LOD ug/g	LOQ ug/g	Result ug/g	Limit ug/g
Propane (Prop)	0.4	40.0	ND		Butane (But)	0.4	40.0	ND	
Methanol (Metha)	0.4	40.0	ND		Ethylene Oxide (EthOx)	0.4	0.8	ND	
Pentane (Pen)	0.4	40.0	ND		Ethanol (Ethan)	0.4	40.0	<loq< td=""><td></td></loq<>	
Ethyl Ether (EthEt)	0.4	40.0	ND		Acetone (Acet)	0.4	40.0	<loq< td=""><td></td></loq<>	
Isopropanol (2-Pro)	0.4	40.0	<l0q< td=""><td></td><td>Acetonitrile (Acetonit)</td><td>0.4</td><td>40.0</td><td>ND</td><td></td></l0q<>		Acetonitrile (Acetonit)	0.4	40.0	ND	
Methylene Chloride (MetCh)	0.4	0.8	10.0		Hexane (Hex)	0.4	40.0	ND	
Ethyl Acetate (EthAc)	0.4	40.0	ND		Chloroform (Clo)	0.4	0.8	ND	
Benzene (Ben)	0.4	0.8	ND		1-2-Dichloroethane (12-Dich)	0.4	0.8	ND	
Heptane (Hep)	0.4	40.0	ND		Trichloroethylene (TriClEth)	0.4	0.8	ND	
Toluene (Toluene)	0.4	40.0	ND		Xylenes (Xyl)	0.4	40.0	ND	

FVI - Filth & Foreign Material Inspection Analysis

Analyzed Apr 13, 2023 | Instrument Microscope | Method SOP-010

Analyte / Limit	Result	Analyte / Limit	Result
> 1/4 of the total sample area covered by sand, soil, cinders, or dirt	ND	> 1/4 of the total sample area covered by mold	ND
> 1 insect fragment, 1 hair, or 1 count mammalian excreta per 3q	ND	> 1/4 of the total sample area covered by an imbedded foreign material	ND

UI Not Identified
ND Not Detected
NA Not Applicable
NT Not Reported
LOD Limit of Detection
LOQ Limit of Quantification
«LOQ Detected
>ULOL Above upper limit of linearity
CFU/g Colonly Forming Units per 1 gram
TNTC Too Numerous to Count







Authorized Signature

Brandon Starr, Lab Manager Fri, 21 Apr 2023 10:44:37 -0700



