



Report Number: 23-009965/D002.R000

Report Date: 08/24/2023 ORELAP#: OR100028

Purchase Order:

Received: 08/22/23 14:00

The Hemp Collect **Customer:**

Product identity: Live D9 Gummy - 20mg Sour Apple

Client/Metrc ID: 3008RC-072423 Laboratory ID: 23-009965-0001

Summary

Р	o	te	n	C١	,.
	v	··		v,	, .

Analyte	Result	Limits	Units	Status	THC-Total per Serving Size 20.1 mg/7.6g
CBD	0.0336		%		
CBD-A	0.00982		%		<u> </u>
CBG	0.00361		%		CBD-Total per Serving Size 3.21 mg/7.6g
Δ9-ΤΗС	0.265		%		(Reported in milligrams per serving)
Analyte per 7.6g	Result	Limits	Units	Status	
CBD per 7.6g	2.55		mg/7.6g		
CBD-A per 7.6g	0.746		mg/7.6g		
CBG per 7.6g	0.274		mg/7.6g		
Δ9-THC per 7.6g	20.1		mg/7.6g		





Report Number: 23-009965/D002.R000

Report Date: 08/24/2023 **ORELAP#:** OR100028

Purchase Order:

Received: 08/22/23 14:00

Customer: The Hemp Collect

825 NW 16th Ave Portland Oregon 97209

United States of America (USA)

Product identity: Live D9 Gummy - 20mg Sour Apple

Client/Metrc ID: 3008RC-072423

Sample Date:

Laboratory ID: 23-009965-0001

Evidence of Cooling: No
Temp: 18.8 °C
Relinquished by: ramos
Serving Size #1: 7.6 g



Sample Results

Potency	Method: J AOAC 2015 V	/98-6 (mod) ^þ	Units %	Batch: 2310324	Analyze: 8/23/23 5:55:00 PM
Analyte	Result	Limits	Units	LOQ	Notes
CBD	0.0336		%	0.00323	
CBD-A	0.00982		%	0.00323	
CBD-Total	0.0422		%	0.00607	
CBG	0.00361		%	0.00323	
CBG-A	< LOQ		%	0.00323	
CBG-Total	< LOQ		%	0.00603	
CBN	< LOQ		%	0.00323	
Δ10-THC-9R	< LOQ		%	0.00323	
Δ10-THC-9S	< LOQ		%	0.00323	
Δ10-THC-Total	< LOQ		%	0.00646	
Δ8-THC	< LOQ		%	0.00323	
Δ9-THC	0.265		%	0.00323	
THC-A	< LOQ		%	0.00323	
THC-Total	0.265		%	0.00607	
Total Cannabinoids	0.312		%		

Potency per 7.6g	Method: J AOAC 2015 V	98-6 (mod) ^þ	Units mg/se Bat	tch: 2310324	Analyze: 8/23/23 5:55:00 PM
Analyte	Result	Limits	Units	LOQ	Notes
CBD per 7.6g	2.55		mg/7.6g	0.246	
CBD-A per 7.6g	0.746		mg/7.6g	0.246	
CBD-Total per 7.6g	3.21		mg/7.6g	0.461	
CBG per 7.6g	0.274		mg/7.6g	0.246	
CBG-A per 7.6g	< LOQ		mg/7.6g	0.246	
CBG-Total per 7.6g	< LOQ		mg/7.6g	0.459	
CBN per 7.6g	< LOQ		mg/7.6g	0.246	
$\Delta 10$ -THC-9R per 7.6g	< LOQ		mg/7.6g	0.246	
$\Delta 10$ -THC-9S per 7.6g	< LOQ		mg/7.6g	0.246	
$\Delta 10$ -THC-Total per 7.6g	< LOQ		mg/7.6g	0.491	
∆8-THC per 7.6g	< LOQ		mg/7.6g	0.246	
Δ9-THC per 7.6g	20.1		mg/7.6g	0.246	

www.columbialaboratories.com

Page 2 of 8





23-009965/D002.R000 **Report Number:**

Report Date: 08/24/2023 ORELAP#: OR100028

Purchase Order:

Received: 08/22/23 14:00

Potency per 7.6g	Method: J AOAC 2015 VS	98-6 (mod) ^þ	Units mg/se Bat	ch: 2310324	Analyze: 8/23/23 5:55:00 PM
Analyte	Result	Limits	Units	LOQ	Notes
THC-A per 7.6g	< LOQ		mg/7.6g	0.246	
THC-Total per 7.6g	20.1		mg/7.6g	0.461	





Report Number: 23-009965/D002.R000

Report Date: 08/24/2023 **ORELAP#:** OR100028

Purchase Order:

Received: 08/22/23 14:00

Abbreviations

Limits: Action Levels per OAR-333-007-0400, OAR-333-007-0210, OAR-333-007-0220, CCR title 16-division 42. BCC-section 5723

Limit(s) of Quantitation (LOQ): The minimum levels, concentrations, or quantities of a target variable (e.g., target analyte) that can be reported with a specified degree of confidence.

b = ISO/IEC 17025:2017 accredited method.

Units of Measure

g = g mg/7.6g = Milligram per 7.6g % = Percentage of sample % wt = µg/g divided by 10,000

Approved Signatory

Derrick Tanner General Manager





Report Number: 23-009965/D002.R000

Report Date: 08/24/2023 ORELAP#: OR100028

Purchase Order:

Received: 08/22/23 14:00

Revision: 4 Document ID: 7148 Legacy ID: Worksheet Validated 04/20/2021

			Lal	oratory	Quality Co	ntrol Results		
J AOAC 2015 V98-6					В	atch ID: 2310324		
Laboratory Control Sa	mple							
Analyte	LCS	Result	Spike	Units	% Rec	Limits	Evaluation	Notes
CBDVA	2	0.0314	0.0309	%	102	80.0 - 120	Acceptable	
CBDV	2	0.0320	0.0313	%	102	80.0 - 120	Acceptable	
CBE	2	0.0332	0.0329	%	101	80.0 - 120	Acceptable	
CBDA	1	0.0349	0.0338	%	103	90.0 - 110	Acceptable	
CBGA	1	0.0355	0.0343	%	103	80.0 - 120	Acceptable	
CBG	1	0.0375	0.0363	%	103	80.0 - 120	Acceptable	
CBD	1	0.0365	0.0351	%	104	90.0 - 110	Acceptable	
THCV	2	0.0204	0.0200	%	102	80.0 - 120	Acceptable	
d8THCV	2	0.0279	0.0276	%	101	80.0 - 120	Acceptable	
THCVA	2	0.0312	0.0307	%	102	80.0 - 120	Acceptable	
CBN	1	0.0354	0.0343	%	103	80.0 - 120	Acceptable	
exo-THC	2	0.0305	0.0302	%	101	80.0 - 120	Acceptable	
d9THC	1	0.0369	0.0355	%	104	90.0 - 110	Acceptable	
d8THC	1	0.0373	0.0364	%	102	90.0 - 110	Acceptable	
9S-d10THC	1	0.0367	0.0354	%	103	80.0 - 120	Acceptable	
CBL	2	0.0315	0.0311	%	101	80.0 - 120	Acceptable	
9R-d10THC	1	0.0118	0.0115	%	102	80.0 - 120	Acceptable	
CBC	2	0.0340	0.0335	%	102	80.0 - 120	Acceptable	
THCA	1	0.0357	0.0344	%	104	90.0 - 110	Acceptable	
CBCA	2	0.0327	0.0319	%	102	80.0 - 120	Acceptable	
CBLA	2	0.0657	0.0647	%	102	80.0 - 120	Acceptable	
d9THCP	2	0.0318	0.0316	%	101	80.0 - 120	Acceptable	
CBT	2	0.0313	0.0308	%	101	80.0 - 120	Acceptable	

Analyte	Result	LOQ	Units	Limits	Evaluation	Notes
CBDVA	<loq< td=""><td>0.00313</td><td>%</td><td>< 0.00313</td><td>Acceptable</td><td></td></loq<>	0.00313	%	< 0.00313	Acceptable	
CBDV	<l0q< td=""><td>0.00313</td><td>%</td><td>< 0.00313</td><td>Acceptable</td><td></td></l0q<>	0.00313	%	< 0.00313	Acceptable	
CBE	<l0q< td=""><td>0.00313</td><td>%</td><td>< 0.00313</td><td>Acceptable</td><td></td></l0q<>	0.00313	%	< 0.00313	Acceptable	
CBDA	<loq< td=""><td>0.00313</td><td>%</td><td>< 0.00313</td><td>Acceptable</td><td></td></loq<>	0.00313	%	< 0.00313	Acceptable	
CBGA	<loq< td=""><td>0.00313</td><td>%</td><td>< 0.00313</td><td>Acceptable</td><td></td></loq<>	0.00313	%	< 0.00313	Acceptable	
CBG	<l0q< td=""><td>0.00313</td><td>%</td><td>< 0.00313</td><td>Acceptable</td><td></td></l0q<>	0.00313	%	< 0.00313	Acceptable	
CBD	<loq< td=""><td>0.00313</td><td>%</td><td>< 0.00313</td><td>Acceptable</td><td></td></loq<>	0.00313	%	< 0.00313	Acceptable	
THCV	<loq< td=""><td>0.00313</td><td>%</td><td>< 0.00313</td><td>Acceptable</td><td></td></loq<>	0.00313	%	< 0.00313	Acceptable	
d8THCV	<loq< td=""><td>0.00313</td><td>%</td><td>< 0.00313</td><td>Acceptable</td><td></td></loq<>	0.00313	%	< 0.00313	Acceptable	
THCVA	<l0q< td=""><td>0.00313</td><td>%</td><td>< 0.00313</td><td>Acceptable</td><td></td></l0q<>	0.00313	%	< 0.00313	Acceptable	
CBN	<l0q< td=""><td>0.00313</td><td>%</td><td>< 0.00313</td><td>Acceptable</td><td></td></l0q<>	0.00313	%	< 0.00313	Acceptable	
exo-THC	<l0q< td=""><td>0.00313</td><td>%</td><td>< 0.00313</td><td>Acceptable</td><td></td></l0q<>	0.00313	%	< 0.00313	Acceptable	
d9THC	<loq< td=""><td>0.00313</td><td>%</td><td>< 0.00313</td><td>Acceptable</td><td></td></loq<>	0.00313	%	< 0.00313	Acceptable	
d8THC	<l0q< td=""><td>0.00313</td><td>%</td><td>< 0.00313</td><td>Acceptable</td><td></td></l0q<>	0.00313	%	< 0.00313	Acceptable	
9S-d10THC	<l0q< td=""><td>0.00313</td><td>%</td><td>< 0.00313</td><td>Acceptable</td><td></td></l0q<>	0.00313	%	< 0.00313	Acceptable	
CBL	<loq< td=""><td>0.00313</td><td>%</td><td>< 0.00313</td><td>Acceptable</td><td></td></loq<>	0.00313	%	< 0.00313	Acceptable	
9R-d10THC	<loq< td=""><td>0.00313</td><td>%</td><td>< 0.00313</td><td>Acceptable</td><td></td></loq<>	0.00313	%	< 0.00313	Acceptable	
CBC	<l0q< td=""><td>0.00313</td><td>%</td><td>< 0.00313</td><td>Acceptable</td><td></td></l0q<>	0.00313	%	< 0.00313	Acceptable	
THCA	<l0q< td=""><td>0.00313</td><td>%</td><td>< 0.00313</td><td>Acceptable</td><td></td></l0q<>	0.00313	%	< 0.00313	Acceptable	
CBCA	<loq< td=""><td>0.00313</td><td>%</td><td>< 0.00313</td><td>Acceptable</td><td></td></loq<>	0.00313	%	< 0.00313	Acceptable	
CBLA	<loq< td=""><td>0.00313</td><td>%</td><td>< 0.00313</td><td>Acceptable</td><td></td></loq<>	0.00313	%	< 0.00313	Acceptable	
d9THCP	<l0q< td=""><td>0.00313</td><td>%</td><td>< 0.00313</td><td>Acceptable</td><td></td></l0q<>	0.00313	%	< 0.00313	Acceptable	
CBT	<l0q< td=""><td>0.00313</td><td>%</td><td>< 0.00313</td><td>Acceptable</td><td></td></l0q<>	0.00313	%	< 0.00313	Acceptable	

ND - None Detected at or above MRL RPD - Relative Percent Difference LOQ - Limit of Quantitation

Units of Measure: % - Percent





Report Number: 23-009965/D002.R000

Report Date: 08/24/2023 ORELAP#: OR100028

Purchase Order:

Received: 08/22/23 14:00

Revision: 4 Document ID: 7148 Legacy ID: Worksheet Validated 04/20/2021

Laboratory Quality Control Results

J AOAC 2015 V98-6	Batch ID: 2310324										
Sample Duplicate					San	nple ID: 23-009962	-0001				
Analyte	Result	Org. Result	LOQ	Units	RPD	Limits	Evaluation	Notes			
CBDVA	<loq< td=""><td><loq< td=""><td>0.00307</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.00307</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.00307	%	NA	< 20	Acceptable				
CBDV	<loq< td=""><td><loq< td=""><td>0.00307</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.00307</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.00307	%	NA	< 20	Acceptable				
CBE	<loq< td=""><td><loq< td=""><td>0.00307</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.00307</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.00307	%	NA	< 20	Acceptable				
CBDA	<loq< td=""><td><loq< td=""><td>0.00307</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.00307</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.00307	%	NA	< 20	Acceptable				
CBGA	<loq< td=""><td><loq< td=""><td>0.00307</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.00307</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.00307	%	NA	< 20	Acceptable				
CBG	0.00368	0.00379	0.00307	%	2.92	< 20	Acceptable				
CBD	<loq< td=""><td><loq< td=""><td>0.00307</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.00307</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.00307	%	NA	< 20	Acceptable				
THCV	<loq< td=""><td><loq< td=""><td>0.00307</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.00307</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.00307	%	NA	< 20	Acceptable				
d8THCV	<loq< td=""><td><loq< td=""><td>0.00307</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.00307</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.00307	%	NA	< 20	Acceptable				
THCVA	<loq< td=""><td><loq< td=""><td>0.00307</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.00307</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.00307	%	NA	< 20	Acceptable				
CBN	0.00591	0.00604	0.00307	%	2.27	< 20	Acceptable				
exo-THC	<loq< td=""><td><loq< td=""><td>0.00307</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.00307</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.00307	%	NA	< 20	Acceptable				
d9THC	0.257	0.263	0.00307	%	2.17	< 20	Acceptable				
d8THC	<loq< td=""><td><loq< td=""><td>0.00307</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.00307</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.00307	%	NA	< 20	Acceptable				
9S-d10THC	<loq< td=""><td><loq< td=""><td>0.00307</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.00307</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.00307	%	NA	< 20	Acceptable				
CBL	<loq< td=""><td><loq< td=""><td>0.00307</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.00307</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.00307	%	NA	< 20	Acceptable				
9R-d10THC	<loq< td=""><td><loq< td=""><td>0.00307</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.00307</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.00307	%	NA	< 20	Acceptable				
CBC	0.00307	0.00314	0.00307	%	2.20	< 20	Acceptable				
THCA	<loq< td=""><td><loq< td=""><td>0.00307</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.00307</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.00307	%	NA	< 20	Acceptable				
CBCA	<loq< td=""><td><loq< td=""><td>0.00307</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.00307</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.00307	%	NA	< 20	Acceptable				
CBLA	<loq< td=""><td><loq< td=""><td>0.00307</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.00307</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.00307	%	NA	< 20	Acceptable				
d9THCP	<loq< td=""><td><loq< td=""><td>0.00307</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.00307</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.00307	%	NA	< 20	Acceptable				
CBT	<loq< td=""><td><loq< td=""><td>0.00307</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.00307</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.00307	%	NA	< 20	Acceptable				

ND - None Detected at or above MRL RPD - Relative Percent Difference LOQ - Limit of Quantitation

Units of Measure:

% - Percent





Report Number: 23-009965/D002.R000

Report Date: 08/24/2023 ORELAP#: OR100028

Purchase Order:

Received: 08/22/23 14:00







23-009965/D002.R000 **Report Number:**

Report Date: 08/24/2023 ORELAP#: OR100028

Purchase Order:

08/22/23 14:00 Received:

Explanation of QC Flag Comments:

Code	Explanation
Q	Matrix interferences affecting spike or surrogate recoveries.
Q1	Quality control result biased high. Only non-detect samples reported.
Q2	Quality control outside QC limits. Data considered estimate.
Q3	Sample concentration greater than four times the amount spiked.
Q4	Non-homogenous sample matrix, affecting RPD result and/or % recoveries.
Q5	Spike results above calibration curve.
Q6	Quality control outside QC limits. Data acceptable based on remaining QC.
R	Relative percent difference (RPD) outside control limit.
R1	RPD non-calculable, as sample or duplicate results are less than five times the LOQ.
R2	Sample replicates RPD non-calculable, as only one replicate is within the analytical range.
LOQ1	Quantitation level raised due to low sample volume and/or dilution.
LOQ2	Quantitaion level raised due to matrix interference.
В	Analyte detected in method blank, but not in associated samples.
B1	The sample concentration is greater than 5 times the blank concentration.
B2	The sample concentration is less than 5 times the blank concentration.





Report Number: 21-013634/D011.R000

Report Date: 11/24/2021 **ORELAP#:** OR100028

Purchase Order:


Received: 11/18/21 00:00

Customer: IHC LLC
Product identity: 01LIR209_SG

Client/Metrc ID:

Laboratory ID: 21-013634-0004

Summary







Customer: IHC LLC

825 NW 16th Ave Portland Oregon 97209

United States of America (USA)

Product identity: 01LIR209_SG

Client/Metrc ID:

Sample Date:

Laboratory ID: 21-013634-0004

Evidence of Cooling: No
Temp: 20.1 °C
Relinquished by: Client

Report Number: 21-013634/D011.R000

Report Date: 11/24/2021 **ORELAP#:** OR100028

Purchase Order:

Received: 11/18/21 00:00



Sample Results

Potency	Method J	AOAC 2	2015 V98	-6 (mod)	Units %	Batch: 2110540	Analyze: 11/19/21	11:12:00 P
Analyte	As	Dry	LOQ	Notes				
	Received	weight						
CBC	< LOQ		0.0948					CBD-A
CBC-A [†]	3.20		0.0948					CBG-ACBC-A
CBC-Total [†]	2.81		0.178					O THC-A
CBD	0.532		0.0948					CBDV-A
CBD-A	70.2		0.948					O CBD
CBD-Total	62.1		0.926					CBG
CBDV [†]	< LOQ		0.0948					CBL-A
CBDV-A [†]	1.08		0.0948					
CBDV-Total [†]	0.936		0.177					
CBE [†]	< LOQ		0.0948					
CBG [†]	0.227		0.0948					
CBG-A [†]	3.34		0.0948					
CBG-Total	3.16		0.177					
CBL [†]	< LOQ		0.0948					
CBL-A [†]	0.114		0.0948					
CBL-Total [†]	< LOQ		0.178					
CBN	< LOQ		0.0948					
CBT [†]	< LOQ		0.0948					
Δ8-THC [†]	< LOQ		0.0948					
Δ8-THCV	< LOQ		0.0948					
Δ9-THC	< LOQ		0.0948					
THC-A	2.83		0.0948					
THC-Total	2.48		0.178					
THCV [†]	< LOQ		0.0948					
THCV-A [†]	< LOQ		0.0948					
THCV-Total [†]	< LOQ		0.177					
Total Cannabinoids†	81.5							





Report Number: 21-013634/D011.R000

Report Date: 11/24/2021 **ORELAP#:** OR100028

Purchase Order:

Received: 11/18/21 00:00

These test results are representative of the individual sample selected and submitted by the client.

Abbreviations

Limits: Action Levels per OAR-333-007-0400, OAR-333-007-0210, OAR-333-007-0220, CCR title 16-division 42. BCC-section 5723

Limit(s) of Quantitation (LOQ): The minimum levels, concentrations, or quantities of a target variable (e.g., target analyte) that can be reported with a specified degree of confidence.

† = Analyte not NELAP accredited.

Units of Measure

% = Percentage of sample % wt = μ g/g divided by 10,000

Approved Signatory

Derrick Tanner General Manager





Report Number:

21-013634/D011.R000

Report Date:

11/24/2021

ORELAP#:

OR100028

Purchase Order:

Received:

11/18/21 00:00



Hemp / Cannabis Usable / Extract / Finished Products Chain of Custody Record

Revision: 4.00 Control4: CF028 Ray 02/24/2021 Eff: 03/04/2021 ORELAND: ORG0008

						111		naiya	sleg	unste	d		Э.			0 Number:	
9 0 0	Company IHU Contact Kyle Harook Contact A31 NW Flanders St Contact Portland Contact Co	OF na	- 8	edicides - DKS9 compounds	addide Mulli-Residue - 275 camp sonds		daal Selverts	deluare & Water Activity		Sprio; Yeart and Mold	ora: E. Carli and Total Coliforni	stah	THE STATE OF THE S		Project Number:		WETRIC or CT Other: 5 Stationers Day Standard Turnament 3 Bustness Day Rack Turnament* 2 Bustness Day Rack Turnament*
Link 10	Chart Sample Mont/Scation	Oute	Time	ledicide.	Profeside	Patence	3	Modstore	Terpenser	Marco: Ye	Marie: E.	Heavy Metals	Mycotosins	:auc	Sample Type 1	Weight (Units)	Comments/Metre ID
1	03DST212_Amber	11/18		×		×	×					X			C		+uli panel doesn't need to be rushed, just potencies.
2	03DST212_Clear	11/18				×									C		dual du, pasi potanada.
3	01LIR209_PW	11/18				×								1 8	C		
4	01LIR209_SG	11/18				X									C		
5	01LIR209_PA	11/18				×	1				\Box				C		
6	01LIR209_PP	11/18				×					\vdash				C		
7	01LIR209_OGK	11/18		F		×									C		
				F	F								F	F			
	Balling asked by:	Date	Time			P	Workland	By:			0	dr	Ti	rie			Lab Use Only:
Ky	re Farook	11/18	4:00				>5	>	7		nļi	21	15	4/0	□ Shipped Vis		Sec (G-Wis) [] No

* - Sample Type Codes: Vegetation (V) ; Isolates (N) ; Extract/Concentrate (C) ; Tincture/Topical (1) ; Edible (II) ; Beverage (N)

Earphin schedige Colombia Laboratoria sold antitig repercental constitution on agreement for services in accordance with the statest laboral statest construction of the s





Report Number: 21-013634/D011.R000

Report Date: 11/24/2021 ORELAP#: OR100028

Purchase Order:

Received: 11/18/21 00:00

Revision #: 0.00 Control : CFL-D06 Revision Date: 05/31/2019 Effective Date: 05/31/2019

	Laboratory Quality Control Results													
J AOAC 2015 V98	-6			Bat	ch ID: 2110540									
Laboratory Contro	ol Sample													
Analyte	Result	Spike	Units	% Rec	Limits	Evaluation	Notes							
CBDVA	0.216	0.2	%	108	85.0 - 115	Acceptable								
CBDV	0.226	0.2	%	113	85.0 - 115	Acceptable								
CBE	0.195	0.2	%	97.6	85.0 - 115	Acceptable								
CBDA	0.209	0.2	%	105	85.0 - 115	Acceptable								
CBGA	0.216	0.2	%	108	85.0 - 115	Acceptable								
CBG	0.217	0.2	%	108	85.0 - 115	Acceptable								
CBD	0.197	0.2	%	98.7	85.0 - 115	Acceptable								
THCV	0.205	0.2	%	103	85.0 - 115	Acceptable								
d8THCV	0.185	0.2	%	92.4	85.0 - 115	Acceptable								
THCVA	0.212	0.2	%	106	85.0 - 115	Acceptable								
CBN	0.198	0.2	%	99.2	85.0 - 115	Acceptable								
exo-THC	0.174	0.2	%	87.1	85.0 - 115	Acceptable								
d9THC	0.186	0.2	%	93.1	85.0 - 115	Acceptable								
d8THC	0.206	0.2	%	103	85.0 - 115	Acceptable								
CBL	0.193	0.2	%	96.4	85.0 - 115	Acceptable								
CBC	0.216	0.2	%	108	85.0 - 115	Acceptable								
THCA	0.204	0.2	%	102	85.0 - 115	Acceptable								
CBCA	0.223	0.2	%	112	85.0 - 115	Acceptable								
CBLA	0.203	0.2	%	102	85.0 - 115	Acceptable								
CBT	0.216	0.2	%	108	85.0 - 115	Acceptable								

Method Blank							
Analyte	Result	LOQ	Units	Limits	Evaluation	Notes	
CBDVA	<loq< td=""><td>0.1</td><td>%</td><td>< 0.1</td><td>Acceptable</td><td></td></loq<>	0.1	%	< 0.1	Acceptable		
CBDV	<loq< td=""><td>0.1</td><td>%</td><td>< 0.1</td><td>Acceptable</td><td></td></loq<>	0.1	%	< 0.1	Acceptable		
CBE	<loq< td=""><td>0.1</td><td>%</td><td>< 0.1</td><td>Acceptable</td><td></td></loq<>	0.1	%	< 0.1	Acceptable		
CBDA	<loq< td=""><td>0.1</td><td>%</td><td>< 0.1</td><td>Acceptable</td><td></td></loq<>	0.1	%	< 0.1	Acceptable		
CBGA	<loq< td=""><td>0.1</td><td>%</td><td>< 0.1</td><td>Acceptable</td><td></td></loq<>	0.1	%	< 0.1	Acceptable		
CBG	<loq< td=""><td>0.1</td><td>%</td><td>< 0.1</td><td>Acceptable</td><td></td></loq<>	0.1	%	< 0.1	Acceptable		
CBD	<loq< td=""><td>0.1</td><td>%</td><td>< 0.1</td><td>Acceptable</td><td></td></loq<>	0.1	%	< 0.1	Acceptable		
THCV	<loq< td=""><td>0.1</td><td>%</td><td>< 0.1</td><td>Acceptable</td><td></td></loq<>	0.1	%	< 0.1	Acceptable		
d8THCV	<loq< td=""><td>0.1</td><td>%</td><td>< 0.1</td><td>Acceptable</td><td></td></loq<>	0.1	%	< 0.1	Acceptable		
THCVA	<loq< td=""><td>0.1</td><td>%</td><td>< 0.1</td><td>Acceptable</td><td></td></loq<>	0.1	%	< 0.1	Acceptable		
CBN	<loq< td=""><td>0.1</td><td>%</td><td>< 0.1</td><td>Acceptable</td><td></td></loq<>	0.1	%	< 0.1	Acceptable		
exo-THC	<loq< td=""><td>0.1</td><td>%</td><td>< 0.1</td><td>Acceptable</td><td></td></loq<>	0.1	%	< 0.1	Acceptable		
d9THC	<loq< td=""><td>0.1</td><td>%</td><td>< 0.1</td><td>Acceptable</td><td></td></loq<>	0.1	%	< 0.1	Acceptable		
d8THC	<loq< td=""><td>0.1</td><td>%</td><td>< 0.1</td><td>Acceptable</td><td></td></loq<>	0.1	%	< 0.1	Acceptable		
CBL	<loq< td=""><td>0.1</td><td>%</td><td>< 0.1</td><td>Acceptable</td><td></td></loq<>	0.1	%	< 0.1	Acceptable		
CBC	<loq< td=""><td>0.1</td><td>%</td><td>< 0.1</td><td>Acceptable</td><td></td></loq<>	0.1	%	< 0.1	Acceptable		
THCA	<loq< td=""><td>0.1</td><td>%</td><td>< 0.1</td><td>Acceptable</td><td></td></loq<>	0.1	%	< 0.1	Acceptable		
CBCA	<loq< td=""><td>0.1</td><td>%</td><td>< 0.1</td><td>Acceptable</td><td></td></loq<>	0.1	%	< 0.1	Acceptable		
CBLA	<loq< td=""><td>0.1</td><td>%</td><td>< 0.1</td><td>Acceptable</td><td></td></loq<>	0.1	%	< 0.1	Acceptable		
CBT	<loq< td=""><td>0.1</td><td>%</td><td>< 0.1</td><td>Acceptable</td><td></td></loq<>	0.1	%	< 0.1	Acceptable		

Abbreviations

ND - None Detected at or above MRL RPD - Relative Percent Difference LOQ - Limit of Quantitation

Units of Measure:

% - Percent





Report Number: 21-013634/D011.R000

Report Date: 11/24/2021 ORELAP#: OR100028

Purchase Order:

Received: 11/18/21 00:00

Revision #: 0.00 Control : CFL-D06 Revision Date: 05/31/2019 Effective Date: 05/31/2019

Laboratory Quality Control Results

J AOAC 2015 V	98-6							
Sample Duplica	Sample ID: 21-013424-0001							
Analyte	Result	Org. Result	LOQ	Units	RPD	Limits	Evaluation	Notes
CBDVA	<loq< td=""><td><loq< td=""><td>0.1</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.1</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.1	%	NA	< 20	Acceptable	
CBDV	<loq< td=""><td><loq< td=""><td>0.1</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.1</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.1	%	NA	< 20	Acceptable	
CBE	<loq< td=""><td><loq< td=""><td>0.1</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.1</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.1	%	NA	< 20	Acceptable	
CBDA	<loq< td=""><td><loq< td=""><td>0.1</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.1</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.1	%	NA	< 20	Acceptable	
CBGA	<loq< td=""><td><loq< td=""><td>0.1</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.1</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.1	%	NA	< 20	Acceptable	
CBG	3.50	3.48	0.1	%	0.674	< 20	Acceptable	
CBD	2.82	2.76	0.1	%	1.86	< 20	Acceptable	
THCV	0.475	0.462	0.1	%	2.70	< 20	Acceptable	
d8THCV	<loq< td=""><td><loq< td=""><td>0.1</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.1</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.1	%	NA	< 20	Acceptable	
THCVA	<loq< td=""><td><loq< td=""><td>0.1</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.1</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.1	%	NA	< 20	Acceptable	
CBN	2.48	2.44	0.1	%	1.44	< 20	Acceptable	
exo-THC	<loq< td=""><td><loq< td=""><td>0.1</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.1</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.1	%	NA	< 20	Acceptable	
d9THC	73.4	74.4	0.1	%	1.41	< 20	Acceptable	
d8THC	<loq< td=""><td><loq< td=""><td>0.1</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.1</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.1	%	NA	< 20	Acceptable	
CBL	<loq< td=""><td><loq< td=""><td>0.1</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.1</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.1	%	NA	< 20	Acceptable	
CBC	0.362	0.351	0.1	%	3.25	< 20	Acceptable	
THCA	<loq< td=""><td><loq< td=""><td>0.1</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.1</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.1	%	NA	< 20	Acceptable	
CBCA	<loq< td=""><td><loq< td=""><td>0.1</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.1</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.1	%	NA	< 20	Acceptable	
CBLA	<loq< td=""><td><loq< td=""><td>0.1</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.1</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.1	%	NA	< 20	Acceptable	
CBT	1.69	1.62	0.1	%	4.41	< 20	Acceptable	

Abbreviations

ND - None Detected at or above MRL RPD - Relative Percent Difference

LOQ - Limit of Quantitation

NA - Calculation Not Applicable given non-numerical results

Units of Measure:

% - Percent





Report Number: 21-013634/D011.R000

Report Date: 11/24/2021 ORELAP#: OR100028

Purchase Order:

11/18/21 00:00 Received:

Explanation of QC Flag Comments:

Code	Explanation
Q	Matrix interferences affecting spike or surrogate recoveries.
Q1	Quality control result biased high. Only non-detect samples reported.
Q2	Quality control outside QC limits. Data considered estimate.
Q3	Sample concentration greater than four times the amount spiked.
Q4	Non-homogenous sample matrix, affecting RPD result and/or % recoveries.
Q5	Spike results above calibration curve.
Q6	Quality control outside QC limits. Data acceptable based on remaining QC.
R	Relative percent difference (RPD) outside control limit.
R1	RPD non-calculable, as sample or duplicate results are less than five times the LOQ.
R2	Sample replicates RPD non-calculable, as only one replicate is within the analytical range.
LOQ1	Quantitation level raised due to low sample volume and/or dilution.
LOQ2	Quantitaion level raised due to matrix interference.
В	Analyte detected in method blank, but not in associated samples.
B1	The sample concentration is greater than 5 times the blank concentration.
B2	The sample concentration is less than 5 times the blank concentration.