



Report Number:	23-006707/D002.R000
Report Date:	06/12/2023
ORELAP#:	OR100028
Purchase Order:	
Received:	06/06/23 14:09

Customer:	The Hemp Collect
Product identity:	Live D8 Moonrock- Sour Candy Kush
Client/Metrc ID:	7013DN-043023
Laboratory ID:	23-006707-0002

Summary

Analyte	Result (%)			
∆8-THC	28.7	● △8-THC	CBD-Total	4.48%
CBG-A	7.34	CBG-ACBD-A		
CBD-A	3.22	 CBD 	THC-Total	0.111%
CBD	1.66	● ∆8-THCV		
∆8-THCV	0.379	CBG	(Reported in pe	rcent of total sample)
CBG	0.323	CBC-A		
CBC-A	0.311	• CBC		
CBC	0.190	THC-A		
THC-A	0.127	• CBT		
CBT	0.0601			

Page 1 of 8 Test results relate only to the parameters tested and to the samples as received by the laboratory. Test results meet all requirements of NELAP and the Columbia Laboratories quality assurance plan unless otherwise noted. This report shall not be reproduced, except in full, without the written consent of this laboratory. Samples will be retained for a maximum of 30 days from the receipt date unless prior arrangements have been made. Testing in accordance with: OAR 333-007-0430





Report Number:	23-006707/D002.R000
Report Date:	06/12/2023
ORELAP#:	OR100028
Purchase Order:	
Received:	06/06/23 14:09

Customer:	The Hemp Collect 825 NW 16th Ave Portland Oregon 97209 United States of America (USA)
Product identity:	Live D8 Moonrock- Sour Candy Kush
Client/Metrc ID:	7013DN-043023
Sample Date:	
Laboratory ID:	23-006707-0002
Evidence of Cooling:	No
Temp:	17.2
Relinquished by:	ramos



Sample Results

Potency	Method: J AOAC 201	5 V98-6 (mod) ^p Units %	Batch: 2308115	Analyze: 6/12/23	11:06:00 AM
Analyte	As Dry Received weigt	LOQ nt	Notes			● ∆8-THC
CBC	0.190	0.0292				CBG-A
CBC-A	0.311	0.0292				CBD-A
CBC-Total	0.463	0.0547				O CBD
CBD	1.66	0.0292				● △8-THCV ○ CBG
CBD-A	3.22	0.0292				CBG
CBD-Total	4.48	0.0547				• CBC
CBDV	< LOQ	0.0292				• THC-A
CBDV-A	< LOQ	0.0292				CBT
CBDV-Total	< LOQ	0.0544				
CBE	< LOQ	0.0292				
CBG	0.323	0.0292				
CBG-A	7.34	0.0292				
CBG-Total	6.77	0.0544				
CBL	< LOQ	0.0292				
CBL-A	< LOQ	0.0292				
CBL-Total	< LOQ	0.0547				
CBN	< LOQ	0.0292				
CBT	0.0601	0.0292				
∆10-THC-9R	< LOQ	0.0292				
∆10-THC-9S	< LOQ	0.0292				
$\Delta 10$ -THC-Total	< LOQ	0.0583				
∆8-THC	28.7	0.292				
∆8-THCV	0.379	0.0292				
∆9-THC	< LOQ	0.0292				
delta-9-THCP	< LOQ	0.0292				
exo-THC	< LOQ	0.0292				
THC-A	0.127	0.0292				
THC-Total	0.111	0.0547				
THCV	< LOQ	0.0292				
THCV-A	< LOQ	0.0292				
THCV-Total	< LOQ	0.0544				
Total Cannahinoide	42 3					
			bialaboratories com		F	Page 2 of 8

 www.columbialaboratories.com
 Page 2 of 8

 Test results relate only to the parameters tested and to the samples as received by the laboratory. Test results meet all requirements of NELAP and the Columbia Laboratories quality assurance plan unless otherwise noted. This report shall not be reproduced, except in full, without the written consent of this laboratory. Samples will be retained for a maximum of 30 days from the receipt date unless prior arrangements have been made.

 Testing in accordance with:
 OAR 333-007-0430





Report Number:	23-006707/D002.R000
Report Date:	06/12/2023
ORELAP#:	OR100028
Purchase Order:	
Received:	06/06/23 14:09

Potency	Method: J AOAC 2015	V98-6 (mod) ^þ	Units %	Batch: 2308115	Analyze: 6/12/23	11:06:00 AM
Analyte	As Dry Received weight	LOQ N	lotes			

Page 3 of 8 Test results relate only to the parameters tested and to the samples as received by the laboratory. Test results meet all requirements of NELAP and the Columbia Laboratories quality assurance plan unless otherwise noted. This report shall not be reproduced, except in full, without the written consent of this laboratory. Samples will be retained for a maximum of 30 days from the receipt date unless prior arrangements have been made. Testing in accordance with: OAR 333-007-0430





 Report Number:
 23-006707/D002.R000

 Report Date:
 06/12/2023

 ORELAP#:
 OR100028

 Purchase Order:
 Received:

 06/06/23 14:09
 04/12/2023

Abbreviations

Limits: Action Levels per OAR-333-007-0400, OAR-333-007-0210, OAR-333-007-0220, CCR title 16-division 42. BCC-section 5723

Limit(s) of Quantitation (LOQ): The minimum levels, concentrations, or quantities of a target variable (e.g., target analyte) that can be reported with a specified degree of confidence.

^b = ISO/IEC 17025:2017 accredited method.

Units of Measure

% = Percentage of sample % wt = $\mu g/g$ divided by 10,000

Approved Signatory

Derrick Tanner General Manager

www.columbialaboratories.com

Page 4 of 8

Test results relate only to the parameters tested and to the samples as received by the laboratory. Test results meet all requirements of NELAP and the Columbia Laboratories quality assurance plan unless otherwise noted. This report shall not be reproduced, except in full, without the written consent of this laboratory. Samples will be retained for a maximum of 30 days from the receipt date unless prior arrangements have been made.





Report Number:	23-006707/D002.R000
Report Date:	06/12/2023
ORELAP#:	OR100028
Purchase Order:	
Received:	06/06/23 14:09

Revision: 4 Document ID: 7148 Legacy ID: Worksheet Validated 04/20/2021

AQAC2015 V98-6 Batch ID: 2308115									
Laboratory Contro					5		2000110		
Analyte	LCS	Result	Spike	Units	% Rec		Limits	Evaluation	Notes
CBDVA	2	0.0278	0.0257	%	108	80.0	- 120	Acceptable	
CBDV	2	0.0277	0.0265	%	104	80.0	- 120	Acceptable	
CBE	2	0.0330	0.0312	%	106	80.0	- 120	Acceptable	
CBDA	1	0.0309	0.0295	%	105	90.0	- 110	Acceptable	
CBGA	1	0.0309	0.0298	%	104	80.0	- 120	Acceptable	
CBG	1	0.0322	0.0309	%	104	80.0	- 120	Acceptable	
CBD	1	0.0329	0.0312	%	105	90.0	- 110	Acceptable	
THCV	2	0.0197	0.0183	%	107	80.0	- 120	Acceptable	
d8THCV	2	0.0256	0.0244	%	105	80.0	- 120	Acceptable	
THCVA	2	0.0288	0.0272	%	106	80.0	- 120	Acceptable	
CBN	1	0.0330	0.0316	%	105	80.0	- 120	Acceptable	
exo-THC	2	0.0291	0.0266	%	109	80.0	- 120	Acceptable	
d9THC	1	0.0344	0.0319	%	108	90.0	- 110	Acceptable	
d8THC	1	0.0403	0.0389	%	104	90.0	- 110	Acceptable	
9S-d10THC	1	0.0233	0.0224	%	104	80.0	- 120	Acceptable	
CBL	2	0.0309	0.0286	%	108	80.0	- 120	Acceptable	
9R-d10THC	1	0.0309	0.0300	%	103	80.0	- 120	Acceptable	
CBC	2	0.0294	0.0281	%	105	80.0	- 120	Acceptable	
THCA	1	0.0310	0.0302	%	103	90.0	- 110	Acceptable	
CBCA	2	0.0314	0.0297	%	106	80.0	- 120	Acceptable	
CBLA	2	0.0320	0.0301	%	106	80.0	- 120	Acceptable	
d9THCP	2	0.0305	0.0292	%	104	80.0	- 120	Acceptable	
CBT	2	0.0301	0.0297	%	101	80.0	- 120	Acceptable	
Method Blank			100		I belte		line it a	E calcusti au	Natas
Analyte CBDVA		esult	LOQ		Units	Limits		Evaluation	Notes
		LOQ	0.00280	<u> </u>	%		0.00280	Acceptable	
CBDV CBF		LOQ LOQ	0.00280		%		0.00280	Acceptable	
CBDA		LOQ LOQ	0.00280		%		0.00280	Acceptable Acceptable	
CBGA		LOQ	0.00280		%		0.00280	Acceptable	
CBG		LOQ LOQ	0.00280		%		0.00280	Acceptable	
CBD		LOQ LOQ	0.00280		%		0.00280	Acceptable	
THCV		LOQ	0.00280		%		0.00280	Acceptable	
d8THCV		LOQ	0.00280		%		0.00280	Acceptable	
THCVA		LOQ	0.00280		%		0.00280	Acceptable	
CBN		LOQ	0.00280		%		0.00280	Acceptable	
exo-THC		LOQ	0.00280		%		0.00280	Acceptable	
d9THC		100	0.00280		%		0.00280	Acceptable	1
d8THC		100	0.00280	1	%		0.00280	Acceptable	
9S-d10THC		100	0.00280		%		0.00280	Acceptable	1 1
CBL		LOQ	0.00280		%		0.00280	Acceptable	1
9R-d10THC		LOQ	0.00280	1	%		0.00280	Acceptable	
CBC		LOQ	0.00280		%		0.00280	Acceptable	1
THCA		LOQ	0.00280	1	%		0.00280	Acceptable	
CBCA		LOQ	0.00280	1	%		0.00280	Acceptable	
CBLA		LOQ	0.00280		%		0.00280	Acceptable	
d9THCP	<	LOQ	0.00280	1	%		0.00280	Acceptable	
CBT	<	LOQ	0.00280	1	%		0.00280	Acceptable	

Laboratory Quality Control Results

Abbreviations

ND - None Detected at or above MRL RPD - Relative Percent Difference LOQ - Limit of Quantitation

Units of Measure: % - Percent

Page 5 of 8 Test results relate only to the parameters tested and to the samples as received by the laboratory. Test results meet all requirements of NELAP and the Columbia Laboratories quality assurance plan unless otherwise noted. This report shall not be reproduced, except in full, without the written consent of this laboratory. Samples will be retained for a maximum of 30 days from the receipt date unless prior arrangements have been made. Testing in accordance with: OAR 333-007-0430





Report Number:	23-006707/D002.R000
Report Date:	06/12/2023
ORELAP#:	OR100028
Purchase Order:	
Received:	06/06/23 14:09

Revision: 4 Document ID: 7148 Legacy ID: Worksheet Validated 04/20/2021

JAOAC 2015 V98-6	Batch ID: 2308115								
Sample Duplicate	Sample ID: 23-006707-0002								
Analyte	Result	Org. Result	LOQ	Units	RPD	Limits	Evaluation	Notes	
CBDVA	<loq< td=""><td><loq< td=""><td>0.0284</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.0284</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.0284	%	NA	< 20	Acceptable		
CBDV	<loq< td=""><td><loq< td=""><td>0.0284</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.0284</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.0284	%	NA	< 20	Acceptable		
CBE	<loq< td=""><td><loq< td=""><td>0.0284</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.0284</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.0284	%	NA	< 20	Acceptable		
CBDA	3.19	3.22	0.0284	%	0.832	< 20	Acceptable		
CBGA	7.25	7.34	0.0284	%	1.26	< 20	Acceptable		
CBG	0.310	0.323	0.0284	%	4.01	< 20	Acceptable		
CBD	1.67	1.66	0.0284	%	0.507	< 20	Acceptable		
THCV	<loq< td=""><td><loq< td=""><td>0.0284</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.0284</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.0284	%	NA	< 20	Acceptable		
d8THCV	0.376	0.379	0.0284	%	0.852	< 20	Acceptable		
THCVA	<loq< td=""><td><loq< td=""><td>0.0284</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.0284</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.0284	%	NA	< 20	Acceptable		
CBN	<loq< td=""><td><loq< td=""><td>0.0284</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.0284</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.0284	%	NA	< 20	Acceptable		
exo-THC	<loq< td=""><td><loq< td=""><td>0.0284</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.0284</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.0284	%	NA	< 20	Acceptable		
d9THC	<loq< td=""><td><loq< td=""><td>0.0284</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.0284</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.0284	%	NA	< 20	Acceptable		
d8THC	28.9	28.7	0.0284	%	0.951	< 20	Acceptable		
9S-d10THC	<loq< td=""><td><loq< td=""><td>0.0284</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.0284</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.0284	%	NA	< 20	Acceptable		
CBL	<loq< td=""><td><loq< td=""><td>0.0284</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.0284</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.0284	%	NA	< 20	Acceptable		
9R-d10THC	<loq< td=""><td><loq< td=""><td>0.0284</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.0284</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.0284	%	NA	< 20	Acceptable		
CBC	0.198	0.190	0.0284	%	4.47	< 20	Acceptable		
THCA	0.128	0.127	0.0284	%	0.981	< 20	Acceptable		
CBCA	0.305	0.311	0.0284	%	1.79	< 20	Acceptable		
CBLA	<loq< td=""><td><loq< td=""><td>0.0284</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.0284</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.0284	%	NA	< 20	Acceptable		
d9THCP	<loq< td=""><td><loq< td=""><td>0.0284</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.0284</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.0284	%	NA	< 20	Acceptable		
CBT	0.0619	0.0601	0.0284	%	2.95	< 20	Acceptable		

ND - None Detected at or above MRL RPD - Relative Percent Difference

LOQ - Limit of Quantitation

Units of Measure:

% - Percent

Page 6 of 8 Test results relate only to the parameters tested and to the samples as received by the laboratory. Test results meet all requirements of NELAP and the Columbia Laboratories quality assurance plan unless otherwise noted. This report shall not be reproduced, except in full, without the written consent of this laboratory. Samples will be retained for a maximum of 30 days from the receipt date unless prior arrangements have been made. Testing in accordance with: OAR 333-007-0430





Report Number:	23-006707/D002.R000
Report Date:	06/12/2023
ORELAP#:	OR100028
Purchase Order:	
Received:	06/06/23 14:09



Page 7 of 8 Test results relate only to the parameters tested and to the samples as received by the laboratory. Test results meet all requirements of NELAP and the Columbia Laboratories quality assurance plan unless otherwise noted. This report shall not be reproduced, except in full, without the written consent of this laboratory. Samples will be retained for a maximum of 30 days from the receipt date unless prior arrangements have been made. Testing in accordance with: OAR 333-007-0430





23-006707/D002.R000 **Report Number: Report Date:** 06/12/2023 **ORELAP#:** OR100028 **Purchase Order:** 06/06/23 14:09 **Received:**

Explanation of QC Flag Comments:

Code	Explanation
Q	Matrix interferences affecting spike or surrogate recoveries.
Q1	Quality control result biased high. Only non-detect samples reported.
Q2	Quality control outside QC limits. Data considered estimate.
Q3	Sample concentration greater than four times the amount spiked.
Q4	Non-homogenous sample matrix, affecting RPD result and/or % recoveries.
Q5	Spike results above calibration curve.
Q6	Quality control outside QC limits. Data acceptable based on remaining QC.
R	Relative percent difference (RPD) outside control limit.
R1	RPD non-calculable, as sample or duplicate results are less than five times the LOQ.
R2	Sample replicates RPD non-calculable, as only one replicate is within the analytical range.
LOQ1	Quantitation level raised due to low sample volume and/or dilution.
LOQ2	Quantitaion level raised due to matrix interference.
В	Analyte detected in method blank, but not in associated samples.
B1	The sample concentration is greater than 5 times the blank concentration.
B2	The sample concentration is less than 5 times the blank concentration.

 www.columbialaboratories.com
 Page 8 of 8

 Test results relate only to the parameters tested and to the samples as received by the laboratory. Test results meet all requirements of NELAP and the Columbia Laboratories quality assurance plan unless otherwise noted. This report shall not be reproduced, except in full, without the written consent of this laboratory. Samples will be retained for a maximum of 30 days from the receipt date unless prior arrangements have been made.

 Testing in accordance with:
 OAR 333-007-0430