



Report Number: 22-013665/D005.R000

Report Date: 11/10/2022 **ORELAP#:** OR100028

Purchase Order:

Received: 11/07/22 11:59

Customer: IHC LLC

Product identity: Sour Lifter - D8 Flower

Client/Metrc ID:

Laboratory ID: 22-013665-0006

Summary

Potency:				
Analyte	Result (%)		ODD Tatal	15 50/
Δ8-THC	16.8	Δ8-THC	CBD-Total	15.5%
CBD-A	10.8	CBD-A		
CBD	5.99	• CBD	THC-Total	<loq< td=""></loq<>
CBG-A	0.462	OBG-A		
CBG	0.0951	CBGCBDV-A	(Reported in pe	ercent of total sample)
CBDV-A	0.0627	• CBDV-A		
CBT	0.0487	CBC-A		
CBC-A	0.0355	CBDV		
CBDV	0.0294			





Report Number: 22-013665/D005.R000

Report Date: 11/10/2022 **ORELAP#:** OR100028

Purchase Order:

Received: 11/07/22 11:59



Customer: IHC LLC

825 NW 16th Ave Portland Oregon 97209 United States of America (USA)

Product identity: Sour Lifter - D8 Flower

Client/Metrc ID:

Sample Date:

Laboratory ID: 22-013665-0006

Evidence of Cooling: No
Temp: 20.9 °C
Relinquished by: client

Sample Results

Potency	Method: J AOAC 20	15 V98-6 (mod	□ Units %	Batch: 2209627	Analyze: 11/9/22	8:33:00 AM
Analyte	As Dry	LOQ	Notes			
	Received weig					Δ8-THC
CBC	< LOQ	0.0293				CBD-A
CBC-A	0.0355	0.0293				CBD
CBC-Total	< LOQ	0.0549				OBG-A
CBD	5.99	0.0293				CBG
CBD-A	10.8	0.293				O CBDV-A
CBD-Total	15.5	0.286				● CBT
CBDV	0.0294	0.0293				CBC-ACBDV
CBDV-A	0.0627	0.0293				● CBDV
CBDV-Total	0.0837	0.0546				
CBE	< LOQ	0.0293				
CBG	0.0951	0.0293				
CBG-A	0.462	0.0293				
CBG-Total	0.501	0.0546				
CBL	< LOQ	0.0293				
CBL-A	< LOQ	0.0293				
CBL-Total	< LOQ	0.0549				
CBN	< LOQ	0.0293				
CBT	0.0487	0.0293				
Δ10-THC	< LOQ	0.0293				
Δ8-THC	16.8	0.293				
Δ8-THCV	< LOQ	0.0293				
Δ9-THC	< LOQ	0.0293				
exo-THC	< LOQ	0.0293				
THC-A	< LOQ	0.0293				
THC-Total	< LOQ	0.0549				
THCV	< LOQ	0.0293				
THCV-A	< LOQ	0.0293				
THCV-Total	< LOQ	0.0546				
Total Cannabinoids	34.3					





Report Number: 22-013665/D005.R000

Report Date: 11/10/2022 **ORELAP#:** OR100028

Purchase Order:

Received: 11/07/22 11:59

These test results are representative of the individual sample selected and submitted by the client.

Abbreviations

Limits: Action Levels per OAR-333-007-0400, OAR-333-007-0210, OAR-333-007-0220, CCR title 16-division 42. BCC-section 5723

Limit(s) of Quantitation (LOQ): The minimum levels, concentrations, or quantities of a target variable (e.g., target analyte) that can be reported with a specified degree of confidence.

p = ISO/IEC 17025:2017 accredited method.

Units of Measure

% = Percentage of sample % wt = μ g/g divided by 10,000

Approved Signatory

Derrick Tanner General Manager





Report Number:

22-013665/D005.R000

Report Date:

11/10/2022

ORELAP#:

OR100028

27-1013665

Purchase Order:

Received:

11/07/22 11:59



Company: The Hemp Collect

Street: 431 NW Flanders st.

consct. kyle@thehempcollect.com

Hemp / Cannabis Usable / Extract / Finished Products Chain of Custody Record

Revision: 4.00 Controls: CF023 Rev 02/24/2021 Eft 03/04/2021. CRELAR D: OR000028

Analysis Requested PC Number:
| Poject Number: | Project Number: |

0 6	Portland State: Consultation State: State	Uh z _{ik} ! □)	- 12	n - ORSS companies	sticide Multi-Residae ~ 379 compas		Solvens	v & Waller Activity		rest and Weld	C.Col and Total Culform	Medit.	SI SI	HHC Btong	Report to	ed store: 📽	METRC or CL Other: 5 Quainess Day Standard Turnsys and 2 Quainess Day Standard Turnsys and 2 Quainess Day Standard Turnsys and 2 Superson Day Rush Turnsys and 4 Control for enachability
LEI ED	- Client Sample Identification	Date	Time	Petticide	Pesticide	Potency	Pesdal	Montan	Torpeces	Marrie	Mero C	N Average	Mycotosins	Diller	Sample Type 1	Weight (Units)	Comments/Metro ID
1	Sour Hawaiian - D6 Flo	50.550 250							×						V		Samples #1-#4: Alternate Client name: Koi CBD
2	Sour Suver - D8 Flowe	111111111111111111111111111111111111111							X						V	Charle Harris, Flat Gala	
3	Sour Hawaiian - D8 Flo	16W				×									V		Samples #3-#9: Alternate
4	Sour Suver - DB Flowe	r				X									37		client name: Zar Wellness
5	Bubba Kush - D8 Flows	r				×					$\overline{}$	\Box			V		402-359
6	Sour Litter - DB Flower					×									V		
7	Pineapple Kush - D8 FI	ower				×									V	HE COLD	
8	SWEET THE MODIFICES					×								X	CN		
9	was took bookship M	gowyou	VS.			×								×	C/V		
Fairvpathod By:	Date	Time			- 4	ronved	Địc .			D	eta .	10	me			tall-Use Only:	
Joel Thompson 11.#7. 4:00		4:00 Pf			03	SE				n/7. yr/s4			59	Dishipped Vis: ur Sichert drop Enidence of coaling, Dires Billion Temp (*C): 20 *1 Sample is good condition (Direct Dileter) Diship Dicheck Dick Dileter)			
																espe:	

! - Sample Type Codes: Vegetation (V) ; Biolates (S) ; Extract/Concentrate (C) ; Tincture/Topical (II) ; Exible (II) ; Beverage (II)

Simples substituted in Critical Laboratorium with poling regionments constitute an agreement for named an accordance with the control state of service above and with 600 CP signing. Authorities for the revent 2012 No. West-state (No. 1) Fig. 1. Page 1. P





Acceptable Acceptable

120 120

Report Number: 22-013665/D005.R000

Report Date: 11/10/2022 ORELAP#: OR100028

Purchase Order:

Received: 11/07/22 11:59

Revision: 1 Document ID: 7148 Legacy ID: Worksheet Validated 04/20/2021

Laboratory Quality Control Results Batch ID: 2209627 LCS Result **Spike** 0.034 0.037 Units Evaluation Analyte CBDVA % Acceptable Acceptable 80.0 120 120 120 0.0370 110 CBDV 0.0373 0.0367 102 108 80.0 80.0 0.034 Acceptable Acceptable 0.0315 90.0 80.0 98.0 CRGA 0.032 % 120 Accentable. CBG Acceptable 0.0332 0.034 % 98.4 80.0 CBD 0.033 Acceptable Acceptable 0.0374 106 80.0 d8THCV Acceptable Acceptable 0.035 THCVA 0.033 0.0329 100 80.0 CBN exo-THC 0.035 0.034 % 90.0 110 120 Acceptable Acceptable 0.0351 101 0.0390 113 0.0360 90.0 110 110 0.034 Acceptable 0.035 CBL d10THC Acceptable 0.0358 111 99.3 80.0 80.0 120 120 0.030 % Acceptable Acceptable 0.0376 THCA CBCA CBLA 0.032 % 90.0 Acceptable

101

80.0

0.034 0.035

%

0.0348

CDT	2 0.0367	0.030	/0 102	80.0 - 120	Acceptable	
Method Blank						
Analyte	Result	LOQ	Units	Limits	Evaluation	Notes
CBDVA	<loq< td=""><td>0.03</td><td>%</td><td>< 0.03</td><td>Acceptable</td><td></td></loq<>	0.03	%	< 0.03	Acceptable	
CBDV	<loq< td=""><td>0.03</td><td>%</td><td>< 0.03</td><td>Acceptable</td><td></td></loq<>	0.03	%	< 0.03	Acceptable	
CBE	<loq< td=""><td>0.03</td><td>%</td><td>< 0.03</td><td>Acceptable</td><td></td></loq<>	0.03	%	< 0.03	Acceptable	
CBDA	<loq< td=""><td>0.03</td><td>%</td><td>< 0.03</td><td>Acceptable</td><td></td></loq<>	0.03	%	< 0.03	Acceptable	
CBGA	<loq< td=""><td>0.03</td><td>%</td><td>< 0.03</td><td>Acceptable</td><td></td></loq<>	0.03	%	< 0.03	Acceptable	
CBG	<loq< td=""><td>0.03</td><td>%</td><td>< 0.03</td><td>Acceptable</td><td></td></loq<>	0.03	%	< 0.03	Acceptable	
CBD	<loq< td=""><td>0.03</td><td>%</td><td>< 0.03</td><td>Acceptable</td><td></td></loq<>	0.03	%	< 0.03	Acceptable	
THCV	<loq< td=""><td>0.03</td><td>%</td><td>< 0.03</td><td>Acceptable</td><td></td></loq<>	0.03	%	< 0.03	Acceptable	
d8THCV	<loq< td=""><td>0.03</td><td>%</td><td>< 0.03</td><td>Acceptable</td><td></td></loq<>	0.03	%	< 0.03	Acceptable	
THCVA	<loq< td=""><td>0.03</td><td>%</td><td>< 0.03</td><td>Acceptable</td><td></td></loq<>	0.03	%	< 0.03	Acceptable	
CBN	<loq< td=""><td>0.03</td><td>%</td><td>< 0.03</td><td>Acceptable</td><td></td></loq<>	0.03	%	< 0.03	Acceptable	
exo-THC	<loq< td=""><td>0.03</td><td>%</td><td>< 0.03</td><td>Acceptable</td><td></td></loq<>	0.03	%	< 0.03	Acceptable	
d9THC	<loq< td=""><td>0.03</td><td>%</td><td>< 0.03</td><td>Acceptable</td><td></td></loq<>	0.03	%	< 0.03	Acceptable	
d8THC	<loq< td=""><td>0.03</td><td>%</td><td>< 0.03</td><td>Acceptable</td><td></td></loq<>	0.03	%	< 0.03	Acceptable	
CBL	<loq< td=""><td>0.03</td><td>%</td><td>< 0.03</td><td>Acceptable</td><td></td></loq<>	0.03	%	< 0.03	Acceptable	
d10THC	<loq< td=""><td>0.03</td><td>%</td><td>< 0.03</td><td>Acceptable</td><td></td></loq<>	0.03	%	< 0.03	Acceptable	
CBC	<loq< td=""><td>0.03</td><td>%</td><td>< 0.03</td><td>Acceptable</td><td></td></loq<>	0.03	%	< 0.03	Acceptable	
THCA	<loq< td=""><td>0.03</td><td>%</td><td>< 0.03</td><td>Acceptable</td><td></td></loq<>	0.03	%	< 0.03	Acceptable	
CBCA	<loq< td=""><td>0.03</td><td>%</td><td>< 0.03</td><td>Acceptable</td><td></td></loq<>	0.03	%	< 0.03	Acceptable	
CBLA	<loq< td=""><td>0.03</td><td>%</td><td>< 0.03</td><td>Acceptable</td><td></td></loq<>	0.03	%	< 0.03	Acceptable	
CBT	<loq< td=""><td>0.03</td><td>%</td><td>< 0.03</td><td>Acceptable</td><td></td></loq<>	0.03	%	< 0.03	Acceptable	
Abbreviations	•					ı

ND - None Detected at or above MRL

RPD - Relative Percent Difference LOQ - Limit of Quantitation

Units of Measure: % - Percent





22-013665/D005.R000 **Report Number:**

Report Date: 11/10/2022 ORELAP#: OR100028

Purchase Order:

Received: 11/07/22 11:59

Revision: 1 Document ID: 7148 Legacy ID: Worksheet Validated 04/20/2021

Laboratory Quality Control Results

J AOAC 2015 V98-6						tch ID: 2209627		
Sample Duplicate					Sam	ple ID: 22-013598		
Analyte	Result	Org. Result	LOQ	Units	RPD	Limits	Evaluation	Notes
CBDVA	<loq< td=""><td>0.0304</td><td>0.03</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.0304	0.03	%	NA	< 20	Acceptable	
CBDV	<loq< td=""><td><loq< td=""><td>0.03</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.03</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.03	%	NA	< 20	Acceptable	
CBE	<loq< td=""><td><loq< td=""><td>0.03</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.03</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.03	%	NA	< 20	Acceptable	
CBDA	12.4	13.3	0.03	%	6.51	< 20	Acceptable	
CBGA	0.232	0.271	0.03	%	15.7	< 20	Acceptable	
CBG	0.0442	0.0402	0.03	%	9.43	< 20	Acceptable	
CBD	0.831	0.889	0.03	%	6.77	< 20	Acceptable	
THCV	<loq< td=""><td><loq< td=""><td>0.03</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.03</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.03	%	NA	< 20	Acceptable	
d8THCV	<loq< td=""><td><loq< td=""><td>0.03</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.03</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.03	%	NA	< 20	Acceptable	
THCVA	<loq< td=""><td><loq< td=""><td>0.03</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.03</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.03	%	NA	< 20	Acceptable	
CBN	<loq< td=""><td><loq< td=""><td>0.03</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.03</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.03	%	NA	< 20	Acceptable	
exo-THC	<loq< td=""><td><loq< td=""><td>0.03</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.03</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.03	%	NA	< 20	Acceptable	
d9THC	<loq< td=""><td><loq< td=""><td>0.03</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.03</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.03	%	NA	< 20	Acceptable	
d8THC	1.16	1.19	0.03	%	3.01	< 20	Acceptable	
CBL	<loq< td=""><td><loq< td=""><td>0.03</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.03</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.03	%	NA	< 20	Acceptable	
d10THC	<loq< td=""><td><loq< td=""><td>0.03</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.03</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.03	%	NA	< 20	Acceptable	
CBC	0.0644	0.0704	0.03	%	8.98	< 20	Acceptable	
THCA	0.486	0.510	0.03	%	4.85	< 20	Acceptable	
CBCA	0.564	0.591	0.03	%	4.68	< 20	Acceptable	
CBLA	<loq< td=""><td><loq< td=""><td>0.03</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.03</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.03	%	NA	< 20	Acceptable	
CBT	<loq< td=""><td><loq< td=""><td>0.03</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.03</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.03	%	NA	< 20	Acceptable	

ND - None Detected at or above MRL RPD - Relative Percent Difference

LOQ - Limit of Quantitation

Units of Measure:





Report Number: 22-013665/D005.R000

Report Date: 11/10/2022 ORELAP#: OR100028

Purchase Order:

Received: 11/07/22 11:59







22-013665/D005.R000 **Report Number:**

Report Date: 11/10/2022 ORELAP#: OR100028

Purchase Order:

11/07/22 11:59 Received:

Explanation of QC Flag Comments:

Code	Explanation
Q	Matrix interferences affecting spike or surrogate recoveries.
Q1	Quality control result biased high. Only non-detect samples reported.
Q2	Quality control outside QC limits. Data considered estimate.
Q3	Sample concentration greater than four times the amount spiked.
Q4	Non-homogenous sample matrix, affecting RPD result and/or % recoveries.
Q5	Spike results above calibration curve.
Q6	Quality control outside QC limits. Data acceptable based on remaining QC.
R	Relative percent difference (RPD) outside control limit.
R1	RPD non-calculable, as sample or duplicate results are less than five times the LOQ.
R2	Sample replicates RPD non-calculable, as only one replicate is within the analytical range.
LOQ1	Quantitation level raised due to low sample volume and/or dilution.
LOQ2	Quantitaion level raised due to matrix interference.
В	Analyte detected in method blank, but not in associated samples.
B1	The sample concentration is greater than 5 times the blank concentration.
B2	The sample concentration is less than 5 times the blank concentration.

PharmLabs San Diego Certificate of Analysis

3421 Hancock St, Second Floor, San Diego, CA 92110 | License: C8-0000098-LIC ISO/IEC 17025:2017 Certification L17-427-1 | Accreditation #85368





Sample ID SD230329-008 (71349)		Matrix Concentrate (Inhalable Cannabis Good)
Tested for The Hemp Collect		
Sampled -	Received Mar 28, 2023	Reported Apr 05, 2023
Analyses executed CAN+ RES MIR	RIG MTO DES HME EVI	

Laboratory note: The estimated concentration of the unknown peak in the sample is 6.60% | Currently PharmLabs laboratory can not confirm an unidentified peak in your chromatogram due to interference (only with highly concentrated D8 products) from which we believe to be either (+)d8-THC or 49-THC. At this time there are no reference standards available for (+)d8-THC is o different compound from the main (-)d8-THC cannobinoid and, therefore, these two compounds may have different efficacies. Using the most advanced instruments and techniques available, the separation of (+)d8-THC and d9-THC is problematic for the scientific community as a whole. PharmLabs believes the unidentified peak to be a combination of (+)d8-THC with the majority, if not all, of the concentration being (+)d8-THC. Total (+/-) D8 Concentration is estimated to be 94.56%.

CAN+ - Cannabinoids Analysis

Analyzed Apr 04, 2023 | Instrument HPLC-VWD | Method SOP-001

The expanded Uncertainty of the Cannabinoid analysis is approximately **3.806**% at the 95% Confidence Level

Analyte	LOD mg/g	LOQ mg/g	Result	Result mg/g
Cannabidivarin (CBDV)	0.039	0.16	ND	ND ND
Cannabidiolic Acid (CBDA)	0.001	0.16	ND	ND
Cannabigerol Acid (CBGA)	0.001	0.16	ND	ND
Cannabigerol (CBG)	0.001	0.16	ND	ND
Cannabidiol (CBD)	0.001	0.16	ND	ND
Tetrahydrocannabivarin (THCV)	0.001	0.16	ND	ND
Cannabinol (CBN)	0.001	0.16	ND	ND
Tetrahydrocannabinol (Δ9-THC)	0.003	0.16	UI	UI
Δ 8-tetrahydrocannabinol (Δ 8-THC)	0.004	0.16	94.56	945.60
Cannabicyclol (CBL)	0.002	0.16	ND	ND
Cannabichromene (CBC)	0.002	0.16	ND	ND
Tetrahydrocannabinolic Acid (THCA)	0.001	0.16	ND	ND
Total THC (THCa * 0.877 + Δ9THC)			ND	ND
Total THC + Δ8THC (THCa * 0.877 + Δ9THC + Δ8THC)			94.56	945.60
Total CBD (CBDa * 0.877 + CBD)			ND	ND
Total CBG (CBGa * 0.877 + CBG)			ND	ND
Total Cannabinoids			94.56	945.60

HME - Heavy Metals Detection Analysis

Analyzed Apr 04, 2023 | Instrument ICP/MSMS | Method SOP-005

Analyte	LOD ug/g	LOQ ug/g	Result ug/g	Limit ug/g	Analyte	LOD ug/g	LOQ ug/g	Result ug/g	Limit ug/g
Arsenic (As)	0.0002	0.0005	ND	0.2	Cadmium (Cd)	3.0e-05	0.0005	ND	0.2
Mercury (Hg)	1.0e-05	0.0001	ND	0.1	Lead (Pb)	1.0e-05	0.00125	ND	0.5

MIBIG - Microbial Testing Analysis

Analyzed Mar 31, 2023 | Instrument qPCR and/or Plating | Method SOP-007

Analyzed rial bi, 2025 motionient quarteria, or rialing	11100100001				
Analyte	Result CFU/g	Limit	Analyte	Result CFU/g	Limit
Shiga toxin-producing Escherichia Coli	ND	ND per 1 gram	Salmonella spp.	ND	ND per 1 gram
Aspergillus fumigatus	ND	ND per 1 gram	Aspergillus flavus	ND	ND per 1 gram
Acporaillus pigor	ND	ND por 1 gram	Asparaillus torrous	ND	ND por 1 gram

MTO - Mycotoxin Testing Analysis

Analyzed Apr 04, 2023 | Instrument LC/MSMS | Method SOP-004

Analyte	LOD ug/kg	LOQ ug/kg	Result ug/kg (ppb)	Limit ug/kg	Analyte	LOD ug/kg	LOQ ug/kg	Result ug/kg (ppb)	Limit ug/kg
Ochratoxin A	5.0	20.0	ND	20	Aflatoxin B1	2.5	5.0	ND	-
Aflatoxin B2	2.5	5.0	ND	-	Aflatoxin G1	2.5	5.0	ND	-
Aflatoxin G2	2.5	5.0	ND	-	Total Aflatoxins	10.0	20.0	ND	20

UI Not Identified
ND Not Detected
N/A Not Applicable
NT Not Reported
LOD Limit of Detection
LOQ Limit of Quantification
<LOQ Detected
JULOL Above upper limit of linearity
CFU/g Colonyl Forming Units per 1 gram
TNTC Too Numerous to Count







Authorized Signature

Brandon Starr

Brandon Starr, Lab Manager Wed, 05 Apr 2023 10:13:00 -0700



PES - Pesticides Screening Analysis

Analyzed Apr 04, 2023 | Instrument LC/MSMS GC/MSMS | Method SOP-003

Analyte	LOD ug/g	LOQ ug/g	Result ug/g	Limit ug/g	Analyte	LOD ug/g	LOQ ug/g	Result ug/g	Limit ug/g
Aldicarb	0.0078	0.02	ND	0.0078	Carbofuran	0.01	0.02	ND	0.01
Dimethoate	0.01	0.02	ND	0.01	Etofenprox	0.02	0.1	ND	0.02
Fenoxycarb	0.01	0.02	ND	0.01	Thiachloprid	0.01	0.02	ND	0.01
Daminozide	0.01	0.03	ND	0.01	Dichlorvos	0.02	0.07	ND	0.02
Imazalil	0.02	0.07	ND	0.02	Methiocarb	0.01	0.02	ND	0.01
Spiroxamine	0.01	0.02	ND	0.01	Coumaphos	0.01	0.02	ND	0.01
Fipronil	0.01	0.1	ND	0.01	Paclobutrazol	0.01	0.03	ND	0.01
Chlorpyrifos	0.01	0.04	ND	0.01	Ethoprophos (Prophos)	0.01	0.02	ND	0.01
Baygon (Propoxur)	0.01	0.02	ND	0.01	Chlordane	0.04	0.1	ND	0.04
Chlorfenapyr	0.03	0.1	ND	0.03	Methyl Parathion	0.02	0.1	ND	0.02
Mevinphos	0.03	0.08	ND	0.03	Abamectin	0.03	0.08	ND	0.1
Acephate	0.02	0.05	ND	0.1	Acetamiprid	0.01	0.05	ND	0.1
Azoxystrobin	0.01	0.02	ND	0.1	Bifenazate	0.01	0.05	ND	0.1
Bifenthrin	0.02	0.35	ND	3	Boscalid	0.01	0.03	ND	0.1
Carbaryl	0.01	0.02	ND	0.5	Chlorantraniliprole	0.01	0.04	ND	10
Clofentezine	0.01	0.03	ND	0.1	Diazinon	0.01	0.02	ND	0.1
Dimethomorph	0.02	0.06	ND	2	Etoxazole	0.01	0.05	ND	0.1
Fenpyroximate	0.02	0.1	ND	0.1	Flonicamid	0.01	0.02	ND	0.1
Fludioxonil	0.01	0.05	ND	0.1	Hexythiazox	0.01	0.03	ND	0.1
Imidacloprid	0.01	0.05	ND	5	Kresoxim-methyl	0.01	0.03	ND	0.1
Malathion	0.01	0.05	ND	0.5	Metalaxyl	0.01	0.02	ND	2
Methomyl	0.02	0.05	ND	1	Myclobutanil	0.02	0.07	ND	0.1
Naled	0.01	0.02	ND	0.1	Oxamyl	0.01	0.02	ND	0.5
Permethrin	0.01	0.02	ND	0.5	Phosmet	0.01	0.02	ND	0.1
Piperonyl Butoxide	0.02	0.06	ND	3	Propiconazole	0.03	0.08	ND	0.1
Prallethrin	0.02	0.05	ND	0.1	Pyrethrin	0.05	0.41	ND	0.5
Pyridaben	0.02	0.07	ND	0.1	Spinosad A	0.01	0.05	ND	0.1
Spinosad D	0.01	0.05	ND	0.1	Spiromesifen	0.02	0.06	ND	0.1
Spirotetramat	0.01	0.02	ND	0.1	Tebuconazole	0.01	0.02	ND	0.1
Thiamethoxam	0.01	0.02	ND	5	Trifloxystrobin	0.01	0.02	ND	0.1
Acequinocyl	0.02	0.09	ND	0.1	Captan	0.01	0.02	ND	0.7
Cypermethrin	0.02	0.1	ND	1	Cyfluthrin	0.04	0.1	ND	2
Fenhexamid	0.02	0.07	ND	0.1	Spinetoram J,L	0.02	0.07	ND	0.1
Pentachloronitrobenzene	0.01	0.1	ND	0.1					

RES - Residual Solvents Testing Analysis

Analyzed Apr 04, 2023 | Instrument GC/FID with Headspace Analyzer | Method SOP-006

Analyte	LOD ug/g	LOQ ug/g	Result ug/g	Limit ug/g	Analyte	LOD ug/g	LOQ ug/g	Result ug/g	Limit ug/g
Propane (Prop)	0.4	40.0	ND	5000.0	Butane (But)	0.4	40.0	ND	5000.0
Methanol (Metha)	0.4	40.0	ND	3000.0	Ethylene Oxide (EthOx)	0.4	0.8	ND	1.0
Pentane (Pen)	0.4	40.0	ND	5000.0	Ethanol (Ethan)	0.4	40.0	ND	5000.0
Ethyl Ether (EthEt)	0.4	40.0	ND	5000.0	Acetone (Acet)	0.4	40.0	ND	5000.0
Isopropanol (2-Pro)	0.4	40.0	ND	5000.0	Acetonitrile (Acetonit)	0.4	40.0	ND	410.0
Methylene Chloride (MetCh)	0.4	0.8	1.0	1.0	Hexane (Hex)	0.4	40.0	ND	290.0
Ethyl Acetate (EthAc)	0.4	40.0	ND	5000.0	Chloroform (Clo)	0.4	0.8	ND	1.0
Benzene (Ben)	0.4	0.8	ND	1.0	1-2-Dichloroethane (12-Dich)	0.4	0.8	ND	1.0
Heptane (Hep)	0.4	40.0	ND	5000.0	Trichloroethylene (TriClEth)	0.4	0.8	ND	1.0
Toluene (Toluene)	0.4	40.0	ND	890.0	Xulenes (Xul)	0.4	40.0	ND	2170.0

FVI - Filth & Foreign Material Inspection Analysis

Analyzed Mar 30, 2023 | Instrument Microscope | Method SOP-010

Analyte / Limit	Result	Analyte / Limit	Result			
> 1/4 of the total sample area covered by sand, soil, cinders, or dirt	ND	> 1/4 of the total sample area covered by mold	ND			
> 1 insect fragment, 1 hair, or 1 count mammalian excreta per 3q	ND	> 1/4 of the total sample area covered by an imbedded foreign material	ND			

UI Not Identified
ND Not Detected
NA Not Applicable
NT Not Reported
LOD Limit of Detection
LOQ Limit of Quantification
«LOQ Detected
»ULOL Above upper limit of linearity
CFU/g Colony Forming Units per 1 gram
TNTC Too Numerous to Count







Authorized Signature

Brandon Stark



