



Report Number:	23-000414/D004.R000					
Report Date:	01/16/2023					
ORELAP#:	OR100028					
Purchase Order:						
Received:	01/10/23 16:50					

Customer:	IHC LLC
Product identity:	Live D8 SGR - SP
Client/Metrc ID:	
Laboratory ID:	23-000414-0008

S	Su	m	m	a	ry					
-	-	_	—	_	_	—	_	-	-	—

Analyte	Result (%)	• CBD • CBDV		
CBD	46.3	• Δ8-THC • CBG	CBD-Total	50.8%
∆8-THC	31.3	• CBD-A		
CBD-A	5.13	• СВТ	THC-Total	0.184%
CBT	0.572	• CBC		
CBC	0.438	 CBE Δ8-THCV 	(Reported in pe	rcent of total sample)
CBE	0.389	• CBN		
∆8-THCV	0.353	• CBC-A		
CBN	0.349	• THC-A		
CBC-A	0.282	• CBG-A		
THC-A	0.210			
CBG-A	0.180			
CBDV	0.128			
CBG	0.0992			

Page 1 of 6 Test results relate only to the parameters tested and to the samples as received by the laboratory. Test results meet all requirements of NELAP and the Columbia Laboratories quality assurance plan unless otherwise noted. This report shall not be reproduced, except in full, without the written consent of this laboratory. Samples will be retained for a maximum of 30 days from the receipt date unless prior arrangements have been made. Testing in accordance with: OAR 333-007-0430



IHC LLC

.

No 20 °C

Client

825 NW 16th Ave Portland Oregon 97209

Live D8 SGR - SP

23-000414-0008

United States of America (USA)

Customer:

Product identity:

Client/Metrc ID:

Sample Date:

Laboratory ID:

Temp:

Evidence of Cooling:

Relinquished by:

12423 NE Whitaker Way Portland, OR 97230 503-254-1794



Report Number:	23-000414/D004.R000					
Report Date:	01/16/2023					
ORELAP#:	OR100028					
Purchase Order:						
Received:	01/10/23 16:50					



Sample Results

Potency	Method: J AOAC 2015	V98-6 (mod) ^p Units %	Batch: 2300475 Analyze: 1/13/23 11:17:00 PM
Analyte	As Dry	LOQ Notes	
	Received weight		🖲 CBD 🛛 🖷 CBG
CBC	0.438	0.0702	• Δ8-THC • CBD'
CBC-A	0.282	0.0702	CBD-A CBG CBT
CBC-Total	0.685	0.132	
CBD	46.3	0.702	• CBE
CBD-A	5.13	0.0702	▲δ8-THCV
CBD-Total	50.8	0.764	• CBN
CBDV	0.128	0.0702	• CBC-A
CBDV-A	< LOQ	0.0702	• THC-A
CBDV-Total	< LOQ	0.131	
CBE	0.389	0.0702	
CBG	0.0992	0.0702	
CBG-A	0.180	0.0702	
CBG-Total	0.257	0.131	
CBL	< LOQ	0.0702	
CBL-A	< LOQ	0.0702	
CBL-Total	< LOQ	0.132	
CBN	0.349	0.0702	
CBT	0.572	0.0702	
$\Delta 10$ -THC-9R	< LOQ	0.0702	
∆8-THC	31.3	0.702	
∆8-THCV	0.353	0.0702	
∆9-THC	< LOQ	0.0702	
exo-THC	< LOQ	0.0702	
THC-A	0.210	0.0702	
THC-Total	0.184	0.132	
THCV	< LOQ	0.0702	
THCV-A	< LOQ	0.0702	
THCV-Total	< LOQ	0.131	
Total Cannabinoids	85.7		

www.columbialaboratories.com

Test results relate only to the parameters tested and to the samples as received by the laboratory. Test results meet all requirements of NELAP and the Columbia Laboratories quality assurance plan unless otherwise noted. This report shall not be reproduced, except in full, without the written consent of this laboratory. Samples will be retained for a maximum of 30 days from the receipt date unless prior arrangements have been made.

Testing in accordance with: OAR 333-007-0430





 Report Number:
 23-000414/D004.R000

 Report Date:
 01/16/2023

 ORELAP#:
 OR100028

 Purchase Order:
 Received:

 01/10/23 16:50
 01/10/23 16:50

Abbreviations

Limits: Action Levels per OAR-333-007-0400, OAR-333-007-0210, OAR-333-007-0220, CCR title 16-division 42. BCC-section 5723

Limit(s) of Quantitation (LOQ): The minimum levels, concentrations, or quantities of a target variable (e.g., target analyte) that can be reported with a specified degree of confidence.

^b = ISO/IEC 17025:2017 accredited method.

Units of Measure

% = Percentage of sample % wt = $\mu g/g$ divided by 10,000

Approved Signatory

Derrick Tanner General Manager

www.columbialaboratories.com

Page 3 of 6

Test results relate only to the parameters tested and to the samples as received by the laboratory. Test results meet all requirements of NELAP and the Columbia Laboratories quality assurance plan unless otherwise noted. This report shall not be reproduced, except in full, without the written consent of this laboratory. Samples will be retained for a maximum of 30 days from the receipt date unless prior arrangements have been made.





Report Number:	23-000414/D004.R000
Report Date:	01/16/2023
ORELAP#:	OR100028
Purchase Order:	
Received:	01/10/23 16:50

			Analysis Requested											1.1	O Number:	
Company I he Hemp Collect Contact, kyle/Bithehempco Street, 431 NW Flanders st Cky Portland State (ky Portland State (k) Email Results: dropbox (IH mit (b1) 608164 C Fx Results Billing if different) [Ool/Bithehem	UF 200	97209	etkides - DR 59 compounds	atkode Multi-Rasidos - 375 compounds		sidual Solicests	obstants & Watter Activity		dicroc Yeast and Model	Actor C. Coll and Total Dolfum	Metais			Projec Pro Containe f Report 1	ct Number: pect Name Seporting: e State - [] / ext time: [] [] []	NETHC or C Other: 5 Resisters Day Standard Turnaround 3 Bosisers Day Rock Turnaround* 2 Ibsisters Day Bish Tarnaround* Uncer for invested by
rb D Giest Sangle Identification	Date	Title	Petrioldes	Penticida	Potenci	testual 5	Molatare	Tespenes	Microc Ve	Mictor 6.0	HAVE AND	Mytotoles	Other	Sample Type 1	Weight (Units)	Commenta/Metric 10
Live D8 SGR - FV Live D8 SGR - TG		-			×	1			_					G		Saula 49:
	_	-			X	_	_	_		_	_	_		C		Sample #9: Alternate clieut
Live D8 BDR - OGK					X		_		_		_	_	1			Alternato dient
Live D8 SGR - OG	-	-	-	-	×	-	-	-	_	-	_	_		C		11 - 11
Live DE SGR - OGK	-	-	-	-	x	_	-		_		_	_	-	C		name : Mary
Live DB SGR - PB		-	-	-	x	_	-		-	-	_	-	-	C		- T d
Live DB SGR - SP	-	-	-	-	X		-	-		-	_	_		č		- Oae
	-	-	-	-	-	-	-		-		-	-	-	C		-
DB-King Louis		-	-	-	K	-		-		-		-	-	<u>~</u>		-
Relegatived the	Ditte	Tree		-		notived I	Be		-	0.	RE .	m	ÝØ.	-	_	Lab use Only:
eth Griggs	1/10	4:30 PI		DS				1/10]	273	The	50	Evidence Sample in	D Shipped Via:or "SLC land drop Evidence of scollag: D Yes S.No. Temp (*C)22 ²¹ - Sample is good condition "S Yes D No D Centh D Check D CC D Mee:			

1 - Sample Type Codes: Vegetation (V) / Isolates (V) | Entran/Concentrate (C); Texture/Topical (V); Edible (C); Reverage (V)

at for services to accordance with the represent frame of particle annotation with this 170°. It signing "Anhappedian by" you are agreening to does to see Surgilies exclusion of a Columbia Laboration with testing requirements constitute an ap-P. (503) 234-2754 / Fex. (503) 254-2452

12423 NE KONSHIN WOR Portland, DA 87,045

idadhaccondathacconces-sum

Page 4 of 6

Page 4 of 6 www.columbialaboratories.com Test results relate only to the parameters tested and to the samples as received by the laboratory. Test results meet all requirements of NELAP and the Columbia Laboratories quality assurance plan
unless otherwise noted. This report shall not be reproduced, except in full, without the written consent of this laboratory. Samples will be retained for a maximum of 30 days from the receipt date unless prior arrangements have been made.





Report Number:	23-000414/D004.R000				
Report Date:	01/16/2023				
ORELAP#:	OR100028				
Purchase Order:					
Received:	01/10/23 16:50				



Page 5 of 6 Test results relate only to the parameters tested and to the samples as received by the laboratory. Test results meet all requirements of NELAP and the Columbia Laboratories quality assurance plan unless otherwise noted. This report shall not be reproduced, except in full, without the written consent of this laboratory. Samples will be retained for a maximum of 30 days from the receipt date unless prior arrangements have been made. Testing in accordance with: OAR 333-007-0430





23-000414/D004.R000 **Report Number: Report Date:** 01/16/2023 **ORELAP#:** OR100028 **Purchase Order:** 01/10/23 16:50 **Received:**

Explanation of QC Flag Comments:

Code	Explanation
Q	Matrix interferences affecting spike or surrogate recoveries.
Q1	Quality control result biased high. Only non-detect samples reported.
Q2	Quality control outside QC limits. Data considered estimate.
Q3	Sample concentration greater than four times the amount spiked.
Q4	Non-homogenous sample matrix, affecting RPD result and/or % recoveries.
Q5	Spike results above calibration curve.
Q6	Quality control outside QC limits. Data acceptable based on remaining QC.
R	Relative percent difference (RPD) outside control limit.
R1	RPD non-calculable, as sample or duplicate results are less than five times the LOQ.
R2	Sample replicates RPD non-calculable, as only one replicate is within the analytical range.
LOQ1	Quantitation level raised due to low sample volume and/or dilution.
LOQ2	Quantitaion level raised due to matrix interference.
В	Analyte detected in method blank, but not in associated samples.
B1	The sample concentration is greater than 5 times the blank concentration.
B2	The sample concentration is less than 5 times the blank concentration.

 www.columbialaboratories.com
 Page 6 of 6

 Test results relate only to the parameters tested and to the samples as received by the laboratory. Test results meet all requirements of NELAP and the Columbia Laboratories quality assurance plan unless otherwise noted. This report shall not be reproduced, except in full, without the written consent of this laboratory. Samples will be retained for a maximum of 30 days from the receipt date unless prior arrangements have been made.

 Testing in accordance with:
 OAR 333-007-0430

SD230329-008 page 1 of 2

PharmLabs San Diego Certificate of Analysis

3421 Hancock St, Second Floor, San Diego, CA 92110 | License: C8-0000098-LIC ISO/IEC 17025:2017 Certification L17-427-1 | Accreditation #85368

sample 03DTST224_AMBER_D8 Distillate



QA Testing

Sample ID SD230329-008 (71349) Matrix Concentrate (Inhalable Cannabis Good)

Tested for The Hemp Collect Sampled -Received Mar 28, 2023 Analyses executed CAN+, RES, MIBIG, MTO, PES, HME, FVI

Laboratory note: The estimated concentration of the unknown peak in the sample is 660% | Currently PharmLabs laboratory can not confirm an unidentified peak in your chromatogram due to interference (only with highly concentrated D8 products) from which we believe to be either (+)d8-THC or d9-THC. At this time there are no reference standards available for (+)d8-THC, (+)d8-THC is a different compound from the main (-)d8-THC cannobinoid and, therefore, these two compounds may have different efficacies. Using the most advanced instruments and techniques available, the separation of (+)d8-THC and d9-THC and d9-THC is problematic for the scientific community as a whole. PhormLabs believes the unidentified peak to be a combination of (+)d8-THC with the majority, if not all, of the concentration being (+)d8-THC. Total (+/-) D8 Concentration is estimated to be 94.56%.

Reported Apr 05, 2023

CAN+ - Cannabinoids Analysis

Analyzed Apr 04, 2023 | Instrument HPLC-VWD | Method SOP-001 The expanded Uncertainty of the Cannabinoid analysis is approximately **3.806**% at the 95% Confidence Level

Analyte	LOD mg/g	LOQ mg/g	Result %	Result mg/g
Cannabidivarin (CBDV)	0.039	0.16	ND	ND
Cannabidiolic Acid (CBDA)	0.001	0.16	ND	ND
Cannabigerol Acid (CBGA)	0.001	0.16	ND	ND
Cannabigerol (CBG)	0.001	0.16	ND	ND
Cannabidiol (CBD)	0.001	0.16	ND	ND
Tetrahydrocannabivarin (THCV)	0.001	0.16	ND	ND
Cannabinol (CBN)	0.001	0.16	ND	ND
Tetrahydrocannabinol (Δ9-THC)	0.003	0.16	UI	UI
Δ8-tetrahydrocannabinol (Δ8-THC)	0.004	0.16	94.56	945.60
Cannabicyclol (CBL)	0.002	0.16	ND	ND
Cannabichromene (CBC)	0.002	0.16	ND	ND
Tetrahydrocannabinolic Acid (THCA)	0.001	0.16	ND	ND
Total THC (THCa * 0.877 + Δ9THC)			ND	ND
Total THC + Δ8THC (THCa * 0.877 + Δ9THC + Δ8THC)			94.56	945.60
Total CBD (CBDa * 0.877 + CBD)			ND	ND
Total CBG (CBGa * 0.877 + CBG)			ND	ND
Total Cannabinoids			94.56	945.60

HME - Heavy Metals Detection Analysis

Analyzed Apr 04, 2023 | Instrument ICP/MSMS | Method SOP-005

Analyte	LOD ug/g	LOQ ug/g	Result ug/g	Limit ug/g	Analyte	LOD ug/g	LOQ ug/g	Result ug/g	Limit ug/g
Arsenic (As)	0.0002	0.0005	ND	0.2	Cadmium (Cd)	3.0e-05	0.0005	ND	0.2
Mercury (Hg)	1.0e-05	0.0001	ND	0.1	Lead (Pb)	1.0e-05	0.00125	ND	0.5

MIBIG - Microbial Testing Analysis

Analyzed Mar 31, 2023 | Instrument qPCR and/or Plating | Method SOP-007

Analyte	Result CFU/g	Limit	Analyte	Result CFU/g	Limit
Shiga toxin-producing Escherichia Coli	ND	ND per 1 gram	Salmonella spp.	ND	ND per 1 gram
Aspergillus fumigatus	ND	ND per 1 gram	Aspergillus flavus	ND	ND per 1 gram
Aspergillus niger	ND	ND per 1 gram	Aspergillus terreus	ND	ND per 1 gram

MTO - Mycotoxin Testing Analysis

Analyzed Apr 04, 2023 | Instrument LC/MSMS | Method SOP-004

Analyte	LOD ug/kg	LOQ ug/kg	Result ug/kg (ppb)	Limit ug/kg	Analyte	LOD ug/kg	LOQ ug/kg	Result ug/kg (ppb)	Limit ug/kg
Ochratoxin A	5.0	20.0	ND	20	Aflatoxin B1	2.5	5.0	ND	-
Aflatoxin B2	2.5	5.0	ND	-	Aflatoxin G1	2.5	5.0	ND	-
Aflatoxin G2	2.5	5.0	ND	-	Total Aflatoxins	10.0	20.0	ND	20







Authorized Signature

Brandon Starr

Brandon Starr, Lab Manager Wed, 05 Apr 2023 10:13:00 -0700



PharmLabs San Diego | 3421 Hancock St, Second Floor, San Diego, CA 92110 | 619.356.0898 | ISO/IEC 17025:2017 Certification L17-427-1 "This report shall not be reproduced except in full, without the written approval of the lab. This report is for informational purposes only and should not be used to diagnose, treat or prevent any disease. Results are only for samples and batches indicated. Results are reported on an "as received" basis, unless indicated otherwise. When a Pass/Fall status is reported, that status is intended to be in accordance with federal, state and local lows which are required for the customer to be in compliance. The measurement of uncertainty is not included in the Pass/Fall evolution unless explicition unless expliciting, state or local lows and has been reported on the retrificate of analysis. Ressurement of uncertainty is available upon request.

SD230329-008 page 2 of 2

QA Testing

PES - Pesticides Screening Analysis

Analyzed Apr 04, 2023 | Instrument LC/MSMS GC/MSMS | Method SOP-003

Analyte	LOD ug/g	LOQ ug/g	Result ug/g	Limit ug/g	Analyte	LOD ug/g	LOQ ug/g	Result ug/g	Limit ug/g
Aldicarb	0.0078	0.02	ND	0.0078	Carbofuran	0.01	0.02	ND	0.01
Dimethoate	0.01	0.02	ND	0.01	Etofenprox	0.02	0.1	ND	0.02
Fenoxycarb	0.01	0.02	ND	0.01	Thiachloprid	0.01	0.02	ND	0.01
Daminozide	0.01	0.03	ND	0.01	Dichlorvos	0.02	0.07	ND	0.02
Imazalil	0.02	0.07	ND	0.02	Methiocarb	0.01	0.02	ND	0.01
Spiroxamine	0.01	0.02	ND	0.01	Coumaphos	0.01	0.02	ND	0.01
Fipronil	0.01	0.1	ND	0.01	Paclobutrazol	0.01	0.03	ND	0.01
Chlorpyrifos	0.01	0.04	ND	0.01	Ethoprophos (Prophos)	0.01	0.02	ND	0.01
Baygon (Propoxur)	0.01	0.02	ND	0.01	Chlordane	0.04	0.1	ND	0.04
Chlorfenapyr	0.03	0.1	ND	0.03	Methyl Parathion	0.02	0.1	ND	0.02
Mevinphos	0.03	0.08	ND	0.03	Abamectin	0.03	0.08	ND	0.1
Acephate	0.02	0.05	ND	0.1	Acetamiprid	0.01	0.05	ND	0.1
Azoxystrobin	0.01	0.02	ND	0.1	Bifenazate	0.01	0.05	ND	0.1
Bifenthrin	0.02	0.35	ND	3	Boscalid	0.01	0.03	ND	0.1
Carbaryl	0.01	0.02	ND	0.5	Chlorantraniliprole	0.01	0.04	ND	10
Clofentezine	0.01	0.03	ND	0.1	Diazinon	0.01	0.02	ND	0.1
Dimethomorph	0.02	0.06	ND	2	Etoxazole	0.01	0.05	ND	0.1
Fenpyroximate	0.02	0.1	ND	0.1	Flonicamid	0.01	0.02	ND	0.1
Fludioxonil	0.01	0.05	ND	0.1	Hexythiazox	0.01	0.03	ND	0.1
Imidacloprid	0.01	0.05	ND	5	Kresoxim-methyl	0.01	0.03	ND	0.1
Malathion	0.01	0.05	ND	0.5	Metalaxyl	0.01	0.02	ND	2
Methomyl	0.02	0.05	ND	1	Myclobutanil	0.02	0.07	ND	0.1
Naled	0.01	0.02	ND	0.1	Oxamyl	0.01	0.02	ND	0.5
Permethrin	0.01	0.02	ND	0.5	Phosmet	0.01	0.02	ND	0.1
Piperonyl Butoxide	0.02	0.06	ND	3	Propiconazole	0.03	0.08	ND	0.1
Prallethrin	0.02	0.05	ND	0.1	Pyrethrin	0.05	0.41	ND	0.5
Pyridaben	0.02	0.07	ND	0.1	Spinosad A	0.01	0.05	ND	0.1
Spinosad D	0.01	0.05	ND	0.1	Spiromesifen	0.02	0.06	ND	0.1
Spirotetramat	0.01	0.02	ND	0.1	Tebuconazole	0.01	0.02	ND	0.1
Thiamethoxam	0.01	0.02	ND	5	Trifloxystrobin	0.01	0.02	ND	0.1
Acequinocyl	0.02	0.09	ND	0.1	Captan	0.01	0.02	ND	0.7
Cypermethrin	0.02	0.1	ND	1	Cyfluthrin	0.04	0.1	ND	2
Fenhexamid	0.02	0.07	ND	0.1	Spinetoram J,L	0.02	0.07	ND	0.1
Pentachloronitrobenzene	0.01	0.1	ND	0.1					

RES - Residual Solvents Testing Analysis

Analyzed Apr 04, 2023 | Instrument GC/FID with Headspace Analyzer | Method SOP-006

Analyte	LOD ug/g	LOQ ug/g	Result ug/g	Limit ug/g	Analyte	LOD ug/g	LOQ ug/g	Result ug/g	Limit ug/g
Propane (Prop)	0.4	40.0	ND	5000.0	Butane (But)	0.4	40.0	ND	5000.0
Methanol (Metha)	0.4	40.0	ND	3000.0	Ethylene Oxide (EthOx)	0.4	0.8	ND	1.0
Pentane (Pen)	0.4	40.0	ND	5000.0	Ethanol (Ethan)	0.4	40.0	ND	5000.0
Ethyl Ether (EthEt)	0.4	40.0	ND	5000.0	Acetone (Acet)	0.4	40.0	ND	5000.0
Isopropanol (2-Pro)	0.4	40.0	ND	5000.0	Acetonitrile (Acetonit)	0.4	40.0	ND	410.0
Methylene Chloride (MetCh)	0.4	0.8	1.0	1.0	Hexane (Hex)	0.4	40.0	ND	290.0
Ethyl Acetate (EthAc)	0.4	40.0	ND	5000.0	Chloroform (Clo)	0.4	0.8	ND	1.0
Benzene (Ben)	0.4	0.8	ND	1.0	1-2-Dichloroethane (12-Dich)	0.4	0.8	ND	1.0
Heptane (Hep)	0.4	40.0	ND	5000.0	Trichloroethylene (TriClEth)	0.4	0.8	ND	1.0
Toluene (Toluene)	0.4	40.0	ND	890.0	Xylenes (Xyl)	0.4	40.0	ND	2170.0

FVI - Filth & Foreign Material Inspection Analysis

Analyzed Mar 30, 2023 | Instrument Microscope | Method SOP-010

Analyte / Limit	Result	Analyte / Limit	Result
>1/4 of the total sample area covered by sand, soil, cinders, or dirt	ND	> 1/4 of the total sample area covered by mold	ND
>1 insect fragment, 1 hair, or 1 count mammalian excreta per 3g	ND	> 1/4 of the total sample area covered by an imbedded foreign material	ND

UI Not Identified ND Not Detected NA Not Applicable NT Not Reported LOD Limit of Detection LOQ Limit of Quantification <LOQ Detected NUCU. Above upper limit of linearity >ULCU. Above upper limit of linearity CFU/Q colony forming Units per 1 gram TNTC Too Numerous to Count







Authorized Signature

Brandon Starr

Brandon Starr, Lab Manager Wed, 05 Apr 2023 10:13:00 -0700



PharmLabs San Diego | 3421 Hancock St, Second Floor, San Diego, CA 92110 | 619.356.0898 | ISO/IEC 17025:2017 Certification L17-427-1 This report shall not be reproduced except in full, without the written approval of the lab. This report is for informational purposes only and should not be used to diagnose, treat or prevent any disease. Results are only for samples and batches indicated. Results are reported on an "os received" basis, unless indicated otherwise. When a Pass/Fail status is reported, that status is intended to be in accordance with federal, state and local laws which are required for the customer to be in compliance. The measurement of uncertainty is not included in the Pass/Fail evolution unless explicitude, state or including and accordance with federal or should not be upon request.





Report Number:	23-000690/D004.R000
Report Date:	01/24/2023
ORELAP#:	OR100028
Purchase Order:	
Received:	01/17/23 14:16

_ _ _ _ _ _ _ _ _

Customer:	IHC LLC
Product identity:	01LIR209_SP
Client/Metrc ID:	
Laboratory ID:	23-000690-0017

Analyte	Result (%)			
CBD-A	59.0	CBD-ACBDV-A	CBD-Total	52.7%
CBDV-A	5.17	 CBDV-A CBC-A 		
CBC-A	2.83	• THC-A	THC-Total	2.35%
THC-A	2.39	• CBG-A		
CBG-A	1.97	CBD	(Reported in pe	rcent of total sample)
CBD	0.909	THCV-A		
THCV-A	0.667	 Δ9-THC 		
∆9-THC	0.252	• CBG		
CBG	0.175	• CBC		
CBC	0.0720			

Residual Solvents:

Pesticides:

alyte Result Limits Statu (mg/kg) (mg/kg)
ti-Residue Pesticide Profile < LOQ for all analytes

 _ I _ I

Metals:

_ _

Less than LOQ for all analytes.

I -- -

Page 1 of 16 Test results relate only to the parameters tested and to the samples as received by the laboratory. Test results meet all requirements of NELAP and the Columbia Laboratories quality assurance plan unless otherwise noted. This report shall not be reproduced, except in full, without the written consent of this laboratory. Samples will be retained for a maximum of 30 days from the receipt date unless prior arrangements have been made. Testing in accordance with: OAR 333-007-0430



IHC LLC

.

No

20 °C

ramos

825 NW 16th Ave Portland Oregon 97209

01LIR209_SP

23-000690-0017

United States of America (USA)

Customer:

Product identity:

Client/Metrc ID:

Sample Date:

Laboratory ID:

Temp:

Evidence of Cooling:

Relinquished by:

12423 NE Whitaker Way Portland, OR 97230 503-254-1794



Report Number:	23-000690/D004.R000
Report Date:	01/24/2023
ORELAP#:	OR100028
Purchase Order:	
Received:	01/17/23 14:16



Sample Results

Potency	Method: J AOAC	2015 V98-6 (mod	l) ^p Units %	Batch: 2300599	Analyze: 1/19/23 8:47:00 AM
Analyte		Dry LOQ	Notes		
		veight			CBD-A
CBC	0.0720	0.0698			• CBDV-A
CBC-A	2.83	0.0698			CBC-A THO A
CBC-Total	2.55	0.131			 THC-A CBG-A
CBD	0.909	0.0698			CBD-A CBD
CBD-A	59.0	0.698			THCV-A
CBD-Total	52.7	0.682			 Δ9-THC
CBDV	< LOQ	0.0698			• CBG
CBDV-A	5.17	0.0698			• CBC
CBDV-Total	4.48	0.130			
CBE	< LOQ	0.0698			
CBG	0.175	0.0698			
CBG-A	1.97	0.0698			
CBG-Total	1.90	0.130			
CBL	< LOQ	0.0698			
CBL-A	< LOQ	0.0698			
CBL-Total	< LOQ	0.131			
CBN	< LOQ	0.0698			
CBT	< LOQ	0.0698			
Δ10-THC-9R	< LOQ	0.0698			
∆8-THC	< LOQ	0.0698			
∆8-THCV	< LOQ	0.0698			
∆9-THC	0.252	0.0698			
exo-THC	< LOQ	0.0698			
THC-A	2.39	0.0698			
THC-Total	2.35	0.131			
THCV	< LOQ	0.0698			
THCV-A	0.667	0.0698			
THCV-Total	0.586	0.130			
Total Cannabinoids	73.4				

www.columbialaboratories.com Test results relate only to the parameters tested and to the samples as received by the laboratory. Test results meet all requirements of NELAP and the Columbia Laboratories quality assurance plan unless otherwise noted. This report shall not be reproduced, except in full, without the written consent of this laboratory. Samples will be retained for a maximum of 30 days from the receipt date unless prior arrangements have been made.

Page 2 of 16



Report Number:	23-000690/D004.R000
Report Date:	01/24/2023
ORELAP#:	OR100028
Purchase Order:	
Received:	01/17/23 14:16

Solvents	Method:	Residua	I Solve	ents by	GC/MS ^p	Units µg/g Batch	2300691	Analyz	ze 01/2	23/23 (03:03 PM
Analyte	Result	Limits	LOQ	Status	Notes	Analyte	Result	Limits	LOQ	Status	Notes
1,4-Dioxane	< LOQ	380	100	pass		2-Butanol	< LOQ	5000	200	pass	
2-Ethoxyethanol	< LOQ	160	30.0	pass		2-Methylbutane (Isopentane)	< LOQ		200		
2-Methylpentane	< LOQ		30.0			2-Propanol (IPA)	< LOQ	5000	200	pass	
2,2-Dimethylbutane	< LOQ		30.0			2,2-Dimethylpropane (neo-pentane)	< LOQ		200		
2,3-Dimethylbutane	< LOQ		30.0			3-Methylpentane	< LOQ		30.0		
Acetone	< LOQ	5000	200	pass		Acetonitrile	< LOQ	410	100	pass	
Benzene	< LOQ	2.00	1.00	pass		Butanes (sum)	931	5000	400	pass	
Cyclohexane	< LOQ	3880	200	pass		Ethyl acetate	< LOQ	5000	200	pass	
Ethyl benzene	< LOQ		200			Ethyl ether	< LOQ	5000	200	pass	
Ethylene glycol	< LOQ	620	200	pass		Ethylene oxide	< LOQ	50.0	20.0	pass	
Hexanes (sum)	< LOQ	290	150	pass		Isopropyl acetate	< LOQ	5000	200	pass	
lsopropylbenzene (Cumene)	< LOQ	70.0	30.0	pass		m,p-Xylene	< LOQ		200		
Methanol	< LOQ	3000	200	pass		Methylene chloride	< LOQ	600	60.0	pass	
Methylpropane (Isobutane)	< LOQ		200			n-Butane	931		200		
n-Heptane	< LOQ	5000	200	pass		n-Hexane	< LOQ		30.0		
n-Pentane	< LOQ		200			o-Xylene	< LOQ		200		
Pentanes (sum)	< LOQ	5000	600	pass		Propane	< LOQ	5000	200	pass	
Tetrahydrofuran	< LOQ	720	100	pass		Toluene	< LOQ	890	100	pass	
Total Xylenes	< LOQ		400			Total Xylenes and Ethy benzene	< LOQ	2170	600	pass	

 Pesticides
 Method: AOAC 2007.01 & EN 15662 (mod)^b
 Units mg/kg
 Batch 2300713
 Analyze 01/24/23
 10:07 AM

 Analyte
 Result
 Limits
 Status
 Notes

Multi-Residue Pesticide Profile

< LOQ for all analytes

Metals							
Analyte	Result	Limits	Units	LOQ	Batch	Analyzed Method	Status Notes
Arsenic	< LOQ	0.200	mg/kg	0.0751	2300594	01/18/23 AOAC 2013.06 (mod.) ^p	pass
Cadmium	< LOQ	0.200	mg/kg	0.0751	2300594	01/18/23 AOAC 2013.06 (mod.) ^b	pass
Lead	< LOQ	0.500	mg/kg	0.0751	2300724	01/23/23 AOAC 2013.06 (mod.) ^b	pass
Mercury	< LOQ	0.100	mg/kg	0.0376	2300594	01/18/23 AOAC 2013.06 (mod.) ^b	pass

www.columbialaboratories.com

Test results relate only to the parameters tested and to the samples as received by the laboratory. Test results meet all requirements of NELAP and the Columbia Laboratories quality assurance plan unless otherwise noted. This report shall not be reproduced, except in full, without the written consent of this laboratory. Samples will be retained for a maximum of 30 days from the receipt date unless prior arrangements have been made.





 Report Number:
 23-000690/D004.R000

 Report Date:
 01/24/2023

 ORELAP#:
 OR100028

 Purchase Order:
 Received:

 01/17/23 14:16
 01/17/23 14:16

Abbreviations

Limits: Action Levels per OAR-333-007-0400, OAR-333-007-0210, OAR-333-007-0220, CCR title 16-division 42. BCC-section 5723

Limit(s) of Quantitation (LOQ): The minimum levels, concentrations, or quantities of a target variable (e.g., target analyte) that can be reported with a specified degree of confidence.

^b = ISO/IEC 17025:2017 accredited method.

Units of Measure

μg/g = Microgram per gram mg/kg = Milligram per kilogram = parts per million (ppm) % = Percentage of sample % wt = μg/g divided by 10,000

Approved Signatory

Derrick Tanner General Manager

www.columbialaboratories.com

Page 4 of 16

Test results relate only to the parameters tested and to the samples as received by the laboratory. Test results meet all requirements of NELAP and the Columbia Laboratories quality assurance plan unless otherwise noted. This report shall not be reproduced, except in full, without the written consent of this laboratory. Samples will be retained for a maximum of 30 days from the receipt date unless prior arrangements have been made.





Report Number:	23-000690/D004.R000
Report Date:	01/24/2023
ORELAP#:	OR100028
Purchase Order:	
Received:	01/17/23 14:16

LOQ

(mg/kg)

0.1

0.1

0.1

0.1

0.1

0.1

0.1

0.1

0.1 0.1

0.1

0.1

0.1

0.1

0.1

0.1

0.1

0.1 0.1

0.1

0.1

0.1

0.1

0.1

0.1

0.1

0.1

0.1

0.1

0.1

0.1

0.1

0.1

0.1

0.1

0.1

0.1

0.1 0.1

0.1 0.1

0.1

01

0.1

0.1

0.1 0.1

0.1

6	Columbia
-7	LADDRATORIES
-	Consistent of reaction by

Analyte	LOQ (mg/kg)
2,4-D	0.1
Abamectin	0.1
Acephate	0.2
Acequinocyl	0.2
Acetamiprid	0.1
Acetochlor	0.2
Acrinathrin	0.1
Alachlor	0.1
Aldicarb	0.1
Aldoxycarb	0.1
Aldrin	0.1
Ametoctradin	0.1
Ametryn	0.1
Anilazine	0.1
Aspon	0.1
Asulam	0.1
Atrazine	0.1
Atrazine-desethyl	0.1
Azinphos-ethyl	0.1
Azinphos-methyl	0.1
Azoxystrobin	0.1
Benalaxyl	0.1
Bendiocarb	0.1
Benoxacor	0.1
Bensulide	0.1
Bentazon	0.1
Bifenazate	0.1
Bifenox	0.1
Bifenthrin	0.1
Binapacryl	0.1
Boscalid	0.1
Bromacil	0.1
Bromophos-ethyl	0.1
Bromopropylate	0.1
Bromoxynil	0.1
Bupirimate	0.1
Buprofezin	0.1
Butachlor	0.1
Butylate	0.1
Cadusafos	0.1
Captan	0.2
Carbaryl	0.1
Carbendazim	0.1
Carbofuran	0.1
Carbofuran 3-hydroxy	0.1
Carbophenothion	0.1
Carbophenothion-methyl	0.1
Carboxin	0.1

P2320 Multi-Residue Pesticide Profile Cannabis

Analyte	LOQ (mg/kg)	Analyte
Chlorantraniliprol	0.1	Dieldrin
Chlordane, cis-	0.1	Diethofencarb
Chlordane, trans-	0.1	Difenoconazol
Chlorfenapyr	0.1	Diflubenzuron
Chlorfenvinphos	0.1	Diflufenzopyr
Chlorobenzilate	0.1	Dimethenamid
Chlorpyrifos-ethyl	0.1	Dimethoat
Chlorpyrifos-methyl	0.1	Dimethomorph
Chlorthal-dimethyl (Dacthal)	0.1	Dinoseb
Clethodim	0.1	Dinotefuran
Clethodim sulfone	0.1	Dioxathion
Clethodim sulfoxide	0.1	Diphenamid
Clofentezine	0.1	Diphenylamine (DPA)
Clomazone	0.1	Disulfoton
Clopyralid	0.1	Disulfoton-sulfone
Clothianidin	0.1	Disulfoton-Sulfoxide
Coumaphos	0.1	Diuron
Crotoxyphos	0.1	DNOC
Cyanofenphos	0.1	Edifenphos
Cyanophos	0.1	Endosulfan (alpha isomer)
Cyantraniliprole	0.1	Endosulfan (beta isomer)
Cyazofamid	0.1	Endosulfan-sulfate
Cyfluthrin	0.1	Endrin
Cyhalothrin, lambda	0.1	EPN
Cymoxanil	0.1	EPTC
Cypermethrin	0.1	Esfenvalerate/Fenvalerate
Cyprodinil	0.1	Ethiofencarb
DDD, o,p'-	0.1	Ethion
DDD, p,p'-	0.1	Ethofumesate
DDE, o,p'-	0.1	Ethoprophos
DDE, p,p'-	0.1	Etofenprox
DDT, o,p'-	0.1	Etoxazole
DDT, p,p'-	0.1	Etrimfos
DEET	0.1	Famoxadone
Deltamethrin	0.1	Famphur
Demeton-S	0.1	Fenamiphos
Demeton-s-methyl	0.1	Fenamiphos-Sulfone
Demeton-S-methyl-sulfone	0.1	Fenamiphos-Sulfoxide
Desmedipham	0.1	Fenazaquin
Diazinon	0.1	Fenbuconazole
Dicamba	0.1	Fenhexamid
Dichlofenthion	0.1	Fenobucarb
Dichlofluanid	-	
Dichlorbenzamid	0.1	Fenoxycarb Fenpropathrin
Dichlorvos	0.1	Fensulfothion
Diclofop	0.1	Fenthion
Diclofop-methyl	0.1	Fenuron
Dicrotophos	0.1	Fipronil

LOQ= Limit of Quantitation
mg/kg= milligram per kilogram (ppm)

Page 1 of 3

Updated: 09.12.2022

Page 5 of 16

Test results relate only to the parameters tested and to the samples as received by the laboratory. Test results meet all requirements of NELAP and the Columbia Laboratories quality assurance plan unless otherwise noted. This report shall not be reproduced, except in full, without the written consent of this laboratory. Samples will be retained for a maximum of 30 days from the receipt date unless Test results relate only to the parameters tested and to the samples as received by the prior arrangements have been made

www.columbialaboratories.com





Report Number:	23-000690/D004.R000
Report Date:	01/24/2023
ORELAP#:	OR100028
Purchase Order:	
Received:	01/17/23 14:16

6	Columbia
9	LADDRATORIES

P2320 Multi-Residue Pesticide Profile Cannabis

Flonicamid Fluazifop Fluazifop Fluazinam Flucythrinate Fludixonil Flufenacet Flumioxazin Fluopicolide Fluopyram Fluopxatfurone Fluopyradifurone	0.1 0.1 0.1 0.1 0.1 0.1 0.1 0.1 0.1 0.1
Fluazinam Flucythrinate Fludioxonil Flufenacet Flumioxazin Fluopicolide Fluopyram Fluoxastrobin Fluoyadifurone	0.1 0.1 0.1 0.1 0.1 0.1 0.1 0.1
Flucythrinate Flucioxonil Flucienacet Flumioxazin Fluopicolide Fluopyram Fluoxastrobin Flupyradifurone	0.1 0.1 0.1 0.1 0.1 0.1 0.1
Fludioxonil Fludioxazin Flumioxazin Fluopicolide Fluopyram Fluoxastrobin Fluoyadifurone	0.1 0.1 0.1 0.1 0.1 0.1
Flufenacet Flumioxazin Fluopicolide Fluopyram Fluoxastrobin Flupyradifurone	0.1 0.1 0.1 0.1 0.1
Flumioxazin Fluopicolide Fluopyram Fluoxastrobin Fluoyardifurone Fluoyaria	0.1 0.1 0.1 0.1
Fluopicolide Fluopyram Fluoxastrobin Fluoyradifurone Fluoyradifurone	0.1 0.1 0.1
Fluopyram Fluoxastrobin Fluoyradifurone	0.1 0.1
Fluopyram Fluoxastrobin Fluoyradifurone	0.1 0.1
Fluoxastrobin Flupyradifurone	
	0.1
Fluridone	0.1
Fluroxypyr	0.1
Fluthiacet-methyl	0.1
Flutolanil	0.1
Flutriafol	0.1
Fluvalinate	0.1
Fluxapyroxad	0.1
Fomesafen	0.1
Formetanate	0.1
Furathiocarb	0.1
Haloxyfop	0.1
Heptachlor	0.1
Heptachlor epoxide	0.1
Heptachiorepoxide	0.1
Hexazinone	0.1
Hexythiazox	0.1
Hydropene	0.1
Imazalil	0.1
Imazethapyr	
Imidacloprid	0.1
Indaziflam	0.1
Indoxacarb	0.1
Iprobenfos	0.1
Iprodion	0.1
Isobenzan	0.1
Isofenphos	0.1
Isofenphos-methyl	0.1
Isofenphos-oxon	0.1
Isoprocarb	0.1
Isoprothiolane	0.1
Isoproturon	0.1
Isoxaben	0.1
Kresoxim-methyl	0.1
Lindane	0.1
Linuron Malaoxon	0.1
Malaoxon Malathion	0.1

Analyte	LOQ (mg/kg)				
Mandipropamid	0.1				
MCPA	0.1				
MCPB	0.1				
MCPP	0.1				
Mecabarm	0.1				
Mepanipyrim	0.1				
Mesotrione	0.1				
Metalaxyl	0.1				
Methamidophos	0.1				
Methiocarb	0.1				
Methiocarb sulfone	0.1				
Methiocarb sulfoxide	0.1				
Methomyl	0.1				
Methoxyfenozide	0.1				
Metolachlor	0.1				
Metolcarb	0.1				
Metrafenone	0.1				
Mevinphos	0.1				
MGK 264	0.1				
Molinat	0.1				
Monocrotophos	0.1				
Monolinuron	0.1				
Myclobutanil	0.1				
Naled	0.1				
Napropamide	0.1				
Neburon	0.1				
Norflurazon	0.1				
Novaluron	0.1				
Omethoat	0.1				
Oryzalin	0.1				
Oxadiazon	0.1				
Oxadixyl	0.1				
Oxamyl	0.1				
Oxamyl-oxime	0.1				
Oxychlordane	0.1				
Oxydemeton-Methyl	0.1				
Oxyfluorfen	0.1				
Paclobutrazol	0.1				
Paraoxon-ethyl	0.1				
Paraoxon-methyl	0.1				
Parathion-methyl	0.1				
Penconazole	0.1				
Pendimethalin	0.1				
Penflufen	0.1				
Penthiopyrad	0.1				
Permethrin	0.1				
Perthane	0.1				
Phenmedipham	0.1				

Analyte	LOQ (mg/kg)
Phenothrin	0.1
Phenthoate	0.1
Phorate	0.1
Phorate-Sulfone	0.1
Phorate-Sulfoxide	0.1
Phosalone	0.1
Phosmet	0.1
Phosphamidon	0.1
Phoxim	0.1
Pinoxaden	0.1
Piperonyl Butoxide	0.1
Pirimicarb	0.1
Pirimiphos-ethyl	0.1
Pirimiphos-methyl	0.1
Prallethrin	0.1
Prochloraz	0.1
Procymidone	0.1
Profenofos	0.1
Promecarb	0.1
Prometon	0.1
Prometryn	0.1
Propachlor	0.1
Propamocarb	0.1
Propanil	0.1
Propazine	0.1
Propetamophos	0.1
Propham	0.1
Propiconazole	0.1
Propoxur	0.1
Propyzamide	0.1
Prothiofos	0.1
Pyraclostrobin	0.1
Pyraflufen Ethyl	0.1
Pyrazophos	0.1
Pyrethrin	0.1
Pyridaben	0.1
Pyrimethanil	0.1
Pyriproxifen	0.1
Pyroxasulfone	0.1
Pyroxsulam	0.1
Quinalphos	0.1
Quinclorac	0.1
Quinoxyfen	0.1
Quintozene(PCNB)	0.2
Quizalofop	0.1
Resmethrin	0.1
Rotenone	0.1

LOQ= Limit of Quantitation mg/kg= milligram per kilogram (ppm)

Page 2 of 3

Updated: 09.12.2022

Page 6 of 16
<u>www.columbialaboratories.com</u>
Page 6 of 16
Test results relate only to the parameters tested and to the samples as received by the laboratory. Test results meet all requirements of NELAP and the Columbia Laboratories quality assurance plan
unless otherwise noted. This report shall not be reproduced, except in full, without the written consent of this laboratory. Samples will be retained for a maximum of 30 days from the receipt date unless
prior arrangements have been made.
Tester except on the tester of the samples are consented of this laboratory.





Report Number:	23-000690/D004.R000
Report Date:	01/24/2023
ORELAP#:	OR100028
Purchase Order:	
Received:	01/17/23 14:16

6	Columbia
	A fortam is towardy

P2320 Multi-Residue Pesticide Profile
Cannabis

Analyte	LOQ (mg/kg)
Sebuthylazin	0.1
Sethoxydim	0.1
Simazine	0.1
Simetryn	0.1
Spinetoram J/L	0.1
Spinosyn A/D	0.1
Spirodiclofen	0.1
Spiromesifen	0.1
Spirotetramat	0.1
Spiroxamine	0.1
Sulfentrazone	0.1
Sulfotep	0.1
Sulfoxaflor	0.1
Sulprofos	0.1
Tebuconazole	0.1
Tebufenozide	0.1
Terbufos	0.1
Terbuthylazine	0.1
Terbutryn	0.1
Tetrachlorvinphos	0.1
Tetraconazole	0.1
Tetramethrin	0.1
Thiabendazol	0.1
Thiabendazol-5-hydroxy	0.1
Thiacloprid	0.1
Thiamethoxam	0.1
Thiobencarb	0.1
Thiodicarb	0.1
Thiometon	0.1
Thiophanate-methyl	0.2
Tolfenpyrad	0.1
Tolylfluanid	0.1
Triadimefon	0.1
Triadimenol	0.1
Triazophos	0.1
Trifloxystrobin	0.1
Triflumizole	0.1
Triticonazole	0.1
Zoxamid	0.1

LOQ= Limit of Quantitation mg/kg= milligram per kilogram (ppm)

Updated: 09.12.2022

 www.columbialaboratories.com
 Page 7 of 16

 Test results relate only to the parameters tested and to the samples as received by the laboratory. Test results meet all requirements of NELAP and the Columbia Laboratories quality assurance plan unless otherwise noted. This report shall not be reproduced, except in full, without the written consent of this laboratory. Samples will be retained for a maximum of 30 days from the receipt date unless prior arrangements have been made.

 Testing in accordance with: OAR 333-007-0400 OAR 333-007-0410
 OAR 333-007-0430





Report Number:	23-000690/D004.R000
Report Date:	01/24/2023
ORELAP#:	OR100028
Purchase Order:	
Received:	01/17/23 14:16

olumbia ABORATORIES s A Hermonia Company

Hemp / Cannabis Usable / Extract / Finished Products

Chain of Custody Record

Revision: 4.00 Controlit: OF025 Rev 00/24/2021 Eff: 03/04/2021 ORELAPID: OR10023

000000000000000000000000000000000000000						. 1	Scalys	is Rec	uerte	ed					O Namber:	
Company: The Hemp Collect Contact: Kylet@thehempoo Street: 431 NW Handers St City: Portland Issue B Enail Results: dropbox (IH Ph: (61) 608164 □ Fs Results Bling If dResett: (068@thehes	NIBOLCO L UF apr RC) E (97209	estódes - 08.59 somprunds satode Multi-Nesidue - 379 compounds			Hadual Solverts	sisters & Valeise Activity		is to Yearst and MeMS	nd Total Colforns	esels	E		Projec Pro Custom I Report 1	ject Number:	
Lab 35 Clent Sample Identification	Care	Time	Peticides	1.6	Sec. 1. 18	Beddual	Melitrar	Tupered	Micros Y	Micros C.	Heavy Netals	Mysulasin	Dther	Sample Type 1	Weight (Units)	Comments/Webs ID
1 01LIR209_LB				×	x	×					×			C		
2 01LIR209_KC				×	X	x					x		1.	C		
3 01LIR209_FV			-	х	х	X					×			C		
4 01LIR209_WW				x	x	x					×			C	1	
5 01LIR209_SB	1			Х,	x	x					x			C		
8 01LIR209_BO	-			x	x	x					x	-		C	1	
7 01LIR209_LT	-	-		x	x	x	-	\vdash	-	-	x		-	C	1	
8 01LIR209 RC	-	-		x	x	x	-	-	-	-	x	-	-	C		
9 01LIR209_PJ		-	\vdash	x	x	x	-	-	-	-	x	-	-	C		
10 01LIR209_CJ	-	-		x	x	x				-	x			C		
Relinguished by:	Date	Tirse	3	12	2.	heartend	Dic.	-		p	Kie l	TP	na.			Lab Une Only:
Kyle Farook	1/17	11:00 A	- for the second s					1.17.13 1110			0	Dishapped Wa:or D Clear drop Folderce of cooling: D Yes D Ro - Temp PC: 2 + 3				
132	1.17	1337	RB5				\$07	123	191	16	Sample is	pool conditio	e: 🛙 Yest 🗄 Na			

+ - Sample Type Codes, Vegetation (V) ; isolates (S) ; Estimat/Concentrate (C) ; Testimes/Topical (T) ; Edible (E) ; Beverage (R)

whe was a sum down with the corrections of service associated with the COC. By April ("Adiopothed by" you are opticing to down service orgity interactive Calantics Automatics with timing requirements carations saving A: (NOR) 254-2794 7 Hox: (NOR) 252-3452

12422 W Whiteler Way Authority OM 87280

infollication bit laboratorias 2017

Page of

www.columbialaboratories.com

Test results relate only to the parameters tested and to the samples as received by the laboratory. Test results meet all requirements of NELAP and the Columbia Laboratories quality assurance plan unless otherwise noted. This report shall not be reproduced, except in full, without the written consent of this laboratory. Samples will be retained for a maximum of 30 days from the receipt date unless prior arrangements have been made.





Report Number:	23-000690/D004.R000
Report Date:	01/24/2023
ORELAP#:	OR100028
Purchase Order:	
Received:	01/17/23 14:16

olumbia ROPATORIES A Torologies Children of

Hemp / Cannabis Usable / Extract / Finished Products Chain of Custody Record

Revision: 4.00 Control#: CF023 Rev 02/24/2021 Eff: 05/04/2021

CRELAPID: OR100028

-							A	naiysi	is Reg	ueste	đ					0 Number:	
21 12 13 14	The Hemp Collect Contact: kyleis/thehempox 431 NW Flanders S Pretand Sealer Email Results: dropbox (IF c (61) 505154 [] Fx Result ing (f different) joel (Sthehem	Illect.co UF _{Ze} : C)	97209	Moden - Of 59 comparade Mode Mah Residue - 3.79 compounds Moneco			estitusi Solventa	Acidstate & Watter Authory	A WRITER ALLINERY	Acro: Yeart and Mode	fou: £ Ohave Total Celiform	4			Project Number: Project Number: Project Number: Curtain Reporting: Curtain Reporting: Tenteround time: 20 1 Dusivers Day Flandard Turnaround		
tab ID	Client Sample Identification 01LIR209 OGK	Dete	Tirrel	Pretioder	Preside	A Polyansy	Rentant	Moisture	Thepartee	Terparte MG0011	Mou: E	Meany Matahi	Mycotonine	Other	Semple Type 1	Weight (Units)	Comments/Wetro ID
	01LIR209_Shaolin	<u> </u>		-	x	x	x		-	_	_	×		-	c		
	01LIR209_Japhy	-	-	-	X	x	x		-	_	_	x	-		c		
	01LIR209_PP			-	1x	x	x	-	-	-	-	x	-	-	c		
	01LIR209_MT	_	-		x	×	x		-	_	-	x		-	c		
51	01LIR209_M1	-		-	x	x	1x	-	-			x			č		
	01LIR209_SP	-	-	-	-	×	x		-	_	_	x	-		c		
2.11	01LIR209_Sour G		-		X	x	x	_	_			x		-	c		
	01LIR209_500 G	-			-				-	_	_	10. I	-		c		
					×	×	×			_		x	_		0		
10	01LIR209_RGSP				×	x	×	_		_	_	x			~		
	Reliequal and Dy:	Case	Tine	Agasteritity.					-	et ar		ma:		-	Lais Use Only:		
ĸy	le Farcok	1/17	11:00 A	22			1+1	1.15	11	L P			es D No. Terry (*C): 20. 2				
	12	107	1335		D	3/2	6				011	1/13	IK)	4	Sample in Costi (e: Cl Simij Cl No

+ - Sample Type Codec: Vagetation (V) ; holatin (5) ; totract/Concentrate (C); Tincture/Topical (1); Edible (C); Beverage (8)

ender services to econdater with the current toward service associated with this COC. To signing: "Admonstracity" year or synologic data: termiamples a devoted to Columbus Laboratories with a range reparationers constrate on open 13423 Mi Whiteler Wee P. (503) 254-1784 | Jac. (503) 254-1452

Portland, OR 97233

info@eolurnikistakuralurler.com

www.columbialaboratories.com

Test results relate only to the parameters tested and to the samples as received by the laboratory. Test results meet all requirements of NELAP and the Columbia Laboratories quality assurance plan unless otherwise noted. This report shall not be reproduced, except in full, without the written consent of this laboratory. Samples will be retained for a maximum of 30 days from the receipt date unless prior arrangements have been made.





Report Number:	23-000690/D004.R000
Report Date:	01/24/2023
ORELAP#:	OR100028
Purchase Order:	
Received:	01/17/23 14:16

olumbia BORATORIES A Texasian Company

Hemp / Cannabis Usable / Extract / Finished Products

Chain of Custody Record

Revision: 4.00 Control®: CF025 Key 02/24/2021 Eff: 03/04/2021 OREAPID: ONL00028

112102206-1110-0042	Analysis Requested									P	PO Number:									
Contenty: The Hemp Collect. Content: kytetis/thehempcollect.com Street: 431 NW Flanders st. Cky: Portland Street: Ap: 97209 G8 Email Results: dropbox (IHC) rh: (b1) bUb1b4 □ Fe Results:		(lect.com OF ap 97209 O))))		bliedLoom L OF ap: 97209 KC) s()		Nutti-Residue - 379 compounds		oldual Solvents	sture & Waker Activity		factor Veeset and Mohd	ons: E. Deli and Tetal Coliform	wy Mietala	int .		Projec Pro Custem P Report to	a Mumber: ject Neme: Neporting: a State - [] WE a	TRC or []: Other Insteen Day Standard Turnaround Insteen Day Rach Turnaround* Scalesco Day Roch Tarnaround* Section occulobility
tab ID Client Sample Identification	Date	Time	Particides	K Perticide	× Potency	Festival	Moldure	Ter years	Mikrus V	MIKED C	N Harry N	Mycotacies	Uther	Semple Type It	Weight (Unita)	Exercit antity/Webre (D				
2 01LIR209_ST6				X	×	X	-	-			x	-	-	C						
3 01LIR209 CS		-		x	x	x	-	-	-	-	x		-	Ċ						
4 01LIR209 PB		-		x	x	x	-	-		-	X	-		C	-					
5 6 7 8																				
9																				
10									6						(
Helinquished lity:	Dele	Time		1	2	period	By:			0	00	Tr	me			Leb Use Only:				
2	1/17	11:00 /		2	シリント	5	_	_			1/13	141		Evidence Sample in Cl Cash (of cooking: [] % good condition	er D Client elropi es D No - Tettip (*C); 2, i _ j v C Vet) D No C D Met:				

1 - Samule Type Codes: Vegetation (V) ; instates (S) ; Extract/Concentrate (C) ; Tincharu/Topical (T) ; Edible (E) ; Deverage (S)

war until the united ory spreaking to blear terms Raphi admittate Columbia Inde is such assure requi er for annua to acordary with the correct times of larger annotated with the COC. By signing "Achieperfect by" yes P. (300) 254-1264 (Fox (300) 254-1452

12425 Att Hiteliter Way Personal, OK 622281

Info@columbid.com/com

Ner_of_

www.columbialaboratories.com

Page 10 of 16

Test results relate only to the parameters tested and to the samples as received by the laboratory. Test results meet all requirements of NELAP and the Columbia Laboratories quality assurance plan unless otherwise noted. This report shall not be reproduced, except in full, without the written consent of this laboratory. Samples will be retained for a maximum of 30 days from the receipt date unless prior arrangements have been made.





Report Number:	23-000690/D004.R000
Report Date:	01/24/2023
ORELAP#:	OR100028
Purchase Order:	
Received:	01/17/23 14:16

Revision: 1 Document ID: 7148 Legacy ID: Worksheet Validated 04/20/2021

J AOAC 2015 V98	-6				В	atch ID: 2	300599		
Laboratory Contr	ol Sample								
Analyte	LCS	Result	Spike	Units	% Rec	Ľ	imits	Evaluation	Notes
CBDVA	2	0.104	0.100	%	104	80.0	- 120	Acceptable	
CBDV	2	0.110	0.106	%	104	80.0	- 120	Acceptable	
CBE	2	0.108	0.105	%	103	80.0	- 120	Acceptable	
CBDA	1	0.0963	0.096	%	100	90.0	- 110	Acceptable	
CBGA	1	0.0966	0.096	%	100	80.0	- 120	Acceptable	
CBG	1	0.100	0.099	%	102	80.0	- 120	Acceptable	
CBD	1	0.0970	0.097	%	99.7	90.0	- 110	Acceptable	
THCV	2	0.108	0.106	%	102	80.0	- 120	Acceptable	
d8THCV	2	0.109	0.103	%	106	80.0	- 120	Acceptable	
THCVA	2	0.103	0.099	%	104	80.0	- 120	Acceptable	
CBN	1	0.103	0.102	%	101	80.0	- 120	Acceptable	
exo-THC	2	0.101	0.097	%	104	80.0	- 120	Acceptable	
d9THC	1	0.112	0.105	%	107	90.0	- 110	Acceptable	
d8THC	1	0.0963	0.100	%	95.8	90.0	- 110	Acceptable	
CBL	2	0.109	0.104	%	105	80.0	- 120	Acceptable	
d10THC	1	0.0474	0.047	%	100	80.0	- 120	Acceptable	
CBC	2	0.107	0.104	%	103	80.0	- 120	Acceptable	
THCA	1	0.0946	0.095	%	99.6	90.0	- 110	Acceptable	
CBCA	2	0.105	0.103	%	102	80.0	- 120	Acceptable	
CBLA	2	0.109	0.105	%	104	80.0	- 120	Acceptable	
СВТ	2	0.110	0.105	%	104	80.0	- 120	Acceptable	
Method Blank	-								
Analyte		Result	LOQ	-	Units		imits	Evaluation	Notes
CBDVA		<loq< td=""><td>0.077</td><td></td><td>%</td><td></td><td>.077</td><td>Acceptable</td><td></td></loq<>	0.077		%		.077	Acceptable	
CBDV		<loq< td=""><td>0.077</td><td></td><td>%</td><td></td><td>.077</td><td>Acceptable</td><td></td></loq<>	0.077		%		.077	Acceptable	
CBE		<loq< td=""><td>0.077</td><td></td><td>%</td><td></td><td>.077</td><td>Acceptable</td><td></td></loq<>	0.077		%		.077	Acceptable	
CBDA		<loq< td=""><td>0.077</td><td></td><td>%</td><td></td><td>.077</td><td>Acceptable</td><td></td></loq<>	0.077		%		.077	Acceptable	
CBGA		<loq< td=""><td>0.077</td><td></td><td>%</td><td></td><td>.077</td><td>Acceptable</td><td></td></loq<>	0.077		%		.077	Acceptable	
CBG		<loq< td=""><td>0.077</td><td></td><td>%</td><td></td><td>.077</td><td>Acceptable</td><td></td></loq<>	0.077		%		.077	Acceptable	
CBD THCV		<loq< td=""><td>0.077</td><td>+</td><td>%</td><td></td><td>.077</td><td>Acceptable</td><td></td></loq<>	0.077	+	%		.077	Acceptable	
		<loq< td=""><td>0.077</td><td></td><td>%</td><td></td><td>.077</td><td>Acceptable</td><td></td></loq<>	0.077		%		.077	Acceptable	
d8THCV		<loq< td=""><td>0.077</td><td></td><td>%</td><td></td><td>.077</td><td>Acceptable</td><td></td></loq<>	0.077		%		.077	Acceptable	
THCVA CBN		<loq <loq< td=""><td>0.077</td><td></td><td>%</td><td></td><td>.077</td><td>Acceptable</td><td></td></loq<></loq 	0.077		%		.077	Acceptable	
END-THC		<100	0.077		%		.077	Acceptable Acceptable	
d9THC		<100	0.077		%		.077	Acceptable	
		<loq< td=""><td>0.077</td><td></td><td>%</td><td></td><td>.077</td><td>Acceptable</td><td></td></loq<>	0.077		%		.077	Acceptable	
CBL		<loq< td=""><td>0.077</td><td></td><td>%</td><td></td><td>.077</td><td>Acceptable</td><td></td></loq<>	0.077		%		.077	Acceptable	
10THC		<100	0.077	+	%		.077	Acceptable	
CBC		<100	0.077	+	%		.077	Acceptable	
THCA		<loq< td=""><td>0.077</td><td></td><td>%</td><td></td><td>.077</td><td>Acceptable</td><td></td></loq<>	0.077		%		.077	Acceptable	
CBCA		<100	0.077	+	%		.077	Acceptable	
CBLA		<loq <loq< td=""><td>0.077</td><td>+</td><td>%</td><td></td><td>.077</td><td>Acceptable</td><td></td></loq<></loq 	0.077	+	%		.077	Acceptable	
								Acceptable	
CBT		<loq< td=""><td>0.077</td><td></td><td>%</td><td></td><td>.077</td><td></td><td></td></loq<>	0.077		%		.077		

s ND - None Detected at or above MRL RPD - Relative Percent Difference LOQ - Limit of Quantitation

Units of Measure: % - Percent

Page 11 of 16 www.columbialaboratories.com Page 11 of 16 Test results relate only to the parameters tested and to the samples as received by the laboratory. Test results meet all requirements of NELAP and the Columbia Laboratories quality assurance plan unless otherwise noted. This report shall not be reproduced, except in full, without the written consent of this laboratory. Samples will be retained for a maximum of 30 days from the receipt date unless prior arrangements have been made.





Report Number:	23-000690/D004.R000
Report Date:	01/24/2023
ORELAP#:	OR100028
Purchase Order:	
Received:	01/17/23 14:16

Revision: 1 Document ID: 7148 Legacy ID: Worksheet Validated 04/20/2021

			La	boratory	Quality Cont	trol Results				
J AOAC 2015 V98-6					Bat	ch ID: 2300599				
Sample Duplicate	Sample ID: 23-000690-0001									
Analyte	Result	Org. Result	LOQ	Units	RPD	Limits	Evaluation	Notes		
CBDVA	0.234	0.234	0.077	%	0.0872	< 20	Acceptable			
CBDV	<loq< td=""><td><loq< td=""><td>0.077</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.077</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.077	%	NA	< 20	Acceptable			
CBE	<loq< td=""><td><loq< td=""><td>0.077</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.077</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.077	%	NA	< 20	Acceptable			
CBDA	54.6	54.7	0.077	%	0.322	< 20	Acceptable			
CBGA	1.61	1.61	0.077	%	0.0614	< 20	Acceptable			
CBG	0.100	0.102	0.077	%	1.57	< 20	Acceptable			
CBD	0.888	0.922	0.077	%	3.66	< 20	Acceptable			
THCV	<loq< td=""><td><loq< td=""><td>0.077</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.077</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.077	%	NA	< 20	Acceptable			
d8THCV	<loq< td=""><td><loq< td=""><td>0.077</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.077</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.077	%	NA	< 20	Acceptable			
THCVA	<loq< td=""><td><loq< td=""><td>0.077</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.077</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.077	%	NA	< 20	Acceptable			
CBN	<loq< td=""><td><loq< td=""><td>0.077</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.077</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.077	%	NA	< 20	Acceptable			
exo-THC	<loq< td=""><td><loq< td=""><td>0.077</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.077</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.077	%	NA	< 20	Acceptable			
d9THC	0.263	0.260	0.077	%	1.28	< 20	Acceptable			
d8THC	<loq< td=""><td><loq< td=""><td>0.077</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.077</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.077	%	NA	< 20	Acceptable			
CBL	<loq< td=""><td><loq< td=""><td>0.077</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.077</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.077	%	NA	< 20	Acceptable			
d10THC	<loq< td=""><td><loq< td=""><td>0.077</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.077</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.077	%	NA	< 20	Acceptable			
CBC	<loq< td=""><td><loq< td=""><td>0.077</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.077</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.077	%	NA	< 20	Acceptable			
THCA	3.97	3.97	0.077	%	0.128	< 20	Acceptable			
CBCA	2.66	2.63	0.077	%	1.28	< 20	Acceptable			
CBLA	<loq< td=""><td><loq< td=""><td>0.077</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.077</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.077	%	NA	< 20	Acceptable			
CBT	<loq< td=""><td><loq< td=""><td>0.077</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.077</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.077	%	NA	< 20	Acceptable			

ND - None Detected at or above MRL RPD - Relative Percent Difference

LOQ - Limit of Quantitation

Units of Measure:

Page 12 of 16
<u>www.columbialaboratories.com</u> Page 12 of 16
Test results relate only to the parameters tested and to the samples as received by the laboratory. Test results meet all requirements of NELAP and the Columbia Laboratories quality assurance plan
unless otherwise noted. This report shall not be reproduced, except in full, without the written consent of this laboratory. Samples will be retained for a maximum of 30 days from the receipt date unless
prior arrangements have been made.
Tester exception with 0.1 the exception of the samples are received by the laboratory.





Report Number:	23-000690/D004.R000
Report Date:	01/24/2023
ORELAP#:	OR100028
Purchase Order:	
Received:	01/17/23 14:16

Revision: 2 Document ID: 7087 Legacy ID: CFL-E33Effective:

	la	borator	/ Ouali	ity Contro	ol Results			Legacy II	D. OFL-	E33Effective:
Residual Solvents		Deruter	quan		in neo unto	Bat	tch ID:	2300691		
Method Blank					Laborator	y Control S	ample			
Analyte	Result		LOQ	Notes	Result	Spike	Units	% Rec	Limits	Notes
Propane	ND	<	200		547	572	μg/g	95.6 6	60 - 120	
Isobutane	ND	<	200		701	731	µg/g	95.9 6	50 - 120	
Butane	ND	<	200		678	731	µg/g	92.7 6	50 - 120	
2,2-Dimethylpropane	ND	<	200		893	936	µg/g	95.4 6	50 - 120	
Methanol	ND	<	200		1580	1620	µg/g	97.5 6	50 - 120	
Ethylene Oxide	ND	<	30		55	56.2	µg/g	97.9 6	50 - 120	
2-Methylbutane	ND	<	200		1520	1610	µg/g	94.4 6	50 - 120	
Pentane	ND	<	200		1520	1600	µg/g	95.0 6	50 - 120	
Ethanol	ND	<	200		1610	1610	µg/g	100.0 7	70 - 130	
Ethyl Ether	ND	<	200		1560	1630	µg/g	95.7 6	50 - 120	
2,2-Dimethylbutane	ND	<	30		164	171	µg/g	95.9 6	50 - 120	
Acetone	ND	<	200		1560	1630	µg/g	95.7 6	50 - 120	
2-Propanol	ND	<	200		1670	1620	µg/g	103.1 6	50 - 120	
Acetonitrile	ND	<	100		475	498	µg/g	95.4 6	60 - 120	
2,3-Dimethylbutane	ND	<	30		160	171	µg/g	93.6	50 - 120	
Dichloromethane	ND	<	60		476	483	µg/g	98.6	50 - 120	
2-Methylpentane	ND	<	30		161	168	µg/g	95.8 6	50 - 120	
3-Methylpentane	ND	<	30		146	167	µg/g	87.4 6	50 - 120	
Hexane	ND	<	30		208	182	µg/g	114.3 6	50 - 120	
Ethyl acetate	ND	<	200		1570	1610	µg/g	97.5 6	50 - 120	
2-Butanol	ND	<	200		1660	1600	µg/g	103.8 6	50 - 120	
Tetrahydrofuran	ND	<	100		474	483	µg/g	98.1 6	50 - 120	
Cyclohexane	ND	<	200		1540	1610	µg/g	95.7 6	50 - 120	
Benzene	ND	<	1		5.3	5.02	µg/g	105.6 6	50 - 120	
Isopropyl Acetate	ND	<	200		1670	1620	µg/g	103.1 6	50 - 120	
Heptane	ND	<	200		1500	1610	µg/g	93.2 6	50 - 120	
1,4-Dioxane	ND	<	100		475	491	µg/g	96.7 6	50 - 120	
2-Ethoxyethanol	ND	<	30		316	181	µg/g	174.6	50 - 120	Q1
Ethylene Glycol	ND	<	200		698	484	µg/g	144.2 6	50 - 120	Q1
Toluene	ND	<	100		465	485	µg/g	95.9 6	50 - 120	
Ethylbenzene	ND	<	200		911	969	µg/g	94.0 6	60 - 120	
m,p-Xylene	ND	<	200		915	994	µg/g	92.1 6	50 - 120	
o-Xylene	ND	<	200		901	967	µg/g	93.2 6	50 - 120	
Cumene	ND	<	30		161	171	µg/g	94.2 6	50 - 120	

 www.columbialaboratories.com
 Page 13 of 16

 Test results relate only to the parameters tested and to the samples as received by the laboratory. Test results meet all requirements of NELAP and the Columbia Laboratories quality assurance plan unless otherwise noted. This report shall not be reproduced, except in full, without the written consent of this laboratory. Samples will be retained for a maximum of 30 days from the receipt date unless prior arrangements have been made.

 Testing in accordance with: OAR 333-007-0400 OAR 333-007-0410
 OAR 333-007-0430





Revision: 2 Document ID: 7087

Report Number:	23-000690/D004.R000
Report Date:	01/24/2023
ORELAP#:	OR100028
Purchase Order:	
Received:	01/17/23 14:16

							Legacy ID	: CFL-E33Effective:
QC - Sample Duplicate						Sample ID:	23-000690-0005	
Analyte	Result	Org. Result	LOQ	Units	RPD	Limits	Accept/Fail	Notes
Propane	ND	ND	200	µg/g	0.0	< 20	Acceptable	
Isobutane	ND	ND	200	µg/g	0.0	< 20	Acceptable	
Butane	1250	1160	200	µg/g	7.5	< 20	Acceptable	
2,2-Dimethylpropane	ND	ND	200	µg/g	0.0	< 20	Acceptable	
Methanol	ND	ND	200	µg/g	0.0	< 20	Acceptable	
Ethylene Oxide	ND	ND	30	µg/g	0.0	< 20	Acceptable	
2-Methylbutane	ND	ND	200	µg/g	0.0	< 20	Acceptable	
Pentane	ND	ND	200	µg/g	0.0	< 20	Acceptable	
Ethanol	ND	ND	200	µg/g	0.0	< 20	Acceptable	
Ethyl Ether	ND	ND	200	µg/g	0.0	< 20	Acceptable	
2,2-Dimethylbutane	ND	ND	30	µg/g	0.0	< 20	Acceptable	
Acetone	ND	ND	200	µg/g	0.0	< 20	Acceptable	
2-Propanol	ND	ND	200	µg/g	0.0	< 20	Acceptable	
Acetonitrile	ND	ND	100	µg/g	0.0	< 20	Acceptable	
2,3-Dimethylbutane	ND	ND	30	µg/g	0.0	< 20	Acceptable	
Dichloromethane	ND	ND	60	µg/g	0.0	< 20	Acceptable	
2-Methylpentane	ND	ND	30	µg/g	0.0	< 20	Acceptable	
3-Methylpentane	ND	ND	30	µg/g	0.0	< 20	Acceptable	
Hexane	ND	ND	30	µg/g	0.0	< 20	Acceptable	
Ethyl acetate	ND	ND	200	µg/g	0.0	< 20	Acceptable	
2-Butanol	ND	ND	200	μg/g	0.0	< 20	Acceptable	
Tetrahydrofuran	ND	ND	100	µg/g	0.0	< 20	Acceptable	
Cyclohexane	ND	ND	200	µg/g	0.0	< 20	Acceptable	
Benzene	ND	ND	1	µg/g	0.0	< 20	Acceptable	
Isopropyl Acetate	ND	ND	200	µg/g	0.0	< 20	Acceptable	
Heptane	ND	ND	200	µg/g	0.0	< 20	Acceptable	
1,4-Dioxane	ND	ND	100	µg/g	0.0	< 20	Acceptable	
2-Ethoxyethanol	ND	ND	30	µg/g	0.0	< 20	Acceptable	
Ethylene Glycol	ND	ND	200	μg/g	0.0	< 20	Acceptable	
Toluene	ND	ND	100	µg/g	0.0	< 20	Acceptable	
Ethylbenzene	ND	ND	200	µg/g	0.0	< 20	Acceptable	
m,p-Xylene	ND	ND	200	µg/g	0.0	< 20	Acceptable	
o-Xylene	ND	ND	200	µg/g	0.0	< 20	Acceptable	
Cumene	ND	ND	30	µg/g	0.0	< 20	Acceptable	

Abbreviations

ND - None Detected at or above MRL RPD - Relative Percent Difference

Units of Measure:

µg/g- Microgram per gram or ppm

LOQ - Limit of Quantitation

Q1 - Quality control result biased high. Only non-detect samples reported.

Page 14 of 16
www.columbialaboratories.com
Test results relate only to the parameters tested and to the samples as received by the laboratory. Test results meet all requirements of NELAP and the Columbia Laboratories quality assurance plan
unless otherwise noted. This report shall not be reproduced, except in full, without the written consent of this laboratory. Samples will be retained for a maximum of 30 days from the receipt date unless
prior arrangements have been made.
Test results results are used to the samples are used to the samples are used to the samples will be retained for a maximum of 30 days from the receipt date unless
prior arrangements have been made.





Report Number:	23-000690/D004.R000
Report Date:	01/24/2023
ORELAP#:	OR100028
Purchase Order:	
Received:	01/17/23 14:16



 www.columbialaboratories.com
 Page 15 of 16

 Test results relate only to the parameters tested and to the samples as received by the laboratory. Test results meet all requirements of NELAP and the Columbia Laboratories quality assurance plan unless otherwise noted. This report shall not be reproduced, except in full, without the written consent of this laboratory. Samples will be retained for a maximum of 30 days from the receipt date unless prior arrangements have been made.

 Testing in accordance with: OAR 333-007-0400 OAR 333-007-0410
 OAR 333-007-0430





23-000690/D004.R000 **Report Number: Report Date:** 01/24/2023 **ORELAP#:** OR100028 **Purchase Order:** 01/17/23 14:16 **Received:**

Explanation of QC Flag Comments:

Code	Explanation
Q	Matrix interferences affecting spike or surrogate recoveries.
Q1	Quality control result biased high. Only non-detect samples reported.
Q2	Quality control outside QC limits. Data considered estimate.
Q3	Sample concentration greater than four times the amount spiked.
Q4	Non-homogenous sample matrix, affecting RPD result and/or % recoveries.
Q5	Spike results above calibration curve.
Q6	Quality control outside QC limits. Data acceptable based on remaining QC.
R	Relative percent difference (RPD) outside control limit.
R1	RPD non-calculable, as sample or duplicate results are less than five times the LOQ.
R2	Sample replicates RPD non-calculable, as only one replicate is within the analytical range.
LOQ1	Quantitation level raised due to low sample volume and/or dilution.
LOQ2	Quantitaion level raised due to matrix interference.
В	Analyte detected in method blank, but not in associated samples.
B1	The sample concentration is greater than 5 times the blank concentration.
B2	The sample concentration is less than 5 times the blank concentration.

 Image: New Columbial aboratories.com
 Page: 16 of 16

 Test results relate only to the parameters tested and to the samples as received by the laboratory. Test results meet all requirements of NELAP and the Columbia Laboratories quality assurance plan unless otherwise noted. This report shall not be reproduced, except in full, without the written consent of this laboratory. Samples will be retained for a maximum of 30 days from the receipt date unless prior arrangements have been made.

 Testing in accordance with: OAR 333-007-0400 OAR 333-007-0410
 OAR 333-007-0430