



Report Number:	22-014877/D006.R000
Report Date:	12/13/2022
ORELAP#:	OR100028
Purchase Order:	
Received:	12/06/22 13:21

- - - - - -

Customer:	IHC LLC
Product identity:	Wedding Cake D8 Sugar
Client/Metrc ID:	
Laboratory ID:	22-014877-0001

Summary

nalyte	Result (%)						
BD	60.1			CBD-Total	60.1%		
8-THC	27.8						
CBDV	0.332		• CBD	THC-Total	<loq< td=""></loq<>		
		• 8-THC • CBDV (Rep		(Reported in pe	ed in percent of total sample)		

Page 1 of 8 Test results relate only to the parameters tested and to the samples as received by the laboratory. Test results meet all requirements of NELAP and the Columbia Laboratories quality assurance plan unless otherwise noted. This report shall not be reproduced, except in full, without the written consent of this laboratory. Samples will be retained for a maximum of 30 days from the receipt date unless prior arrangements have been made. Testing in accordance with: OAR 333-007-0430



IHC LLC

.

No 9 °C

Hinton

825 NW 16th Ave Portland Oregon 97209

22-014877-0001

United States of America (USA)

Wedding Cake D8 Sugar

Customer:

Product identity:

Client/Metrc ID:

Sample Date:

Laboratory ID:

Temp:

Evidence of Cooling:

Relinquished by:

12423 NE Whitaker Way Portland, OR 97230 503-254-1794



Report Number:	22-014877/D006.R000
Report Date:	12/13/2022
ORELAP#:	OR100028
Purchase Order:	
Received:	12/06/22 13:21



Sample Results

Potency	Method: J AOAC 20	15 V98-6 (mod)♭ Units %	Batch: 2210423	Analyze: 12/8/22 3:19:00 AM
Analyte	As Dry	LOQ	Notes		
	Received weig	lht			
CBC	< LOQ	0.0709			
CBC-A	< LOQ	0.0709			
CBC-Total	< LOQ	0.133			• CBD
CBD	60.1	0.709			8-THC
CBD-A	< LOQ	0.0709			• CBDV
CBD-Total	60.1	0.771			
CBDV	0.332	0.0709			
CBDV-A	< LOQ	0.0709			
CBDV-Total	0.332	0.132			
CBE	< LOQ	0.0709			
CBG	< LOQ	0.0709			
CBG-A	< LOQ	0.0709			
CBG-Total	< LOQ	0.132			
CBL	< LOQ	0.0709			
CBL-A	< LOQ	0.0709			
CBL-Total	< LOQ	0.133			
CBN	< LOQ	0.0709			
CBT	< LOQ	0.0709			
$\Delta 10$ -THC	< LOQ	0.0709			
$\Delta 8$ -THC	27.8	0.709			
$\Delta 8$ -THCV	< LOQ	0.0709			
∆9-THC	< LOQ	0.0709			
exo-THC	< LOQ	0.0709			
THC-A	< LOQ	0.0709			
THC-Total	< LOQ	0.133			
THCV	< LOQ	0.0709			
THCV-A	< LOQ	0.0709			
THCV-Total	< LOQ	0.132			
Total Cannabinoids	88.2				

www.columbialaboratories.com

Test results relate only to the parameters tested and to the samples as received by the laboratory. Test results meet all requirements of NELAP and the Columbia Laboratories quality assurance plan unless otherwise noted. This report shall not be reproduced, except in full, without the written consent of this laboratory. Samples will be retained for a maximum of 30 days from the receipt date unless prior arrangements have been made.

Testing in accordance with: OAR 333-007-0430





Report Number: 22-014877/D006.R000 Report Date: 12/13/2022 **ORELAP#:** OR100028 Purchase Order: Received: 12/06/22 13:21

These test results are representative of the individual sample selected and submitted by the client.

Abbreviations

Limits: Action Levels per OAR-333-007-0400, OAR-333-007-0210, OAR-333-007-0220, CCR title 16-division 42. BCC-section 5723

Limit(s) of Quantitation (LOQ): The minimum levels, concentrations, or quantities of a target variable (e.g., target analyte) that can be reported with a specified degree of confidence.

^b = ISO/IEC 17025:2017 accredited method.

Units of Measure

% = Percentage of sample

% wt = $\mu g/g$ divided by 10,000

Approved Signatory

Derrick Tanner General Manager

www.columbialaboratories.com

Page 3 of 8

Test results relate only to the parameters tested and to the samples as received by equirements of NELAP and the Columbia Laboratories quality assurance plan unless otherwise noted. This report shall not be reproduced, except in full, without the written consent of this laboratory. Samples will be retained for a maximum of 30 days from the receipt date unless prior arrangements have been made





Report Number:	22-014877/D006.R000
Report Date:	12/13/2022
ORELAP#:	OR100028
Purchase Order:	
Received:	12/06/22 13:21

6)	
CI	A Terranes Corpsey

Hemp / Cannabis Usable / Extract / Finished Products Chain of Custody Record

Revision: 4.00 Control#: CF023 Rev 02/24/2021 Eff: 03/04/2021 ORELAP ID GRADODAS

		-				A	nalys	is Rei	veste	4				1	0 menber			
Contect: kyte@thehempoole Sonet: 431 NW Flanders st. One: Portland		Genuers The Hemp Collect Centert kyte@thehempcollect.co street 431 NW Flanders st. oty: Portland street Øt mail Results: dropbox (IHC) Ph: 101 b00164 □ #s Results:		97209	4 - Off 55 compositio	dolde Mubi-Neudue - 379 compositidi		e dual Selveria	Sturre & Weter Accesty		Stros. Yeard and Mold	ianu £.000 and Tatel Odifianti	etals	11		Projec Pro Eastern I Report S	a Number . act Numer . Seporting: State - [] 1 national R []	VETRIC or C Other 5 Dustries Day Sureland Terraround 5 Business Day Hash Terraround* 2 Business Day Rush Terraround* *Device surelation
Lie Clent Sangle Identification 1 Wedding Cake 08 Sug	Data	Tirret	Pesticides	Pendicida	Notesta N	Post fixed	Manur	Terpenes	Witro: Y	Warut	Herry Metals	Wycotowins	Other:	Semple Type 1	Weight (Units)	Comment. More it		
2 Live D9 - Pear Blossom		_	-	-	x		-			-	-	-	-	C		name. Native Hemp Company		
3 Live D9 - Uama Kush			-		X						-	-		C		Sample #2: Alternate client		
4 03DST222 Clear			-		x	-	-	-		-	-	-		C		name: Lifted. Made		
5 07/ISO222 6 7			_		×									s		-		
8					F			_										
10			-	-												-		
Nelropathed By:	Data	Time		-	h	boviec:	br.	17914		0	100	19	ne .			Labi Une Onlyr		
Kyle Farook	HIPU'S		er Cl Dierk drop 2 Yee (X/No - Temp (*C)															
MRUA	12/6	13:34		\$	0	R	_			44	1/22	151	£	Gash	Sample in good consistent (\$1.56) D No Cash C Check D CC D Met: Prelog Honage:			

1 - Sample Type Codes: Vegetation (V) / Kelates (II) ; Entract/Concentrate (C) / Texture/Tepical (II) ; Edible (D) ; Beverage (8)

Sensitiv industrial in Columbia Laboratorics with Analog respire where in accordance with the exercised server of correction associated with their COF. Its supring: "Herbaum alad its" to a over opproving to these areas

12423 MF Woltzker Way Portland, CR \$7230

P: (903) 254-2794 (Parc (503) 254-2482 induction and in the second

Page _____H

Page 4 of 8

Test results relate only to the parameters tested and to the samples as received by the laboratory. Test results meet all requirements of NELAP and the Columbia Laboratories quality assurance plan unless otherwise noted. This report shall not be reproduced, except in full, without the written consent of this laboratory. Samples will be retained for a maximum of 30 days from the receipt date unless prior arrangements have been made.





Report Number:	22-014877/D006.R000
Report Date:	12/13/2022
ORELAP#:	OR100028
Purchase Order:	
Received:	12/06/22 13:21

Revision: 1 Document ID: 7148 Legacy ID: Worksheet Validated 04/20/2021

J AOAC 2015 V98	-6		Lal																																													
Laboratory Contr	ol Sample																																															
Analyte	LCS	Result	Spike	Units	% Rec		Limits		Evaluation	Notes																																						
CBDVA	2	0.105	0.102	%	103	80.0	-	120	Acceptable																																							
CBDV	2	0.108	0.106	%	102	80.0	-	120	Acceptable																																							
CBE	2	0.108	0.106	%	101	80.0	-	120	Acceptable																																							
CBDA	1	0.0943	0.096	%	98.5	90.0	-	110	Acceptable																																							
CBGA	1	0.0950	0.097	%	98.4	80.0	-	120	Acceptable																																							
CBG	1	0.0944	0.095	%	99.0	80.0	-	120	Acceptable																																							
CBD	1	0.0927	0.096	%	97.0	90.0	-	110	Acceptable																																							
THCV	2	0.100	0.102	%	98.5	80.0	-	120	Acceptable																																							
d8THCV	2	0.105	0.109	%	96.5	80.0	-	120	Acceptable																																							
THCVA	2	0.108	0.100	%	108	80.0	-	120	Acceptable																																							
CBN	1	0.0938	0.099	%	94.7	80.0	-	120	Acceptable																																							
exo-THC	2	0.0946	0.098	%	96.4	80.0	-	120	Acceptable																																							
d9THC	1	0.0964	0.102	%	94.6	90.0	-	110	Acceptable																																							
d8THC	1	0.0922	0.100	%	92.0	90.0	-	110	Acceptable																																							
CBL	2	0.0978	0.100	%	97.7	80.0	-	120	Acceptable																																							
d10THC	1	0.0857	0.092	%	93.0	80.0	-	120	Acceptable																																							
CBC	2	0.0988	0.105	%	94.3	80.0	-	120	Acceptable																																							
THCA	1	0.0879	0.096	%	91.7	90.0	-	110	Acceptable																																							
CBCA	2	0.107	0.103	%	104	80.0	-	120	Acceptable																																							
CBLA	2	0.109	0.106	%	103	80.0	-	120	Acceptable																																							
СВТ	2	0.0974	0.110	%	88.6	80.0	-	120	Acceptable																																							
Method Blank	-																																															
Analyte		lesult	LOQ	-	Units		Limits		Evaluation	Notes																																						
CBDVA		<loq< td=""><td>0.0077</td><td></td><td>%</td><td></td><td>0.0077</td><td></td><td>Acceptable</td><td></td></loq<>	0.0077		%		0.0077		Acceptable																																							
CBDV		LOQ	0.0077		%		0.0077		Acceptable																																							
CBE		LOQ	0.0077		%		0.0077		Acceptable																																							
CBDA		<loq< td=""><td>0.0077</td><td></td><td>%</td><td></td><td>0.0077</td><td></td><td>Acceptable</td><td></td></loq<>	0.0077		%		0.0077		Acceptable																																							
CBGA		LOQ	0.0077		%		0.0077		Acceptable																																							
CBG		LOQ	0.0077	_	%		0.0077		Acceptable																																							
CBD THCV		<loq< td=""><td>0.0077</td><td></td><td>%</td><td></td><td>0.0077</td><td></td><td>Acceptable</td><td></td></loq<>	0.0077		%		0.0077		Acceptable																																							
		<loq< td=""><td>0.0077</td><td></td><td>%</td><td></td><td>0.0077</td><td></td><td>Acceptable</td><td></td></loq<>	0.0077		%		0.0077		Acceptable																																							
d8THCV		LOQ	0.0077		%		0.0077		Acceptable																																							
THCVA CBN		<loq< td=""><td></td><td></td><td>%</td><td></td><td>0.0077</td><td></td><td>Acceptable</td><td></td></loq<>			%		0.0077		Acceptable																																							
END-THC		<loq <1.00</loq 	0.0077		%		0.0077		Acceptable Acceptable																																							
d9THC		4		<u> </u>																																												
		<loq <1.00</loq 	0.0077		%		0.0077		Acceptable Acceptable																																							
CBL		(LOQ)		<u> </u>	%		0.0077																																									
LBL 110THC		(LOQ)	0.0077	<u> </u>	%		0.0077		Acceptable Acceptable																																							
		(LOQ)	0.0077		%		0.0077																																									
					, -				Acceptable																																							
THCA CBCA		<loq <loq< td=""><td>0.0077</td><td></td><td>%</td><td></td><td>0.0077</td><td></td><td>Acceptable</td><td></td></loq<></loq 	0.0077		%		0.0077		Acceptable																																							
CBLA		(LOQ)	0.0077	<u> </u>			0.0077		Acceptable Acceptable																																							
		LUU	0.0077	7 %			%	%	%														%	%	%	%	%	%	%		%	%	%	%	%		%	%	%	%	%	%	%	- <	0.0077	r	Acceptable	
CBLA		LOQ	0.0077		%		0.0077	,	Acceptable																																							

s ND - None Detected at or above MRL RPD - Relative Percent Difference LOQ - Limit of Quantitation

Units of Measure: % - Percent

Page 5 of 8 Test results relate only to the parameters tested and to the samples as received by the laboratory. Test results meet all requirements of NELAP and the Columbia Laboratories quality assurance plan unless otherwise noted. This report shall not be reproduced, except in full, without the written consent of this laboratory. Samples will be retained for a maximum of 30 days from the receipt date unless prior arrangements have been made. Testing in accordance with: OAR 333-007-0430





Report Number:	22-014877/D006.R000
Report Date:	12/13/2022
ORELAP#:	OR100028
Purchase Order:	
Received:	12/06/22 13:21

Revision: 1 Document ID: 7148 Legacy ID: Worksheet Validated 04/20/2021

			La	boratory	Quality Con	trol Results								
J AOAC 2015 V98-6					Ba	tch ID: 2210423								
Sample Duplicate	Sample ID: 22-014869-0001													
Analyte	Result	Org. Result	LOQ	Units	RPD	Limits	Evaluation	Notes						
CBDVA	<loq< td=""><td><loq< td=""><td>0.077</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.077</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.077	%	NA	< 20	Acceptable							
CBDV	<loq< td=""><td><loq< td=""><td>0.077</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.077</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.077	%	NA	< 20	Acceptable							
CBE	<loq< td=""><td><loq< td=""><td>0.077</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.077</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.077	%	NA	< 20	Acceptable							
CBDA	<loq< td=""><td><loq< td=""><td>0.077</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.077</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.077	%	NA	< 20	Acceptable							
CBGA	<loq< td=""><td><loq< td=""><td>0.077</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.077</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.077	%	NA	< 20	Acceptable							
CBG	<loq< td=""><td><loq< td=""><td>0.077</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.077</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.077	%	NA	< 20	Acceptable							
CBD	<loq< td=""><td><loq< td=""><td>0.077</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.077</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.077	%	NA	< 20	Acceptable							
THCV	<loq< td=""><td><loq< td=""><td>0.077</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.077</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.077	%	NA	< 20	Acceptable							
d8THCV	<loq< td=""><td><loq< td=""><td>0.077</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.077</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.077	%	NA	< 20	Acceptable							
THCVA	<loq< td=""><td><loq< td=""><td>0.077</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.077</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.077	%	NA	< 20	Acceptable							
CBN	<loq< td=""><td><loq< td=""><td>0.077</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.077</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.077	%	NA	< 20	Acceptable							
exo-THC	<loq< td=""><td><loq< td=""><td>0.077</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.077</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.077	%	NA	< 20	Acceptable							
d9THC	<loq< td=""><td><loq< td=""><td>0.077</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.077</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.077	%	NA	< 20	Acceptable							
d8THC	<loq< td=""><td><loq< td=""><td>0.077</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.077</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.077	%	NA	< 20	Acceptable							
CBL	<loq< td=""><td><loq< td=""><td>0.077</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.077</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.077	%	NA	< 20	Acceptable							
d10THC	<loq< td=""><td><loq< td=""><td>0.077</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.077</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.077	%	NA	< 20	Acceptable							
CBC	31.3	31.5	0.077	%	0.522	< 20	Acceptable							
ГНСА	<loq< td=""><td><loq< td=""><td>0.077</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.077</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.077	%	NA	< 20	Acceptable							
CBCA	<loq< td=""><td><loq< td=""><td>0.077</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.077</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.077	%	NA	< 20	Acceptable							
CBLA	<loq< td=""><td><loq< td=""><td>0.077</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.077</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.077	%	NA	< 20	Acceptable							
CBT	<loq< td=""><td><loq< td=""><td>0.077</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.077</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.077	%	NA	< 20	Acceptable							

ND - None Detected at or above MRL RPD - Relative Percent Difference

LOQ - Limit of Quantitation

Units of Measure:

Page 6 of 8 Test results relate only to the parameters tested and to the samples as received by the laboratory. Test results meet all requirements of NELAP and the Columbia Laboratories quality assurance plan unless otherwise noted. This report shall not be reproduced, except in full, without the written consent of this laboratory. Samples will be retained for a maximum of 30 days from the receipt date unless prior arrangements have been made. Testing in accordance with: OAR 333-007-0430





Report Number:	22-014877/D006.R000
Report Date:	12/13/2022
ORELAP#:	OR100028
Purchase Order:	
Received:	12/06/22 13:21



Page 7 of 8 Test results relate only to the parameters tested and to the samples as received by the laboratory. Test results meet all requirements of NELAP and the Columbia Laboratories quality assurance plan unless otherwise noted. This report shall not be reproduced, except in full, without the written consent of this laboratory. Samples will be retained for a maximum of 30 days from the receipt date unless prior arrangements have been made. Testing in accordance with: OAR 333-007-0430





22-014877/D006.R000 **Report Number: Report Date:** 12/13/2022 **ORELAP#:** OR100028 **Purchase Order: Received:** 12/06/22 13:21

Explanation of QC Flag Comments:

Code	Explanation
Q	Matrix interferences affecting spike or surrogate recoveries.
Q1	Quality control result biased high. Only non-detect samples reported.
Q2	Quality control outside QC limits. Data considered estimate.
Q3	Sample concentration greater than four times the amount spiked.
Q4	Non-homogenous sample matrix, affecting RPD result and/or % recoveries.
Q5	Spike results above calibration curve.
Q6	Quality control outside QC limits. Data acceptable based on remaining QC.
R	Relative percent difference (RPD) outside control limit.
R1	RPD non-calculable, as sample or duplicate results are less than five times the LOQ.
R2	Sample replicates RPD non-calculable, as only one replicate is within the analytical range.
LOQ1	Quantitation level raised due to low sample volume and/or dilution.
LOQ2	Quantitaion level raised due to matrix interference.
В	Analyte detected in method blank, but not in associated samples.
B1	The sample concentration is greater than 5 times the blank concentration.
B2	The sample concentration is less than 5 times the blank concentration.

 www.columbialaboratories.com
 Page 8 of 8

 Test results relate only to the parameters tested and to the samples as received by the laboratory. Test results meet all requirements of NELAP and the Columbia Laboratories quality assurance plan unless otherwise noted. This report shall not be reproduced, except in full, without the written consent of this laboratory. Samples will be retained for a maximum of 30 days from the receipt date unless prior arrangements have been made.

 Testing in accordance with:
 OAR 333-007-0430