



Report Number:	22-015800/D014.R000
Report Date:	01/04/2023
ORELAP#:	OR100028
Purchase Order:	
Received:	12/28/22 16:43

Customer:	IHC LLC
Product identity:	0103LIRVAP200_WB
Client/Metrc ID:	
Laboratory ID:	22-015800-0004

Analyte	Result (%)				
∆8-THC	79.4			CBD-Total	4.72%
CBD-A	5.22		8-THC		
∆8-THCV	0.310		CBD-A	THC-Total	<loq< td=""></loq<>
CBC-A	0.254	N	<ul> <li>8-THCV</li> <li>ODO A</li> </ul>		
THC-A	0.143		<ul><li>CBC-A</li><li>THC-A</li></ul>	(Reported in pe	rcent of total sample)
CBD	0.139		• CBD		
CBT	0.118		• CBT		

Page 1 of 9
Test results relate only to the parameters tested and to the samples as received by the laboratory. Test results meet all requirements of NELAP and the Columbia Laboratories quality assurance plan
unless otherwise noted. This report shall not be reproduced, except in full, without the written consent of this laboratory. Samples will be retained for a maximum of 30 days from the receipt date unless
prior arrangements have been made.
Testing in accordance with: OAR 333-007-0430



IHC LLC

.

No 15.2 °C

Client

825 NW 16th Ave Portland Oregon 97209

22-015800-0004

0103LIRVAP200\_WB

United States of America (USA)

**Customer:** 

**Product identity:** 

Client/Metrc ID:

Sample Date:

Laboratory ID:

Temp:

**Evidence of Cooling:** 

Relinquished by:

12423 NE Whitaker Way Portland, OR 97230 503-254-1794



Report Number:	22-015800/D014.R000
Report Date:	01/04/2023
ORELAP#:	OR100028
Purchase Order:	
Received:	12/28/22 16:43



## **Sample Results**

Potency	Method: J AOAC 2018	5 V98-6 (mod) <sup>b</sup> Units	% Batch: 2211000 Ana	lyze: 12/29/22 11:35:00 P
Analyte	As Dry	LOQ Notes		
	Received weigh			
CBC	< LOQ	0.0728		8-THC
CBC-A	0.254	0.0728		• CBD-A
CBC-Total	0.223	0.137		8-THCV
CBD	0.139	0.0728		OBC-A
CBD-A	5.22	0.0728		• THC-A
CBD-Total	4.72	0.137		OBD
CBDV	< LOQ	0.0728		CBT
CBDV-A	< LOQ	0.0728		
CBDV-Total	< LOQ	0.136		
CBE	< LOQ	0.0728		
CBG	< LOQ	0.0728		
CBG-A	< LOQ	0.0728		
CBG-Total	< LOQ	0.136		
CBL	< LOQ	0.0728		
CBL-A	< LOQ	0.0728		
CBL-Total	< LOQ	0.137		
CBN	< LOQ	0.0728		
CBT	0.118	0.0728		
$\Delta 10$ -THC	< LOQ	0.0728		
$\Delta 8$ -THC	79.4	0.728		
$\Delta 8$ -THCV	0.310	0.0728		
$\Delta 9$ -THC	< LOQ	0.0728		
exo-THC	< LOQ	0.0728		
THC-A	0.143	0.0728		
THC-Total	< LOQ	0.137		
THCV	< LOQ	0.0728		
THCV-A	< LOQ	0.0728		
THCV-Total	< LOQ	0.136		
Total Cannabinoids	85.6			

www.columbialaboratories.com

Test results relate only to the parameters tested and to the samples as received by the laboratory. Test results meet all requirements of NELAP and the Columbia Laboratories quality assurance plan unless otherwise noted. This report shall not be reproduced, except in full, without the written consent of this laboratory. Samples will be retained for a maximum of 30 days from the receipt date unless prior arrangements have been made.

Testing in accordance with: OAR 333-007-0430





 Report Number:
 22-015800/D014.R000

 Report Date:
 01/04/2023

 ORELAP#:
 OR100028

 Purchase Order:
 12/28/22 16:43

These test results are representative of the individual sample selected and submitted by the client.

## Abbreviations

Limits: Action Levels per OAR-333-007-0400, OAR-333-007-0210, OAR-333-007-0220, CCR title 16-division 42. BCC-section 5723

Limit(s) of Quantitation (LOQ): The minimum levels, concentrations, or quantities of a target variable (e.g., target analyte) that can be reported with a specified degree of confidence.

<sup>b</sup> = ISO/IEC 17025:2017 accredited method.

## Units of Measure

% = Percentage of sample

% wt =  $\mu$ g/g divided by 10,000

Approved Signatory

Derrick Tanner General Manager

www.columbialaboratories.com

Page 3 of 9

Test results relate only to the parameters tested and to the samples as received by the laboratory. Test results meet all requirements of NELAP and the Columbia Laboratories quality assurance plan unless otherwise noted. This report shall not be reproduced, except in full, without the written consent of this laboratory. Samples will be retained for a maximum of 30 days from the receipt date unless prior arrangements have been made.





**Report Number:** 22-015800/D014.R000 **Report Date:** 01/04/2023 **ORELAP#:** 

**Purchase Order: Received:** 

OR100028

12/28/22 16:43

Contraction and the second			Acolysis Requested											CONTRACTOR OF STREET		
Company 1 He Hemp Collect Contact, kyreterinenempcollect.com Sevent 431 NW Flanders st. Chr. Portland State: OF 2p 97209 R tmat Results: dropbox (IHC) %: (b1) 009104 O Fx Results () Hing # different: Joel @thehempcollect.com		-OR 59 compareds	olicide Melli-Resélue - 379 composeds		Wests	otstore & White Activity		Kees and Modd	Varu: & cold and Tate? coliferm	11			Projec Proj Custore I Report to Termerour	t Number ect Nerve isporting: iState - [] NE si Line: \$25 ] 3 ] 2 ]	THC or [] Other Susiness Day Standard Turnaround Bethness Day Rush Turnaround* Guiseess Day Rush Turnaround* Check for scientidelTy	
0 010307LIRVAP200_PK		tine	Peptides	Tradidie D	× Fotericy	Presidual Solventa	Moishers 8	Terperars.	Micro: Yea	Mum. A.O.	Neury Metali	Wycotowise	Other:	Sampled I Sample Type 1	Weight (UNIS)	Comments/Metric ID
010307LIRVAP200_LIa	ma	-	-	-	x		-			-	-			C		
010307LIRVAP200_OG	K		-		x	-	-			-	-			C		
0103LIRVAP200_WB	-				x			-			-			C		
0103LIRVAP200_Lava					x	-	-	-		-				C		
0103LIRVAP200_PB			-	-	x			-						G		
0103LIRVAP200_SP				-	x									C		
0103LIRVAP200_SG					x	-							3	C		
0103LIRVAP200_OG					x									C		
0 0103LIRVAP200_STs					х									C.		
Bolingatived By:	iluty	Time			h	not-st	By:			Ó	Ar.	n	00			Call Use Only
		12:00 F			1	A:c				12-	21	162	34	Exidence Sample in	good condition	es) (C) Okent strop Yes   (C) No - Temp (PC): / S. ? 2. rc (PPNes) (C) No - C   (C) Net:

E-Sample Type Cades: Vegetation (V) / holeiex (S) ; Extract/Concentrate (C); Texture/Topical (I); EXELs (E); Beverage (II)

Surgice coloured to Colourie Colouries Colouries Colouries Colouries controls to an aproximative activities in constants with the control stress drivers and add with the CCC As agoing "Anhyaetheddy" year or aproximative inter-12422 AR WRITEN WAY #1(\$800,254-1784) Rec (\$850,254-1452

Partient, CR #7,130

intellimitationitia televisitation peris

Page of \_\_\_\_\_\_

Page 4 of 9

Test results relate only to the parameters tested and to the samples as received by the laboratory. Test results meet all requirements of NELAP and the Columbia Laboratories quality assurance plan unless otherwise noted. This report shall not be reproduced, except in full, without the written consent of this laboratory. Samples will be retained for a maximum of 30 days from the receipt date unless prior arrangements have been made.

6	Columbia
	LABORATORIES
	A Tentamus Company



**Report Number:** 22-015800/D014.R000 **Report Date:** 

ORELAP#:

**Received:** 

**Purchase Order:** 

01/04/2023

OR100028

12/28/22 16:43

-			Analysis Requested													
Street: 431 NW Flanders st Cay Poltland State BE Email Results: dropbox (IH Ph; (61) 606164 Ps Results	Autoritiand State Characteristics of the second state of the secon	9720 <del>9</del>	relidées - DR 35 compands	didde Muth Residue - 379 compounds		sidual Solverta	olduro & Water Activity		Acros Years and MeM	Hor E. Colf and Total Colfform	cali			Projec Proj Custore P Report to	t Number _ int Winne _ laporting _ istato - [] n istato - [] n istato - [] n istato - [] n istato - [] n	AETINC or 🗌 Other 5 Residensi Day Standard Turnanound 3 Residensi Day Rock Turnanound* 2 Rusinesi Day Radi Tartanound* "Charlt dar conduct Ety
da			6 cides	1999	itero;	Second S	isture.	in the	10.10	900 E.C	Abrief (Vanis)	VICTORIAN	mer	Semple	Weight	
D Client Semple Identification	Data	Time	i.	ž		å.	2	1	1	1	4	3	.8	Type 1	(chits)	Samples #6 & #7. Alternate
0102030506LIRVAP_1	CO2		_		X	_		_						C		-dient name:
	100 01				X				-		_			C		
0102030506LIRVAP_G	3				X									C		Vesl Oils
DB - Sour Pineapple					x	-			-		_			V		
DB - Lemon Meringue					x									V	_	
5 D6 Double - SSH					×			-						V	_	
7 DB Double - SHH					X							_	1	V		
		-		-		-										
•																
0																
Fairspanted lan	Done	Time			-	net-ex				. Ce	te.	Te	10			Lali Use Only:
(yle Farook	12/27	12:00 F			A	C				12	27	12	-	D Shippe	Vic.	or Aldert drop Thes I Diato - Temp (*C): 15-2.
	_			_	- 19				_			14:		Cash	good condition	I CC   D Net:

Steppler unbesteche Chinadia Laboratorier with its thig registrowed constant as agreement for centers is accordance with the convertence of service soundard with the COC. By signing "Adhymidiatily" convertigation of accordance with the convertence of service soundard with the COC. 12423 W Witholer Mar-7: (993) 254 (794 / Yee: (503) 254 (452

Fortheet, UK 85280

Profilizionicia tampitanasi birri

Page\_\_\_\_rd\_

Page 5 of 9
www.columbialaboratories.com
Test results relate only to the parameters tested and to the samples as received by the laboratory. Test results meet all requirements of NELAP and the Columbia Laboratories quality assurance plan
unless otherwise noted. This report shall not be reproduced, except in full, without the written consent of this laboratory. Samples will be retained for a maximum of 30 days from the receipt date unless
prior arrangements have been made.
Test results results are used to the samples are used to the samples are used to the samples will be retained for a maximum of 30 days from the receipt date unless
prior arrangements have been made.





Report Number:	22-015800/D014.R000
Report Date:	01/04/2023
ORELAP#:	OR100028
Purchase Order:	
Received:	12/28/22 16:43

Revision: 1 Document ID: 7148 Legacy ID: Worksheet Validated 04/20/2021

J AOAC 2015 V98									
Laboratory Contr	ol Sample								
Analyte	LCS	Result	Spike	Units	% Rec	Lir	nits	Evaluation	Notes
CBDVA	2	0.104	0.101	%	103	80.0	- 120	Acceptable	
BDV	2	0.113	0.110	%	102	80.0	- 120	Acceptable	
CBE	2	0.109	0.106	%	102	80.0	- 120	Acceptable	
BDA	1	0.103	0.096	%			- 110	Acceptable	
CBGA	1	0.103	0.097	%	% 107		- 120	Acceptable	
CBG	1	0.104	0.095	%			- 120	Acceptable	
CBD	1	0.103	0.096	%	% 108		- 110	Acceptable	
HCV	2	0.109	0.105	%	103	90.0 80.0	- 120	Acceptable	
I8THCV	2	0.109	0.107	%	102	80.0	- 120	Acceptable	
HCVA	2	0.102	0.099	%	103		- 120	Acceptable	
BN	1	0.107	0.099	%	108		- 120	Acceptable	
xo-THC	2	0.106	0.103	%	103		- 120	Acceptable	
9THC	1	0.111	0.102	%	109		- 110	Acceptable	
8THC	1	0.105	0.100	%	105		- 110	Acceptable	
BL	2	0.105	0.100	%	105		- 120	Acceptable	
IS-HHC	3	0.0984	0.100	%	98		- 120 - 120	Acceptable	
10THC	1	0.0984 NA	0.092	%	98 NA	80.0	- 120 - 120	Acceptable	Q6
BC	2	0.111	0.109	%	102		- 120	Acceptable	QU
R-HHC	3	0.0896	0.109	%	90		- 120 - 120	Acceptable	
HCA	1		0.096	%	90			Acceptable	
BCA	2	0.105	0.103	%			- 110	Acceptable	
BLA	2	0.105	0.105	%	102		- 120		
BLA 8THCO	3	0.108	0.105	105		80.0	- 120	Acceptable Acceptable	
BT	2	0.103	0.100	105		80.0	- 120		
		0.112			102		- 120	Acceptable	
9THCO Method Blank	3	0.110	0.100	%	110	80.0	- 120	Acceptable	
Analyte		esult	LOQ		Units		nits	Evaluation	Notes
BDVA		200	0.077		%	< 0.0		Acceptable	Notes
BDVA			0.077			< 0.0			
		LOQ			%			Acceptable	
CBE		LOQ	0.077		%	< 0.0		Acceptable	
CBDA		LOQ	0.077		%	< 0.0		Acceptable	
CBGA		LOQ	0.077		%	< 0.077		Acceptable	
CBG		LOQ	0.077		%	< 0.077		Acceptable	
CBD		LOQ	0.077		%	< 0.077		Acceptable	
		_00	0.077	1	%			Acceptable	
						< 0.0			
I8THCV	<	LOQ	0.077		%	< 0.0	077	Acceptable	
I8THCV HCVA	<	LOQ LOQ	0.077		%	< 0.0	)77 )77	Acceptable Acceptable	
I8THCV HCVA CBN			0.077 0.077 0.077		% % %	< 0.0 < 0.0 < 0.0	077 077 077	Acceptable Acceptable Acceptable	
18THCV THCVA CBN exo-THC	اء م م م	LOQ LOQ LOQ	0.077 0.077 0.077 0.077		% % %	< 0.0 < 0.0 < 0.0 < 0.0	077 077 077 077	Acceptable Acceptable Acceptable Acceptable	
I8THCV HCVA CBN exo-THC I9THC	<pre></pre>	.00 .00 .00 .00 .00	0.077 0.077 0.077 0.077 0.077		% % % %	< 0.0 < 0.0 < 0.0 < 0.0 < 0.0	077 077 077 077 077	Acceptable Acceptable Acceptable Acceptable Acceptable	
I8THCV HCVA CBN exo-THC I9THC	<pre></pre>	LOQ LOQ LOQ	0.077 0.077 0.077 0.077		% % % %	< 0.0 < 0.0 < 0.0 < 0.0	077 077 077 077 077	Acceptable Acceptable Acceptable Acceptable	
ISTHCV HCVA EBN exo-THC I9THC ISTHC	دا د د د د د د د د د د د د د د د د د د	.00 .00 .00 .00 .00	0.077 0.077 0.077 0.077 0.077		% % % %	< 0.0 < 0.0 < 0.0 < 0.0 < 0.0	077 077 077 077 077 077 077	Acceptable Acceptable Acceptable Acceptable Acceptable	
8THCV HCVA BN xo-THC 9THC 8THC BL	र र र र र र र र	.00 .00 .00 .00 .00 .00	0.077 0.077 0.077 0.077 0.077 0.077		% % % %	< 0.0 < 0.0 < 0.0 < 0.0 < 0.0 < 0.0 < 0.0	077 077 077 077 077 077 077 077	Acceptable Acceptable Acceptable Acceptable Acceptable Acceptable	
8THCV HCVA BN xo-THC 9THC 8THC BL S-HHC	ح ح ح ح ح ح ح ح ح ح ح ح ح ح ح ح ح ح ح	LOQ LOQ LOQ LOQ LOQ LOQ LOQ LOQ	0.077 0.077 0.077 0.077 0.077 0.077 0.077		% % % % %	< 0.0 < 0.0 < 0.0 < 0.0 < 0.0 < 0.0 < 0.0 < 0.0	077 077 077 077 077 077 077 077 077	Acceptable Acceptable Acceptable Acceptable Acceptable Acceptable Acceptable	
8THCV HCVA BN xo-THC 9THC 8THC BL S-HHC 10THC	ال ا	00 00 00 00 00 00 00 00 00 00	0.077 0.077 0.077 0.077 0.077 0.077 0.077 0.077		% % % % % %	< 0.1 < 0.1 < 0.1 < 0.1 < 0.1 < 0.1 < 0.1 < 0.1 < 0.1 < 0.1 < 0.1 < 0.1 < 0.1	577 577 577 577 577 577 577 577 577 577	Acceptable Acceptable Acceptable Acceptable Acceptable Acceptable Acceptable Acceptable	
8THCV HCVA BN xo-THC 9THC 8THC BL S-HHC 10THC BC		000 000 000 000 000 000 000 000 000 00	0.077 0.077 0.077 0.077 0.077 0.077 0.077 0.077 0.077		% % % % % %	< 0.1 < 0.1 < 0.1 < 0.1 < 0.1 < 0.1 < 0.1 < 0.1 < 0.1 < 0.1 < 0.1 < 0.1 < 0.1 < 0.1 < 0.1	577 577 577 577 577 577 577 577 577 577	Acceptable Acceptable Acceptable Acceptable Acceptable Acceptable Acceptable Acceptable Acceptable Acceptable Acceptable	
8THCV HCVA BN xo-THC 9THC 8THC BL S-HHC 10THC BC R-HHC	ال ا	000 000 000 000 000 000 000 000 000 00	0.077 0.077 0.077 0.077 0.077 0.077 0.077 0.077 0.077 0.077		% % % % % % %	< 0.1 < 0.1 < 0.1 < 0.1 < 0.1 < 0.1 < 0.1 < 0.1 < 0.1 < 0.1 < 0.1 < 0.1 < 0.1 < 0.1 < 0.1 < 0.1	577 577 577 577 577 577 577 577 577 577	Acceptable Acceptable Acceptable Acceptable Acceptable Acceptable Acceptable Acceptable Acceptable	
8THCV HCVA BN xo-THC 9THC 8THC BL S-S-HHC 10THC BC R-HHC HCA	ا الماري الماري الماريم المماري الماري الماري الماري الماري الماري الماري الما	00 00 00 00 00 00 00 00 00 00 00 00 00	0.077 0.077 0.077 0.077 0.077 0.077 0.077 0.077 0.077 0.077 0.077		% % % % % % % % %	< 0.0 < 0.0 < 0.0 < 0.0 < 0.0 < 0.0 < 0.0 < 0.0 < 0.0 < 0.0 < 0.0 < 0.0 < 0.0 < 0.0 < 0.0 < 0.0 < 0.0 < 0.0 < 0.0 < 0.0 < 0.0 < 0.0 < 0.0	577 577 577 577 577 577 577 577 577 577	Acceptable Acceptable Acceptable Acceptable Acceptable Acceptable Acceptable Acceptable Acceptable Acceptable Acceptable Acceptable Acceptable	
8THCV HCVA BN xo-THC 9THC 8THC BL 5-HHC 10THC BC R-HHC HCA BCA		00 00 00 00 00 00 00 00 00 00 00 00 00	0.077 0.077 0.077 0.077 0.077 0.077 0.077 0.077 0.077 0.077 0.077 0.077		% % % % % % % % % % % %	< 0.0 < 0.0 < 0.0 < 0.0 < 0.0 < 0.0 < 0.0 < 0.0 < 0.0 < 0.0 < 0.0 < 0.0 < 0.0 < 0.0 < 0.0 < 0.0 < 0.0 < 0.0 < 0.0 < 0.0 < 0.0 < 0.0 < 0.0 < 0.0 < 0.0 < 0.0 < 0.0 < 0.0 < 0.0 < 0.0	577 577 577 577 577 577 577 577 577 577	Acceptable Acceptable Acceptable Acceptable Acceptable Acceptable Acceptable Acceptable Acceptable Acceptable Acceptable Acceptable Acceptable Acceptable Acceptable	
18THCV HCVA JBN Xxo-THC 19THC 19THC 18THC 19THC		00 00 00 00 00 00 00 00 00 00 00 00 00	0.077 0.077 0.077 0.077 0.077 0.077 0.077 0.077 0.077 0.077 0.077 0.077 0.077		% % % % % % % % % % % %	$\begin{array}{c} < 0.0 \\ < 0.0 \\ < 0.0 \\ < 0.0 \\ < 0.0 \\ < 0.0 \\ < 0.0 \\ < 0.0 \\ < 0.0 \\ < 0.0 \\ < 0.0 \\ < 0.0 \\ < 0.0 \\ < 0.0 \\ < 0.0 \\ < 0.0 \\ < 0.0 \\ < 0.0 \\ < 0.0 \\ < 0.0 \\ < 0.0 \\ < 0.0 \\ < 0.0 \\ < 0.0 \\ < 0.0 \\ < 0.0 \\ < 0.0 \\ < 0.0 \\ < 0.0 \\ < 0.0 \\ < 0.0 \\ < 0.0 \\ < 0.0 \\ < 0.0 \\ < 0.0 \\ < 0.0 \\ < 0.0 \\ < 0.0 \\ < 0.0 \\ < 0.0 \\ < 0.0 \\ < 0.0 \\ < 0.0 \\ < 0.0 \\ < 0.0 \\ < 0.0 \\ < 0.0 \\ < 0.0 \\ < 0.0 \\ < 0.0 \\ < 0.0 \\ < 0.0 \\ < 0.0 \\ < 0.0 \\ < 0.0 \\ < 0.0 \\ < 0.0 \\ < 0.0 \\ < 0.0 \\ < 0.0 \\ < 0.0 \\ < 0.0 \\ < 0.0 \\ < 0.0 \\ < 0.0 \\ < 0.0 \\ < 0.0 \\ < 0.0 \\ < 0.0 \\ < 0.0 \\ < 0.0 \\ < 0.0 \\ < 0.0 \\ < 0.0 \\ < 0.0 \\ < 0.0 \\ < 0.0 \\ < 0.0 \\ < 0.0 \\ < 0.0 \\ < 0.0 \\ < 0.0 \\ < 0.0 \\ < 0.0 \\ < 0.0 \\ < 0.0 \\ < 0.0 \\ < 0.0 \\ < 0.0 \\ < 0.0 \\ < 0.0 \\ < 0.0 \\ < 0.0 \\ < 0.0 \\ < 0.0 \\ < 0.0 \\ < 0.0 \\ < 0.0 \\ < 0.0 \\ < 0.0 \\ < 0.0 \\ < 0.0 \\ < 0.0 \\ < 0.0 \\ < 0.0 \\ < 0.0 \\ < 0.0 \\ < 0.0 \\ < 0.0 \\ < 0.0 \\ < 0.0 \\ < 0.0 \\ < 0.0 \\ < 0.0 \\ < 0.0 \\ < 0.0 \\ < 0.0 \\ < 0.0 \\ < 0.0 \\ < 0.0 \\ < 0.0 \\ < 0.0 \\ < 0.0 \\ < 0.0 \\ < 0.0 \\ < 0.0 \\ < 0.0 \\ < 0.0 \\ < 0.0 \\ < 0.0 \\ < 0.0 \\ < 0.0 \\ < 0.0 \\ < 0.0 \\ < 0.0 \\ < 0.0 \\ < 0.0 \\ < 0.0 \\ < 0.0 \\ < 0.0 \\ < 0.0 \\ < 0.0 \\ < 0.0 \\ < 0.0 \\ < 0.0 \\ < 0.0 \\ < 0.0 \\ < 0.0 \\ < 0.0 \\ < 0.0 \\ < 0.0 \\ < 0.0 \\ < 0.0 \\ < 0.0 \\ < 0.0 \\ < 0.0 \\ < 0.0 \\ < 0.0 \\ < 0.0 \\ < 0.0 \\ < 0.0 \\ < 0.0 \\ < 0.0 \\ < 0.0 \\ < 0.0 \\ < 0.0 \\ < 0.0 \\ < 0.0 \\ < 0.0 \\ < 0.0 \\ < 0.0 \\ < 0.0 \\ < 0.0 \\ < 0.0 \\ < 0.0 \\ < 0.0 \\ < 0.0 \\ < 0.0 \\ < 0.0 \\ < 0.0 \\ < 0.0 \\ < 0.0 \\ < 0.0 \\ < 0.0 \\ < 0.0 \\ < 0.0 \\ < 0.0 \\ < 0.0 \\ < 0.0 \\ < 0.0 \\ < 0.0 \\ < 0.0 \\ < 0.0 \\ < 0.0 \\ < 0.0 \\ < 0.0 \\ < 0.0 \\ < 0.0 \\ < 0.0 \\ < 0.0 \\ < 0.0 \\ < 0.0 \\ < 0.0 \\ < 0.0 \\ < 0.0 \\ < 0.0 \\ < 0.0 \\ < 0.0 \\ < 0.0 \\ < 0.0 \\ < 0.0 \\ < 0.0 \\ < 0.0 \\ < 0.0 \\ < 0.0 \\ < 0.0 \\ < 0.0 \\ < 0.0 \\ < 0.0 \\ < 0.0 \\ < 0.0 \\ < 0.0 \\ < 0.0 \\ < 0.0 \\ < 0.0 \\ < 0.0 \\ < 0.0 \\ < 0.0 \\ < 0.0 \\ < 0.0 \\ < 0.0 \\ < 0.0 \\ < 0.0 \\ < 0.0 \\ < 0.0 \\ < 0.0 \\ < 0.0 \\ < 0.0 \\ < 0.0 \\ < 0.0 \\ < 0.0 \\ < 0.0 \\ < 0.0 \\ < 0.0 \\ < 0.0 \\ < 0.0 \\ < 0.0 \\ < 0.0 \\ < 0.0 \\ < 0.0 \\ < 0.0 \\ < 0.0 \\ < 0.0 \\ < 0.0 \\ < 0.0 \\$	777 777 777 777 777 777 777 777 777 77	Acceptable Acceptable Acceptable Acceptable Acceptable Acceptable Acceptable Acceptable Acceptable Acceptable Acceptable Acceptable Acceptable Acceptable Acceptable Acceptable	
HCV 18THCV HCVA 18THCV 18THC 19THC 18THC 18THC 10THC 10THC 18C 10THC	द   द   द   द   द   द   द   द   द   द	00 00 00 00 00 00 00 00 00 00 00 00 00	0.077 0.077 0.077 0.077 0.077 0.077 0.077 0.077 0.077 0.077 0.077 0.077		% % % % % % % % % % % %	< 0.0 < 0.0 < 0.0 < 0.0 < 0.0 < 0.0 < 0.0 < 0.0 < 0.0 < 0.0 < 0.0 < 0.0 < 0.0 < 0.0 < 0.0 < 0.0 < 0.0 < 0.0 < 0.0 < 0.0 < 0.0 < 0.0 < 0.0 < 0.0 < 0.0 < 0.0 < 0.0 < 0.0 < 0.0 < 0.0	777 777 777 777 777 777 777 777 777 77	Acceptable Acceptable Acceptable Acceptable Acceptable Acceptable Acceptable Acceptable Acceptable Acceptable Acceptable Acceptable Acceptable Acceptable Acceptable	

ND - None Detected at or above MRL RPD - Relative Percent Difference

LOQ - Limit of Quantitation

Units of Measure: % - Percent

Page 6 of 9 Test results relate only to the parameters tested and to the samples as received by the laboratory. Test results meet all requirements of NELAP and the Columbia Laboratories quality assurance plan
unless otherwise noted. This report shall not be reproduced, except in full, without the written consent of this laboratory. Samples will be retained for a maximum of 30 days from the receipt date unless
prior arrangements have been made.
Testing in accordance with: OAR 333-007-0430





Report Number:	22-015800/D014.R000
Report Date:	01/04/2023
ORELAP#:	OR100028
Purchase Order:	
Received:	12/28/22 16:43

Revision: 1 Document ID: 7148 Legacy ID: Worksheet Validated 04/20/2021

			La	boratory	Quality Con	trol Results			
J AOAC 2015 V98-6	Batch ID: 2211000 Sample ID: 22-015776-0001								
Sample Duplicate									
Analyte	Result	Org. Result	LOQ	Units	RPD	Limits	Evaluation	Notes	
CBDVA	<loq< td=""><td><loq< td=""><td>0.077</td><td>%</td><td>NA</td><td>&lt; 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.077</td><td>%</td><td>NA</td><td>&lt; 20</td><td>Acceptable</td><td></td></loq<>	0.077	%	NA	< 20	Acceptable		
CBDV	<loq< td=""><td><loq< td=""><td>0.077</td><td>%</td><td>NA</td><td>&lt; 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.077</td><td>%</td><td>NA</td><td>&lt; 20</td><td>Acceptable</td><td></td></loq<>	0.077	%	NA	< 20	Acceptable		
CBE	<loq< td=""><td><loq< td=""><td>0.077</td><td>%</td><td>NA</td><td>&lt; 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.077</td><td>%</td><td>NA</td><td>&lt; 20</td><td>Acceptable</td><td></td></loq<>	0.077	%	NA	< 20	Acceptable		
CBDA	<loq< td=""><td><loq< td=""><td>0.077</td><td>%</td><td>NA</td><td>&lt; 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.077</td><td>%</td><td>NA</td><td>&lt; 20</td><td>Acceptable</td><td></td></loq<>	0.077	%	NA	< 20	Acceptable		
CBGA	<loq< td=""><td><loq< td=""><td>0.077</td><td>%</td><td>NA</td><td>&lt; 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.077</td><td>%</td><td>NA</td><td>&lt; 20</td><td>Acceptable</td><td></td></loq<>	0.077	%	NA	< 20	Acceptable		
CBG	<loq< td=""><td><loq< td=""><td>0.077</td><td>%</td><td>NA</td><td>&lt; 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.077</td><td>%</td><td>NA</td><td>&lt; 20</td><td>Acceptable</td><td></td></loq<>	0.077	%	NA	< 20	Acceptable		
CBD	<loq< td=""><td><loq< td=""><td>0.077</td><td>%</td><td>NA</td><td>&lt; 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.077</td><td>%</td><td>NA</td><td>&lt; 20</td><td>Acceptable</td><td></td></loq<>	0.077	%	NA	< 20	Acceptable		
THCV	<loq< td=""><td><loq< td=""><td>0.077</td><td>%</td><td>NA</td><td>&lt; 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.077</td><td>%</td><td>NA</td><td>&lt; 20</td><td>Acceptable</td><td></td></loq<>	0.077	%	NA	< 20	Acceptable		
d8THCV	<loq< td=""><td><loq< td=""><td>0.077</td><td>%</td><td>NA</td><td>&lt; 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.077</td><td>%</td><td>NA</td><td>&lt; 20</td><td>Acceptable</td><td></td></loq<>	0.077	%	NA	< 20	Acceptable		
THCVA	<loq< td=""><td><loq< td=""><td>0.077</td><td>%</td><td>NA</td><td>&lt; 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.077</td><td>%</td><td>NA</td><td>&lt; 20</td><td>Acceptable</td><td></td></loq<>	0.077	%	NA	< 20	Acceptable		
CBN	<loq< td=""><td><loq< td=""><td>0.077</td><td>%</td><td>NA</td><td>&lt; 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.077</td><td>%</td><td>NA</td><td>&lt; 20</td><td>Acceptable</td><td></td></loq<>	0.077	%	NA	< 20	Acceptable		
exo-THC	<loq< td=""><td><loq< td=""><td>0.077</td><td>%</td><td>NA</td><td>&lt; 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.077</td><td>%</td><td>NA</td><td>&lt; 20</td><td>Acceptable</td><td></td></loq<>	0.077	%	NA	< 20	Acceptable		
d9THC	0.248	0.276	0.077	%	10.7	< 20	Acceptable		
d8THC	<loq< td=""><td><loq< td=""><td>0.077</td><td>%</td><td>NA</td><td>&lt; 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.077</td><td>%</td><td>NA</td><td>&lt; 20</td><td>Acceptable</td><td></td></loq<>	0.077	%	NA	< 20	Acceptable		
CBL	<loq< td=""><td><loq< td=""><td>0.077</td><td>%</td><td>NA</td><td>&lt; 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.077</td><td>%</td><td>NA</td><td>&lt; 20</td><td>Acceptable</td><td></td></loq<>	0.077	%	NA	< 20	Acceptable		
9S-HHC	<loq< td=""><td><loq< td=""><td>0.077</td><td>%</td><td>NA</td><td>&lt; 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.077</td><td>%</td><td>NA</td><td>&lt; 20</td><td>Acceptable</td><td></td></loq<>	0.077	%	NA	< 20	Acceptable		
d10THC	<loq< td=""><td><loq< td=""><td>0.077</td><td>%</td><td>NA</td><td>&lt; 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.077</td><td>%</td><td>NA</td><td>&lt; 20</td><td>Acceptable</td><td></td></loq<>	0.077	%	NA	< 20	Acceptable		
CBC	<loq< td=""><td><loq< td=""><td>0.077</td><td>%</td><td>NA</td><td>&lt; 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.077</td><td>%</td><td>NA</td><td>&lt; 20</td><td>Acceptable</td><td></td></loq<>	0.077	%	NA	< 20	Acceptable		
9R-HHC	<loq< td=""><td><loq< td=""><td>0.077</td><td>%</td><td>NA</td><td>&lt; 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.077</td><td>%</td><td>NA</td><td>&lt; 20</td><td>Acceptable</td><td></td></loq<>	0.077	%	NA	< 20	Acceptable		
THCA	<loq< td=""><td><loq< td=""><td>0.077</td><td>%</td><td>NA</td><td>&lt; 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.077</td><td>%</td><td>NA</td><td>&lt; 20</td><td>Acceptable</td><td></td></loq<>	0.077	%	NA	< 20	Acceptable		
CBCA	<loq< td=""><td><loq< td=""><td>0.077</td><td>%</td><td>NA</td><td>&lt; 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.077</td><td>%</td><td>NA</td><td>&lt; 20</td><td>Acceptable</td><td></td></loq<>	0.077	%	NA	< 20	Acceptable		
CBLA	<loq< td=""><td><loq< td=""><td>0.077</td><td>%</td><td>NA</td><td>&lt; 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.077</td><td>%</td><td>NA</td><td>&lt; 20</td><td>Acceptable</td><td></td></loq<>	0.077	%	NA	< 20	Acceptable		
d8THCO	<loq< td=""><td><loq< td=""><td>0.077</td><td>%</td><td>NA</td><td>&lt; 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.077</td><td>%</td><td>NA</td><td>&lt; 20</td><td>Acceptable</td><td></td></loq<>	0.077	%	NA	< 20	Acceptable		
CBT	<loq< td=""><td><loq< td=""><td>0.077</td><td>%</td><td>NA</td><td>&lt; 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.077</td><td>%</td><td>NA</td><td>&lt; 20</td><td>Acceptable</td><td></td></loq<>	0.077	%	NA	< 20	Acceptable		
d9THCO	<loq< td=""><td><loq< td=""><td>0.077</td><td>%</td><td>NA</td><td>&lt; 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.077</td><td>%</td><td>NA</td><td>&lt; 20</td><td>Acceptable</td><td></td></loq<>	0.077	%	NA	< 20	Acceptable		

ND - None Detected at or above MRL RPD - Relative Percent Difference LOQ - Limit of Quantitation

Units of Measure:

Page 7 of 9 Test results relate only to the parameters tested and to the samples as received by the laboratory. Test results meet all requirements of NELAP and the Columbia Laboratories quality assurance plan
unless otherwise noted. This report shall not be reproduced, except in full, without the written consent of this laboratory. Samples will be retained for a maximum of 30 days from the receipt date unless
prior arrangements have been made.
Testing in accordance with: OAR 333-007-0430





Report Number:	22-015800/D014.R000			
Report Date:	01/04/2023			
ORELAP#:	OR100028			
Purchase Order:				
Received:	12/28/22 16:43			



Page 8 of 9
Test results relate only to the parameters tested and to the samples as received by the laboratory. Test results meet all requirements of NELAP and the Columbia Laboratories quality assurance plan
unless otherwise noted. This report shall not be reproduced, except in full, without the written consent of this laboratory. Samples will be retained for a maximum of 30 days from the receipt date unless
prior arrangements have been made.
Testing in accordance with: OAR 333-007-0430





22-015800/D014.R000 **Report Number: Report Date:** 01/04/2023 ORELAP#: OR100028 **Purchase Order: Received:** 12/28/22 16:43

Explanation of QC Flag Comments:

Code	Explanation					
Q	Matrix interferences affecting spike or surrogate recoveries.					
Q1	Quality control result biased high. Only non-detect samples reported.					
Q2	Quality control outside QC limits. Data considered estimate.					
Q3	Sample concentration greater than four times the amount spiked.					
Q4	Non-homogenous sample matrix, affecting RPD result and/or % recoveries.					
Q5	Spike results above calibration curve.					
Q6	Quality control outside QC limits. Data acceptable based on remaining QC.					
R	Relative percent difference (RPD) outside control limit.					
R1	RPD non-calculable, as sample or duplicate results are less than five times the LOQ.					
R2	Sample replicates RPD non-calculable, as only one replicate is within the analytical range.					
LOQ1	Quantitation level raised due to low sample volume and/or dilution.					
LOQ2	Quantitaion level raised due to matrix interference.					
В	Analyte detected in method blank, but not in associated samples.					
B1	The sample concentration is greater than 5 times the blank concentration.					
B2	The sample concentration is less than 5 times the blank concentration.					

 Www.columbialaboratories.com
 Page 9 of 9

 Test results relate only to the parameters tested and to the samples as received by the laboratory. Test results meet all requirements of NELAP and the Columbia Laboratories quality assurance plan unless otherwise noted. This report shall not be reproduced, except in full, without the written consent of this laboratory. Samples will be retained for a maximum of 30 days from the receipt date unless prior arrangements have been made.

 Testing in accordance with:
 OAR 333-007-0430