



**Report Number:** 23-012927/D002.R001

**Report Date:** 11/07/2023 **ORELAP#:** OR100028

**Purchase Order:** 

**Received:** 11/01/23 12:27

This is an amended version of report# 23-012927/D002.R000.

Reason: Updated customer information.

Customer: The Hemp Collect
Product identity: Huckleberry Knockout
Client/Metrc ID: Batch # 3009RC-092723

**Laboratory ID:** 23-012927-0001

## Summary

_						
D.	^	te	n	~	,	•
	v	ιc		C	v	

Analyte	Result	Limits	Units	Status	THC-Total per Serving Size 19.9 mg/8.3g
CBD	0.00777		%		<del>-</del>
CBD-A	0.0141		%		4.07/0.0
CBG	0.00668		%		CBD-Total per Serving Size 1.67 mg/8.3g
CBN	0.111		%		(Reported in milligrams per serving)
Δ9-THC	0.240		%		(Reported in minigrams per serving)
Analyte per 8.3g	Result	Limits	Units	Status	
CBD per 8.3g	0.645		mg/8.3g		
CBD-A per 8.3g	1.17		mg/8.3g		
CBG per 8.3g	0.554		mg/8.3g		
CBN per 8.3g	9.21		mg/8.3g		
Δ9-THC per 8.3g	19.9		mg/8.3g		





**Report Number:** 23-012927/D002.R001

**Report Date:** 11/07/2023 **ORELAP#:** OR100028

**Purchase Order:** 

**Received:** 11/01/23 12:27

**Customer:** The Hemp Collect

Product identity: Huckleberry Knockout
Client/Metrc ID: Batch # 3009RC-092723

Sample Date:

**Laboratory ID:** 23-012927-0001

Evidence of Cooling: No
Temp: 20.3 °C
Relinquished by: client
Serving Size #1: 8.3 g



## **Sample Results**

Potency	Method: J AOAC 2015 V	98-6 (mod) <sup>þ</sup>	Units %	Batch: 2312472	<b>Analyze:</b> 11/2/23 10:31:00 PM
Analyte	Result	Limits	Units	LOQ	Notes
CBD	0.00777		%	0.00309	
CBD-A	0.0141		%	0.00309	
CBD-Total	0.0201		%	0.00580	
CBG	0.00668		%	0.00309	
CBG-A	< LOQ		%	0.00309	
CBG-Total	0.00668		%	0.00577	
CBN	0.111		%	0.00309	
$\Delta 10$ -THC-9R	< LOQ		%	0.00309	
$\Delta 10$ -THC-9S	< LOQ		%	0.00309	
$\Delta 10$ -THC-Total	< LOQ		%	0.00618	
Δ8-THC	< LOQ		%	0.00309	
Δ9-THC	0.240		%	0.00309	
THC-A	< LOQ		%	0.00309	
THC-Total	0.240		%	0.00580	
Total Cannabinoids	0.380		%		

Potency per 8.3g	Method: J AOAC 2015 V	'98-6 (mod) <sup>þ</sup>	Units mg/se Bat	tch: 2312472	<b>Analyze:</b> 11/2/23 10:31:00 PM
Analyte	Result	Limits	Units	LOQ	Notes
CBD per 8.3g	0.645		mg/8.3g	0.257	
CBD-A per 8.3g	1.17		mg/8.3g	0.257	
CBD-Total per 8.3g	1.67		mg/8.3g	0.482	
CBG per 8.3g	0.554		mg/8.3g	0.257	
CBG-A per 8.3g	< LOQ		mg/8.3g	0.216	
CBG-Total per 8.3g	0.554		mg/8.3g	0.479	
CBN per 8.3g	9.21		mg/8.3g	0.257	
$\Delta 10$ -THC-9R per 8.3g	< LOQ		mg/8.3g	0.216	
$\Delta 10$ -THC-9S per 8.3g	< LOQ		mg/8.3g	0.216	
$\Delta 10$ -THC-Total per 8.3g	< LOQ		mg/8.3g	0.433	
∆8-THC per 8.3g	< LOQ		mg/8.3g	0.216	
Δ9-THC per 8.3g	19.9		mg/8.3g	0.257	

www.columbialaboratories.com

Page 2 of 8



23-012927/D002.R001 **Report Number:** 

**Report Date:** 11/07/2023 ORELAP#: OR100028

**Purchase Order:** 

Received: 11/01/23 12:27

Potency per 8.3g	Method: J AOAC 2015 V9	8-6 (mod) <sup>þ</sup>	Units mg/se Bat	ch: 2312472	<b>Analyze:</b> 11/2/23 10:31:00 PM
Analyte	Result	Limits	Units	LOQ	Notes
THC-A per 8.3g	< LOQ		mg/8.3g	0.216	
THC-Total per 8.3g	19.9		mg/8.3g	0.482	





**Report Number:** 23-012927/D002.R001

**Report Date:** 11/07/2023 **ORELAP#:** OR100028

**Purchase Order:** 

**Received:** 11/01/23 12:27

#### **Abbreviations**

Limits: Action Levels per OAR-333-007-0400, OAR-333-007-0210, OAR-333-007-0220, CCR title 16-division 42. BCC-section 5723

**Limit(s) of Quantitation (LOQ):** The minimum levels, concentrations, or quantities of a target variable (e.g., target analyte) that can be reported with a specified degree of confidence.

b = ISO/IEC 17025:2017 accredited method.

#### Units of Measure

g = g mg/8.3g = Milligram per 8.3g% = Percentage of sample % wt =  $\mu g/g$  divided by 10,000

Approved Signatory

Derrick Tanner General Manager





**Report Number:** 23-012927/D002.R001

Report Date: 11/07/2023 ORELAP#: OR100028

**Purchase Order:** 

Received: 11/01/23 12:27

Revision: 4 Document ID: 7148 Legacy ID: Worksheet Validated 04/20/2021

			Lab	oratory	Quality Co					
JAOAC 2015 V98-0					В	latch ID:	2312	472		
aboratory Contro	l Sample									
Analyte	LCS	Result	Spike	Units	%Rec		Limit	S	Evaluation	Notes
OBDVA	2	0.0316	0.0323	%	97.7	80.0	-	120	Acceptable	
OBDV .	2	0.0328	0.0337	%	97.6	80.0	-	120	Acceptable	
OBE .	2	0.0347	0.0358	%	96.9	80.0	-	120	Acceptable	
OBDA .	1	0.0304	0.0322	%	94.3	90.0	-	110	Acceptable	
ŒG₽	1	0.0303	0.0329	%	92.1	80.0	-	120	Acceptable	
CBG	1	0.0348	0.0368	%	94.6	80.0	-	120	Acceptable	
OBD .	1	0.0314	0.0313	%	100	90.0	-	110	Acceptable	
THCV	2	0.0333	0.0345	%	96.8	80.0	-	120	Acceptable	
BTHCV	2	0.0268	0.0283	%	94.8	80.0	-	120	Acceptable	
HCVA	2	0.0304	0.0312	%	97.4	80.0	-	120	Acceptable	
OBN .	1	0.0305	0.0329	%	92.7	80.0	-	120	Acceptable	
exo-THC	2	0.0303	0.0315	%	96.4	80.0	-	120	Acceptable	
19THC	1	0.0362	0.0365	%	99.2	90.0	-	110	Acceptable	
BTHC	1	0.0314	0.0340	%	92.4	90.0	-	110	Acceptable	
Sd10THC	1	0.0322	0.0337	%	95.6	80.0	-	120	Acceptable	
JBL.	2	0.0355	0.0332	%	107	80.0	-	120	Acceptable	
PR-d10THC	1	0.0305	0.0336	%	90.8	80.0	-	120	Acceptable	
DBC	2	0.0317	0.0342	%	92.6	80.0	-	120	Acceptable	
THCA	1	0.0311	0.0337	%	92.3	90.0	-	110	Acceptable	
OBCA .	2	0.0326	0.0338	%	96.5	80.0	-	120	Acceptable	
OBLA .	2	0.0331	0.0342	%	96.7	80.0	-	120	Acceptable	
9THOP	2	0.0323	0.0334	%	96.8	80.0	-	120	Acceptable	
OBT .	2	0.0333	0.0343	%	97.0	80.0	-	120	Acceptable	
/lethod Blank										
Analyte		esult	LOQ		Units		Limit:		Evaluation	Notes
OBDVA		_OQ	0.00312		%		0.003		Acceptable	
OBDV		LOQ	0.00312		%		0.003		Acceptable	
JBE		LOQ	0.00312		%		0.003		Acceptable	
BDA		_OQ	0.00312		%		0.003		Acceptable	
æG₽		_OQ	0.00312		%		0.003		Acceptable	
OBG		LOQ	0.00312		%		0.003		Acceptable	
OBD .		_OQ	0.00312		%		0.003		Acceptable	
HCV		_OQ	0.00312		%		0.003		Acceptable	
BTHCV		_OQ	0.00312		%		0.003		Acceptable	
HCVA		LOQ	0.00312		%		0.003		Acceptable	
JBN .		_OQ	0.00312		%		0.003		Acceptable	
exo-THC		LOQ	0.00312		%		0.003		Acceptable	
d9THC	<	_OQ	0.00312		%	<	0.003	312	Acceptable	
d8THC		_OQ	0.00312		%		0.003		Acceptable	
9Sd10THC	<	_OQ	0.00312		%	<	0.003	312	Acceptable	
O)		$\sim$	0.00040		0/		$\Delta \Delta \Delta \Delta \Delta$	140	A t -   -   -	

THCA OBCA OBLA OBTHOP OBT Abbreviations

OBL 9Rd10THC

ŒС

ND - None Detected at or above MRL RPD - Relative Percent Difference

400 400

<L00

<L0Q

400 400

<1 00

0.00312 0.00312

0.00312

0.00312

0.00312 0.00312

0.00312

LOQ - Limit of Quantitation

Units of Measure: %- Percent

Acceptable Acceptable

Acceptable

Acceptable Acceptable

Acceptable Acceptable

< 0.00312 < 0.00312

< 0.00312 < 0.00312 < 0.00312 < 0.00312

< 0.00312 < 0.00312





Acceptable Acceptable **Report Number:** 23-012927/D002.R001

**Report Date:** 11/07/2023 **ORELAP#:** OR100028

**Purchase Order:** 

**Received:** 11/01/23 12:27

Revision: 4 Document ID: 7148 Legacy ID: Worksheet Validated 04/20/2021

			Lat	ooratory	Quality Cont						
JAOAC 2015 V98-6						ch ID: 2312472					
Sample Duplicate	Sample ID: 23-012881-0001										
Analyte	Result	Org. Result	LOQ	Units	RPD	Limits	Evaluation	Notes			
OBDVA	<loq< td=""><td><loq< td=""><td>0.00320</td><td>%</td><td>NA</td><td>&lt; 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.00320</td><td>%</td><td>NA</td><td>&lt; 20</td><td>Acceptable</td><td></td></loq<>	0.00320	%	NA	< 20	Acceptable				
OBDV .	<loq< td=""><td><loq< td=""><td>0.00320</td><td>%</td><td>NA</td><td>&lt; 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.00320</td><td>%</td><td>NA</td><td>&lt; 20</td><td>Acceptable</td><td></td></loq<>	0.00320	%	NA	< 20	Acceptable				
CBE	<loq< td=""><td><loq< td=""><td>0.00320</td><td>%</td><td>NA</td><td>&lt; 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.00320</td><td>%</td><td>NA</td><td>&lt; 20</td><td>Acceptable</td><td></td></loq<>	0.00320	%	NA	< 20	Acceptable				
OBDA .	<loq< td=""><td><loq< td=""><td>0.00320</td><td>%</td><td>NA</td><td>&lt; 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.00320</td><td>%</td><td>NA</td><td>&lt; 20</td><td>Acceptable</td><td></td></loq<>	0.00320	%	NA	< 20	Acceptable				
OBGA	<loq< td=""><td><loq< td=""><td>0.00320</td><td>%</td><td>NA</td><td>&lt; 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.00320</td><td>%</td><td>NA</td><td>&lt; 20</td><td>Acceptable</td><td></td></loq<>	0.00320	%	NA	< 20	Acceptable				
OBG	0.00572	0.00550	0.00320	%	4.05	< 20	Acceptable				
OBD .	0.190	0.188	0.00320	%	1.23	< 20	Acceptable				
THCV	<loq< td=""><td><loq< td=""><td>0.00320</td><td>%</td><td>NA</td><td>&lt; 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.00320</td><td>%</td><td>NA</td><td>&lt; 20</td><td>Acceptable</td><td></td></loq<>	0.00320	%	NA	< 20	Acceptable				
d8THCV	<l0q< td=""><td><loq< td=""><td>0.00320</td><td>%</td><td>NA</td><td>&lt; 20</td><td>Acceptable</td><td></td></loq<></td></l0q<>	<loq< td=""><td>0.00320</td><td>%</td><td>NA</td><td>&lt; 20</td><td>Acceptable</td><td></td></loq<>	0.00320	%	NA	< 20	Acceptable				
THCVA	<loq< td=""><td><loq< td=""><td>0.00320</td><td>%</td><td>NA</td><td>&lt; 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.00320</td><td>%</td><td>NA</td><td>&lt; 20</td><td>Acceptable</td><td></td></loq<>	0.00320	%	NA	< 20	Acceptable				
OBN .	0.00330	0.00332	0.00320	%	0.618	< 20	Acceptable				
exo-THC	<loq< td=""><td><loq< td=""><td>0.00320</td><td>%</td><td>NA</td><td>&lt; 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.00320</td><td>%</td><td>NA</td><td>&lt; 20</td><td>Acceptable</td><td></td></loq<>	0.00320	%	NA	< 20	Acceptable				
d9THC	0.188	0.185	0.00320	%	1.52	< 20	Acceptable				
d8THC	<l0q< td=""><td><loq< td=""><td>0.00320</td><td>%</td><td>NA</td><td>&lt; 20</td><td>Acceptable</td><td></td></loq<></td></l0q<>	<loq< td=""><td>0.00320</td><td>%</td><td>NA</td><td>&lt; 20</td><td>Acceptable</td><td></td></loq<>	0.00320	%	NA	< 20	Acceptable				
9Sd10THC	<loq< td=""><td><loq< td=""><td>0.00320</td><td>%</td><td>NA</td><td>&lt; 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.00320</td><td>%</td><td>NA</td><td>&lt; 20</td><td>Acceptable</td><td></td></loq<>	0.00320	%	NA	< 20	Acceptable				
CBL	<l0q< td=""><td><loq< td=""><td>0.00320</td><td>%</td><td>NA</td><td>&lt; 20</td><td>Acceptable</td><td></td></loq<></td></l0q<>	<loq< td=""><td>0.00320</td><td>%</td><td>NA</td><td>&lt; 20</td><td>Acceptable</td><td></td></loq<>	0.00320	%	NA	< 20	Acceptable				
9Rd10THC	<l0q< td=""><td><loq< td=""><td>0.00320</td><td>%</td><td>NA</td><td>&lt; 20</td><td>Acceptable</td><td></td></loq<></td></l0q<>	<loq< td=""><td>0.00320</td><td>%</td><td>NA</td><td>&lt; 20</td><td>Acceptable</td><td></td></loq<>	0.00320	%	NA	< 20	Acceptable				
OBC	<l0q< td=""><td><loq< td=""><td>0.00320</td><td>%</td><td>NA</td><td>&lt; 20</td><td>Acceptable</td><td></td></loq<></td></l0q<>	<loq< td=""><td>0.00320</td><td>%</td><td>NA</td><td>&lt; 20</td><td>Acceptable</td><td></td></loq<>	0.00320	%	NA	< 20	Acceptable				
THCA	<l0q< td=""><td><loq< td=""><td>0.00320</td><td>%</td><td>NA</td><td>&lt; 20</td><td>Acceptable</td><td></td></loq<></td></l0q<>	<loq< td=""><td>0.00320</td><td>%</td><td>NA</td><td>&lt; 20</td><td>Acceptable</td><td></td></loq<>	0.00320	%	NA	< 20	Acceptable				
OBCA OBCA	<loq< td=""><td><loq< td=""><td>0.00320</td><td>%</td><td>NA</td><td>&lt; 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.00320</td><td>%</td><td>NA</td><td>&lt; 20</td><td>Acceptable</td><td></td></loq<>	0.00320	%	NA	< 20	Acceptable				
COL V	100	100	0.00000	0/	NIA.	20	Acceptable				

Abbreviations

ND - None Detected at or above MRL RPD - Relative Percent Difference LOQ - Limit of Quantitation

Units of Measure:

%- Percent





**Report Number:** 23-012927/D002.R001

**Report Date:** 11/07/2023 ORELAP#: OR100028

**Purchase Order:** 

Received: 11/01/23 12:27







23-012927/D002.R001 **Report Number:** 

**Report Date:** 11/07/2023 ORELAP#: OR100028

**Purchase Order:** 

Received: 11/01/23 12:27

### Explanation of QC Flag Comments:

Code	Explanation
Q	Matrix interferences affecting spike or surrogate recoveries.
Q1	Quality control result biased high. Only non-detect samples reported.
Q2	Quality control outside QC limits. Data considered estimate.
Q3	Sample concentration greater than four times the amount spiked.
Q4	Non-homogenous sample matrix, affecting RPD result and/or % recoveries.
Q5	Spike results above calibration curve.
Q6	Quality control outside QC limits. Data acceptable based on remaining QC.
R	Relative percent difference (RPD) outside control limit.
R1	RPD non-calculable, as sample or duplicate results are less than five times the LOQ.
R2	Sample replicates RPD non-calculable, as only one replicate is within the analytical range.
LOQ1	Quantitation level raised due to low sample volume and/or dilution.
LOQ2	Quantitaion level raised due to matrix interference.
В	Analyte detected in method blank, but not in associated samples.
B1	The sample concentration is greater than 5 times the blank concentration.
B2	The sample concentration is less than 5 times the blank concentration.

# Naturally Derived Hemp Delta 9 Distillate

Sample ID: SA-230901-26627 Batch: 09DST226 Type: In-Process Material

Matrix: Concentrate - Distillate Unit Mass (g):

Received: 09/06/2023 Completed: 09/12/2023 Client

The Hemp Collect 431 NW Flanders St., Ste. 202 Portland, OR 97209

USA



Summary

Test Cannabinoids Foreign Matter Heavy Metals Microbials Mycotoxins Pesticides Residual Solvents

**Date Tested** 09/12/2023 09/06/2023 09/08/2023 09/08/2023 09/11/2023 09/11/2023 09/11/2023

**Not Detected** 

Status Tested Tested Tested Tested **Tested** Tested Tested

82.7 %

Total Δ9-THC

82.7 % Δ9-ΤΗС 89.4%

**Total Cannabinoids** 

**Not Tested** 

Moisture Content Foreign Matter Yes

Internal Standard Normalization

# Cannabinoids by HPLC-PDA, LC-MS/MS, and/or GC-MS/MS

Analyte	LOD (%)	LOQ (%)	Result (%)	Result (mg/g)
CBC	0.0095	0.0284	1.40	14.0
CBCA	0.0181	0.0543	ND	ND
CBCV	0.006	0.018	ND	ND
CBD	0.0081	0.0242	0.280	2.80
CBDA	0.0043	0.013	ND	ND
CBDV	0.0061	0.0182	ND	ND
CBDVA	0.0021	0.0063	ND	ND
CBG	0.0057	0.0172	3.46	34.6
CBGA	0.0049	0.0147	ND	ND
CBL	0.0112	0.0335	0.126	1.26
CBLA	0.0124	0.0371	ND	ND
CBN	0.0056	0.0169	0.816	8.16
CBNA	0.006	0.0181	ND	ND
CBT	0.018	0.054	0.132	1.32
Δ8-ΤΗС	0.0104	0.0312	ND	ND
Δ9-ΤΗС	0.0076	0.0227	82.7	827
Δ9-ΤΗCΑ	0.0084	0.0251	ND	ND
Δ9-ΤΗCV	0.0069	0.0206	0.467	4.67
Δ9-ΤΗCVA	0.0062	0.0186	ND	ND
Total Δ9-THC			82.7	827
Total			89.4	894

ND = Not Detected; NT = Not Tested; LOD = Limit of Detection; LOQ = Limit of Quantitation; RL = Reporting Limit; Δ = Delta; Total Δ9-THC = Δ9-THCA\* 0.877 + Δ9-THC, Total CBD = CBDA\* 0.877 + CBD;

Generated By: Ryan Bellone CCO

Date: 09/12/2023

Tested By: Nicholas Howard Scientist Date: 09/12/2023










This product or substance has been tested by KCA Laboratories using validated testing methodologies and an ISO/IEC 170252017 accredited quality system. Values reported relate only to the product or substance Lested. The reported result is based on a sample weight. Unless otherwise stated, results of tests performed on all quality control samples met criteria for acceptance established by KCA Laboratories KCA Laboratories makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected amounts of any substances reported herein. This Certificate of Analysis shall not be reproduced except in full, without the written approval of KCA Laboratories CCA Laboratories are provide measurement uncertainty upon request.





+1-833-KCA-LABS https://kcalabs.com KDA Lic.# P\_0058

2 of 6

## Naturally Derived Hemp Delta 9 Distillate

Sample ID: SA-230901-26627 Batch: 09DST226 Type: In-Process Material Matrix: Concentrate - Distillate Unit Mass (g):


Received: 09/06/2023 Completed: 09/12/2023 **Client**The Hemp Collect
431 NW Flanders St., Ste. 202
Portland, OR 97209

USA

# **Heavy Metals by ICP-MS**

Analyte	LOD (ppb)	LOQ (ppb)	Result (ppb)
Arsenic	2	20	ND
Cadmium	1	20	ND
Lead	2	20	<loq< td=""></loq<>
Mercury	12	50	ND

ND = Not Detected; NT = Not Tested; LOD = Limit of Detection; LOQ = Limit of Quantitation; P = Pass; F = Fail; RL = Reporting Limit



Generated By: Ryan Bellone CCO

Tested By: Chris Farman Scientist Date: 09/08/2023



Date: 09/12/2023

This product or substance has been tested by KCA Laboratories using validated testing methodologies and an ISO/IEC 170252017 accredited quality system. Values reported relate only to the product or substance tested. The reported result is based on a sample weight. Unless otherwise stated, results of tests performed on all quality control samples met criteria for acceptance established by KCA Laboratories KCA Laboratories makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected amounts of any substances reported herein. This Certificate of Analysis shall not be reproduced except in full, without the written approval of KCA Laboratories KCA Laboratories can provide measurement uncertainty upon request.





+1-833-KCA-LABS https://kcalabs.com KDA Lic.# P\_0058

3 of 6

## Naturally Derived Hemp Delta 9 Distillate

Sample ID: SA-230901-26627 Batch: 09DST226

Type: In-Process Material Matrix: Concentrate - Distillate

Unit Mass (g):

Received: 09/06/2023 Completed: 09/12/2023 Client

The Hemp Collect 431 NW Flanders St., Ste. 202 Portland, OR 97209

USA

# Pesticides by LC-MS/MS

Analyte	LOD (ppb)	LOQ (ppb)	Result (ppb)	Analyte	LOD (ppb)	LOQ (ppb)	Result (ppb)
Acephate	30	100	ND	Hexythiazox	30	100	ND
Acetamiprid	30	100	ND	Imazalil	30	100	ND
Aldicarb	30	100	ND	Imidacloprid	30	100	ND
Azoxystrobin	30	100	ND	Kresoxim methyl	30	100	ND
Bifenazate	30	100	ND	Malathion	30	100	ND
Bifenthrin	30	100	428	Metalaxyl	30	100	ND
Boscalid	30	100	ND	Methiocarb	30	100	ND
Carbaryl	30	100	ND	Methomyl	30	100	ND
Carbofuran	30	100	ND	Mevinphos	30	100	ND
Chloranthraniliprole	30	100	ND	Myclobutanil	30	100	ND
Chlorfenapyr	30	100	ND	Naled	30	100	ND
Chlorpyrifos	30	100	ND	Oxamyl	30	100	ND
Clofentezine	30	100	ND	Paclobutrazol	30	100	ND
Coumaphos	30	100	ND	Permethrin	30	100	ND
Daminozide	30	100	ND	Phosmet	30	100	ND
Diazinon	30	100	ND	Piperonyl Butoxide	30	100	ND
Dichlorvos	30	100	ND	Prallethrin	30	100	ND
Dimethoate	30	100	ND	Propiconazole	30	100	<loq< td=""></loq<>
Dimethomorph	30	100	ND	Propoxur	30	100	ND
Ethoprophos	30	100	ND	Pyrethrins	30	100	ND
Etofenprox	30	100	ND	Pyridaben	30	100	ND
Etoxazole	30	100	ND	Spinetoram	30	100	ND
Fenhexamid	30	100	ND	Spinosad	30	100	ND
Fenoxycarb	30	100	ND	Spiromesifen	30	100	ND
Fenpyroximate	30	100	ND	Spirotetramat	30	100	ND
Fipronil	30	100	ND	Spiroxamine	30	100	ND
Flonicamid	30	100	ND	Tebuconazole	30	100	ND
Fludioxonil	30	100	ND	Thiacloprid	30	100	ND
				Thiamethoxam	30	100	ND
				Trifloxystrobin	30	100	ND

ND = Not Detected; NT = Not Tested; LOD = Limit of Detection; LOQ = Limit of Quantitation; P = Pass; F = Fail; RL = Reporting Limit

Generated By: Ryan Bellone CCO

Tested By: Jasper van Heemst Principal Scientist Date: 09/11/2023





+1-833-KCA-LABS https://kcalabs.com KDA Lic.# P\_0058

## Naturally Derived Hemp Delta 9 Distillate

Sample ID: SA-230901-26627 Batch: 09DST226 Type: In-Process Material Matrix: Concentrate - Distillate

Unit Mass (g):


Received: 09/06/2023 Completed: 09/12/2023 Client

The Hemp Collect 431 NW Flanders St., Ste. 202 Portland, OR 97209 USA 4 of 6

# Mycotoxins by LC-MS/MS

Analyte	LOD (ppb)	LOQ (ppb)	Result (ppb)	
B1	1	5	ND	
B2	1	5	ND	
G1	1	5	ND	
G2	1	5	ND	
Ochratoxin A	1	5	ND	
G2 Ochratoxin A	1	5 5 5	ND ND	

ND = Not Detected; NT = Not Tested; LOD = Limit of Detection; LOQ = Limit of Quantitation; P = Pass; F = Fail; RL = Reporting Limit



Generated By: Ryan Bellone CCO

Date: 09/12/2023

Tested By: Jasper van Heemst Principal Scientist Date: 09/11/2023



This product or substance has been tested by KCA Laboratories using validated testing methodologies and an ISO/IEC 170252017 accredited quality system. Values reported relate only to the product or substance tested. The reported result is based on a sample weight. Unless otherwise stated, results of tests performed on all quality control samples met criteria for acceptance established by KCA Laboratories KCA Laboratories makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected amounts of any substances reported herein. This Certificate of Analysis shall not be reproduced except in full, without the written approval of KCA Laboratories KCA Laboratories have a provide measurement uncertainty upon request.



+1-833-KCA-LABS https://kcalabs.com KDA Lic.# P\_0058

### **Certificate of Analysis**

5 of 6

## Naturally Derived Hemp Delta 9 Distillate

Sample ID: SA-230901-26627 Batch: 09DST226 Type: In-Process Material Matrix: Concentrate - Distillate


Unit Mass (g):

Received: 09/06/2023 Completed: 09/12/2023 Client
The Hemp Collect
431 NW Flanders St., Ste. 202
Portland, OR 97209
USA

# Microbials by PCR and Plating

LOD (CFU/g)	Result (CFU/g)	Result (Qualitative)
1	ND	
1	ND	
1	ND	
1		Not Detected per 1 gram
1		Not Detected per 1 gram
	LOD (CFU/g)  1  1  1  1	1 ND 1 ND

ND = Not Detected; NT = Not Tested; LOD = Limit of Detection; LOQ = Limit of Quantitation; CFU = Colony Forming Units; P = Pass; F = Fail; RL = Reporting Limit



XJA.

Tested By: Addison Riel Laboratory Technician

Generated By: Ryan Bellone CCO





+1-833-KCA-LABS https://kcalabs.com KDA Lic.# P\_0058

6 of 6

## Naturally Derived Hemp Delta 9 Distillate

Sample ID: SA-230901-26627 Batch: 09DST226

Type: In-Process Material Matrix: Concentrate - Distillate

Unit Mass (g):

Received: 09/06/2023 Completed: 09/12/2023 Client

The Hemp Collect 431 NW Flanders St., Ste. 202 Portland, OR 97209

USA

## Residual Solvents by HS-GC-MS

Analyte	LOD (ppm)	LOQ (ppm)	Result (ppm)	Analyte	LOD (ppm)	LOQ (ppm)	Result (ppm)
Acetone	167	500	ND	Ethylene Glycol	21	62	ND
Acetonitrile	14	41	ND	Ethylene Oxide	0.5	1	ND
Benzene	0.5	1	ND	Heptane	167	500	ND
Butane	167	500	ND	n-Hexane	10	29	ND
1-Butanol	167	500	ND	Isobutane	167	500	ND
2-Butanol	167	500	ND	Isopropyl Acetate	167	500	ND
2-Butanone	167	500	ND	Isopropyl Alcohol	167	500	ND
Chloroform	2	6	ND	Isopropylbenzene	167	500	ND
Cyclohexane	129	388	ND	Methanol	100	300	ND
1,2-Dichloroethane	0.5	1	ND	2-Methylbutane	10	29	ND
1,2-Dimethoxyethane	4	10	ND	Methylene Chloride	20	60	ND
Dimethyl Sulfoxide	167	500	ND	2-Methylpentane	10	29	ND
N,N-Dimethylacetamide	37	109	ND	3-Methylpentane	10	29	ND
2,2-Dimethylbutane	10	29	ND	n-Pentane	167	500	ND
2,3-Dimethylbutane	10	29	ND	1-Pentanol	167	500	ND
N,N-Dimethylformamide	30	88	ND	n-Propane	167	500	ND
2,2-Dimethylpropane	167	500	ND	1-Propanol	167	500	ND
1,4-Dioxane	13	38	ND	Pyridine	7	20	ND
Ethanol	167	500	ND	Tetrahydrofuran	24	72	ND
2-Ethoxyethanol	6	16	ND	Toluene	30	89	ND
Ethyl Acetate	167	500	ND	Trichloroethylene	3	8	ND
Ethyl Ether	167	500	ND	Tetramethylene Sulfone	6	16	ND
Ethylbenzene	3	7	ND	Xylenes (o-, m-, and p-)	73	217	ND

ND = Not Detected; NT = Not Tested; LOD = Limit of Detection; LOQ = Limit of Quantitation; P = Pass; F = Fail; RL = Reporting Limit



Generated By: Ryan Bellone CCO Date: 09/12/2023 folise

Tested By: Scott Caudill Laboratory Manager Date: 09/11/2023







Report Number: 23-000691/D006.R000

**Report Date:** 01/24/2023 **ORELAP#:** OR100028

**Purchase Order:** 

**Received:** 01/17/23 14:16

Customer: IHC LLC

Product identity: 01LIR209\_Llama

Client/Metrc ID:

**Laboratory ID:** 23-000691-0009

## Summary

Potency:

· · · · · · · · · · · · · · · · · · ·			I	
Analyte	Result (%)		CDD T-4-1	
CBD-A	68.0	<ul><li>CBD-A</li></ul>	CBD-Total	60.9%
CBC-A	3.27	<ul><li>CBC-A</li></ul>		
THC-A	3.16	<ul><li>THC-A</li></ul>	THC-Total	3.56%
CBG-A	1.32	<ul><li>CBG-A</li></ul>		
CBD	1.23	• CBD	(Reported in pe	ercent of total sample)
Δ9-THC	0.785	<ul><li>Δ9-THC</li><li>CBDV-A</li></ul>		1 /
CBDV-A	0.452	• CBDV-A		
CBC	0.334	• CBC		
CBG	0.163			

#### **Residual Solvents:**

All analytes passing and less than LOQ.

### Pesticides:

Result Limits Statu (mg/kg) (mg/kg)
idue Pesticide Profile

#### Metals:

Less than LOQ for all analytes.

### Microbiology:

Less than LOQ for all analytes.






**Report Number:** 23-000691/D006.R000

**Report Date:** 01/24/2023 **ORELAP#:** OR100028

**Purchase Order:** 

**Received:** 01/17/23 14:16

COLLECT



Customer: IHC LLC

825 NW 16th Ave Portland Oregon 97209 United States of America (USA)

Product identity: 01LIR209\_Llama

Client/Metrc ID:

Sample Date:

**Laboratory ID:** 23-000691-0009

Evidence of Cooling: No
Temp: 20 °C
Relinquished by: ramos

### **Sample Results**

Potency	Method: J AOAC	2015 V98-6 (mod) <sup>b</sup>	Units %	Batch: 2300680	<b>Analyze:</b> 1/21/23	5:15:00 AM
Analyte		,	lotes			
000	Received w	_				CBD-A
CBC	0.334	0.0668				CBC-A
CBC-A	3.27	0.0668				THC-A
CBC-Total	3.20	0.125				O CBG-A
CBD	1.23	0.0668				<ul><li>CBD</li><li>Δ9-THC</li></ul>
CBD-A	68.0	0.668				© CBDV-A
CBD-Total	60.9	0.653				• CBC
CBDV	< LOQ	0.0668				• CBG
CBDV-A	0.452	0.0668				
CBDV-Total	0.392	0.125				
CBE	< LOQ	0.0668				
CBG	0.163	0.0668				
CBG-A	1.32	0.0668				
CBG-Total	1.32	0.125				
CBL	< LOQ	0.0668				
CBL-A	< LOQ	0.0668				
CBL-Total	< LOQ	0.125				
CBN	< LOQ	0.0668				
CBT	< LOQ	0.0668				
Δ10-THC-9R	< LOQ	0.0668				
Δ8-THC	< LOQ	0.0668				
Δ8-THCV	< LOQ	0.0668				
Δ9-THC	0.785	0.0668				
exo-THC	< LOQ	0.0668				
THC-A	3.16	0.0668				
THC-Total	3.56	0.125				
THCV	< LOQ	0.0668				
THCV-A	< LOQ	0.0668				
THCV-Total	< LOQ	0.125				
Total Cannabinoids	78.7					





**Report Number:** 23-000691/D006.R000

**Report Date:** 01/24/2023 **ORELAP#:** OR100028

**Purchase Order:** 

**Received:** 01/17/23 14:16

Microbiology						
Analyte	Result	Limits Units	LOQ	Batch	Analyzed Method	Status Notes
Mold (RAPID Petrifilm)	< LOQ	cfu/g	10	2300531	01/21/23 AOAC 2014.05 (RAPID) <sup>b</sup>	
Yeast (RAPID Petrifilm)	< LOQ	cfu/g	10	2300531	01/21/23 AOAC 2014.05 (RAPID) <sup>b</sup>	

Solvents	Method:	Residua	I Solve	ents by	GC/MS <sup>þ</sup>	Units µg/g Batch 2	300722	Analyz	<b>e</b> 01/2	24/23 12:13 PM
Analyte	Result	Limits	LOQ	Status	Notes	Analyte	Result	Limits	LOQ	Status Notes
1,4-Dioxane	< LOQ	380	100	pass		2-Butanol	< LOQ	5000	200	pass
2-Ethoxyethanol	< LOQ	160	30.0	pass		2-Methylbutane (Isopentane)	< LOQ		200	
2-Methylpentane	< LOQ		30.0			2-Propanol (IPA)	< LOQ	5000	200	pass
2,2-Dimethylbutane	< LOQ		30.0			2,2-Dimethylpropane (neo-pentane)	< LOQ		200	
2,3-Dimethylbutane	< LOQ		30.0			3-Methylpentane	< LOQ		30.0	
Acetone	< LOQ	5000	200	pass		Acetonitrile	< LOQ	410	100	pass
Benzene	< LOQ	2.00	1.00	pass		Butanes (sum)	< LOQ	5000	400	pass
Cyclohexane	< LOQ	3880	200	pass		Ethyl acetate	< LOQ	5000	200	pass
Ethyl benzene	< LOQ		200			Ethyl ether	< LOQ	5000	200	pass
Ethylene glycol	< LOQ	620	200	pass		Ethylene oxide	< LOQ	50.0	20.0	pass
Hexanes (sum)	< LOQ	290	150	pass		Isopropyl acetate	< LOQ	5000	200	pass
lsopropylbenzene (Cumene)	< LOQ	70.0	30.0	pass		m,p-Xylene	< LOQ		200	
Methanol	< LOQ	3000	200	pass		Methylene chloride	< LOQ	600	60.0	pass
Methylpropane (Isobutane)	< LOQ		200			n-Butane	< LOQ		200	
n-Heptane	< LOQ	5000	200	pass		n-Hexane	< LOQ		30.0	
n-Pentane	< LOQ		200			o-Xylene	< LOQ		200	
Pentanes (sum)	< LOQ	5000	600	pass		Propane	< LOQ	5000	200	pass
Tetrahydrofuran	< LOQ	720	100	pass		Toluene	< LOQ	890	100	pass
Total Xylenes	< LOQ		400			Total Xylenes and Ethyl benzene	< LOQ	2170	600	pass

Pesticides	Method: AOAC 2007.01 & EN 15662 (mod)	Units mg/kg	Batch 2300713	Analyze 01/24/23 10:07 AM
Analyte	Result	Limits	Status	Notes

Multi-Residue Pesticide Profile < LOQ for all analytes

Metals							
Analyte	Result	Limits	Units	LOQ	Batch	Analyzed Method	Status Notes
Arsenic	< LOQ	0.200	mg/kg	0.0844	2300594	01/18/23 AOAC 2013.06 (mod.) <sup>p</sup>	pass
Cadmium	< LOQ	0.200	mg/kg	0.0844	2300594	01/18/23 AOAC 2013.06 (mod.) <sup>p</sup>	pass
Lead	< LOQ	0.500	mg/kg	0.0844	2300594	01/18/23 AOAC 2013.06 (mod.) <sup>p</sup>	pass
Mercury	< LOQ	0.100	mg/kg	0.0422	2300594	01/18/23 AOAC 2013.06 (mod.) <sup>b</sup>	pass





23-000691/D006.R000 **Report Number:** 

Report Date: 01/24/2023 ORELAP#: OR100028

**Purchase Order:** 

Received: 01/17/23 14:16

Mycotoxins							
Analyte	Result	Limits	Units	LOQ	Batch	Analyzed Method	Status Notes
Aflatoxin B2¥	< LOQ		μg/kg	5.00	2300576	01/19/23 AOAC 2007.01 & EN 15662 (mod) <sup>b</sup>	
Aflatoxin B1¥	< LOQ		μg/kg	5.00	2300576	01/19/23 AOAC 2007.01 & EN 15662 (mod) <sup>b</sup>	
Aflatoxin G1¥	< LOQ		μg/kg	5.00	2300576	01/19/23 AOAC 2007.01 & EN 15662 (mod) <sup>b</sup>	
Aflatoxin G2¥	< LOQ		μg/kg	5.00	2300576	01/19/23 AOAC 2007.01 & EN 15662 (mod) <sup>b</sup>	
Ochratoxin A¥	< LOQ	20.0	μg/kg	5.00	2300576	01/19/23 AOAC 2007.01 & EN 15662 (mod) <sup>b</sup>	pass
Total Aflatoxins*	0.000	20.0	μg/kg	20.0		01/24/23 AOAC 2007.01 & EN 15662 (mod) <sup>b</sup>	pass





Report Number: 23-000691/D006.R000

**Report Date:** 01/24/2023 **ORELAP#:** OR100028

**Purchase Order:** 

**Received:** 01/17/23 14:16

#### **Abbreviations**

Limits: Action Levels per OAR-333-007-0400, OAR-333-007-0210, OAR-333-007-0220, CCR title 16-division 42. BCC-section 5723

**Limit(s) of Quantitation (LOQ):** The minimum levels, concentrations, or quantities of a target variable (e.g., target analyte) that can be reported with a specified degree of confidence.

p = ISO/IEC 17025:2017 accredited method.

\* = TNI accredited analyte.

#### Units of Measure

cfu/g = Colony forming units per gram

μg/g = Microgram per gram

μg/kg = Micrograms per kilogram = parts per billion (ppb)

mg/kg = Milligram per kilogram = parts per million (ppm)

% = Percentage of sample

% wt =  $\mu$ g/g divided by 10,000

Approved Signatory

Derrick Tanner General Manager





Report Number: 23-000691/D006.R000

**Report Date:** 01/24/2023 **ORELAP#:** OR100028

**Purchase Order:** 

**Received:** 01/17/23 14:16



### Hemp / Cannabis Usable / Extract / Finished Products Chain of Custody Record

Revision: 4.00 Control#: CF029 Rev 02/24/2021 Eff: 03/04/2021. CREAP C: CR100006

		= -3				A	rafys	s Req	ueste	¢					0 flumber:	
Company: The Hemp Collect Contact: kyle@thehempcol Street: 431 NW Handers st. One: Portland State: Sid Email Results: dropbox (IHI Phr. [51] 508154 [] Fx Results sting (# efferent): Joel@thehem	UF 2p.	97209	- OR59 compasseds	Multi-Residue - 179 compounds		athat Solvents	chare & Water Activity	100	Report Yearst and Model	Money E. Clair and Total Celiforns	dala	us su		Project Proj Cantom I Report to	t Number: pec Name: laporting: o State: -   WE outlines: W 54	THE or Chec. Sections Day Standard Terrenound Sections Day Righ Terrenound* Oppings Day Righ Terrenound* Oppings On continuings
Lab Client Sareple Identification 1 01LIRVAP200_SP	Date	True	restotles	Pertition	Potenty	heathar	Mototare	Yenpones	Memorra	Mensif	Beary Metals	Mecedados	Differi	Sample Type †	Weight (Units)	Comments/Metro 10
2 O1LIRVAP200 PB				$\vdash$	×	$\vdash$					-	-		C		
3 0107LIRVAP200 Liams				$\vdash$	×	-			-			-		C		
4 0107LIRVAP200 OGK					×			-						C	_	
5 01020506LIRVAP200_	TG				X	$\vdash$	-	-			-	-	-	C	-	
6 01020506LIRVAP200_	FV			Н	×	-	_				-	-		C		
7 01LIR209 GJ		-		×	x	х			х	-	X	×		C		
8 01LIR209_SG				×	×	X			×		х	x		С		
9 01LIR209_Llama				×	×	×			х		х	x		C		
10 01LIR209_TG				×	×	X					х			C	1	
Helinquished by:	Cute	Time		12	2	ocalminal	By:			Di	die	-19	10			Lab Use Only:
Kyle Farook	1/17	11:00 A		é		5				-	-	11/1	_	Evidence	of cooling: CIV	or DiChert drop es   DiNa - Temp (*C): 20, 69
1338		/338		p.e.s						0/4/67 /4/19			4	Sample in good condition: (2 Yes) (2 No		

1 - Sample Type Codes: Vogotation (V); Indates (S); Extract/Concentrate (C); Taxture/Tapical (T); Edible (E); Severage (U)

Employ information Columbia Extraction with transpropriation or opposition on agreement for exercise to exercise the control transposition of the COC. In Open, "Estimated by "you are agreement that seemed to the COC. In Open, "Estimated by "you are agreement to the seemed to the COC. In Open, "Estimated by "you are agreement to the seemed to the COC. In Open, "Estimated by "you are agreement to the seemed to the COC. In Open, "Estimated by "you are agreement to the seemed to the COC. In Open, "Estimated by "you are agreement to the seemed to the COC. In Open, "Estimated by "you are agreement to the seemed to the COC. In Open, "Estimated by "you are agreement to the seemed to the COC. In Open, "Estimated by "you are agreement to the seemed to the COC. In Open, "Estimated by "you are agreement to the seemed to the COC. In Open, "Estimated by "you are agreement to the seemed to the COC. In Open, "Estimated by "you are agreement to the seemed to the COC. In Open, "Estimated by "you are agreement to the community of the community of





**Report Number:** 23-000691/D006.R000

**Report Date:** 01/24/2023 ORELAP#: OR100028

**Purchase Order:** 

Received: 01/17/23 14:16

Revision: 1 Document ID: 7148 Legacy ID: Worksheet Validated 04/20/2021

I AOAC 2015 V98-6					В	atch ID: 2300680		
Laboratory Control Sa	mple							
Analyte	LCS	Result	Spike	Units	% Rec	Limits	Evaluation	Notes
CBDVA	2	0.104	0.100	%	104	80.0 - 120	Acceptable	
CBDV	2	0.110	0.106	%	104	80.0 - 120	Acceptable	
CBE	2	0.108	0.105	%	103	80.0 - 120	Acceptable	
CBDA	1	0.0968	0.096	%	101	90.0 - 110	Acceptable	
CBGA	1	0.0973	0.096	%	101	80.0 - 120	Acceptable	
CBG	1	0.100	0.099	%	102	80.0 - 120	Acceptable	
CBD	1	0.0969	0.097	%	99.6	90.0 - 110	Acceptable	
THCV	2	0.109	0.106	%	102	80.0 - 120	Acceptable	
d8THCV	2	0.108	0.103	%	105	80.0 - 120	Acceptable	
THCVA	2	0.102	0.099	%	103	80.0 - 120	Acceptable	
CBN	1	0.104	0.102	%	102	80.0 - 120	Acceptable	
exo-THC	2	0.101	0.097	%	104	80.0 - 120	Acceptable	
19THC	1	0.112	0.105	%	107	90.0 - 110	Acceptable	
BTHC	1	0.0971	0.100	%	96.7	90.0 - 110	Acceptable	
CBL	2	0.108	0.104	%	104	80.0 - 120	Acceptable	
9S-HHC	3	0.0995	0.100	%	99.5	80.0 - 120	Acceptable	
d10THC	1	0.0471	0.047	%	99.8	80.0 - 120	Acceptable	
CBC	2	0.107	0.104	%	103	80.0 - 120	Acceptable	
9R-HHC	3	0.0889	0.100	%	88.9	80.0 - 120	Acceptable	
THCA	1	0.0964	0.095	%	101	90.0 - 110	Acceptable	
CBCA	2	0.106	0.103	%	103	80.0 - 120	Acceptable	
CBLA	2	0.108	0.105	%	104	80.0 - 120	Acceptable	
d8THCO	3	0.104	0.100	%	104	80.0 - 120	Acceptable	
CBT	2	0.109	0.105	%	104	80.0 - 120	Acceptable	
d9THCO	3	0.110	0.100	%	110	80.0 - 120	Acceptable	

Analyte	Result	LOQ	Units	Limits	Evaluation	Notes
CBDVA	<loq< td=""><td>0.0077</td><td>%</td><td>&lt; 0.0077</td><td>Acceptable</td><td></td></loq<>	0.0077	%	< 0.0077	Acceptable	
CBDV	<loq< td=""><td>0.0077</td><td>%</td><td>&lt; 0.0077</td><td>Acceptable</td><td></td></loq<>	0.0077	%	< 0.0077	Acceptable	
CBE	<loq< td=""><td>0.0077</td><td>%</td><td>&lt; 0.0077</td><td>Acceptable</td><td></td></loq<>	0.0077	%	< 0.0077	Acceptable	
CBDA	<loq< td=""><td>0.0077</td><td>%</td><td>&lt; 0.0077</td><td>Acceptable</td><td></td></loq<>	0.0077	%	< 0.0077	Acceptable	
CBGA	<loq< td=""><td>0.0077</td><td>%</td><td>&lt; 0.0077</td><td>Acceptable</td><td></td></loq<>	0.0077	%	< 0.0077	Acceptable	
CBG	<loq< td=""><td>0.0077</td><td>%</td><td>&lt; 0.0077</td><td>Acceptable</td><td></td></loq<>	0.0077	%	< 0.0077	Acceptable	
CBD	<loq< td=""><td>0.0077</td><td>%</td><td>&lt; 0.0077</td><td>Acceptable</td><td></td></loq<>	0.0077	%	< 0.0077	Acceptable	
THCV	<loq< td=""><td>0.0077</td><td>%</td><td>&lt; 0.0077</td><td>Acceptable</td><td></td></loq<>	0.0077	%	< 0.0077	Acceptable	
d8THCV	<loq< td=""><td>0.0077</td><td>%</td><td>&lt; 0.0077</td><td>Acceptable</td><td></td></loq<>	0.0077	%	< 0.0077	Acceptable	
THCVA	<loq< td=""><td>0.0077</td><td>%</td><td>&lt; 0.0077</td><td>Acceptable</td><td></td></loq<>	0.0077	%	< 0.0077	Acceptable	
CBN	<loq< td=""><td>0.0077</td><td>%</td><td>&lt; 0.0077</td><td>Acceptable</td><td></td></loq<>	0.0077	%	< 0.0077	Acceptable	
exo-THC	<loq< td=""><td>0.0077</td><td>%</td><td>&lt; 0.0077</td><td>Acceptable</td><td></td></loq<>	0.0077	%	< 0.0077	Acceptable	
d9THC	<loq< td=""><td>0.0077</td><td>%</td><td>&lt; 0.0077</td><td>Acceptable</td><td></td></loq<>	0.0077	%	< 0.0077	Acceptable	
d8THC	<loq< td=""><td>0.0077</td><td>%</td><td>&lt; 0.0077</td><td>Acceptable</td><td></td></loq<>	0.0077	%	< 0.0077	Acceptable	
CBL	<loq< td=""><td>0.0077</td><td>%</td><td>&lt; 0.0077</td><td>Acceptable</td><td></td></loq<>	0.0077	%	< 0.0077	Acceptable	
9S-HHC	<loq< td=""><td>0.0077</td><td>%</td><td>&lt; 0.0077</td><td>Acceptable</td><td></td></loq<>	0.0077	%	< 0.0077	Acceptable	
d10THC	<loq< td=""><td>0.0077</td><td>%</td><td>&lt; 0.0077</td><td>Acceptable</td><td></td></loq<>	0.0077	%	< 0.0077	Acceptable	
CBC	<loq< td=""><td>0.0077</td><td>%</td><td>&lt; 0.0077</td><td>Acceptable</td><td></td></loq<>	0.0077	%	< 0.0077	Acceptable	
9R-HHC	<loq< td=""><td>0.0077</td><td>%</td><td>&lt; 0.0077</td><td>Acceptable</td><td></td></loq<>	0.0077	%	< 0.0077	Acceptable	
THCA	<loq< td=""><td>0.0077</td><td>%</td><td>&lt; 0.0077</td><td>Acceptable</td><td></td></loq<>	0.0077	%	< 0.0077	Acceptable	
CBCA	<loq< td=""><td>0.0077</td><td>%</td><td>&lt; 0.0077</td><td>Acceptable</td><td></td></loq<>	0.0077	%	< 0.0077	Acceptable	
CBLA	<loq< td=""><td>0.0077</td><td>%</td><td>&lt; 0.0077</td><td>Acceptable</td><td></td></loq<>	0.0077	%	< 0.0077	Acceptable	
d8THCO	<loq< td=""><td>0.0077</td><td>%</td><td>&lt; 0.0077</td><td>Acceptable</td><td></td></loq<>	0.0077	%	< 0.0077	Acceptable	
CBT	<loq< td=""><td>0.0077</td><td>%</td><td>&lt; 0.0077</td><td>Acceptable</td><td></td></loq<>	0.0077	%	< 0.0077	Acceptable	
d9THCO	<loq< td=""><td>0.0077</td><td>%</td><td>&lt; 0.0077</td><td>Acceptable</td><td></td></loq<>	0.0077	%	< 0.0077	Acceptable	

Abbreviations

ND - None Detected at or above MRL RPD - Relative Percent Difference LOQ - Limit of Quantitation

Units of Measure: % - Percent





Report Number: 23-000691/D006.R000

**Report Date:** 01/24/2023 **ORELAP#:** OR100028

**Purchase Order:** 

**Received:** 01/17/23 14:16

Revision: 1 Document ID: 7148 Legacy ID: Worksheet Validated 04/20/2021

#### **Laboratory Quality Control Results**

J AOAC 2015 V98-6					Ba				
Sample Duplicate	Sample ID: 23-000673-0001								
Analyte	Result	Org. Result	LOQ	Units	RPD	Limits	Evaluation	Notes	
CBDVA	0.0236	0.0235	0.077	%	0.271	< 20	Acceptable		
CBDV	<loq< td=""><td><loq< td=""><td>0.077</td><td>%</td><td>NA</td><td>&lt; 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.077</td><td>%</td><td>NA</td><td>&lt; 20</td><td>Acceptable</td><td></td></loq<>	0.077	%	NA	< 20	Acceptable		
CBE	<loq< td=""><td><loq< td=""><td>0.077</td><td>%</td><td>NA</td><td>&lt; 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.077</td><td>%</td><td>NA</td><td>&lt; 20</td><td>Acceptable</td><td></td></loq<>	0.077	%	NA	< 20	Acceptable		
CBDA	<loq< td=""><td><loq< td=""><td>0.077</td><td>%</td><td>NA</td><td>&lt; 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.077</td><td>%</td><td>NA</td><td>&lt; 20</td><td>Acceptable</td><td></td></loq<>	0.077	%	NA	< 20	Acceptable		
CBGA	<loq< td=""><td><loq< td=""><td>0.077</td><td>%</td><td>NA</td><td>&lt; 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.077</td><td>%</td><td>NA</td><td>&lt; 20</td><td>Acceptable</td><td></td></loq<>	0.077	%	NA	< 20	Acceptable		
CBG	<loq< td=""><td><loq< td=""><td>0.077</td><td>%</td><td>NA</td><td>&lt; 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.077</td><td>%</td><td>NA</td><td>&lt; 20</td><td>Acceptable</td><td></td></loq<>	0.077	%	NA	< 20	Acceptable		
CBD	<loq< td=""><td><loq< td=""><td>0.077</td><td>%</td><td>NA</td><td>&lt; 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.077</td><td>%</td><td>NA</td><td>&lt; 20</td><td>Acceptable</td><td></td></loq<>	0.077	%	NA	< 20	Acceptable		
THCV	<loq< td=""><td><loq< td=""><td>0.077</td><td>%</td><td>NA</td><td>&lt; 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.077</td><td>%</td><td>NA</td><td>&lt; 20</td><td>Acceptable</td><td></td></loq<>	0.077	%	NA	< 20	Acceptable		
d8THCV	<loq< td=""><td><loq< td=""><td>0.077</td><td>%</td><td>NA</td><td>&lt; 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.077</td><td>%</td><td>NA</td><td>&lt; 20</td><td>Acceptable</td><td></td></loq<>	0.077	%	NA	< 20	Acceptable		
THCVA	<loq< td=""><td><loq< td=""><td>0.077</td><td>%</td><td>NA</td><td>&lt; 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.077</td><td>%</td><td>NA</td><td>&lt; 20</td><td>Acceptable</td><td></td></loq<>	0.077	%	NA	< 20	Acceptable		
CBN	0.0340	0.0342	0.077	%	0.526	< 20	Acceptable		
exo-THC	<loq< td=""><td><loq< td=""><td>0.077</td><td>%</td><td>NA</td><td>&lt; 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.077</td><td>%</td><td>NA</td><td>&lt; 20</td><td>Acceptable</td><td></td></loq<>	0.077	%	NA	< 20	Acceptable		
d9THC	<loq< td=""><td><loq< td=""><td>0.077</td><td>%</td><td>NA</td><td>&lt; 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.077</td><td>%</td><td>NA</td><td>&lt; 20</td><td>Acceptable</td><td></td></loq<>	0.077	%	NA	< 20	Acceptable		
d8THC	0.189	0.172	0.077	%	9.34	< 20	Acceptable		
CBL	<loq< td=""><td><loq< td=""><td>0.077</td><td>%</td><td>NA</td><td>&lt; 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.077</td><td>%</td><td>NA</td><td>&lt; 20</td><td>Acceptable</td><td></td></loq<>	0.077	%	NA	< 20	Acceptable		
9S-HHC	39.6	38.5	0.077	%	2.70	< 20	Acceptable		
d10THC	<loq< td=""><td><loq< td=""><td>0.077</td><td>%</td><td>NA</td><td>&lt; 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.077</td><td>%</td><td>NA</td><td>&lt; 20</td><td>Acceptable</td><td></td></loq<>	0.077	%	NA	< 20	Acceptable		
CBC	<loq< td=""><td><loq< td=""><td>0.077</td><td>%</td><td>NA</td><td>&lt; 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.077</td><td>%</td><td>NA</td><td>&lt; 20</td><td>Acceptable</td><td></td></loq<>	0.077	%	NA	< 20	Acceptable		
9R-HHC	36.9	35.2	0.077	%	4.96	< 20	Acceptable		
THCA	<loq< td=""><td><loq< td=""><td>0.077</td><td>%</td><td>NA</td><td>&lt; 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.077</td><td>%</td><td>NA</td><td>&lt; 20</td><td>Acceptable</td><td></td></loq<>	0.077	%	NA	< 20	Acceptable		
CBCA	<loq< td=""><td><loq< td=""><td>0.077</td><td>%</td><td>NA</td><td>&lt; 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.077</td><td>%</td><td>NA</td><td>&lt; 20</td><td>Acceptable</td><td></td></loq<>	0.077	%	NA	< 20	Acceptable		
CBLA	<loq< td=""><td><loq< td=""><td>0.077</td><td>%</td><td>NA</td><td>&lt; 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.077</td><td>%</td><td>NA</td><td>&lt; 20</td><td>Acceptable</td><td></td></loq<>	0.077	%	NA	< 20	Acceptable		
d8THCO	<loq< td=""><td><loq< td=""><td>0.077</td><td>%</td><td>NA</td><td>&lt; 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.077</td><td>%</td><td>NA</td><td>&lt; 20</td><td>Acceptable</td><td></td></loq<>	0.077	%	NA	< 20	Acceptable		
CBT	<loq< td=""><td><loq< td=""><td>0.077</td><td>%</td><td>NA</td><td>&lt; 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.077</td><td>%</td><td>NA</td><td>&lt; 20</td><td>Acceptable</td><td></td></loq<>	0.077	%	NA	< 20	Acceptable		
d9THCO	<loq< td=""><td><loq< td=""><td>0.077</td><td>%</td><td>NA</td><td>&lt; 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.077</td><td>%</td><td>NA</td><td>&lt; 20</td><td>Acceptable</td><td></td></loq<>	0.077	%	NA	< 20	Acceptable		

hhreviation

ND - None Detected at or above MRL

RPD - Relative Percent Difference

LOQ - Limit of Quantitation

R2 - Sample replicates RPD non-calculable, as only one replicate is within analytical range.

Units of Measure:





**Report Number:** 23-000691/D006.R000

**Report Date:** 01/24/2023 **ORELAP#:** OR100028

**Purchase Order:** 

**Received:** 01/17/23 14:16

Revision: 2 Document ID: 7087 Legacy ID: CFL-E33Effective:

Laboratory Quality Control Results												
Residual Solvents						Bat	ch ID:	230072	22			
Method Blank					Laborator	y Control Sa	ample					
Analyte	Result		LOQ	Notes	Result	Spike	Units	% Rec	- 1	imi	its	Notes
Propane	ND	<	200		480	572	μg/g	83.9	60	-	120	
sobutane	ND	<	200		623	731	μg/g	85.2	60		120	
Butane	ND	<	200		592	731	μg/g	81.0	60		120	
2,2-Dimethylpropane	ND	<	200		812	936	μg/g	86.8	60	,	120	
Methanol	ND	<	200		1410	1620	μg/g	87.0	60	i	120	
thylene Oxide	ND	<	30		49	56.2	μg/g	87.2	60	ı	120	
2-Methylbutane	ND	<	200		1330	1610	μg/g	82.6	60	ı	120	
Pentane	ND	<	200		1330	1600	μg/g	83.1	60	١	120	
Ethanol	ND	<	200		1400	1610	μg/g	87.0	70	٠	130	
Ethyl Ether	ND	<	200		1340	1630	μg/g	82.2	60	٠	120	
2,2-Dimethylbutane	ND	<	30		138	171	μg/g	80.7	60	•	120	
Acetone	ND	<	200		1340	1630	μg/g	82.2	60	•	120	
2-Propanol	ND	<	200		1440	1620	μg/g	88.9	60	٠	120	
thyl Formate	ND	<	500		1380	1670	μg/g	82.6	70	٠	130	
Acetonitrile	ND	<	100		409	498	μg/g	82.1	60	Ŀ	120	
Methyl Acetate	ND ND	<	500		1460	1730	μg/g	84.4	70	Ŀ	130	
2,3-Dimethylbutane	ND ND	<	30		135	171	μg/g	78.9	60	Ŀ	120	
Dichloromethane	ND ND	<	60		406	483	μg/g	84.1	60	Ŀ	120	
2-Methylpentane	ND ND	<	30		146	168	μg/g	86.9	60 70	Ŀ	120	-
MTBE 3-Methylpentane	ND ND	<	500 30		1520 125	1650 167	μg/g	92.1 74.9	60	Ŀ	130 120	<b>.</b>
Hexane	ND ND	<	30		178	182	μg/g	97.8	60	Ŀ	120	
1-Propanol	ND ND	<	500		1420	1620	μg/g	87.7	70	Ŀ	130	
Methylethylketone	ND ND	<	500		1330	1620	μg/g	82.1	70	Ė	130	
Ethyl acetate	ND ND	<	200		1360	1610	μg/g μg/g	84.5	60	Ė	120	
2-Butanol	ND ND	~	200		1430	1600	μg/g μg/g	89.4	60	÷	120	
Tetrahydrofuran	ND ND	~	100		397	483	μg/g	82.2	60	Ė	120	
Cyclohexane	ND ND	~	200		1300	1610	μg/g	80.7	60	Ŀ	120	
2-methyl-1-propanol	ND ND	· ·	500		1360	1620	μg/g	84.0	70	-	130	
Benzene	ND ND	· ·	1		4.42	5.02	μg/g	88.0	60	-	120	
sopropyl Acetate	ND	<	200		1450	1620	μg/g	89.5	60		120	
Heptane	ND	<	200		1280	1610	μg/g	79.5	60	-	120	
1-Butanol	ND	<	500		1450	1630	μg/g	89.0	70	-	130	
Propyl Acetate	ND	<	500		1310	1610	μg/g	81.4	70	-	130	
1,4-Dioxane	ND	<	100		390	491	μg/g	79.4	60	-	120	
2-Ethoxyethanol	ND	<	30		296	181	μg/g	163.5	60	-	120	Q1
Methylisobutylketone	ND	<	500		1260	1620	μg/g	77.8	70	-	130	
3-Methyl-1-butanol	ND	<	500		1380	1630	μg/g	84.7	70		130	
Ethylene Glycol	ND	<	200		652	484	μg/g	134.7	60		120	Q1
Toluene	ND	<	100		373	485	μg/g	76.9	60		120	
sobutyl Acetate	ND	<	500		1320	1630	μg/g	81.0	70		130	
1-Pentanol	ND	<	500		1330	1620	μg/g	82.1	70		130	
Butyl Acetate	ND	<	500		1280	1620	μg/g	79.0	70		130	
Ethylbenzene	ND	<	200		712	969	μg/g	73.5	60	Ŀ	120	
m,p-Xylene	ND	<	200		720	994	μg/g	72.4	60	_	120	
o-Xylene	ND	<	200		694	967	μg/g	71.8	60	-	120	
Cumene	ND	<	30		126	171	μg/g	73.7	60	-	120	
Anisole	ND	<	500		1120	1630	μg/g	68.7	70	-	130	Q6
OMSO	ND	<	500		2220	1680	μg/g	132.1	70	Ŀ	130	Q1
,2-dimethoxyethane	ND	<	50		147	169	μg/g	87.0	70	-	130	
riethylamine	ND	<	500		1340	1630	μg/g	82.2	70	-	130	
N,N-dimethylformamide	ND	<	150		573	482	μg/g	118.9	70	-	130	
N,N-dimethylacetamide	ND	<	150		533	510	μg/g	104.5	70	-	130	
Pyridine	ND	<	50		194	203	μg/g	95.6	70	-	130	
Sulfolane	ND	<	50		198	172	μg/g	115.1	70	-	130	
1,2-Dichloroethane	ND	<	1		0.857	1	μg/g	85.7	70	Ŀ	130	
hloroform	ND	<	1		0.892	1	μg/g	89.2	70	Ŀ	130	
Frichloroethylene	ND	<	1		0.93	1	μg/g	93.0	70	-	130	
1,1-Dichloroethane	ND	<	1		0.899	1	μg/g	89.9	70	Ŀ	130	





**Report Number:** 23-000691/D006.R000

Report Date: 01/24/2023 ORELAP#: OR100028

**Purchase Order:** 

Received: 01/17/23 14:16

Revision: 2 Document ID: 7087 Legacy ID: CFL-E33Effective:

QC - Sample Duplicate					Sample ID:	23-000158-0002	
Analyte	Result	Org. Result	LOQ Units	RPD	Limits	Accept/Fail	Notes
Propane	ND	ND	200 μg/g	0.0	< 20	Acceptable	
sobutane	ND	ND	200 μg/g	0.0	< 20	Acceptable	
Butane	ND	ND	200 μg/g	0.0	< 20	Acceptable	
2,2-Dimethylpropane	ND	ND	200 μg/g	0.0	< 20	Acceptable	
Methanol	ND	ND	200 μg/g	0.0	< 20	Acceptable	
Ethylene Oxide	ND	ND	30 μg/g	0.0	< 20	Acceptable	
2-Methylbutane	ND	ND	200 μg/g	0.0	< 20	Acceptable	
Pentane	ND	ND	200 μg/g	0.0	< 20	Acceptable	
Ethanol	ND	ND	200 μg/g	0.0	< 20	Acceptable	
Ethyl Ether	ND	ND	200 μg/g	0.0	< 20	Acceptable	
2,2-Dimethylbutane	ND	ND	30 μg/g	0.0	< 20	Acceptable	
Acetone	ND	ND	200 μg/g	0.0	< 20	Acceptable	
2-Propanol	ND	ND ND	200 μg/g	0.0	< 20	Acceptable	
Ethyl Formate	ND	ND	500 μg/g	0.0	< 20	Acceptable	
Acetonitrile	ND	ND	100 μg/g	0.0	< 20	Acceptable	
Methyl Acetate	ND	ND ND	500 μg/g	0.0	< 20	Acceptable	
2,3-Dimethylbutane	ND	ND ND	30 μg/g	0.0	< 20	Acceptable	
Dichloromethane	ND ND	ND ND	60 μg/g	0.0	< 20	Acceptable	
2-Methylpentane	ND ND	ND ND	30 μg/g	0.0	< 20	Acceptable	<b> </b>
MTBE	ND ND	ND ND		0.0	< 20	Acceptable	<b> </b>
3-Methylpentane	ND ND	ND ND		0.0	< 20	Acceptable	<b> </b>
Hexane	ND	ND	30 μg/g	0.0	< 20	Acceptable	
1-Propanol	ND	ND	500 μg/g	0.0	< 20	Acceptable	
Methylethylketone	ND	ND	500 μg/g	0.0	< 20	Acceptable	
Ethyl acetate	ND	ND	200 μg/g	0.0	< 20	Acceptable	
2-Butanol	ND	ND	200 μg/g	0.0	< 20	Acceptable	
Tetrahydrofuran	ND	ND	100 μg/g	0.0	< 20	Acceptable	
Cyclohexane	ND	ND	200 μg/g	0.0	< 20	Acceptable	
2-methyl-1-propanol	ND	ND	500 μg/g	0.0	< 20	Acceptable	
Benzene	ND	ND	1 μg/g	0.0	< 20	Acceptable	
Isopropyl Acetate	ND	ND	200 μg/g	0.0	< 20	Acceptable	
Heptane	ND	ND	200 μg/g	0.0	< 20	Acceptable	
1-Butanol	ND	ND	500 μg/g	0.0	< 20	Acceptable	
Propyl Acetate	ND	ND	500 μg/g	0.0	< 20	Acceptable	
1,4-Dioxane	ND	ND	100 μg/g	0.0	< 20	Acceptable	
2-Ethoxyethanol	ND	ND	30 μg/g	0.0	< 20	Acceptable	
Methylisobutylketone	ND	ND	500 μg/g	0.0	< 20	Acceptable	
3-Methyl-1-butanol	ND	ND	500 μg/g	0.0	< 20	Acceptable	
Ethylene Glycol	ND	ND	200 μg/g	0.0	< 20	Acceptable	
Toluene	ND	ND	100 μg/g	0.0	< 20	Acceptable	
Isobutyl Acetate	ND	ND	500 μg/g	0.0	< 20	Acceptable	
1-Pentanol	ND	ND	500 μg/g	0.0	< 20	Acceptable	
Butyl Acetate	ND	ND	500 μg/g	0.0	< 20	Acceptable	
Ethylbenzene	ND	ND	200 μg/g	0.0	< 20	Acceptable	
m,p-Xylene	ND	ND	200 μg/g	0.0	< 20	Acceptable	
o-Xylene	ND	ND	200 μg/g	0.0	< 20	Acceptable	
Cumene	ND	ND	30 μg/g	0.0	< 20	Acceptable	i
Anisole	ND	ND	500 μg/g	0.0	< 20	Acceptable	
DMSO	ND	ND	500 μg/g	0.0	< 20	Acceptable	i
1,2-dimethoxyethane	ND	ND ND	50 μg/g	0.0	< 20	Acceptable	
Triethylamine	ND	ND ND	500 μg/g	0.0	< 20	Acceptable	
N,N-dimethylformamide	ND ND	ND ND	150 μg/g	0.0	< 20	Acceptable	l
N,N-dimethylacetamide	ND ND	ND ND	150 μg/g	0.0	< 20	Acceptable	
Pyridine	ND ND	ND ND	50 μg/g	0.0	< 20	Acceptable	
Sulfolane	ND	ND ND	50 μg/g	0.0	< 20	Acceptable	<b> </b>
1.2-Dichloroethane	ND ND	ND ND		0.0	< 20	Acceptable	<b> </b>
1,2-Dichioroethane Chloroform	ND ND			0.0	< 20		
	ND ND	ND ND	1 μg/g	0.0	< 20 < 20	Acceptable	
Trichloroethylene		ND	1 μg/g			Acceptable	
1,1-Dichloroethane	ND	ND	1 μg/g	0.0	< 20	Acceptable	

#### Abbreviations

Units of Measure:

ND - None Detected at or above MRL RPD - Relative Percent Difference

μg/g- Microgram per gram or ppm

LOQ - Limit of Quantitation

Q1 - Quality control result biased high. Only non-detect samples reported.
Q6 - Quality control outside QC limits. Data acceptable based on remaining QC.





23-000691/D006.R000 **Report Number:** 

**Report Date:** 01/24/2023 ORELAP#: OR100028

**Purchase Order:** 

Received: 01/17/23 14:16







23-000691/D006.R000 **Report Number:** 

**Report Date:** 01/24/2023 ORELAP#: OR100028

**Purchase Order:** 

01/17/23 14:16 Received:

#### Explanation of QC Flag Comments:

Code	Explanation						
Q	Matrix interferences affecting spike or surrogate recoveries.						
Q1	Quality control result biased high. Only non-detect samples reported.						
Q2	Quality control outside QC limits. Data considered estimate.						
Q3	Sample concentration greater than four times the amount spiked.						
Q4	Non-homogenous sample matrix, affecting RPD result and/or % recoveries.						
Q5	Spike results above calibration curve.						
Q6	Quality control outside QC limits. Data acceptable based on remaining QC.						
R	Relative percent difference (RPD) outside control limit.						
R1	RPD non-calculable, as sample or duplicate results are less than five times the LOQ.						
R2	Sample replicates RPD non-calculable, as only one replicate is within the analytical range.						
LOQ1	Quantitation level raised due to low sample volume and/or dilution.						
LOQ2	Quantitaion level raised due to matrix interference.						
В	Analyte detected in method blank, but not in associated samples.						
B1	The sample concentration is greater than 5 times the blank concentration.						
B2	The sample concentration is less than 5 times the blank concentration.						