



12423 NE Whitaker Way
 Portland, OR 97230
 503-254-1794



Report Number: 23-012165/D002.R000
Report Date: 10/16/2023
ORELAP#: OR100028
Purchase Order:
Received: 10/12/23 13:35

Customer: The Hemp Collect
Product identity: Live D8 Daytrip Gummy- Pink Lemonade 25mg
Client/Metric ID: 3005TL-051323
Laboratory ID: 23-012165-0001

Summary

Potency:

Analyte per 3.6g	Result	Limits	Units	Status	
CBD-A per 3.6g	1.52		mg/3.6g		CBD-Total per Serving Size 1.34 mg/3.6g
CBG per 3.6g	6.37		mg/3.6g		
CBN per 3.6g	0.183		mg/3.6g		THC-Total per Serving Size <LOQ
Δ8-THCV per 3.6g	2.93		mg/3.6g		(Reported in milligrams per serving)
Δ8-THC per 3.6g	25.0		mg/3.6g		



12423 NE Whitaker Way
Portland, OR 97230
503-254-1794



Report Number: 23-012165/D002.R000
Report Date: 10/16/2023
ORELAP#: OR100028
Purchase Order:
Received: 10/12/23 13:35

Customer: The Hemp Collect
825 NW 16th Ave
Portland Oregon 97209
United States of America (USA)

Product identity: Live D8 Daytrip Gummy- Pink Lemonade 25mg
Client/Metric ID: 3005TL-051323
Sample Date:
Laboratory ID: 23-012165-0001
Evidence of Cooling: No
Temp: 25 °C
Serving Size #1: 3.6 g



Sample Results

Potency per 3.6g		Method: J AOAC 2015 V98-6 (mod) ^b		Units mg/se	Batch: 2311861	Analyze: 10/13/23 8:31:00 PM
Analyte	Result	Limits	Units	LOQ	Notes	
CBC per 3.6g	< LOQ		mg/3.6g	0.115		
CBC-A per 3.6g	< LOQ		mg/3.6g	0.115		
CBC-Total per 3.6g	< LOQ		mg/3.6g	0.215		
CBD per 3.6g	< LOQ		mg/3.6g	0.115		
CBD-A per 3.6g	1.52		mg/3.6g	0.115		
CBD-Total per 3.6g	1.34		mg/3.6g	0.215		
CBDV per 3.6g	< LOQ		mg/3.6g	0.115		
CBDV-A per 3.6g	< LOQ		mg/3.6g	0.115		
CBDV-Total per 3.6g	< LOQ		mg/3.6g	0.214		
CBE per 3.6g	< LOQ		mg/3.6g	0.115		
CBG per 3.6g	6.37		mg/3.6g	0.115		
CBG-A per 3.6g	< LOQ		mg/3.6g	0.115		
CBG-Total per 3.6g	6.37		mg/3.6g	0.214		
CBL per 3.6g	< LOQ		mg/3.6g	0.115		
CBL-A per 3.6g	< LOQ		mg/3.6g	0.115		
CBL-Total per 3.6g	< LOQ		mg/3.6g	0.215		
CBN per 3.6g	0.183		mg/3.6g	0.115		
CBT per 3.6g	< LOQ		mg/3.6g	0.115		
Δ8-THCV per 3.6g	2.93		mg/3.6g	0.115		
Δ10-THC-9R per 3.6g	< LOQ		mg/3.6g	0.115		
Δ10-THC-9S per 3.6g	< LOQ		mg/3.6g	0.115		
Δ10-THC-Total per 3.6g	< LOQ		mg/3.6g	0.229		
Δ8-THC per 3.6g	25.0		mg/3.6g	0.115		
Δ9-THC per 3.6g	< LOQ		mg/3.6g	0.115		
delta-9-THCP per 3.6g	< LOQ		mg/3.6g	0.115		
exo-THC per 3.6g	< LOQ		mg/3.6g	0.115		
THC-A per 3.6g	< LOQ		mg/3.6g	0.115		
THC-Total per 3.6g	< LOQ		mg/3.6g	0.215		
THCV per 3.6g	< LOQ		mg/3.6g	0.115		
THCV-A per 3.6g	< LOQ		mg/3.6g	0.115		
THCV-Total per 3.6g	< LOQ		mg/3.6g	0.215		



12423 NE Whitaker Way
Portland, OR 97230
503-254-1794



Report Number: 23-012165/D002.R000
Report Date: 10/16/2023
ORELAP#: OR100028
Purchase Order:
Received: 10/12/23 13:35

Potency per 3.6g **Method:** J AOAC 2015 V98-6 (mod)^b **Units** mg/se **Batch:** 2311861 **Analyze:** 10/13/23 8:31:00 PM

Analyte	Result	Limits	Units	LOQ	Notes
Total Cannabinoids per 3.6g	36.0		mg/3.6g		



12423 NE Whitaker Way
Portland, OR 97230
503-254-1794



Report Number: 23-012165/D002.R000
Report Date: 10/16/2023
ORELAP#: OR100028
Purchase Order:
Received: 10/12/23 13:35

Abbreviations

Limits: Action Levels per OAR-333-007-0400, OAR-333-007-0210, OAR-333-007-0220, CCR title 16-division 42. BCC-section 5723

Limit(s) of Quantitation (LOQ): The minimum levels, concentrations, or quantities of a target variable (e.g., target analyte) that can be reported with a specified degree of confidence.

^p = ISO/IEC 17025:2017 accredited method.

Units of Measure

g = g

mg/3.6g = Milligram per 3.6g

% = Percentage of sample

% wt = $\mu\text{g/g}$ divided by 10,000

Approved Signatory

Derrick Tanner
General Manager



12423 NE Whitaker Way
Portland, OR 97230
503-254-1794



Report Number: 23-012165/D002.R000
Report Date: 10/16/2023
ORELAP#: OR100028
Purchase Order:
Received: 10/12/23 13:35

Revision: 4 Document ID: 7148
Legacy ID: Worksheet Validated 04/20/2021

Laboratory Quality Control Results

JAOAC2015 V986 Batch ID: 2311861

Analyte	LCS	Result	Spike	Units	% Rec	Limits	Evaluation	Notes
CBDVA	2	0.0325	0.0333	%	97.6	80.0 - 120	Acceptable	
CBDV	2	0.0318	0.0324	%	98.3	80.0 - 120	Acceptable	
CBE	2	0.0347	0.0355	%	97.8	80.0 - 120	Acceptable	
CBDA	1	0.0306	0.0322	%	95.0	90.0 - 110	Acceptable	
CBGA	1	0.0306	0.0329	%	92.9	80.0 - 120	Acceptable	
CBG	1	0.0349	0.0368	%	94.9	80.0 - 120	Acceptable	
CBD	1	0.0307	0.0313	%	98.0	90.0 - 110	Acceptable	
THCV	2	0.0302	0.0304	%	99.4	80.0 - 120	Acceptable	
d8THCV	2	0.0291	0.0305	%	95.5	80.0 - 120	Acceptable	
THCVA	2	0.0320	0.0327	%	97.9	80.0 - 120	Acceptable	
CBN	1	0.0305	0.0329	%	92.7	80.0 - 120	Acceptable	
exo-THC	2	0.0312	0.0327	%	95.6	80.0 - 120	Acceptable	
d9THC	1	0.0365	0.0365	%	100.0	90.0 - 110	Acceptable	
d8THC	1	0.0309	0.0340	%	90.8	90.0 - 110	Acceptable	
9S-d10THC	1	0.0322	0.0337	%	95.6	80.0 - 120	Acceptable	
CBL	2	0.0343	0.0337	%	102	80.0 - 120	Acceptable	
9R-d10THC	1	0.0304	0.0336	%	90.4	80.0 - 120	Acceptable	
CBC	2	0.0323	0.0338	%	95.3	80.0 - 120	Acceptable	
THCA	1	0.0315	0.0337	%	93.4	90.0 - 110	Acceptable	
CBCA	2	0.0325	0.0333	%	97.6	80.0 - 120	Acceptable	
CBLA	2	0.0334	0.0349	%	95.8	80.0 - 120	Acceptable	
d9THCP	2	0.0332	0.0333	%	99.7	80.0 - 120	Acceptable	
CBT	2	0.0305	0.0322	%	94.6	80.0 - 120	Acceptable	

Analyte	Result	LOQ	Units	Limits	Evaluation	Notes
CBDVA	<LOQ	0.00328	%	< 0.00328	Acceptable	
CBDV	<LOQ	0.00328	%	< 0.00328	Acceptable	
CBE	<LOQ	0.00328	%	< 0.00328	Acceptable	
CBDA	<LOQ	0.00328	%	< 0.00328	Acceptable	
CBGA	<LOQ	0.00328	%	< 0.00328	Acceptable	
CBG	<LOQ	0.00328	%	< 0.00328	Acceptable	
CBD	<LOQ	0.00328	%	< 0.00328	Acceptable	
THCV	<LOQ	0.00328	%	< 0.00328	Acceptable	
d8THCV	<LOQ	0.00328	%	< 0.00328	Acceptable	
THCVA	<LOQ	0.00328	%	< 0.00328	Acceptable	
CBN	<LOQ	0.00328	%	< 0.00328	Acceptable	
exo-THC	<LOQ	0.00328	%	< 0.00328	Acceptable	
d9THC	<LOQ	0.00328	%	< 0.00328	Acceptable	
d8THC	<LOQ	0.00328	%	< 0.00328	Acceptable	
9S-d10THC	<LOQ	0.00328	%	< 0.00328	Acceptable	
CBL	<LOQ	0.00328	%	< 0.00328	Acceptable	
9R-d10THC	<LOQ	0.00328	%	< 0.00328	Acceptable	
CBC	<LOQ	0.00328	%	< 0.00328	Acceptable	
THCA	<LOQ	0.00328	%	< 0.00328	Acceptable	
CBCA	<LOQ	0.00328	%	< 0.00328	Acceptable	
CBLA	<LOQ	0.00328	%	< 0.00328	Acceptable	
d9THCP	<LOQ	0.00328	%	< 0.00328	Acceptable	
CBT	<LOQ	0.00328	%	< 0.00328	Acceptable	

Abbreviations
ND - None Detected at or above MRL
RPD - Relative Percent Difference
LOQ - Limit of Quantitation

Units of Measure:
% - Percent



12423 NE Whitaker Way
Portland, OR 97230
503-254-1794



Report Number: 23-012165/D002.R000
Report Date: 10/16/2023
ORELAP#: OR100028
Purchase Order:
Received: 10/12/23 13:35

Revision: 4 Document ID: 7148
Legacy ID: Worksheet Validated 04/20/2021

Laboratory Quality Control Results

JAOAC2015 V986		Batch ID: 2311861						
Sample Duplicate		Sample ID: 23-0044630003						
Analyte	Result	Org. Result	LOQ	Units	RPD	Limits	Evaluation	Notes
CBDVA	<LOQ	<LOQ	0.00322	%	NA	< 20	Acceptable	
CBDV	<LOQ	<LOQ	0.00322	%	NA	< 20	Acceptable	
CBE	<LOQ	<LOQ	0.00322	%	NA	< 20	Acceptable	
CBD	<LOQ	<LOQ	0.00322	%	NA	< 20	Acceptable	
CBGA	<LOQ	<LOQ	0.00322	%	NA	< 20	Acceptable	
CBG	0.0214	0.0211	0.00322	%	1.53	< 20	Acceptable	
CBD	0.706	0.696	0.00322	%	1.38	< 20	Acceptable	
THCV	<LOQ	<LOQ	0.00322	%	NA	< 20	Acceptable	
d8THCV	<LOQ	<LOQ	0.00322	%	NA	< 20	Acceptable	
THCVA	<LOQ	<LOQ	0.00322	%	NA	< 20	Acceptable	
CBN	<LOQ	<LOQ	0.00322	%	NA	< 20	Acceptable	
exo-THC	<LOQ	<LOQ	0.00322	%	NA	< 20	Acceptable	
d9THC	<LOQ	<LOQ	0.00322	%	NA	< 20	Acceptable	
d8THC	<LOQ	<LOQ	0.00322	%	NA	< 20	Acceptable	
9S-d10THC	<LOQ	<LOQ	0.00322	%	NA	< 20	Acceptable	
CBL	<LOQ	<LOQ	0.00322	%	NA	< 20	Acceptable	
9R-d10THC	<LOQ	<LOQ	0.00322	%	NA	< 20	Acceptable	
CBC	0.00625	0.00614	0.00322	%	1.83	< 20	Acceptable	
THCA	<LOQ	<LOQ	0.00322	%	NA	< 20	Acceptable	
CBCA	<LOQ	<LOQ	0.00322	%	NA	< 20	Acceptable	
CBLA	<LOQ	<LOQ	0.00322	%	NA	< 20	Acceptable	
d9THCP	<LOQ	<LOQ	0.00322	%	NA	< 20	Acceptable	
CBT	<LOQ	<LOQ	0.00322	%	NA	< 20	Acceptable	

Abbreviations

ND - None Detected at or above MRL
RPD - Relative Percent Difference
LOQ - Limit of Quantitation

Units of Measure:

% - Percent



12423 NE Whitaker Way
Portland, OR 97230
503-254-1794



Report Number: 23-012165/D002.R000
Report Date: 10/16/2023
ORELAP#: OR100028
Purchase Order:
Received: 10/12/23 13:35





12423 NE Whitaker Way
 Portland, OR 97230
 503-254-1794



Report Number: 23-012165/D002.R000
Report Date: 10/16/2023
ORELAP#: OR100028
Purchase Order:
Received: 10/12/23 13:35

Explanation of QC Flag Comments:

Code	Explanation
Q	Matrix interferences affecting spike or surrogate recoveries.
Q1	Quality control result biased high. Only non-detect samples reported.
Q2	Quality control outside QC limits. Data considered estimate.
Q3	Sample concentration greater than four times the amount spiked.
Q4	Non-homogenous sample matrix, affecting RPD result and/or % recoveries.
Q5	Spike results above calibration curve.
Q6	Quality control outside QC limits. Data acceptable based on remaining QC.
R	Relative percent difference (RPD) outside control limit.
R1	RPD non-calculable, as sample or duplicate results are less than five times the LOQ.
R2	Sample replicates RPD non-calculable, as only one replicate is within the analytical range.
LOQ1	Quantitation level raised due to low sample volume and/or dilution.
LOQ2	Quantitation level raised due to matrix interference.
B	Analyte detected in method blank, but not in associated samples.
B1	The sample concentration is greater than 5 times the blank concentration.
B2	The sample concentration is less than 5 times the blank concentration.



Certificate of Analysis

R&D

Client Information:

THE HEMP COLLECT
431 NW FLANDERS ST
PORTLAND, OR 97209

Batch # 03DST231-DSTD
Batch Date: 2023-10-09
Extracted From: CBD Distillate

Test Reg State: Oregon

Order # THE231019-030001
Order Date: 2023-10-19
Sample # AAEZ048

Sampling Date: 2023-10-23
Lab Batch Date: 2023-10-23
Completion Date: 2023-10-25

Initial Gross Weight: 22.446 g



Product Image

Heavy Metals Passed	Mycotoxins Passed	Pesticides Passed	Residual Solvents Passed	Pathogenic Microbiology Passed
Microbiology (qPCR) Passed				

Total Yeast and Mold
Specimen Weight: 485.400 mg

Dilution Factor: 1.000

Analyte	Action Level (cfu/g)	Result (cfu/g)	Remark
Total Yeast/Mold	100000	<LOQ	Passed

Passed
SOP13.017 (qPCR)

Pathogenic Microbiology SAE (MicroArray)

Specimen Weight: 1011.100 mg

Dilution Factor: 1.000

Analyte	Result (cfu/g)	Analyte	Result (cfu/g)
Aspergillus flavus	Absence in 1g	Aspergillus terreus	Absence in 1g
Aspergillus fumigatus	Absence in 1g	Salmonella	Absence in 1g
Aspergillus niger	Absence in 1g	STEC E. Coli	Absence in 1g

Passed
SOP13.019 (Micro Array)

Aixia Sun Lab Director/Principal Scientist
D.H.Sc., M.Sc., B.Sc., MT (AAB)



Definitions and Abbreviations used in this report: Total Active CBD = CBD + (CBD-A * 0.877), *Total CBDV = CBDV + (CBDVA * 0.87), Total Active THC = THCA-A * 0.877 + Delta 9 THC, Total THC = THCV + (THCVA * 0.87), CBG Total = (CBGA * 0.877) + CBG, CBN Total = (CBNA * 0.877) + CBN, Total CBC = CBC + (CBCA * 0.877), Total THC-O-Acetate = Delta 8 THC-O-Acetate + Delta 9 THC-O-Acetate, Total THCP = Delta8-THCP + Delta9-THCP, Other Cannabinoids Total = Total Cannabinoids - All the listed cannabinoids on the summary section, Total Detected Cannabinoids = Delta6a10a-THC + Delta8-THC + Total CBN + CBT + CBE + Delta8-THCV + Total CBG + Total CBD + Total THCV + CBL + Total THC + Total CBC + Total CBDV + Delta10-THC + Total THC-O-Acetate + Total THCP. (mg/ml) = Milligrams per Milliliter, LOQ = Limit of Quantitation, LOD = Limit of Detection, Dilution = Dilution Factor (ppb) = Parts per Billion, (%) = Percent, (cfu/g) = Colony Forming Unit per Gram (cfu/g) = Colony Forming Unit per Gram, , LOD = Limit of Detection, (µg/g) = Microgram per Gram (ppm) = Parts per Million, (ppm) = (µg/g), (aw) = Water Activity, (mg/Kg) = Milligram per Kilogram, ACS uses simple acceptance criteria. Passed - Analyte/microbe is not detected or is at the level below the action limit per OR rule OAR 333-007-0390, OAR 333-007-0400. Failed - Analyte/microbe is at the level that equal or above the action limit per OR rule OAR 333-007-0390, OAR 333-007-0400 Sample not received via laboratory sampling.

This report shall not be reproduced, without written approval, from ACS Laboratory. The results of this report relate only to the material or product analyzed. Test results are confidential unless explicitly waived otherwise. ACS Laboratory is accredited to the ISO/IEC 17025:2017 Standard.



Certificate of Analysis

R&D

Client Information:

THE HEMP COLLECT
431 NW FLANDERS ST
PORTLAND, OR 97209

Batch # 03DST231-DSTD
Batch Date: 2023-10-09
Extracted From: CBD Distillate

Test Reg State: Oregon

Order # THE231019-030001
Order Date: 2023-10-19
Sample # AAEZ048

Sampling Date: 2023-10-23
Lab Batch Date: 2023-10-23
Completion Date: 2023-10-25

Initial Gross Weight: 22.446 g



Heavy Metals

Specimen Weight: 254.000 mg

Passed
SOP13.048 (ICP-MS)

Dilution Factor: 196

Analyte	LOD (ppb)	LOQ (ppb)	Action Level (ppb)	Result (ppb)	Analyte	LOD (ppb)	LOQ (ppb)	Action Level (ppb)	Result (ppb)
Arsenic (As)	4.83	100	200	<LOQ	Lead (Pb)	11.76	100	500	<LOQ
Cadmium (Cd)	.64	100	200	<LOQ	Mercury (Hg)	.58	100	200	<LOQ



Mycotoxins

Specimen Weight: 611.600 mg

Passed
SOP13.007 (LCMS)

Dilution Factor: 2.450

Analyte	LOD (ppb)	LOQ (ppb)	Action Level (ppb)	Result (ppb)	Analyte	LOD (ppb)	LOQ (ppb)	Action Level (ppb)	Result (ppb)
Aflatoxin B1	3.0400E-1	6	20	<LOQ	Aflatoxin G2	2.7100E-1	6	20	<LOQ
Aflatoxin B2	7.7000E-2	6	20	<LOQ	Ochratoxin A	7.5400E-1	3.8	20	<LOQ
Aflatoxin G1	3.0400E-1	6	20	<LOQ					



Residual Solvents - FL (CBD)

Specimen Weight: 10.000 mg

Passed
SOP13.039 (GCMS)

Dilution Factor: 1.000

Analyte	LOD (ppm)	LOQ (ppm)	Action Level (ppm)	Result (ppm)	Analyte	LOD (ppm)	LOQ (ppm)	Action Level (ppm)	Result (ppm)
1,1-Dichloroethene	0.0094	0.16	8	<LOQ	Heptane	0.0013	1.39	5000	<LOQ
1,2-Dichloroethane	0.0003	0.04	5	<LOQ	Hexane	0.068	1.17	290	<LOQ
Acetone	0.015	2.08	5000	<LOQ	Isopropyl alcohol	0.0048	1.39	500	<LOQ
Acetonitrile	0.06	1.17	410	<LOQ	Methanol	0.0005	0.69	3000	<LOQ
Benzene	0.0002	0.02	2	<LOQ	Methylene chloride	0.0029	2.43	600	<LOQ
Butanes	0.4167	2.5	2000	<LOQ	Pentane	0.037	2.08	5000	<LOQ
Chloroform	0.0001	0.04	60	<LOQ	Propane	0.031	5.83	2100	<LOQ
Ethanol	0.0021	2.78	5000	<LOQ	Toluene	0.0009	2.92	890	<LOQ
Ethyl Acetate	0.0012	1.11	5000	<LOQ	Total Xylenes	0.0001	2.92	2170	<LOQ
Ethyl Ether	0.0049	1.39	5000	<LOQ	Trichloroethylene	0.0014	0.49	80	<LOQ
Ethylene Oxide	0.0038	0.1	5	<LOQ					

Aixia Sun

Aixia Sun Lab Director/Principal Scientist
D.H.Sc., M.Sc., B.Sc., MT (AAB)

Definitions are found on page 1

This report shall not be reproduced, without written approval, from ACS Laboratory. The results of this report relate only to the material or product analyzed. Test results are confidential unless explicitly waived otherwise. ACS Laboratory is accredited to the ISO/IEC 17025:2017 Standard.





Certificate of Analysis

R&D

Client Information:

THE HEMP COLLECT
431 NW FLANDERS ST
PORTLAND, OR 97209

Batch # 03DST231-DSTD
Batch Date: 2023-10-09
Extracted From: CBD Distillate

Test Reg State: Oregon

Order # THE231019-030001
Order Date: 2023-10-19
Sample # AAEZ048

Sampling Date: 2023-10-23
Lab Batch Date: 2023-10-23
Completion Date: 2023-10-25

Initial Gross Weight: 22.446 g

Pesticides

Specimen Weight: 611.600 mg

Passed

SOP13.007 (LCMS/GCMS)

Dilution Factor: 2.450

Analyte	LOD (ppb)	LOQ (ppb)	Action Level (ppb)	Result (ppb)	Analyte	LOD (ppb)	LOQ (ppb)	Action Level (ppb)	Result (ppb)
Abamectin	2.8800E-1	28.23	100	<LOQ	Fludioxonil	1.7400E+0	48	100	<LOQ
Acephate	2.3000E-2	30	100	<LOQ	Hexythiazox	4.9000E-2	30	100	<LOQ
Acequinocyl	9.5640E+0	48	100	<LOQ	Imazalil	2.4800E-1	30	100	<LOQ
Acetamiprid	5.2000E-2	30	100	<LOQ	Imidacloprid	9.4000E-2	30	400	<LOQ
Aldicarb	2.6000E-2	30	100	<LOQ	Kresoxim Methyl	4.2000E-2	30	100	<LOQ
Azoxystrobin	8.1000E-2	10	100	<LOQ	Malathion	8.2000E-2	30	200	<LOQ
Bifenazate	1.4150E+0	30	100	<LOQ	Metalaxyl	8.1000E-2	10	100	<LOQ
Bifenthrin	4.3000E-2	30	100	<LOQ	Methiocarb	3.2000E-2	30	100	<LOQ
Boscalid	5.5000E-2	10	100	<LOQ	Methomyl	2.2000E-2	30	100	<LOQ
Captan	6.1200E+0	30	700	<LOQ	methyl-Parathion	1.7100E+0	10	100	<LOQ
Carbaryl	2.2000E-2	10	500	<LOQ	Mevinphos	2.1500E+0	10	100	<LOQ
Carbofuran	3.4000E-2	10	100	<LOQ	Myclobutanil	1.0290E+0	30	100	<LOQ
Chlorantraniliprole	3.3000E-2	10	1000	<LOQ	Naled	9.5000E-2	30	250	<LOQ
Chlordane	1.0000E+1	10	100	<LOQ	Oxamyl	2.5000E-2	30	500	<LOQ
Chlorfenapyr	3.4000E-2	30	100	<LOQ	Paclobutrazol	6.5000E-2	30	100	<LOQ
Chloromequat Chloride	1.0800E-1	10	1000	<LOQ	Pentachloronitrobenzene	1.3200E+0	10	150	<LOQ
Chlorpyrifos	3.5000E-2	30	100	<LOQ	Permethrin	3.4300E-1	30	100	<LOQ
Clofentezine	1.1900E-1	30	200	<LOQ	Phosmet	8.2000E-2	30	100	<LOQ
Coumaphos	3.7700E+0	48	100	<LOQ	Piperonylbutoxide	2.9000E-2	30	3000	<LOQ
Cyfluthrin	3.1100E+0	30	500	<LOQ	Prallethrin	7.9800E-1	30	100	<LOQ
Cypermethrin	1.4490E+0	30	500	<LOQ	Propiconazole	7.0000E-2	30	100	<LOQ
Daminozide	8.8500E-1	30	100	<LOQ	Propoxur	4.6000E-2	30	100	<LOQ
Diazinon	4.4000E-2	30	100	<LOQ	Pyrethrins	2.3593E+1	30	500	<LOQ
Dichlorvos	2.1820E+0	30	100	<LOQ	Pyridaben	3.2000E-2	30	200	<LOQ
Dimethoate	2.1000E-2	30	100	<LOQ	Spinetoram	8.0000E-2	10	200	<LOQ
Dimethomorph	5.8300E+0	48	200	<LOQ	Spinosad	8.8000E-2	30	100	<LOQ
Ethoprophos	3.6000E-1	30	100	<LOQ	Spiromesifen	2.6100E-1	30	100	<LOQ
Etofenprox	1.1600E-1	30	100	<LOQ	Spirotetramat	8.9000E-2	30	100	<LOQ
Etoxazole	9.5000E-2	30	100	<LOQ	Spiroxamine	1.3100E-1	30	100	<LOQ
Fenhexamid	5.1000E-1	10	100	<LOQ	Tebuconazole	6.7000E-2	30	100	<LOQ
Fenoxycarb	1.0700E-1	30	100	<LOQ	Thiacloprid	6.4000E-2	30	100	<LOQ
Fenpyroximate	1.3800E-1	30	100	<LOQ	Thiamethoxam	5.0000E-2	30	500	<LOQ
Fipronil	1.0700E-1	30	100	<LOQ	Trifloxystrobin	3.7000E-2	30	100	<LOQ
Fonicamid	5.1700E-1	30	100	<LOQ					

Aixia Sun
Aixia Sun Lab Director/Principal Scientist
D.H.Sc., M.Sc., B.Sc., MT (AAB)

Definitions are found on page 1

This report shall not be reproduced, without written approval, from ACS Laboratory. The results of this report relate only to the material or product analyzed. Test results are confidential unless explicitly waived otherwise. ACS Laboratory is accredited to the ISO/IEC 17025:2017 Standard.





12423 NE Whitaker Way
 Portland, OR 97230
 503-254-1794



Report Number: 23-000691/D004.R001
Report Date: 01/26/2023
ORELAP#: OR100028
Purchase Order:
Received: 01/17/23 14:16

This is an amended version of report# 23-000691/D004.R000.

Reason: Updated report format.

Customer: IHC LLC
Product identity: 01LIR209_GJ
Client/Metric ID: .
Laboratory ID: 23-000691-0007

Summary

Potency:

Analyte	Result (%)		
CBD-A	41.2		
CBDV-A	20.5		
CBC-A	2.19		
THC-A	1.96		
THCV-A	1.14		
CBG-A	0.900		
CBD	0.707		
CBG	0.106		
Δ9-THC	0.0936		

CBD-Total	36.8%
THC-Total	1.81%
(Reported in percent of total sample)	

Residual Solvents:

Analyte	Result (µg/g)	Limits (µg/g)	Status
Butanes (sum)	2860	5000	pass
n-Butane	2860		

Metals:

Less than LOQ for all analytes.

Microbiology:

Less than LOQ for all analytes.



12423 NE Whitaker Way
 Portland, OR 97230
 503-254-1794



Report Number: 23-000691/D004.R001
Report Date: 01/26/2023
ORELAP#: OR100028
Purchase Order:
Received: 01/17/23 14:16

Customer: IHC LLC
 825 NW 16th Ave
 Portland Oregon 97209
 United States of America (USA)

Product identity: 01LIR209_GJ
Client/Metric ID: .
Sample Date:
Laboratory ID: 23-000691-0007
Evidence of Cooling: No
Temp: 20 °C
Relinquished by: ramos



Sample Results

Potency	Method: J AOAC 2015 V98-6 (mod) ^p			Units %	Batch: 2300680	Analyze: 1/21/23 4:59:00 AM
Analyte	As Received	Dry weight	LOQ	Notes		
CBC	< LOQ		0.0711			
CBC-A	2.19		0.0711			
CBC-Total	1.92		0.134			
CBD	0.707		0.0711			
CBD-A	41.2		0.711			
CBD-Total	36.8		0.695			
CBDV	< LOQ		0.0711			
CBDV-A	20.5		0.0711			
CBDV-Total	17.8		0.133			
CBE	< LOQ		0.0711			
CBG	0.106		0.0711			
CBG-A	0.900		0.0711			
CBG-Total	0.896		0.133			
CBL	< LOQ		0.0711			
CBL-A	< LOQ		0.0711			
CBL-Total	< LOQ		0.134			
CBN	< LOQ		0.0711			
CBT	< LOQ		0.0711			
Δ10-THC-9R	< LOQ		0.0711			
Δ8-THC	< LOQ		0.0711			
Δ8-THCV	< LOQ		0.0711			
Δ9-THC	0.0936		0.0711			
exo-THC	< LOQ		0.0711			
THC-A	1.96		0.0711			
THC-Total	1.81		0.134			
THCV	< LOQ		0.0711			
THCV-A	1.14		0.0711			
THCV-Total	1.00		0.133			
Total Cannabinoids	68.8					



12423 NE Whitaker Way
Portland, OR 97230
503-254-1794



Report Number: 23-000691/D004.R001
Report Date: 01/26/2023
ORELAP#: OR100028
Purchase Order:
Received: 01/17/23 14:16

Microbiology

Analyte	Result	Limits	Units	LOQ	Batch	Analyzed Method	Status	Notes
Mold (RAPID Petrifilm)	< LOQ		cfu/g	10	2300531	01/21/23 AOAC 2014.05 (RAPID) ^P		
Yeast (RAPID Petrifilm)	< LOQ		cfu/g	10	2300531	01/21/23 AOAC 2014.05 (RAPID) ^P		

Solvents

Method: Residual Solvents by GC/MS^P **Units** µg/g **Batch** 2300722 **Analyze** 01/24/23 12:13 PM

Analyte	Result	Limits	LOQ	Status	Notes	Analyte	Result	Limits	LOQ	Status	Notes
1,4-Dioxane	< LOQ	380	100	pass		2-Butanol	< LOQ	5000	200	pass	
2-Ethoxyethanol	< LOQ	160	30.0	pass		2-Methylbutane (Isopentane)	< LOQ		200		
2-Methylpentane	< LOQ		30.0			2-Propanol (IPA)	< LOQ	5000	200	pass	
2,2-Dimethylbutane	< LOQ		30.0			2,2-Dimethylpropane (neo-pentane)	< LOQ		200		
2,3-Dimethylbutane	< LOQ		30.0			3-Methylpentane	< LOQ		30.0		
Acetone	< LOQ	5000	200	pass		Acetonitrile	< LOQ	410	100	pass	
Benzene	< LOQ	2.00	1.00	pass		Butanes (sum)	2860	5000	400	pass	
Cyclohexane	< LOQ	3880	200	pass		Ethyl acetate	< LOQ	5000	200	pass	
Ethyl benzene	< LOQ		200			Ethyl ether	< LOQ	5000	200	pass	
Ethylene glycol	< LOQ	620	200	pass		Ethylene oxide	< LOQ	50.0	20.0	pass	
Hexanes (sum)	< LOQ	290	150	pass		Isopropyl acetate	< LOQ	5000	200	pass	
Isopropylbenzene (Cumene)	< LOQ	70.0	30.0	pass		m,p-Xylene	< LOQ		200		
Methanol	< LOQ	3000	200	pass		Methylene chloride	< LOQ	600	60.0	pass	
Methylpropane (Isobutane)	< LOQ		200			n-Butane	2860		200		E
n-Heptane	< LOQ	5000	200	pass		n-Hexane	< LOQ		30.0		
n-Pentane	< LOQ		200			o-Xylene	< LOQ		200		
Pentanes (sum)	< LOQ	5000	600	pass		Propane	< LOQ	5000	200	pass	
Tetrahydrofuran	< LOQ	720	100	pass		Toluene	< LOQ	890	100	pass	
Total Xylenes	< LOQ		400			Total Xylenes and Ethyl benzene	< LOQ	2170	600	pass	

Metals

Analyte	Result	Limits	Units	LOQ	Batch	Analyzed Method	Status	Notes
Arsenic	< LOQ	0.200	mg/kg	0.0911	2300594	01/18/23 AOAC 2013.06 (mod.) ^P	pass	
Cadmium	< LOQ	0.200	mg/kg	0.0911	2300594	01/18/23 AOAC 2013.06 (mod.) ^P	pass	
Lead	< LOQ	0.500	mg/kg	0.0911	2300594	01/18/23 AOAC 2013.06 (mod.) ^P	pass	
Mercury	< LOQ	0.100	mg/kg	0.0456	2300594	01/18/23 AOAC 2013.06 (mod.) ^P	pass	

Mycotoxins

Analyte	Result	Limits	Units	LOQ	Batch	Analyzed Method	Status	Notes
Aflatoxin B2 [‡]	< LOQ		µg/kg	5.00	2300576	01/19/23 AOAC 2007.01 & EN 15662 (mod) ^P		
Aflatoxin B1 [‡]	< LOQ		µg/kg	5.00	2300576	01/19/23 AOAC 2007.01 & EN 15662 (mod) ^P		
Aflatoxin G1 [‡]	< LOQ		µg/kg	5.00	2300576	01/19/23 AOAC 2007.01 & EN 15662 (mod) ^P		
Aflatoxin G2 [‡]	< LOQ		µg/kg	5.00	2300576	01/19/23 AOAC 2007.01 & EN 15662 (mod) ^P		
Ochratoxin A [‡]	< LOQ	20.0	µg/kg	5.00	2300576	01/19/23 AOAC 2007.01 & EN 15662 (mod) ^P	pass	
Total Aflatoxins [‡]	0.000	20.0	µg/kg	20.0		01/24/23 AOAC 2007.01 & EN 15662 (mod) ^P	pass	



12423 NE Whitaker Way
Portland, OR 97230
503-254-1794



Report Number: 23-000691/D004.R001
Report Date: 01/26/2023
ORELAP#: OR100028
Purchase Order:
Received: 01/17/23 14:16

Abbreviations

Limits: Action Levels per OAR-333-007-0400, OAR-333-007-0210, OAR-333-007-0220, CCR title 16-division 42. BCC-section 5723

Limit(s) of Quantitation (LOQ): The minimum levels, concentrations, or quantities of a target variable (e.g., target analyte) that can be reported with a specified degree of confidence.

^p = ISO/IEC 17025:2017 accredited method.

^{*} = TNI accredited analyte.

Units of Measure

cfu/g = Colony forming units per gram

µg/g = Microgram per gram

µg/kg = Micrograms per kilogram = parts per billion (ppb)

mg/kg = Milligram per kilogram = parts per million (ppm)

% = Percentage of sample

% wt = µg/g divided by 10,000

Glossary of Qualifiers

E: Analyte concentration exceeds the calibration range, results are estimated.

Approved Signatory

Derrick Tanner
General Manager



12423 NE Whitaker Way
 Portland, OR 97230
 503-254-1794



Report Number: 23-000691/D004.R001
Report Date: 01/26/2023
ORELAP#: OR100028
Purchase Order:
Received: 01/17/23 14:16

Revision: 1 Document ID: 7148
 Legacy ID: Worksheet Validated 04/20/2021

Laboratory Quality Control Results

J AOAC 2015 V98-6 Batch ID: 2300680

Laboratory Control Sample									
Analyte	LCS	Result	Spike	Units	% Rec	Limits		Evaluation	Notes
CBDVA	2	0.104	0.100	%	104	80.0	- 120	Acceptable	
CBDV	2	0.110	0.106	%	104	80.0	- 120	Acceptable	
CBE	2	0.108	0.105	%	103	80.0	- 120	Acceptable	
CBDA	1	0.0968	0.096	%	101	90.0	- 110	Acceptable	
CBGA	1	0.0973	0.096	%	101	80.0	- 120	Acceptable	
CBG	1	0.100	0.099	%	102	80.0	- 120	Acceptable	
CBD	1	0.0969	0.097	%	99.6	90.0	- 110	Acceptable	
THCV	2	0.109	0.106	%	102	80.0	- 120	Acceptable	
d8THCV	2	0.108	0.103	%	105	80.0	- 120	Acceptable	
THCVA	2	0.102	0.099	%	103	80.0	- 120	Acceptable	
CBN	1	0.104	0.102	%	102	80.0	- 120	Acceptable	
exo-THC	2	0.101	0.097	%	104	80.0	- 120	Acceptable	
d9THC	1	0.112	0.105	%	107	90.0	- 110	Acceptable	
d8THC	1	0.0971	0.100	%	96.7	90.0	- 110	Acceptable	
CBL	2	0.108	0.104	%	104	80.0	- 120	Acceptable	
9S-HHC	3	0.0995	0.100	%	99.5	80.0	- 120	Acceptable	
d10THC	1	0.0471	0.047	%	99.8	80.0	- 120	Acceptable	
CBG	2	0.107	0.104	%	103	80.0	- 120	Acceptable	
9R-HHC	3	0.0889	0.100	%	88.9	80.0	- 120	Acceptable	
THCA	1	0.0964	0.095	%	101	90.0	- 110	Acceptable	
CBCA	2	0.106	0.103	%	103	80.0	- 120	Acceptable	
CBLA	2	0.108	0.105	%	104	80.0	- 120	Acceptable	
d8THCO	3	0.104	0.100	%	104	80.0	- 120	Acceptable	
CBT	2	0.109	0.105	%	104	80.0	- 120	Acceptable	
d9THCO	3	0.110	0.100	%	110	80.0	- 120	Acceptable	

Method Blank

Analyte	Result	LOQ	Units	Limits	Evaluation	Notes
CBDVA	<LOQ	0.0077	%	< 0.0077	Acceptable	
CBDV	<LOQ	0.0077	%	< 0.0077	Acceptable	
CBE	<LOQ	0.0077	%	< 0.0077	Acceptable	
CBDA	<LOQ	0.0077	%	< 0.0077	Acceptable	
CBGA	<LOQ	0.0077	%	< 0.0077	Acceptable	
CBG	<LOQ	0.0077	%	< 0.0077	Acceptable	
CBD	<LOQ	0.0077	%	< 0.0077	Acceptable	
THCV	<LOQ	0.0077	%	< 0.0077	Acceptable	
d8THCV	<LOQ	0.0077	%	< 0.0077	Acceptable	
THCVA	<LOQ	0.0077	%	< 0.0077	Acceptable	
CBN	<LOQ	0.0077	%	< 0.0077	Acceptable	
exo-THC	<LOQ	0.0077	%	< 0.0077	Acceptable	
d9THC	<LOQ	0.0077	%	< 0.0077	Acceptable	
d8THC	<LOQ	0.0077	%	< 0.0077	Acceptable	
CBL	<LOQ	0.0077	%	< 0.0077	Acceptable	
9S-HHC	<LOQ	0.0077	%	< 0.0077	Acceptable	
d10THC	<LOQ	0.0077	%	< 0.0077	Acceptable	
CBG	<LOQ	0.0077	%	< 0.0077	Acceptable	
9R-HHC	<LOQ	0.0077	%	< 0.0077	Acceptable	
THCA	<LOQ	0.0077	%	< 0.0077	Acceptable	
CBCA	<LOQ	0.0077	%	< 0.0077	Acceptable	
CBLA	<LOQ	0.0077	%	< 0.0077	Acceptable	
d8THCO	<LOQ	0.0077	%	< 0.0077	Acceptable	
CBT	<LOQ	0.0077	%	< 0.0077	Acceptable	
d9THCO	<LOQ	0.0077	%	< 0.0077	Acceptable	

Abbreviations

ND - None Detected at or above MRL
 RPD - Relative Percent Difference
 LOQ - Limit of Quantitation

Units of Measure:

% - Percent



12423 NE Whitaker Way
 Portland, OR 97230
 503-254-1794

Report Number: 23-000691/D004.R001
Report Date: 01/26/2023
ORELAP#: OR100028
Purchase Order:
Received: 01/17/23 14:16



Revision: 1 Document ID: 7148
 Legacy ID: Worksheet Validated 04/20/2021

Laboratory Quality Control Results

J AOAC 2015 V98-6		Batch ID: 2300680						
Sample Duplicate		Sample ID: 23-000673-0001						
Analyte	Result	Org. Result	LOQ	Units	RPD	Limits	Evaluation	Notes
CBDVA	0.0236	0.0235	0.077	%	0.271	< 20	Acceptable	
CBDV	<LOQ	<LOQ	0.077	%	NA	< 20	Acceptable	
CBE	<LOQ	<LOQ	0.077	%	NA	< 20	Acceptable	
CBDA	<LOQ	<LOQ	0.077	%	NA	< 20	Acceptable	
CBGA	<LOQ	<LOQ	0.077	%	NA	< 20	Acceptable	
CBG	<LOQ	<LOQ	0.077	%	NA	< 20	Acceptable	
CBD	<LOQ	<LOQ	0.077	%	NA	< 20	Acceptable	
THCV	<LOQ	<LOQ	0.077	%	NA	< 20	Acceptable	
d8THCV	<LOQ	<LOQ	0.077	%	NA	< 20	Acceptable	
THCVA	<LOQ	<LOQ	0.077	%	NA	< 20	Acceptable	
CBN	0.0340	0.0342	0.077	%	0.526	< 20	Acceptable	
exo-THC	<LOQ	<LOQ	0.077	%	NA	< 20	Acceptable	
d9THC	<LOQ	<LOQ	0.077	%	NA	< 20	Acceptable	
d8THC	0.189	0.172	0.077	%	9.34	< 20	Acceptable	
CBL	<LOQ	<LOQ	0.077	%	NA	< 20	Acceptable	
9S-HHC	39.6	38.5	0.077	%	2.70	< 20	Acceptable	
d10THC	<LOQ	<LOQ	0.077	%	NA	< 20	Acceptable	
CBC	<LOQ	<LOQ	0.077	%	NA	< 20	Acceptable	
9R-HHC	36.9	35.2	0.077	%	4.96	< 20	Acceptable	
THCA	<LOQ	<LOQ	0.077	%	NA	< 20	Acceptable	
CBCA	<LOQ	<LOQ	0.077	%	NA	< 20	Acceptable	
CBLA	<LOQ	<LOQ	0.077	%	NA	< 20	Acceptable	
d8THCO	<LOQ	<LOQ	0.077	%	NA	< 20	Acceptable	
CBT	<LOQ	<LOQ	0.077	%	NA	< 20	Acceptable	
d9THCO	<LOQ	<LOQ	0.077	%	NA	< 20	Acceptable	

Abbreviations

- ND - None Detected at or above MRL
- RPD - Relative Percent Difference
- LOQ - Limit of Quantitation
- R2 - Sample replicates RPD non-calculable, as only one replicate is within analytical range.

Units of Measure:



12423 NE Whitaker Way
 Portland, OR 97230
 503-254-1794

Report Number: 23-000691/D004.R001
 Report Date: 01/26/2023
 ORELAP#: OR100028
 Purchase Order:
 Received: 01/17/23 14:16



Revision: 2 Document ID: 7087
 Legacy ID: CFL-E33Effective:

Laboratory Quality Control Results

Residual Solvents				Batch ID: 2300722					
Method Blank				Laboratory Control Sample					
Analyte	Result	LOQ	Notes	Result	Spike	Units	% Rec	Limits	Notes
Propane	ND	< 200		480	572	µg/g	83.9	60 - 120	
Isobutane	ND	< 200		623	731	µg/g	85.2	60 - 120	
Butane	ND	< 200		592	731	µg/g	81.0	60 - 120	
2,2-Dimethylpropane	ND	< 200		812	936	µg/g	86.8	60 - 120	
Methanol	ND	< 200		1410	1620	µg/g	87.0	60 - 120	
Ethylene Oxide	ND	< 30		49	56.2	µg/g	87.2	60 - 120	
2-Methylbutane	ND	< 200		1330	1610	µg/g	82.6	60 - 120	
Pentane	ND	< 200		1330	1600	µg/g	83.1	60 - 120	
Ethanol	ND	< 200		1400	1610	µg/g	87.0	70 - 130	
Ethyl Ether	ND	< 200		1340	1630	µg/g	82.2	60 - 120	
2,2-Dimethylbutane	ND	< 30		138	171	µg/g	80.7	60 - 120	
Acetone	ND	< 200		1340	1630	µg/g	82.2	60 - 120	
2-Propanol	ND	< 200		1440	1620	µg/g	88.9	60 - 120	
Ethyl Formate	ND	< 500		1380	1670	µg/g	82.6	70 - 130	
Acetonitrile	ND	< 100		409	498	µg/g	82.1	60 - 120	
Methyl Acetate	ND	< 500		1460	1730	µg/g	84.4	70 - 130	
2,3-Dimethylbutane	ND	< 30		135	171	µg/g	78.9	60 - 120	
Dichloromethane	ND	< 60		406	483	µg/g	84.1	60 - 120	
2-Methylpentane	ND	< 30		146	168	µg/g	86.9	60 - 120	
MTBE	ND	< 500		1520	1650	µg/g	92.1	70 - 130	
3-Methylpentane	ND	< 30		125	167	µg/g	74.9	60 - 120	
Hexane	ND	< 30		178	182	µg/g	97.8	60 - 120	
1-Propanol	ND	< 500		1420	1620	µg/g	87.7	70 - 130	
Methylethylketone	ND	< 500		1330	1620	µg/g	82.1	70 - 130	
Ethyl acetate	ND	< 200		1360	1610	µg/g	84.5	60 - 120	
2-Butanol	ND	< 200		1430	1600	µg/g	89.4	60 - 120	
Tetrahydrofuran	ND	< 100		397	483	µg/g	82.2	60 - 120	
Cyclohexane	ND	< 200		1300	1610	µg/g	80.7	60 - 120	
2-methyl-1-propanol	ND	< 500		1360	1620	µg/g	84.0	70 - 130	
Benzene	ND	< 1		4.42	5.02	µg/g	88.0	60 - 120	
Isopropyl Acetate	ND	< 200		1450	1620	µg/g	89.5	60 - 120	
Heptane	ND	< 200		1280	1610	µg/g	79.5	60 - 120	
1-Butanol	ND	< 500		1450	1630	µg/g	89.0	70 - 130	
Propyl Acetate	ND	< 500		1310	1610	µg/g	81.4	70 - 130	
1,4-Dioxane	ND	< 100		390	491	µg/g	79.4	60 - 120	
2-Ethoxyethanol	ND	< 30		296	181	µg/g	163.5	60 - 120	Q1
Methylisobutylketone	ND	< 500		1260	1620	µg/g	77.8	70 - 130	
3-Methyl-1-butanol	ND	< 500		1380	1630	µg/g	84.7	70 - 130	
Ethylene Glycol	ND	< 200		652	484	µg/g	134.7	60 - 120	Q1
Toluene	ND	< 100		373	485	µg/g	76.9	60 - 120	
Isobutyl Acetate	ND	< 500		1320	1630	µg/g	81.0	70 - 130	
1-Pentanol	ND	< 500		1330	1620	µg/g	82.1	70 - 130	
Butyl Acetate	ND	< 500		1280	1620	µg/g	79.0	70 - 130	
Ethylbenzene	ND	< 200		712	969	µg/g	73.5	60 - 120	
m,p-Xylene	ND	< 200		720	994	µg/g	72.4	60 - 120	
o-Xylene	ND	< 200		694	967	µg/g	71.8	60 - 120	
Cumene	ND	< 30		126	171	µg/g	73.7	60 - 120	
Anisole	ND	< 500		1120	1630	µg/g	68.7	70 - 130	Q6
DMSO	ND	< 500		2220	1680	µg/g	132.1	70 - 130	Q1
1,2-dimethoxyethane	ND	< 50		147	169	µg/g	87.0	70 - 130	
Triethylamine	ND	< 500		1340	1630	µg/g	82.2	70 - 130	
N,N-dimethylformamide	ND	< 150		573	482	µg/g	118.9	70 - 130	
N,N-dimethylacetamide	ND	< 150		533	510	µg/g	104.5	70 - 130	
Pyridine	ND	< 50		194	203	µg/g	95.6	70 - 130	
Sulfolane	ND	< 50		198	172	µg/g	115.1	70 - 130	
1,2-Dichloroethane	ND	< 1		0.857	1	µg/g	85.7	70 - 130	
Chloroform	ND	< 1		0.892	1	µg/g	89.2	70 - 130	
Trichloroethylene	ND	< 1		0.93	1	µg/g	93.0	70 - 130	
1,1-Dichloroethane	ND	< 1		0.899	1	µg/g	89.9	70 - 130	



12423 NE Whitaker Way
 Portland, OR 97230
 503-254-1794



Report Number: 23-000691/D004.R001
Report Date: 01/26/2023
ORELAP#: OR100028
Purchase Order:
Received: 01/17/23 14:16

Revision: 2 Document ID: 7087
 Legacy ID: CFL-E33Effective:

QC - Sample Duplicate		Sample ID: 23-000158-0002						
Analyte	Result	Org. Result	LOQ	Units	RPD	Limits	Accept/Fail	Notes
Propane	ND	ND	200	µg/g	0.0	< 20	Acceptable	
Isobutane	ND	ND	200	µg/g	0.0	< 20	Acceptable	
Butane	ND	ND	200	µg/g	0.0	< 20	Acceptable	
2,2-Dimethylpropane	ND	ND	200	µg/g	0.0	< 20	Acceptable	
Methanol	ND	ND	200	µg/g	0.0	< 20	Acceptable	
Ethylene Oxide	ND	ND	30	µg/g	0.0	< 20	Acceptable	
2-Methylbutane	ND	ND	200	µg/g	0.0	< 20	Acceptable	
Pentane	ND	ND	200	µg/g	0.0	< 20	Acceptable	
Ethanol	ND	ND	200	µg/g	0.0	< 20	Acceptable	
Ethyl Ether	ND	ND	200	µg/g	0.0	< 20	Acceptable	
2,2-Dimethylbutane	ND	ND	30	µg/g	0.0	< 20	Acceptable	
Acetone	ND	ND	200	µg/g	0.0	< 20	Acceptable	
2-Propanol	ND	ND	200	µg/g	0.0	< 20	Acceptable	
Ethyl Formate	ND	ND	500	µg/g	0.0	< 20	Acceptable	
Acetonitrile	ND	ND	100	µg/g	0.0	< 20	Acceptable	
Methyl Acetate	ND	ND	500	µg/g	0.0	< 20	Acceptable	
2,3-Dimethylbutane	ND	ND	30	µg/g	0.0	< 20	Acceptable	
Dichloromethane	ND	ND	60	µg/g	0.0	< 20	Acceptable	
2-Methylpentane	ND	ND	30	µg/g	0.0	< 20	Acceptable	
MTBE	ND	ND	500	µg/g	0.0	< 20	Acceptable	
3-Methylpentane	ND	ND	30	µg/g	0.0	< 20	Acceptable	
Hexane	ND	ND	30	µg/g	0.0	< 20	Acceptable	
1-Propanol	ND	ND	500	µg/g	0.0	< 20	Acceptable	
Methyl ethyl ketone	ND	ND	500	µg/g	0.0	< 20	Acceptable	
Ethyl acetate	ND	ND	200	µg/g	0.0	< 20	Acceptable	
2-Butanol	ND	ND	200	µg/g	0.0	< 20	Acceptable	
Tetrahydrofuran	ND	ND	100	µg/g	0.0	< 20	Acceptable	
Cyclohexane	ND	ND	200	µg/g	0.0	< 20	Acceptable	
2-methyl-1-propanol	ND	ND	500	µg/g	0.0	< 20	Acceptable	
Benzene	ND	ND	1	µg/g	0.0	< 20	Acceptable	
Isopropyl Acetate	ND	ND	200	µg/g	0.0	< 20	Acceptable	
Heptane	ND	ND	200	µg/g	0.0	< 20	Acceptable	
1-Butanol	ND	ND	500	µg/g	0.0	< 20	Acceptable	
Propyl Acetate	ND	ND	500	µg/g	0.0	< 20	Acceptable	
1,4-Dioxane	ND	ND	100	µg/g	0.0	< 20	Acceptable	
2-Ethoxyethanol	ND	ND	30	µg/g	0.0	< 20	Acceptable	
Methylisobutylketone	ND	ND	500	µg/g	0.0	< 20	Acceptable	
3-Methyl-1-butanol	ND	ND	500	µg/g	0.0	< 20	Acceptable	
Ethylene Glycol	ND	ND	200	µg/g	0.0	< 20	Acceptable	
Toluene	ND	ND	100	µg/g	0.0	< 20	Acceptable	
Isobutyl Acetate	ND	ND	500	µg/g	0.0	< 20	Acceptable	
1-Pentanol	ND	ND	500	µg/g	0.0	< 20	Acceptable	
Butyl Acetate	ND	ND	500	µg/g	0.0	< 20	Acceptable	
Ethylbenzene	ND	ND	200	µg/g	0.0	< 20	Acceptable	
m,p-Xylene	ND	ND	200	µg/g	0.0	< 20	Acceptable	
o-Xylene	ND	ND	200	µg/g	0.0	< 20	Acceptable	
Cumene	ND	ND	30	µg/g	0.0	< 20	Acceptable	
Anisole	ND	ND	500	µg/g	0.0	< 20	Acceptable	
DMSO	ND	ND	500	µg/g	0.0	< 20	Acceptable	
1,2-dimethoxyethane	ND	ND	50	µg/g	0.0	< 20	Acceptable	
Triethylamine	ND	ND	500	µg/g	0.0	< 20	Acceptable	
N,N-dimethylformamide	ND	ND	150	µg/g	0.0	< 20	Acceptable	
N,N-dimethylacetamide	ND	ND	150	µg/g	0.0	< 20	Acceptable	
Pyridine	ND	ND	50	µg/g	0.0	< 20	Acceptable	
Sulfolane	ND	ND	50	µg/g	0.0	< 20	Acceptable	
1,2-Dichloroethane	ND	ND	1	µg/g	0.0	< 20	Acceptable	
Chloroform	ND	ND	1	µg/g	0.0	< 20	Acceptable	
Trichloroethylene	ND	ND	1	µg/g	0.0	< 20	Acceptable	
1,1-Dichloroethane	ND	ND	1	µg/g	0.0	< 20	Acceptable	

Abbreviations

ND - None Detected at or above MRL

RPD - Relative Percent Difference

LOQ - Limit of Quantitation

Q1 - Quality control result biased high. Only non-detect samples reported.

Q6 - Quality control outside QC limits. Data acceptable based on remaining QC.

Units of Measure:

µg/g- Microgram per gram or ppm



12423 NE Whitaker Way
Portland, OR 97230
503-254-1794



Report Number: 23-000691/D004.R001
Report Date: 01/26/2023
ORELAP#: OR100028
Purchase Order:
Received: 01/17/23 14:16





Explanation of QC Flag Comments:

Code	Explanation
Q	Matrix interferences affecting spike or surrogate recoveries.
Q1	Quality control result biased high. Only non-detect samples reported.
Q2	Quality control outside QC limits. Data considered estimate.
Q3	Sample concentration greater than four times the amount spiked.
Q4	Non-homogenous sample matrix, affecting RPD result and/or % recoveries.
Q5	Spike results above calibration curve.
Q6	Quality control outside QC limits. Data acceptable based on remaining QC.
R	Relative percent difference (RPD) outside control limit.
R1	RPD non-calculable, as sample or duplicate results are less than five times the LOQ.
R2	Sample replicates RPD non-calculable, as only one replicate is within the analytical range.
LOQ1	Quantitation level raised due to low sample volume and/or dilution.
LOQ2	Quantitation level raised due to matrix interference.
B	Analyte detected in method blank, but not in associated samples.
B1	The sample concentration is greater than 5 times the blank concentration.
B2	The sample concentration is less than 5 times the blank concentration.